Botanical names in the genus *Narcissus*
Updated September 2008

NOTES

Status of botanical names

- All botanical names in this list are in *italic* (eg *aequilimba*)
- Botanical names with a dagger (†) have been established to be contrary to the provisions of the *International Code of Botanical Nomenclature - 2006* and thus invalid
- All other botanical names meet the provisions of the *International Code of Botanical Nomenclature - 2006*
- Botanical names in **bold** are accepted names (eg ***abscissus***). That is to say that in this Register they are considered to be the correct name for a taxon at species or infraspecific rank. The accepted names listed in alphabetical sequence below are laid out in classified order in the botanical classification

NB Botanical names are not validated merely by their appearance in the International Daffodil Register

Double quotes

- Double quotes indicate uncertainty about the identity of the taxon concerned (eg "*N. obvallaris*" in the parentage of *N.* x *lopezii*)

Classification

- The accepted names in this list are laid out in the botanical classification. In the horticultural classification, they are assigned to Division 13

†× *abilii* Rivas Martínez, Anales Inst. Bot. Cavanilles 27: 150 (1969-70) (*Narcissus*) (parentage: *N. cantabricus* de Candolle × *N. triandrus* Linnaeus [as subsp. *pallidulus*]) = *N.* × *litigiosus*
× ***abilioi*** Fernández Casas, Bol. Soc. Brot. 53: 645 (1980) (*Narcissus*) = *N. bulbocodium* Linnaeus × *N. fernandesii* Pedro
abscissus (Haworth) Schultes & Schultes f., in Syst. Veg. 7ii: 941 (1830) (*Narcissus*) Section Pseudonarcissus ("The Clipt Trunk", "The Greater Clipt Trunk")
var. ***abscissus***
var. ***graciliflorus*** Pugsley, in J. Roy. Hort. Soc. 58 (1) 89 (1933)
var. ***serotinus*** (Jordan) Pugsley, in J. Roy. Hort. Soc. 58 (1) 88 (1933)
var. ***tubulosus*** (Jordan) Pugsley, in J. Roy. Hort. Soc. 58 (1) 89 (1933)
aequilimba Herbert, Amaryllidaceae: 404 (1837) (*Hermione*) = *N. tazetta* (wild form from Malta)
†× *ahmerensis* M.Salmon, in Monocot Nursery Seed List 1993/4 (parentage: *N. elegans* × *N. serotinus* [as var. *deficiens*]) = *N.* × *obsoletus*
ajax Sweet, Hort. Suburb. Lond.: 67 (1818) (*Narcissus*) = *N. pseudonarcissus* subsp. *pseudonarcissus*
alba Haworth, Suppl. Pl. Succ.: 127 (1819) (*Queltia*) = *N.* × *incomparabilis*
albescens Pugsley, in J. Roy. Hort. Soc. 58 (1) 82 (1933) (*Narcissus*) Section Pseudonarcissus ('Albicans')
albicans Haworth, Monogr. Narcissin.: 1 (1831) (*Corbularia*) = *N. cantabricus* subsp. *monophyllus*
albicans (Haworth) hort., in J. Roy. Hort. Soc. 58 (1) 82 (1933) (*Narcissus*) = *N. albescens*
albido-tepaloideus = *N. portensis* var. *albido-tepaloideus*
albidus Schultes & Schultes f., in Syst. Veg. 7ii: 949 (1830) (*Narcissus*) = *N.* × *incomparabilis*
albidus Heynhold, Nom. Bot. Hort. 1: 539 (1840) (*Ajax*) = *N. albescens*
albidus Emberger & Maire, Pl. Marocc. Nov.: 6 (1929) = *N. romieuxii* subsp. *albidus*
albimarginatus D. & U.Müller-Doblies, in Flowering Plants of Africa 50 (2) t. 1986 (1989) (*Narcissus*) Section Apodanthi
albulus Levier in Janka, in Természetrajzi Füz. 10 (1) 45 (1886) (*Narcissus*) = ?
albus Miller, Gard. Dict., ed. 8: no. 5 (1768) (*Narcissus*) = *N.* × *medioluteus*
albus Haworth, in Trans. Linn. Soc. London 5: 243 (1800) (*Narcissus*) = *N. moschatus*
albus Haworth, Monogr. Narcissin.: 5 (1831) (*Ganymedes*) = *N. triandrus* var. *triandrus*
†*albus* (as var. of *N. zaianicus*) M.Salmon, in Monocot Nursery Plant List 1993/4
alcaracensis Ríos, D.Rivera, Alcaraz & Obón, in Bot. J. Linn. Soc. 131 (2)160 (1999) (*Narcissus*) Section Pseudonarcissus
× ***alejandrei*** Fernández Casas, in Fontqueria 11: 22 (1986) (*Narcissus*) = *N. bulbocodium* Linnaeus (as subsp. *bulbocodium* var. *citrinus*) × *N. jacetanus* (as subsp. *vasconicus*)

alejandrei = *N. triandrus* var. *alejandrei*
algerica M.Roemer, Fam. Nat. Syn. Monogr. 4: 223 (1847) = *N. bertolonii* var. *algericus*
algirus Pomel, Nouv. Mat. Fl. Atl. 2: 384 (1874) (*Narcissus*) = *N. bertolonii*
× ***alleniae*** Donnison-Morgan, in New Plantsman 7 (1) 42 (2000) (*Narcissus*) = *N. serotinus* Linnaeus × *N. viridiflorus* Schousboe
†*almadensis* (as subsp. of *N. jonquilla*) M.Salmon, in Monocot Nursery Plant List 1995/6
× ***aloysii-villarii*** Fernández Casas, in Fontqueria 11: 19, fig. 1A (1986) (*Narcissus*) = *N. alpestris* Pugsley × *N. jacetanus* Fernández Casas (This hybrid has also been given the name x *sanjuanensis*, but the name has not been formally published)
alpestris Pugsley, in J. Roy. Hort. Soc. 58 (1) 79 (1933) (*Narcissus*) Section Pseudonarcissus
amplus Salisbury, Prodr. Stirp. Chap. Allerton: 224 (1796) (*Narcissus*) = *N.* × *incomparabilis*
anceps de Candolle, Cat. Pl. Horti Monsp.: 127 (1813) (*Narcissus*) = *N. papyraceus*
anceps Haworth, Suppl. Pl. Succ.: 119 (1819) (*Ajax lorifolius* var. *anceps*) = *N. bicolor*
× ***andorranus*** Fernández Casas, in Fontqueria 3: 25 (1983) (*Narcissus*) = *N. nobilis* (Haworth) Schultes & Schultes f. × *N. poeticus* Linnaeus (as var. *poeticus*)
angustifolius Curtis, Bot. Mag. 6: t. 193 (1793) (*Narcissus*) = *N. radiiflorus*
angustifolius Willdenow, Enum. Hort. Berol.: 351 (1809) (*Narcissus*) = *N.* × *tenuior*
× *angustifolius* hort. ex M.Roemer, Fam. Nat. Syn. Monogr. 4: 233 (1847) (*Narcissus*) = *N.* × *tenuior*
annuus = Mis-spelling of *aureus* Loiseleur-Deslongchamps
aperticorona Haworth, Monogr. Narcissin.: 9 (1831) (*Hermione*) = *N. cupularis*
apodanthus Boissier & Reuter, Diagn. Pl. Nov. Hisp.: 25 (1842) (*Narcissus*) = *N. rupicola*
× ***aranensis*** Fernández Casas, in Fontqueria 3: 25 (1983) (*Narcissus*) = *N. pallidiflorus* Pugsley × *N. poeticus* Linnaeus (as var. *poeticus*)
arcuatus Heynhold, Nom. Bot. Hort.: 539 (1840) (*Narcissus*) = *N. triandrus* var. *triandrus*
aschersonii Bolle, in Atti Soc. Ital. Sci. Nat. 8: 90 (1865) (*Narcissus*) = *N. tazetta* subsp. *lacticolor*
assoanus Dufour ex Scultes & Schultes f., Syst. Veg. 7ii, p. 962 (1830) (*Narcissus*) Section Jonquilla. Received FCC 1865 as *N. juncifolius*
subsp. ***assoanus***
var. ***assoanus***
var. ***palearensis*** (Romo) Barra, in Anales Jard. Bot. Madrid: 59 (2) 351 (2001 publ. 2002)
var. ***pallens*** (Freyn ex Willkomm) Fernández Casas, in Fontqueria 1: 10 (1982)
var. ***parviflorus*** (Pau) Barra, in Anales Jard. Bot. Madrid: 59 (2) 351 (2001 publ. 2002)
subsp. ***praelongus*** Barra & López, in Anales Jard. Bot. Madrid: 39: 209 (1982)
assoi Dufour ex Graells, in Mem. Real Acad. Ci. Exact. Madrid 2: 481 (1859) (*Narcissus*) = *N. assoanus*
asturicus Barr, in J. Roy. Hort. Soc. 58 (1) 69 (1933) (*Narcissus*) = *N. pallidiflorus* var. *pallidiflorus* f. *asturicus*
asturiensis (Jordan) Pugsley, in J. Roy. Hort. Soc. 58 (1) 40 (1933) (*Narcissus*) Section Pseudonarcissus. AM 1981, AGM 1994
var. ***asturiensis***
var. ***brevicoronatus*** Pugsley, in J. Roy. Hort. Soc. 58 (1) 40 (1933)
var. ***villarvildensis*** Díaz Gonzáles & Fernández Prieto, Anales Inst. Bot. Cavanilles 36: 168 (1979 publ. 1980)
atlanticus Stern, in Daffodil & Tulip Year Book 16: 25 (1950) (*Narcissus*) Section Apodanthi. PC 1997
aurantia Haworth, Suppl. Pl. Succ.: 123 (1819) (*Queltia*) = *N.* × *incomparabilis*
aurantiacus in the sense of Bowles, Handb. Narc.: 142 (1934) ('Aurantiacus') = ?*N.* × *infundibulum*
aurantiacus hort., Place of publication untraced = *N. triandrus* var. *concolor*
auranticoronatus = *N. elegans* var. *elegans* f. *auranticoronatus*
auranticorona Haworth, Monogr. Narcissin.: 11 (1831) (*Hermione*) = *N. tazetta* subsp. *lacticolor*
× *aureo-tinctus* T.Moore & Ayres, Gard. Mag. Bot. 3: 289 (1851) (*Narcissus*) = ‘Astraea’
aureus de Candolle, in P.J.Redouté, Liliac. 8: t. 486 (1815) (*Narcissus*) = *N. bulbocodium* subsp. *bulbocodium*
aureus Loiseleur-Deslongchamps, Nouv. Not. Flor. France: 13 (1827) (*Narcissus*) = *N. tazetta* subsp. *aureus*
†*auricolor* Rivas Goday, in Bol. Real Soc. Esp. Hist. Nat. 22 (3) 176 (1922) (*Narcissus*) = ?
autumnalis Link, in Linnaea 9: 569 (1834, publ. 1835) (*Narcissus*) = *N. elegans*
baeticus Fernández Casas, in Fontqueria 1: 11 (1982) (*Narcissus*) = *N. assoanus* subsp. *praelongus*
× ***bakeri*** Richter, Pl. Europ. 1: 245 (1890) (*Narcissus*) = *N. bulbocodium* Linnaeus × *N. pseudonarcissus* Linnaeus
barlae Parlatore, Fl. Ital. 3: 129 (1858) (*Narcissus*) Section Tazettae
× *barrae* Fernández Casas, in Fontqueria 14: 18 (1987) (*Narcissus*) (parentage: *N. bulbocodium* Linnaeus × *N. cantabricus* de Candolle) = *N.* × *neocarpetanus*
†*belinensis* (as subsp. of *N. citrinus*) M.Salmon, in Daffodils 1991-1992: 33
benacensis Porta, in Jahreskat. Wiener Bot. Tauschanst. 1897: 69 (1897) = ?
× *bergidensis* Fernández Casas & Rivas Ponce, in Fontqueria 21: 31(1988) (*Narcissus*) (parentage: *N. primigenius* (Fernández Suárez ex Laínz) Fernández Casas & Laínz × *N. triandrus* Linnaeus) = *N.* × *pravianoi*
bericus Turra ex Marzari-Pencati, Elenc. Pl. Vicenza: 27 (1802) (*Narcissus*) = *N.* × *incomparabilis*
× ***bernardii*** de Candolle ex Hénon, in Mém. Acad. Roy. Sci. Lyon 4: 5 (1854) (*Narcissus*) = *N. hispanicus* Gouan × *N. poeticus* Linnaeus ("Straffan Snowdrop")

bertolonii Parlatore, Fl. Ital. 3: 132 (1858) (*Narcissus*) Section Tazettae
var. ***bertolonii***
var. ***algericus*** (M.Roemer) Maire & Weiller, in Fl. Afr. Nord 6: 70-71(1959)
var. ***discolor*** (Jordan & Fourreau) Battandier, Fl. Algérie, Monocot.: 176 (1884)
var. ***primulinus*** Maire, Fl. Afr. Nord 6: 71 (1959)
biancae Todaro, Index Seminum (PAL) 1857: 43 (1858) (*Narcissus*) = *N. tazetta* subsp. *lacticolor*
bicchianus Parlatore, Fl. Ital. 3: 156 (1858) (*Narcissus*) = *N. tazetta* subsp. *lacticolor*
bicolor Linnaeus, Sp. Pl., ed. 2, 1: 415 (1762) (*Narcissus*) Section Pseudonarcissus
var. ***bicolor***
var. ***concolor*** Barra, in Anales Jard. Bot. Madrid 57 (1) 178 (1999)
var. ***lorifolius*** (Salisbury) Pugsley, in J. Roy. Hort. Soc. 58 (1) 84 (1933) (Pseudonarcissus Lorifolius 'Rugilobus')
bicrenatus = Mis-spelling of *biscrenatus* (*H. biscrenata*)
× *biflorus* Curtis, Bot. Mag. 6: t. 197 (1792) (*Narcissus*) = *N.* × *medioluteus*
biflorus Schur, Enum. Pl. Transsilv.: 658 (1866) (*Narcissus*) = *N. radiiflorus*
bifrons Ker Gawler, in Bot. Mag. 29: t. 1186 (1809) (*Narcissus*) = *N.* × *intermedius*
biscrenata Haworth, Monogr. Narcissin.: 14 (1831) (*Hermione*) = ?
biternaceus Salisbury, Gen. Pl. Fragm.: 100 (1866) (Queltia) = *N.* × *incomparabilis* Miller
blancoi Barra & López, in Anales Jard. Bot. Madrid 50 (1) 123 (1992) (*Narcissus*) = *N. cantabricus* subsp. *luteolentus*
× ***boutignyanus*** Philippe, Fl. Pyren. (Philippe) 2:335 (1859) (*Narcissus*) = *N. moschatus* Linnaeus × *N. poeticus* Linnaeus
brevicoronatus = *N. asturiensis* var. *brevicoronatus*
breviflora Haworth, Monogr. Narcissin.: 11 (1831) (*Hermione*) = *N. patulus*
breviflos Haworth, Suppl. Pl. Succ.:119 (1819) (*Ajax*) = *N. pseudonarcissus*
× ***brevitubulosus*** A.Fernandes, in Anuário Soc. Brot. 49: 31 (1983) (*Narcissus*) = *N. asturiensis* (Jordan) Pugsley × *N. bulbocodium* (as var. *nivalis*)
bromfieldii Syme, in English Botany, ed. 3, 9: 158 (1869) (*Narcissus*) = *N. obvallaris*
broteroi Rouy, in Bull. Soc. Bot. France 55: 153 (1908) (*Narcissus*) = *N. triandrus* subsp. *triandrus*
broussonetii Lagasca, Gen. Sp. Pl.: 13 (1816) (*Narcissus*) Section Aurelia
f. ***broussonetii***
f. ***grandiflorus*** (Battandier & Trabut) Maire, in Cat. Pl. Maroc: 871 (1934)
bujei Fernández Casas, in Fontqueria 2: 33 (1982) = *N. hispanicus* subsp. *bujei*
bulbocodium Linnaeus, Sp. Pl.: 289 (1753) (*Narcissus*) Section Bulbocodium. AGM 1994
subsp. *albidus* Emberger & Maire, Pl. Marocc. Nov.: 6 (1929) = *N. romieuxii* subsp. *albidus*
subsp. ***bulbocodium*** ("Hoop Petticoat Daffodil", "Medusa's Trumpet", "Trompette de Meduse")
var. ***bulbocodium***. PC 2001 (as *N. bulbocodium* var. *genuinus*)
var. ***citrinus*** Baker, in Florist Pomol.: 68 (1880) ('Citrinus'). FCC 1886
var. ***conspicuus*** (Haworth) Baker, Narcissus: 66 (1875)
var. ***ectandrus*** Barra & López, in Anales Jard. Bot. Madrid 39 (2) 298 (1982 publ. 1983)
var. *filifolius* (M.Roemer) hort., Place of publication untraced = variant of *N. bulbocodium* subsp. *bulbocodium*. AM(a) 1946
var. ***graellsii*** (P.B.Webb) Baker, Handb. Amaryll.: 3 (1888)
var. ***nivalis*** (Graells) Baker, Handb. Amaryll.: 3 (1888)
var. ***pallidus*** (Gattefossé & Weiller) Maire & Weiller, in Fl. Afr. Nord 6: 55 (1959)
var. ***serotinus*** (Haworth) A.Fernandes, in Daffodil & Tulip Year Book 33: 55 (1968)
var. ***tenuifolius*** (Salisbury) Baker, Handb. Amaryll.: 2 (1888)
subsp. *citrinus* (Baker) Fernández Casas, in Fontqueria 2: 38 (1982) = *N. bulbocodium* var. *citrinus*
subsp. *monophyllus* (Durieu de Maisonneuve) Maire, Cat. Pl. Maroc: 138 (1931) = *N. cantabricus* subsp. *monophyllus*
subsp. ***obesus*** (Salisbury) Maire, Cat. Pl. Maroc 1: 138 (1931). AM 1993
subsp. ***praecox*** Gattefossé & Weiller, in Bull. Soc. Hist. Nat. Afr. Nord 28: 540 (1937)
var. ***praecox*** (*eu-praecox* in Maire, Cat. Pl. Maroc: 961 (1941))
var. ***paucinervis*** Maire, in Bull. Soc. Hist. Nat. Afr. Nord 29 (6-7) 452 (1938)
subsp. ***quintanilhae*** A.Fernandes, in Bol. Soc. Brot. 60: 305 (1987)
subsp. *romieuxii* (Braun-Blanquet & Maire) Emberger & Maire, Pl. Marocc. Nov.: 6 (1929) = *N. romieuxii*
subsp. *tananicus* Maire, in Bull. Soc. Hist. Nat. Afr. N. 23: 216 (1932) = *N. cantabricus* subsp. *tananicus*
subsp. ***validus*** Barra, in Anales Jard. Bot. Madrid 60 (1) 222 (2002 publ. 2003)
subsp. *vulgaris* (Coutinho) Maire, Cat. Pl. Maroc, 1: 138 (1931) = *N. bulbocodium* subsp. *bulbocodium*
var. *genuinus* (Coutinho) Maire, Cat. Pl. Maroc, 1: 138 (1931) = *N. bulbocodium* subsp. *bulbocodium* var. *bulbocodium*
× ***buxtonii*** Richter, Pl. Europ. 1: 245 (1890) (*Narcissus*) = *N. abscissus* (Haworth) Schultes & Schultes f. × *N. assoanus*

Dufour
byzantinus Turra ex Saccardo, in Atti Ist. Venet. Ser. 3, 9: 487 (1864) (*Narcissus*) = *N. tazetta* subsp. *lacticolor*
byzantinus hort., Fl. Orient. 5: 151 (1882) (*Narcissus*) = *N. tazetta* subsp. *lacticolor*
× ***cadevallii*** Sennen, in Bol. Soc. Aragonesa Ci. Nat. 11 (9-10) 245 (1912) (*Narcissus*) = *N. italicus* Ker Gawler × *N. tazetta* Linnaeus
calathinus Linnaeus, Sp. Pl., ed. 2, 1: 415 (1762) (*Narcissus*) = *N.* × *odorus*
calathinus Delarbre, Fl. Auvergne 1: 138 (1797) (*Narcissus*) = *N.* × *odorus*
calathinus Loiseleur-Deslongchamps, Fl. Gall., ed. 2, 1: 235 (1828) (*Narcissus*) = *N. triandrus* var. *loiseleurii*
calcicarpetanus Fernández Casas, in Fontqueria 2: 33 (1982) (*Narcissus*) = *N. pseudonarcissus* subsp. *calcicarpetanus*
calcicola Mendonça, in Bol. Soc. Brot. 6: 318 (1929-30) (*Narcissus*) Section Apodanthi
cambricus Haworth, Monogr. Narcissin.: 3 (1831) (*Ajax*) = *N. pseudonarcissus*
campanulatus Link, Enum. Hort. Berol. Alt. 1: 311 (1821) (*Narcissus*) = *N. triandrus*
canaliculatus Gussone, Enum. Pl. Inar.: 329 (1854) (*Narcissus*) = *N. tazetta* subsp. *lacticolor*
canariensis Burbidge, Narcissus: 58 (1875) (*Narcissus*) Section Tazettae
candicans Haworth, Place of publication untraced (*Corbularia*) = ?*N. bulbocodium*
candidissimus Desfontaines, in P.J.Redouté, Liliac. 4: t. 188 (1807) (*Narcissus*) = *N. moschatus*
cantabricus de Candolle, in P.J.Redouté, Liliac. 8: t. 486 (1816) (*Narcissus*) Section Bulbocodium
subsp. ***cantabricus***
var. ***cantabricus***. AGM 1994, AM 1997
var. ***eu-albidus*** Emberger & Maire, in Cat. Pl. Maroc: 951 (1941)
var. ***foliosus*** (Maire) A.Fernandes, in Revista Fac. Ci. Univ. Coimbra 26: 84 (1957). AM(a) 1961, AGM 1994
var. ***kesticus*** (Maire & Wilczec) A.Fernandes, in Revista Fac. Ci. Univ. Coimbra 26: 84 (1957)
var. ***petunioides*** A.Fernandes, in Revista Fac. Ci. Univ. Coimbra 26: 84 (1957). AM(p) 1956, FCC(p) 1960
subsp. ***luteolentus*** Barra & López, in Anales Jard. Bot. Madrid 39 (1) 72 (1982)
subsp. ***monophyllus*** (Durieu de Maisonneuve) A.Fernandes, in Revista Fac. Ci. Univ. Coimbra 26: 85 (1957). FCC 1886
subsp. ***tananicus*** (Maire) A.Fernandes, in Daffodil & Tulip Year Book 33: 57 (1968)
capax Salisbury, in Trans. Hort. Soc. London 1: 359 (1812) (*Queltia*) = *N. triandrus* var. *loiseleurii*
× ***caramulensis*** Pedro Ribeiro, Jorge Paiva & Helena Freitas, in Anales Jard. Bot. Madrid 64 (1) 2007 (*Narcissus*) = *N. bulbocodium* Linnaeus × *N. cyclamineus* de Candolle
× *carpetanus* (Barra & López) Fernández Casas, in Fontqueria 6: 49 (1984) (*Narcissus*) = *N. bulbocodium* Linnaeus (*N. bulbocodium* [as var. *graellsii*] × *N.bulbocodium* Linnaeus [as var. *nivalis*])
× ***carringtonii*** Rozeira, in Publ. Inst. Bot. "Dr. Gonçalo Sampaio", 3rd series, 1: 712 (1962) (*Narcissus*) = *N. scaberulus* Henriques × *N. triandrus* Linnaeus (as subsp. *pallidulus*)
caucasicus (Fomin) Gorschkova, in Fl. URSS 4: 492 (1935) (*Narcissus*) = *N. tazetta* subsp. *lacticolor*
cavanillesii Barra & López, in Anales Jard. Bot. Madrid 41 (1) 202 (1984) (*Narcissus*) Section Tapeinanthus
× ***cazorlanus*** Fernández Casas, in Fontqueria 2: 37 (1982) (*Narcissus*) = *N. hedraeanthus* (P.B.Webb & Heldreich) Colmeiro × *N. triandrus* Linnaeus (as subsp. *pallidulus*). PC 1999
cerina Haworth, Syn. Pl. Succ.: 329 (1812) (*Hermione*) = *N. tazetta*
cernuus Roth, Catal. Bot. 1: 43 (1797) (*Narcissus*) = *N. tortuosus*
cernuus Salisbury, Prodr. Stirp. Chap. Allerton: 223 (1796) (*Narcissus*) = *N. triandrus* subsp. *pallidulus*
cernuus Bourgeau ex Nyman, Consp. Fl. Eur. 4: 710 (1882) (*Narcissus*) = *N. triandrus* subsp. *pallidulus*
cerrolazae J.F.Ureña, in Bot. Complut. 19: 84 (1994) (*Narcissus*) = *N. fernandesii*
× ***chevassutii*** Gorenflot, Guinochet & Quézel, in Bull. Soc. Hist. Nat. Afr. Nord 42: 120 (1952) (*Narcissus*) = *N. bertolonii* Parlatore × *N. serotinus* Linnaeus
chinensis Place of publication untraced = *N. tazetta* subsp. *lacticolor*
chloraster Schultes & Schultes f., in Syst. Veg. 7ii: 981 (1830) (*Narcissus*) = *N. viridiflorus*
× *christianssenii* A.Fernandes, in Anuário Soc. Brot. 49: 29 (1983) (*Narcissus*) = *N.* × *rupidulus*
× *christopheri* Blanchard, in Daffodils & Tulips: 11 (1997) (*Narcissus*) = *N.* × *koshinomurae*
chrysanthus de Candolle, Fl. Franç. 5: 323 (1815) (*Narcissus*) = *N. bertolonii*
citrinus Link, Handbuch 1: 202 (1829) (*Narcissus*) = *N. tazetta* subsp. *lacticolor*
citrinus = *N. bulbocodium* var. *citrinus*
clusii Dunal, in Mém. Sect. Sci. Acad. Sci. Montpellier 1: 9 (1847) (*Narcissus*) = *N. cantabricus* subsp. *cantabricus*
cohaerens Rozeira, in Publ. Inst. Bot. "Dr. Gonçalo Sampaio", 2nd series, 17: 3 (1952) as a subsp. of *N. cyclamineus* = *N. cyclamineus*
commutatus Parlatore, Fl. Ital. 3: 152 (1858) (*Narcissus*) = *N. tazetta*
compressus Haworth, in Trans. Linn. Soc. London 5: 245 (1800) (*Narcissus*) = 'Compressus'
concolor Haworth, Suppl. Pl. Succ.: 131 (1819) (*Ganymedes*) = *N. triandrus* var. *concolor*
concolor Haworth, Suppl. Pl. Succ.: 126 (1819) (*Queltia*) = *N.* × *incomparabilis*
concolor Bromfield, Fl. Vect.: 497 (1856) (*Narcissus*) = *N. obvallaris*
concolor Jordan, Icon. Fl. Eur. 3: 1 (1903) (*Ajax*) = *N. hispanicus* var. *concolor*

concolor Barra = *N. bicolor* var. *concolor*
× ***confinalensis*** Uribe-Echebarría & P.Urrutia, in Estud. Mus. Cienc. Nat. Álava 4: 45 (1989) (*Narcissus*) Section Pseudonarcissus = *N. asturiensis* (Jordan) Pugsley × *N. primigenius* (Fernández Suárez ex Laínz) Fernández Casas & Laínz
confusus Pugsley, in J. Roy. Hort. Soc. 58 (1) 59 (1933) (*Narcissus*) Section Pseudonarcissus
× *consolationis* Fernández Casas, in Fontqueria 2: 37 (1982) (*Narcissus*) (parentage: *N. bulbocodium* Linnaeus [as var. *nivalis*] × *N. triandrus* Linnaeus [as subsp. *pallidulus*]) = *N.* × *fosteri*
conspicua Haworth, Monogr. Narcissin.: 1 (1831) (*Corbularia*) = *N. bulbocodium* subsp. *bulbocodium* var. *conspicuus*
conspicuus Salisbury, Prodr. Stirp. Chap. Allerton: 224 (1796) (*Narcissus*) = *N.* × *odorus*
conspicuus Haworth = *N. minor* var. *conspicuus*
constantinopolitanus hort., Fl. Orient. 5: 151 (1882) (*Narcissus*) = 'Romanus'
cooksoniae hort., in Gard. Chron. 47: 303 (1910) = 'Cooksoniae'
coornei de Candolle, in P.J.Redouté, Liliac. 8: t. 486 (1815) (*Narcissus*) = *N. bulbocodium*
corcyrensis Herbert, Amaryllidaceae: 323 (1837) (*Hermione*) = *N. tazetta* subsp. *corcyrensis*
cordubensis Fernández Casas, in Fontqueria 1: 10 (1982) (*Narcissus*) = *N. fernandesii* var. *cordubensis*
corifolius = Mis-spelling of *lorifolius*
coronatus de Candolle, in P.J.Redouté, Liliac. 8: t. 486 (1815) (*Narcissus*) = *N. hispanicus* var. *concolor*
corrugata Jordan, Brev. Pl. Nov. 2: 115 (1868) (*Hermione*) = *N. tazetta* subsp. *lacticolor*
cothurnalis Salisbury, Prodr. Stirp. Chap. Allerton: 225 (1796) (*Narcissus*) = *N.* × *medioluteus*
crenulatus Haworth, in Trans. Linn. Soc. London 5: 245 (1800) (*Narcissus*) = *N. tazetta* subsp. *lacticolor*
crispicorona Haworth, Monogr. Narcissin: 11 (1831) (*Hermione*) = *N. tazetta* subsp. *lacticolor*
croceo-cincta Haworth, Monogr. Narcissin: 14 (1831) (*Helena*) = 'Croceo-cinctus'
cuatrecasasii Fernández Casas, Laínz & Ruiz Rejón, in Cuad. Ci. Biol. 2 (1) 4 (1973) (*Narcissus*) Section Apodanthi. PC 1989, AM(a)(r) 1991. Received PC(s) 1968 and AM 1969 as *N. rupicola* subsp. *pedunculatus*
var. ***cuatrecasasii***
var. ***segimonensis*** Fernández Casas, in Fontqueria 2: 31 (1982)
cuneiflorus Salisbury, in Trans. Hort. Soc. London 1: 343 (1812) (*Ajax*) = *N. pseudonarcissus*
cuneiflorus Willkomm & Lange, Prodr. Fl. Hispan. 1: 151 (1861) (*Narcissus*) = *N. pseudonarcissus*
cupanianus Gussone, Fl. Sicul. Syn. 2: 810 (1844-5) (*Narcissus*) = *N. elegans*
cupanianus Grech Delicata, Fl. Melit.: 36 (1853) (*Narcissus*) = *N. elegans*
cupularis (Salisbury) Bertoloni ex Schultes & Schultes f. in the sense of Puccinelli herbarium, Syst. Veg. 7ii: 970 (1830) = *N. puccinellii*
cupularis (Salisbury) Bertoloni ex Schultes & Schultes f. in part excluding type, Syst. Veg. 7ii: 970 (1830) = *N. bertolonii*
curtisii Haworth, Monogr. Narcissin: 6 (1831) (*Philogyne*) = *N.* × *odorus*
curvilobus Salisbury ex Pugsley, in J. Bot. 53 (Suppl. 2): 36 (1915) (*Narcissus*) = *N. poeticus* var. *recurvus*
cyclamineus de Candolle, in P.J.Redouté, Liliac. 8: t. 486 (1815) (*Narcissus*) Section Pseudonarcissus. FCC 1887, AGM 1993
cyclamineus Haworth, Monogr. Narcissin: 2 (1831) (*Ajax*) = *N. cyclamineus*
× ***cyclazetta*** Chater & Stace, in Watsonia 24: 532 (2003) (*Narcissus*) = *N. cyclamineus* de Candolle × *N. tazetta* Linnaeus ('Tête-à-Tête')
cypri (Haworth) Sweet, Brit. Fl. Gard. 1: t. 92 (1831) (*Narcissus*) Section Tazettae
decora Haworth, Monogr. Narcissin: 11 (1831) (*Hermione*) = *N. tazetta* subsp. *lacticolor*
deficiens Herbert, in Edwards's Bot. Reg. 33: t. 22 (1847) (*Narcissus*) = *N. serotinus* var. *deficiens*
deflexicaulis Haworth, Monogr. Narcissin: 9 (1831) (*Hermione*) = *N. tazetta*
dianthos Haworth, Monogr. Narcissin: 9 (1831) (*Narcissus*) = *N.* × *medioluteus*
dianthus Schur, Enum. Pl. Transsilv.: 658 (1866) (*Narcissus*) = *N. radiiflorus* var. *stellaris*
× ***dichromus*** P.D.Sell, Fl. Great Britain Ireland 5: 291 (1997) (*Narcissus*) = *N. cyclamineus* de Candolle × *N. moschatus* Linnaeus
discolor Jordan & Fourreau, Brev. Pl. Nov. 2: 111 (1868) (*Hermione*) = *N. bertolonii* var. *discolor*
× ***dordae*** Fernández Casas, in Fontqueria 53: 8 (1999) (*Narcissus*) = *N. abscissus* (Haworth) Schultes & Schultes f. × *N. macrolobus* (Jordan) Pugsley
dubia Pérez Lara, in Anales Soc. Esp. Hist. Nat. 11: 399 (1882) (*Carregnoa*) = *N.* × *perezlarae*
dubius Gouan, Ill. Observ. Bot.: 22 (1773) (*Narcissus*) Section Tazettae
var. ***dubius***
var. ***micranthus*** (Jordan & Fourreau) Ascherson & Graebner, in Syn. Mitteleur. Fl., ed. 2, 3: 392 (1906)
ectandrus = *N. bulbocodium* var. *ectandrus*
elatior Haworth, in Trans. Linn. Soc. London 5: 244 (1800) (*Narcissus*) = *N.* × *odorus*
elatus Gussone, in Fl. Ital. 7: 627 (1851) (*Narcissus*) = *N. tazetta* subsp. *lacticolor*
elegans (Haworth) Spach, Hist. Nat. Vég. 12: 452 (1846) (*Narcissus*) Section Tazettae. PC 1995
var. ***elegans***
f. ***elegans***
f. ***auranticoronatus*** Maire, Bull. Soc. Hist. Nat. Afr. Nord 31: 42 (1940)

var. ***fallax*** Font Quer, Iter Maroc. 1929: 94 (1940)
var. ***flavescens*** Maire, Bull. Soc. Hist. Nat. Afr. Nord 27: 261 (1936)
var. ***intermedius*** Gay, Bull. Soc. Bot. France 6: 12 (1859)
var. ***oxypetalus*** (Boissier) Maire, Cat. Pl. Maroc: 139 (1931)
emarginatus = N. serotinus var. *emarginatus*
× *emeritensis* Fernández Casas, in Fontqueria 14: 18 (1987) (parentage: *N. bulbocodium* Linnaeus [as var. *tenuifolius*] × *N. triandrus* Linnaeus [as subsp. *pallidulus*]) (*Narcissus*) = *N.* × *fosteri*
enemeritoi (Sánchez-Gómez, Carrillo, Hernández, Carrión-Vilches & Güemes) Sánchez-Gómez, Carrillo, Hernández, Carrión-Vilches & Güemes, in Anales Jard. Bot. Madrid 57 (2) 430 (1999, publ. 2000) (*Narcissus*) Section Pseudonarcissus
× *ernii* Fernández Casas, in Fontqueria 3: 23 (1983) (*Narcissus*) (parentage: *N. bulbocodium* Linnaeus [as subsp. *bulbocodium*] × *N. triandrus* Linnaeus [as var. *triandrus*]) = *N.* × *fosteri*
etruscus Parlatore, Fl. Ital. 3: 146 (1858) (*Narcissus*) = *N. patulus*
eu-albidus = N. cantabricus var. *eu-albidus*
eu-praecox = N. bulbocodium var. *praecox*
eugeniae Fernández Casas, in Fontqueria 1: 11 (1982) (*Narcissus*) Section Pseudonarcissus
exertus Haworth, Suppl. Pl. Succ.: 19 (1819) = *N. radiiflorus* var. *exertus*
exiguus Salisbury, Prodr. Stirp. Chap. Allerton: 220 (1796) (*Narcissus*) = *N. minor*
fallax = N. elegans var. *fallax*
× ***felineri*** Fernández Casas, in Fontqueria 11: 16 (1986) (*Narcissus*) = *N. bulbocodium* Linnaeus × *N. primigenius* (Fernández Suárez ex Laínz) Fernández Casas & Laínz
× ***fenzii*** Sprenger, in Gartenflora 40: 428 (1891) (*Narcissus*) = *N. cypri* (Haworth) Sweet × *N. pseudonarcissus* Linnaeus
fernandesii Pedro, in Bol. Soc. Brot., 2nd series, 21: 60 (1947) (*Narcissus*) Section Jonquilla. AM(a)(r) 1991
var. ***fernandesii***
var. ***cordubensis*** **(**Fernández Casas) Fernández Casas, in Fontqueria 8: 31 (1985)
var. ***major*** A.Fernandes, in Bol. Soc. Brot., 2nd series, 40: 239 (1966)
festalis Salisbury, Prodr. Stirp. Chap. Allerton: 220 (1796) (*Narcissus*) = *N. pseudonarcissus*
festinus Jordan, Icon. Fl. Eur. 3: 2 (1903) (*Ajax*) = *N. pseudonarcissus* var. *festinus*
filifolia M.Roemer, Fam. Nat. Syn. Monogr. 4: 190 (1847) (*Corbularia*) (as *N. bulbocodium* var. *filifolius* (M.Roemer) hort.) = variant of *N. bulbocodium* subsp. *bulbocodium*
filifolius (as *N. bulbocodium* var. *filifolius* (M.Roemer) hort.) = variant of *N. bulbocodium* subsp. *bulbocodium*
fistulosa Haworth, Syn. Pl. Succ.: 330 (1812) (*Hermione*) = *N. tazetta*
flaveola Haworth, Monogr. Narcissin.: 8 (1831) (*Hermione*) = *N. tazetta*
flavescens = N. elegans var. *flavescens*
flavus Lagasca, Gen. Sp. Pl.: 13 (1816) (*Narcissus*) = *N. jonquilla*
flexiflora Haworth (*Hermione*) = *N. tazetta* subsp. *lacticolor*
floribunda Haworth, Suppl. Pl. Succ.: 141 (1819) (*Hermione*) = *N. tazetta* subsp. *lacticolor*
flos-lactis Haworth, Monogr. Narcissin.: 8 (1831) (*Hermione*) = *N. tazetta*
foetida Herbert, Amaryllidaceae: 311 (1837) (*Queltia*) = *N.* × *incomparabilis*
foliosus Maire, in Bull. Soc. Hist. Nat. Afr. Nord 20 (1) 38 (1929) = *N. cantabricus* var. *foliosus*
fontqueri Fernández Casas & Rivas Ponce, in Fontqueria 21: 27 (1988) (*Narcissus*) Section Pseudonarcissus
× ***fosteri*** Lynch, in Gard. Chron. 47: 342 (1910) (*Narcissus*) = *N. bulbocodium* Linnaeus (as var. *citrinus*) × *N. triandrus* Linnaeus
gaditanus Boissier & Reuter, Diagn. Pl. Nov. Hisp.: 3: Series 2, no. 4, p. 96 (1859) (*Narcissus*) Section Jonquilla
galanthifolia Haworth, Syn. Pl. Succ.: 328 (1812) (*Queltia*) = *N.* × *poculiformis*
× ***galdoanus*** Fernández Casas, in Anales Jard. Bot. Madrid 55 (1) 174 (1997) (*Narcissus*) = *N. nobilis* (Haworth) Schultes & Schultes f. × *N. triandrus* Linnaeus
ganymedoides Jordan & Fourreau, Brev. Pl. Nov. 2: 113 (1868) (*Hermione*) = *N. tazetta*
× *garcisianus* Magnen ex Malinvaud, in Bull. Soc. Bot. France 32: 185 (1995), quoted in Fontqueria 53: 10 (1999) (*Narcissus*) = *N.* × *pujolii*
gayi Pugsley, in J. Roy. Hort. Soc. 58 (1) 72 (1933) (*Narcissus*) Section Pseudonarcissus (?'Princeps')
var. ***gayi***
var. ***praelongus*** (Jordan) Pugsley, in J. Roy. Hort. Soc. 58 (1) 73 (1933)
genesii-lopezii Fernández Casas, in Fontqueria 14: 19 (1987) (*Narcissus*) Section Pseudonarcissus = *N. eugeniae*
gennarii Parlatore, Fl. Ital. 3: 130 (*Narcissus*) = *N. papyraceus*
genuinus Coutinho, Fl. Portugal: 140 (1913) = *N. bulbocodium* var. *bulbocodium*
× ***georgemawii*** Fernández Casas, in Anales Jard. Bot. Madrid 55 (1) 174 (1997) (*Narcissus*) = *N. elegans* (Haworth) Spach × *N. viridiflorus* Schousboe
gigas Haworth, Monogr. Narcissin.: 1 (1831) (*Corbularia*) = *N. bulbocodium*
glaucifolius (Pourret) Rouy, Fl. France 13: 51 (1912) (*Narcissus*) = ?*N. dubius*
glaucus Hornemann, Hort. Bot. Hafn. 1: 315 (1813) (*Narcissus*) = *N. pseudonarcissus* subps. *pseudonarcissus*
gouanii Roth, in Arch. Bot. (Leipzig) 1(2): 39 (1801) (*Narcissus*) = *N.* × *incomparabilis*
graciliflorus = N. abscissus var. *graciliflorus*

× *gracilis* Sabine, in Bot. Reg. 10: t. 816 (1824) (*Narcissus*) (parentage: *N. jonquilla* Linnaeus × *N. poeticus* Linnaeus [assumed]) = *N.* × *tenuior*
graellsii P.B.Webb in Graells, Ind. Pl. Nov.: 8 (1854) (*Narcissus*) = *N. bulbocodium* subsp. *bulbocodium* var. *graellsii*
granatensis del Amo, Botanica (del Amo): 7 (1861) = *N.* × *litigiosus*
grandicrenatus Parlatore, Fl. Ital. 3: 154 (*Narcissus*) = *N. tazetta* subsp. *lacticolor*
grandiflora Haworth, Syn. Pl. Succ.: 330 (1812) (*Hermione*) = *N. tazetta* susp. *lacticolor* var. *trewianus*
grandiflorus Salisbury, Prodr. Stirp. Chap. Allerton: 221 (1796) (*Narcissus*) = *N. hispanicus*
grandiflorus Battandier & Trabut, in Bull. Soc. Hist. Nat. Afr. Nord 9: 16 (1918) = *N. broussonetii* f. *grandiflorus*
grandiflorus Sabine = *N. radiiflorus* var. *poetarum*
†*grandiflorus* (as subsp. of *N. serotinus*) M.Salmon, in Monocot Nursery Seed List 1994/5
× ***gredensis*** Fernández Casas, in Fontqueria 3: 23 (1983) (*Narcissus*) = *N. bulbocodium* Linnaeus (as var. *nivalis*) × *N. rupicola* Dufour
× *grenieri* Richter, Pl. Europ. 1: 245 (1890) (*Narcissus*) = *N.* × *medioluteus*
†*guadalupensis* (as subsp. of *N. rupicola*) M.Salmon, in Monocot Nursery Plant List 1993/4
gussonei Rouy, Fl. France 13: 45 (1912) = *N. tazetta* subsp. *gussonei*
× ***hannibalis*** A.Fernandes, in Anuário Soc. Brot. 39: 16 (1973) (*Narcissus*) = *N. hispanicus* Gouan × *N. triandrus* (as subsp. *lusitanicus*)
haworthii G.Don, in Hort. Brit. (Loudon): 116 (1830) (*Narcissus*) = *N. triandrus*
hedraeanthus (P.B.Webb & Heldreich) Colmeiro, Enum. Pl. Penins. Hispano-Lusit. 5: 80 (1889) (*Narcissus*) Section Bulbocodium. AM 1977
hellenicus Pugsley, in J. Bot. 53 (Suppl. 2): 36 (1915) (*Narcissus*) = *N. poeticus* var. *hellenicus*
heminalis Salisbury, in Trans. Hort. Soc. London 1: 356 (1812)= *N.* × *infundibulum*
henriquesii = *N. jonquilla* var. *henriquesii*
herbertii Rouy, Ill. Pl. Eur.: t. 347 (1900) (*Corbularia*) = *N. bulbocodium* subsp. *bulbocodium*
herminicus Link ex Willkomm & Lange, Prodr. Fl. Hispan. 1: 152 (1861) (*Narcissus*) = *N. assoanus*
herminiens = Mis-spelling of *herminicus*
× *herminii* Fernández Casas, in Fontqueria 20: 25 (1988) (*Narcissus*) (parentage: *N. bulbocodium* Linnaeus [as subsp. *bulbocodium* var. *nivalis*] × *N. primigenius* (Fernández Casas ex Laínz) Fernández Casas & Laínz) = *N.* × *felineri*
hesperidis Fernández Casas, in Fontqueria 53: 6 (1999) (*Narcissus*) Section Bulbocodium
hispanicus Gouan, Ill. Observ. Bot.: 23 (1773) (*Narcissus*) Section Pseudonarcissus
- subsp. ***hispanicus***
  - var. ***hispanicus***
  - var. ***concolor*** (Jordan) Pugsley, in J. Roy. Hort. Soc. 58 (1) 51 (1933)
  - var. ***propinquus*** (Salisbury) Pugsley, in J. Roy. Hort. Soc. 58 (1) 51 (1933) (Pseudonarcissus Major 'Propinquus', Pseudonarcissus Major 'Luteus') "Absorbed" into 'Edward Leeds'
  - var. ***spurius*** (Haworth) Pugsley, in J. Roy. Hort. Soc. 58 (1) 51 (1933) (Pseudonarcissus Major 'Spurius')
- subsp. ***bujei*** (Fernández Casas) Fernández Casas, in Fontqueria 54: 126 (1999-2000 publ. 2000)

hispanicus in the sense of Willdenow, in Prodr. Fl. Hispan. 1: 152 (1861) (*Narcissus*) = *N. rupicola*
humilis Heynhold, Nom. Bot. Hort. 1: 540 (1841) (*Narcissus*) = *N. dubius*
humilis (Cavanilles) Traub, in Plant Life 25: 46 (1969) (*Narcissus*) = *N. cavanillesii*
humilis = *N. pseudonarcissus* var. *humilis*
× *incomparabiliformis* Rouy, Fl. France 13: 34 (1912) = *N.* × *incomparabilis*
× ***incomparabilis*** Miller, Gard. Dict., ed. 8: no. 3 (1768) (*Narcissus*) = *N. hispanicus* Gouan × *N. poeticus* Linnaeus or *N. poeticus* Linnaeus × *N. pseudonarcissus* Linnaeus (Macleayi 'Major', Macleayi 'Parkinsonii', Macleayi 'Sabinii', ?'No. 1', ?"The Great Late Flowering White Daffodil with a Long Cup", ?"The Small Early White Daffodil with a Long Cup")
× ***incurvicervicus*** Barra & López, in Anales Jard. Bot. Madrid 39 (1) 72 (1982) (*Narcissus*) = *N. fernandesii* Pedro × *N. triandrus* Linnaeus (as subsp. *pallidulus*)
inflatus Haworth, in Trans. Linn. Soc. 5: 243 (1800) (*Narcissus*) = *N. bulbocodium*
infundibularis Loudon, Hort. Brit. (Loudon): 116 (1830) as an erroneous name (*Narcissus*) = *N.* × *infundibulum*
× ***infundibulum*** Poiret, in Encycl. 4: 427 (1798) (*Narcissus*) = *N. abscissus* (Haworth) Schultes & Schultes f. × *N. jonquilla* Linnaeus (Odorus 'Heminalis', ?'Orange Queen', "The Narrow Cupped")
insignis = *N. pseudonarcissus* var. *insignis*
integer Haworth, in Philos. Mag. 63: 104 (1824) (*Chloraster*) = *N. viridiflorus*
interjecta Haworth, Suppl. Pl. Succ.: 135 (1819) (*Philogyne*) = *N.* × *odorus*
× ***intermedius*** Loiseleur-Deslongchamps, Fl. Gall. 1: 236, t. 6 (1806) (*Narcissus*) = *N. jonquilla* Linnaeus × *N. tazetta* Linnaeus ('Etoile d'Or', Tazetta 'Bifrons', Tazetta 'Primulinus', "Texas Star", "The Cowslip Cupped")
intermedius = *N. elegans* var. *intermedius*
intermedius = *N. pallidiflorus* var. *intermedius*
italicus Ker Gawler, in Bot. Mag. 29: t. 1188 (1809) (*Narcissus*) Section Tazettae
jacetanus Fernández Casas, in Fontqueria 5: 35 (1984) (*Narcissus*) Section Pseudonarcissus. PC 1996

subsp. ***jacetanus***
subsp. ***vasconicus*** (Fernández Casas) Fernández Casas, in Fontqueria 5: 36 (1984)
jacquemoudii Fernández Casas, in Fontqueria 10: 11 (1986) (*Narcissus*) Section Bulbocodium
jasminea Salisbury, in Trans. Hort. Soc. London 1: 360 (1812) (*Hermione*) = *N. papyraceus*
javieri A.Fernandes, in Fontqueria, 13: 12 (1987) = *N.* × *brevitubulosus*
jeanmonodii Fernández Casas, in Fontqueria 10: 9 (1986) (*Narcissus*) Section Bulbocodium
× *johnstonii* (Baker) Pugsley, in J. Roy. Hort. Soc. 58: 37 (1933) (*Narcissus*) = *N.* × *taitii*. FCC 1887
jonquilla Linnaeus Sp. Pl.: 290 (1753) (*Narcissus*) Section Jonquilla ("Jonquil single", "Simplex", "Sweeties"). AGM 1994
var. ***jonquilla***
var. ***henriquesii*** Sampaio, in Fl. Portugal, ed. 2: 803 (1939). PC 2000
var. ***minor*** (Haworth) Baker, Handb. Amaryll.: 10 (1888) (Odorus 'Minor', Odorus 'Pseudo-juncifolius')
var. ***stellaris*** Baker, Handb. Amaryll.: 10 (1888)
var. *uniflora* Asso in Schultes & Schultes f., Syst. Veg. 7ii: 962 (1830) = *N. assoanus*
jonquilla Pourret ex Nyman, Consp. Fl. Eur. 4: 712 (1882) (*Narcissus*) = *N. assoanus*
jonquilloides Willkomm, in Bot. Zeitung (Berlin) 18 (12) 103 (1860) (*Narcissus*) = *N. willkommii*
juncifolius Salisbury, Prodr. Stirp. Chap. Allerton: 223 (1796) (*Narcissus*) = *N. jonquilla*
juncifolius Lagasca, Gen. Sp. Pl.: 13 (1816) (*Narcissus*) = *N. assoanus*
juncifolius Lagasca subsp. *gaditanus* (Boissier & Reuter) Baker, Handb. Amaryll.: 6 (1888) = *N. gaditanus*
juncifolius Lagasca subsp. *minutiflorus* (Willkomm) Baker, Handb. Amaryll.: 7 (1888) = *N. minutiflorus*
juncifolius Lagasca subsp. *rupicola* (Dufour) Baker, Handb. Amaryll.: 7 (1888) = *N. rupicola*
× *juratensis* Rouy, Fl. France 13: 34 (1912) (*Narcissus*) = *N.* × *incomparabilis*
juressianus Fernández Casas, in Fontqueria 10: 10 (1986) (*Narcissus*) Section Bulbocodium
kesticus Maire & Wilczec, in Bull. Soc. Hist. Nat. Afr. Nord 27: 80 (1936) = *N. cantabricus* var. *kesticus*
× ***koshinomurae*** Fernández Casas, in Fontqueria 44: 254 (1996) (*Narcissus*) = *N. fernandesii* Pedro × *N. panizzianus* Parlatore. PC 2004
†*laciniatus* (as var. of *N. cantabricus* subsp. *monophyllus*) M.Salmon, in Daffodils 1991-1992: 33
lacticolor Haworth, Monogr. Narcissin: 10 (1831) (*Hermione*) = *N. tazetta* subsp. *lacticolor*
× ***laetus*** Salisbury, Prodr. Stirp. Chap. Allerton: 224 (1796) (*Narcissus*) = *N. minor* Linnaeus × *N. jonquilla* Linnaeus (Odorus 'Laetus')
lagoi Merino, Fl. Galicia 3: 615 (1909) (*Narcissus*) Section Pseudonarcissus
lainzii Barra & López, Anales Jard. Bot. Madrid 50 (1) 123 (1992) (*Narcissus*) = *N. bulbocodium* var. *citrinus*
lanzae Lojacono Pojero, Fl. Sicul. 3: 84 (1908) (*Narcissus*) = *N. tazetta* subsp. *lacticolor*
latifolia Haworth, Suppl. Pl. Succ.: 146 (1819) (*Hermione*) = *N. cupularis*
latipetalus (*cohaerens var. latipetalus*) Rozeira, in Publ. Inst. Bot. "Dr. Gonçalo Sampaio", 2nd series, 17: 4 (1952) = *N. cyclamineus*
leda hort., in Gard. Chron. 1887(1): 832 (1887) = 'Hartland's Leda'
ledroensis Evers, in Verh. K. K. Zool.-Bot. Ges. Wien 46 (2) 88 (1896) (*Narcissus*) = *N. radiiflorus*
leonensis Pugsley, in J. Roy. Hort. Soc. 58 (1) 75 (1933) (*Narcissus*) = *N. nobilis* var. *leonensis*
†*leonensis* (as var. of *N. bulbocodium*) M.Salmon, in Monocot Nursery Seed List 1993/4
× ***libarensis*** Sánchez García & Martínez Ortega, in Lagascalia 18 (1) 105 (1995) (*Narcissus*) = *N. cuatrecasasii* Fernández Casas, Laínz & Ruiz Rejón × *N. papyraceus* Ker Gawler
linnaeanus Rouy, Fl. France 13: 40 (1912) (*Narcissus*) = *N. tazetta*
subsp. *linnaeanus*
subsp. *dubius* (Gouan) Rouy, Fl. France 13: 50 (1912) = *N. dubius*
subsp. *ganymedoides* (Jordan & Fourreau) Rouy, Fl. France 13: 45 (1912) = *N. tazetta*
subsp. *gussonei* Rouy, Fl. France 13: 45 (1912) = *N. tazetta* subsp. *gussonei*
subsp. *intermedius* (Loiseleur-Deslongchamps) Rouy, Fl. France 13: 43 (1912) = *N.* × *intermedius*
subsp. *italicus* (Ker Gawler) Rouy = *N. italicus*
subsp. *ochroleucus* (Loiseleur-Deslongchamps) Rouy, Fl. France 13: 45 (1912) = *N. tazetta* subsp. *ochroleucus*
subsp. *papyraceus* (Ker Gawler) Rouy, Fl. France 13: 50 (1912) = *N. papyraceus*
subsp. *polyanthos* (Loiseleur-Deslongchamps) Rouy, Fl. France 13: 49 (1912) = *N. polyanthos*
subsp. *pseuditalicus* Rouy, 13: 46 (1912) = *N. italicus*
subsp. *redoutei* Rouy, 13: 46 (1912)= *N. tazetta* subsp. *lacticolor*
subsp. *rempolensis* (Panizzi in Parlatore) Rouy, Fl. France 13: 49 (1912) = *N. tazetta*
subsp. *subalbidus* (Loiseleur-Deslongchamps) Rouy, 13: 44 (1912) = *N. italicus*
subsp. *tazetta* (Linnaeus) Rouy, Fl. France 13: 47 (1912) = *N. tazetta*
× ***litigiosus*** del Amo, Botanica (del Amo): 8 (1861) (*Narcissus*) = *N. cantabricus* de Candolle × *N. triandrus* Linnaeus (as var. *concolor*)
× *lobatus* Poiret, in Encycl. 4: 427 (1798) (*Narcissus*) = *N.* × *infundibulum*
lobularis (Haworth) Schultes & Schultes f., in Syst. Veg. 7ii: 1732 (1830) (*Narcissus*) Section Pseudonarcissus
lobularis hort., in J. Roy. Hort. Soc. 58 (1) 48 (1933) (*Narcissus*) = *N. nanus* in part

lobulatus Haworth, Misc. Nat.: 178 (1803) (*Narcissus*) = *N. bulbocodium*
loiseleurii Rouy, in Bull. Soc. Bot. France 55: 153 (1908) = *N. triandrus* var. *loiseleurii*
longiflorus Willdenow, Enum. Hort. Berol.: 351 (1809) (*Narcissus*) = *N.* × *intermedius*
longipetalus Schleicher ex Steudel, Nomencl. Bot., ed. 2, 2: 182 (1841) (*Narcissus*) = *N. radiiflorus* var. *exertus*
longispathus Pugsley, in J. Roy. Hort. Soc. 58 (1) 54 (1933) (*Narcissus*) Section Pseudonarcissus
var. *bujei* Fernández Casas, in Fontqueria 2: 33 (1982) = *N. hispanicus* subsp. *bujei*
× ***lopezii*** Fernández Casas, in Fontqueria 2: 37 (1982) (*Narcissus*) = *N. bulbocodium* Linnaeus × "*N. obvallaris*"
× *loretii* Rouy, Fl. France 13: 52 (1912) (*Narcissus*) = *N.* × *medioluteus*
lorifolius Salisbury, in Trans. Hort. Soc. London 1: 346 (1812) (*Ajax*) = *N. bicolor* var. *lorifolius*
lorifolius Gillot, Bull. Soc. Bot. France 30: 15 (1883) (*Narcissus*) = *N. bicolor* var. *lorifolius*
lorifolius Rouy, Fl. France 13: 32 (1912) (*Narcissus*) = *N. bicolor* var. *lorifolius*
luna Haworth, Suppl. Pl. Succ.: 143 (1819) (*Hermione*) = *N. polyanthos*
lusitanicus Dorda Alcaraz & Fernández Casas, in Anales Jard. Bot. Madrid 58 (1) 186 (2000) (*Narcissus*) = *N. triandrus* subsp. *lusitanicus*
lusitanicus = Name misapplied in the *International Daffodil Register* (1998) to a taxon in Section Pseudonarcissus
luteolentus = *N. cantabricus* subsp. *luteolentus*
luteola Jordan & Fourreau, Brev. Pl. Nov. 2: 118 (1868) (*Queltia*) = *N. tazetta* subsp. *lacticolor*
luteus Bubani, Fl. Pyren. (Bubani) 4: 156 (1901) (*Narcissus*) = *N. pseudonarcissus* subsp. *pseudonarcissus*
× ***macleayi*** Lindley, in Bot. Reg. 7: t. 762 (1821) (*Narcissus*) Parentage unknown (Macleayi 'Macleayi', see also 'Macleai')
macrolobus (Jordan) Pugsley, in J.Roy. Hort. Soc. 58 (1) 71 (1933) (*Narcissus*) Section Pseudonarcissus
× ***maginae*** Fernández Casas & Susanna, in Anales Jard. Bot. Madrid 38 (1) 301 (1981) (*Narcissus*) = *N. cuatrecasasii* Fernández Casas, Laínz & Ruiz Rejón × *N. triandrus* Linnaeus (as subsp. *pallidulus*)
× ***magnenii*** Rouy, in Bull. Soc. Bot. France 38: 137 (1891) (*Narcissus*) = *N. assoanus* Dufour × *N. tazetta* Linnaeus
× *magni-antonii* Fernández Casas in Fontqueria 14: 18-19 (1987) (*Narcissus*) (parentage: *N. bulbocodium* Linnaeus [as var. *tenuifolius*] × *N. cantabricus* de Candolle) = *N.* × *neocarpetanus*
†*magnicoronatus* (as var. of *N. assoanus*) M.Salmon, in Monocot Nursery Seed List 1993/4
†*mairesii* (as subsp. of *N. bulbocodium*) M.Salmon, in Daffodils 1991-1992: 32
majalis Curtis, Bot. Mag. 6: t. 193 (1792) (*Narcissus*) = *N. poeticus* var. *majalis*
majalis var. *exertus* Haworth, Suppl. Pl. Succ.: 19 (1819) = *N. radiiflorus* var. *exertus*
major Curtis, Bot. Mag. 2: t. 51 (1788) (*Narcissus*) = *N. hispanicus*
major hort., in Bot. Mag. 32: t. 1301 (1810) (*Narcissus*) = *N. hispanicus* var. *propinquus*
major = *N. fernandesii* var. *major*
× ***margaritae*** Sprenger, in Gartenflora 40: 491 (1891) (*Narcissus*) = *N. papyraceus* Ker Gawler × *N. pseudonarcissus* Linnaeaus
marianicus Fernández Casas, in Fontqueria 1: 10 (1982) (Narcissus) = *N. fernandesii*
× ***martinoae*** Nava & Fernández Casado, in Fontqueria 31: 253 (1991) (*Narcissus*) = *N. asturiensis* (Jordan) Pusgley × *N. pallidiflorus* Pugsley
marvieri Jahandiez & Maire, in Bull. Soc. Hist. Nat. Afrique N. 16: 70 (1925) (*Narcissus*) = *N. rupicola* subsp. *marvieri*
mastersianus hort., in Gard. Chron. 1882(1): 472 (1882) = 'Mastersianus'
†*mauretanicus* (as subsp. of *N. cavanillesii*) M.Salmon, in Monocot Nursery Seed List 1998/9
maximus Haworth, Monogr. Narcissin.: 3 (1831) (*Ajax*) = *N. hispanicus* var. *propinquus*
maximus hort., in J. Roy. Hort. Soc. 58 (1) 50 (1933) = variant of *N. hispanicus* ('Maximus')
× ***medioluteus*** Miller, Gard. Dict., ed. 8: no. 4 (1768) (*Narcissus*) = *N. poeticus* Linnaeus × *N. tazetta* Linnaeus ("April Beauty", "Cemetery Ladies", "Loving Couples", "Primrose Peerless", "Twin Sisters")
medius M.Roemer, Fam. Nat. Syn. Monogr. 4: 235 (1847) (*Narcissus*) = *N. jonquilla*
megacodium Durieu de Maisonneuve, in Rev. Bot. Recueil Mens. 2: 425 (1846-7) (*Narcissus*) = *N. bulbocodium*
mesatlanticus = *N. romieuxii* var. *mesatlanticus*
micrantha Jordan & Fourreau, Brev. Pl. Nov. 2: 108 (1868) (*Hermione*) = *N. dubius* var. *micranthus*
mignon Schultes & Schultes f., Place of publication untraced (*Narcissus*) = *N. jonquilla*
miniatus Donnison-Morgan, Koopowitz & Zonneveld, in Daffodils with Snowdrops & Tulips 2005-2006: 19 (*Narcissus*) Section Serotini
minimus Haworth, Monogr. Narcissin.: 1 (1831) (*Ajax*) = *N. minor* var. *minimus*
minimus hort., in J. Roy. Hort. Soc. 58 (1) 40 (1933) (*Narcissus*) = *N. asturiensis*
minor Linnaeus, Sp. Pl., ed. 2, 1: 415 (1762) (*Narcissus*) Section Pseudonarcissus. AGM 1994
var. ***minor***
var. *brevicoronatus* Barra & López, in Anales Jard. Bot. Madrid 52 (2) 177 (1994 publ. 1995) = *N. asturiensis* var. *brevicoronatus*
var. ***conspicuus*** Haworth, Suppl. Pl. Succ.: 1 (1819)
var. *cuneiflorus* Willkomm & Lange, Prodr. Fl. Hispan. 1: 151 (1861) = *N. pseudonarcissus*
var. ***minimus*** (Haworth) Pugsley, in J. Roy. Hort. Soc. 58 (1) 43 (1933)
var. *nanus* Herbert, Amaryllidaceae: 300 (1837) = *N. nanus*
var. *parviflorus* (Jordan) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 183 (1951) = *N.*

parviflorus
var. *provincialis* (Pugsley) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 183 (1951) = *N. provincialis*
var. ***pumilus*** (Salisbury) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 183 (1951)
minor Brotero, Fl. Lusit.: 549 (1804) (*Narcissus*) = in part *N. pumilis*, in part *N. asturiensis*
minor Haworth, Suppl. Pl. Succ.: 137 (1819) (*Philogyne*) = *N. jonquilla* var. *minor*
minor Willkomm, Prodr. Fl. Hispan. 1: 150 (1861) = *N. bulbocodium* var. *nivalis*
minoriformis = *N. pseudonarcissus* var. *minoriformis*
minutiflorus Willkomm, in Bot. Zeit. (Berlin) 18 (12) 104 (1860) (*Narcissus*) Section Jonquilla
†*minutus* (as subsp. of *N. assoanus*) M.Salmon, in Monocot Nursery Plant List 1994/5
mion Schultes & Schultes f., in Syst. Veg. 7ii: 961 (1830) (*Narcissus*) = *N. jonquilla* var. *minor*
moleroi Fernández Casas, in Fontqueria 14: 21 (1987) (*Narcissus*) Section Pseudonarcissus
× ***monochromus*** P.D.Sell, Fl. Great Britain Ireland 5: 364 (1996) (*Narcissus*) = *N. cyclamineus* de Candolle × *N. pseudonarcissus* Linnaeus
monophylla Durieu de Maisonneuve, in Rev. Bot. Recueil Mens. 2: 425 (1846-7) (*Corbularia*) = *N. cantabricus* subsp. *monophyllus*
monspeliensis Jordan & Fourreau, Brev. Pl. Nov. 2: 110 (1868) (*Hermione*) = *N. tazetta* subsp. *lacticolor*
montanus Ker Gawler, in Bot. Reg. 2: t. 123 (1816) (*Narcissus*) = *N.* × *poculiformis*
× ***montcaunicus*** Fernández Casas, in Fontqueria 2: 31 (1982) (*Narcissus*) = *N. bulbocodium* Linnaeus × *N. eugeniae* Fernández Casas
× *montielanus* Barra & López, in Anales Jard. Bot. Madrid 39 (1) 76-77 (1982) (*Narcissus*) = *N.* × *cazorlanus*
montinus Jordan, Icon. Fl. Eur. 3: 3 (1903) (*Ajax*) = *N. pseudonarcissus* var. *montinus*
× ***montserratii*** Fernández Casas & Rivas Ponce, in Monogr. Inst. Pir. Ecologia 4: 173 (1988) (*Narcissus*) = *N. abscissus* (Haworth) Schultes & Schultes f. × *N. poeticus* Linnaeus
× *montsiccianus* Romo, in Fontqueria, 24: 15 (1989) (*Narcissus*) Section Jonquilla = (*N. assoanus* Dufour × *N. assoanus* [as *N. palearensis* Romo]) = *N. assoanus*
moschatus Linnaeus, Sp. Pl., ed. 2, 1: 415 (1762) (*Narcissus*) Section Pseudonarcissus (Pseudonarcissus Moschatus 'Cernuus', 'Silver Trumpet', "The Drooping White Spanish Daffodil", "The Swan's Neck Daffodil")
moschatus (Linnaeus) Haworth, Monogr. Narcissin.: 2 (1831) (*Ajax*) = *N. moschatus*
multiflorus Lamarck, Fl. Françoise 3: 391 (1778) (*Narcissus*) = *N. tazetta*
munozii-garmendiae Fernández Casas, Exsicc. Distrib. 4: 21 (1981) (*Narcissus*) = *N. pseudonarcissus* subsp. *munozii-garmendiae*
munozii-garmendiae = Name misapplied in *The International Daffodil Register* (1998) to a variant of *N.* × *litigiosus*
mutatis = *N. triandrus*
muticus Gay, in Bull. Bot. Soc. France 7: 308 (1860) (*Ajax*) = *N. abscissus*
nanus (Haworth) Spach, Hist. Nat. Vég. 12: 433 (1846) (*Narcissus*) Section Pseudonarcissus
neglectus Tenore, Index Seminum (NAP) 1837: 5 (1837) (*Narcissus*) = *N. tazetta* subsp. *lacticolor*
× ***neocarpetanus*** Rivas Ponce, C.Soriano & Fernández Casas, in Anales Jard. Bot. Madrid 42 (1) 130 (1985) (*Narcissus*) = *N. bulbocodium* Linnaeus (as var. *nivalis*?) × *N. cantabricus* de Candolle
nevadensis Pugsley, in J. Roy. Hort. Soc. 58 (1) 62 (1933) (*Narcissus*) Section Pseudonarcissus
nivalis Graells, in Mem. Real Acad. Ci. Exact. Madrid 2: 473 (1859) (*Narcissus*) = *N. bulbocodium* subsp. *bulbocodium* var. *nivalis*
niveus Loiseleur-Deslongchamps, in J. Bot. (Desvaux) 2: 278 (1809) (*Narcissus*) = *N. papyraceus*
niveus Panizzi, in Fl. Ital. 3: 128 (1848) (*Narcissus*) = *N. panizzianus*
nobilis (Haworth) Schultes & Schultes f., in Syst. Veg. 7ii: 939 (1830) (*Narcissus*) Section Pseudonarcissus
var. ***nobilis*** (Pseudonarcissus Nobilis 'Nobilis')
var. ***leonensis*** (Pugsley) A.Fernandes, in Daffodil & Tulip Year Book 33: 61 (1968)
nobilis Jordan & Fourreau, Brev. Pl. Nov. 2: 118 (1868) (*Hermione*) = *N. cupularis*
× ***nutans*** Haworth, Misc. Nat.: 179 (1803) (*Narcissus*) = *N. jonquilla* Linnaeus × *N. triandrus* Linnaeus
obesus Salisbury, Prodr. Stirp. Chap. Allerton: 222 (1796) (*Narcissus*) = *N.bulbocodium* subsp. *obesus*
obliquus Tausch, in Flora 24: 237 (1841) (*Narcissus*) = *N. poeticus*
obliquus Gussone, in Fl. Ital. 7: 627 (1851) (*Narcissus*) = *N. italicus*
oblitteratus Willdenow ex Schultes & Schultes f., in Syst. Veg. 7ii: 981 (1830) (*Narcissus*) = *N. broussonetii*
× ***obsoletus*** (Haworth) Spach, Hist. Nat. Vég. 12: 452 (1846) (*Narcissus*) = *N. elegans* (Haworth) Spach × *N. serotinus* Linnaeus
obvallaris Salisbury, Prodr. Stirp. Chap. Allerton: 221 (1796) (*Narcissus*) Section Pseudonarcissus ("The Tenby Daffodil"). AM(g) 1973, AGM 1993
†*occidentalis* (as var. of *N. romieuxii* subsp. *albidus*) M.Salmon, in Monocot Nursery Seed List 1993/4
ochroleucus Loiseleur-Deslongchamps, Not. Fl. France: 163 (1810) (*Narcissus*) = *N. tazetta* subsp. *ochroleucus*
× ***odorus*** Linnaeus, Cent. Pl. II: 14 (1756) (*Narcissus*) = *N. jonquilla* Linnaeus × *N. pseudonarcissus* Linnaeus (or *N. hispanicus* Gouan?) (Odorus 'Campernelli', Odorus 'Curtisii', Odorus 'Interjectus', "The Great 6-lobed", "The Great Curled Cup", "The Late Great 6-lobed")
orientalis Linnaeus, Mant. Pl.: 38 (1770) (*Narcissus*) = *N. tazetta* subsp. *lacticolor*
orientalis Tenore, Fl. Napol. 1: 143 (1811) (*Narcissus*) = N. *tazetta* subsp. *lacticolor*

†*orientalis* (as subsp. of *N. serotinus*) M.Salmon, in Monocot Nursery Plant List 1995/6
ornatus Haworth, Monogr. Narcissin.: 14 (1831) (*Narcissus*) = variant of *N. poeticus* ("The Flat Crowned Saffron Rim")
oxypetalus Boissier, Voy. Bot. Espagne 2: 606 (1842) (*Narcissus*) = *N. elegans* var. *oxypetalus*
× ***pacensis*** Fernández Casas, in Fontqueria 44: 255 (1996) (*Narcissus*) = *N. confusus* Pugsley × *N. triandrus* Linnaeus (as subsp. *pallidulus*)
pachybolbus Durieu de Maisonneuve, in Rev. Bot. Recueil Mens. 2: 245 (1846) (*Narcissus*) Section Tazettae
× ***paedagogorum*** Nava & Fernández Casado, in Fontqueria 31: 251 (1991) (*Narcissus*) = *N. pallidiflorus* Pugsley × *N. triandrus* Linnaeus
paivae A.Fernandes, in Mem. Acad. Ci. Lisboa 27: 245 (1986) (*Narcissus*) = *N.* × *brevitubulosus*
paivae = *N. triandrus* subsp. *pallidulus* var. *paivae*
palearensis Romo, in Fontqueria 24: 15 (1989) (*Narcissus*) = *N. assoanus* var. *palearensis*
pallens Freyn ex Willkomm, Suppl. Prodr. Fl. Hisp.: 39 (1893) (*Narcissus*) = *N. assoanus* var. *pallens*
pallidiflorus Pugsley, in J. Roy. Hort. Soc. 58 (1) 69 (1933) (*Narcissus*) Section Pseudonarcissus (Pseudonarcissus Moschatus 'Pallidus Praecox', "The Early Straw Coloured Bastard Daffodil"). FCC 1884
var. ***pallidiflorus***
f. ***pallidiflorus***
f. ***asturicus*** (Barr) Pugsley, in J. Roy. Hort. Soc. 58 (1) 69 (1933)
var. ***intermedius*** Pugsley, in J. Roy. Hort. Soc. 58 (1) 70 (1933)
pallidulus Graells, in Mem. Real Acad. Ci. Exact. Madrid 2: 478 (1854) (*Narcissus*) = *N. triandrus* subsp. *pallidulus*
pallidus Poiret, in Encycl. 4: 424 (1788) (*Narcissus*) = *N. dubius*
pallidus Graells ex Nyman, Consp. Fl. Eur. 4: 713 (1882) (*Narcissus*) = *N. cantabricus* de Candolle
pallidus Gattefossé & Weiller, in Bull. Soc. Hist. Nat. Afr. Nord 28: 541 (1937) (*Narcissus*) = *N. bulbocodium* var. *pallidus*
panizzianus Parlatore, Fl. Ital. 3: 128 (1858) (*Narcissus*) Section Tazettae ("Paper White Minor")
papyraceus Ker Gawler, in Bot. Mag. 24, t. 947 (1806) (*Narcissus*) Section Tazettae ('Paper White', ?'Single Paper White', Tazetta 'Niveus', Tazetta Unicolor', 'Totus Albus Prior', "White Italian")
subsp. *pachybolbus* (Durieu de Maisonneuve) D.A.Webb, in Bot. J. Linn. Soc. 76 (4) 305 (1978) = *N. pachybolbus*
subsp. *panizzianus* (Parlatore) Arcangeli, Comp. Fl. Ital., ed. 2: 148 (1894) = *N. panizzianus*
subsp. *polyanthos* (Loiseleur-Deslongchamps) Ascherson & Graebner, Syn. Mitteleur. Fl. 3: 390 (1906) = *N. polyanthos*
parkinsonii Haworth, Monogr. Narcissin.: 5 (1831) (*Diomedes*) = *N.* × *incomparabilis*
parvicorona Haworth, Monogr. Narcissin.: 7 (1831) (*Jonquilla*) = *N. jonquilla*
parviflorus (Jordan) Pugsley, in J. Roy. Hort. Soc. 58 (1) 61 (1933) (*Narcissus*) Section Pseudonarcissus
parviflorus Pau, Not. Bot. Fl. Españ. 6: 96 (1895) (*Narcissus*) = *N. assoanus* var. *parviflorus*
parvulus Sweet, Hort. Brit. (Sweet), ed. 2: 515 (1830) (*Narcissus*) = *N. assoanus*
patellaris Salisbury, Prodr. Stirp. Chap. Allerton: 225 (1796) (*Narcissus*) = *N. poeticus* var. *majalis*
patulus Loiseleur-Deslongchamps, in J. Bot. (Desvaux) 2: 276 (1809) (*Narcissus*) Section Tazettae
paucinervis = *N. bulbocodium* subsp. *praecox* var. *paucinervis*
pedunculatus Cuatrecasas, Place of publication untraced = *N. cuatrecasasii*
perez-chiscanoi Fernández Casas, in Fontqueria 14: 19 (1987) (*Narcissus*) Section Pseudonarcissus
× ***perezlarae*** Font Quer, in Bol. Real Soc. Esp. Hist. Nat. 27 (1927) (*Narcissus*) = *N. cavanillesii* Barra & López × *N. serotinus* Linnaeus
perlutea Haworth, Monogr. Narcissin.: 8 1831 (*Hermione*) = *N. tazetta*
peroccidentalis Fernández Casas, in Fontqueria 44: 256 (1996) (*Narcissus*) Section Bulbocodium
× ***petri-mariae*** Fernández Casas, in Fontqueria 4: 28 (1983) (*Narcissus*) = *N. pallidiflorus* Pugsley × *N. provincialis* Pugsley
petunioides = *N. cantabricus* var. *petunioides*
physaloides = *N. poeticus* var. *physaloides*
†*pinetorum* (as var. of *N. hispanicus*) M.Salmon, in Monocot Nursery Seed List 1993/4
pisanus Pugsley, in J. Roy. Hort. Soc. 58 (1) 59 (1933) (*Narcissus*) = *N. pseudonarcissus* var. *pisanus*
planicorona Haworth, Monogr. Narcissin.: 13 (1831) (*Hermione*) = *N.* × *tenuior*
platylobus Jordan, Icon. Fl. Eur. 3: 2 (1903) (*Ajax*) = *N. pseudonarcissus* var. *platylobus*
pleniflorus P.D.Sell, Fl. Great Britain Ireland: 290 (1996) = *N. pseudonarcissus* subsp. *pseudonarcissus*
× ***poculiformis*** Salisbury, Prodr. Stirp. Chap. Allerton: 224 (1796) (*Narcissus*) = *N. dubius* Gouan × *N. moschatus* Linnaeus (Poculiformis 'Montanus', Poculiformis 'Poculiformis', "The White Nonpareil Daffodil")
poetarum Haworth, Monogr. Narcissin.: 14 (1831) (*Narcissus*) = *N. radiiflorus* var. *poetarum*
poeticus Linnaeus, Sp. Pl.: 289 (1753) (*Narcissus*) Section Narcissus ("Janette des Contois", "White Lady")
var. ***poeticus***
var. ***hellenicus*** (Pugsley) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 180 (1951
var. ***majalis*** (Curtis) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 180 (1951) (Poeticus 'Patellaris', "The Great White Purple Ringed Daffodil")
var. ***physaloides*** Beauverd, in Bull. Soc. Bot. Genève, 2nd series, 23: 549 (1931)

var. ***recurvus*** (Haworth) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 180 (1951) ("Jean(n)ette Blanche", "Pheasant's Eye"). AGM 1993
var. ***verbanensis*** Herbert, Amaryllidaceae: 318 (1837)
subsp. *angustifolius* Ascherson & Graebner, Syn. Mitteleur. Fl. 3: 397 (1906) = *N. radiiflorus*
subsp. *radiiflorus* (Salisbury) Baker, Handb. Amaryll.: 12 (1888) = *N. radiiflorus*
var. *grandiflorus* Sabine = *N. radiiflorus* var. *poetarum*
pollinensis Terracciano, in Atti Accad. Sci. Napoli, 2nd series, 8: 10 (1897) (*Narcissus*) = ?*N. radiiflorus*
polyanthos Loiseleur-Deslongchamps, in J. Bot. (Desvaux) 2: 277 (1809) (*Narcissus*) Section Tazettae
× ***ponsii-sorollae*** Fernández Casas, Exsicc. Distrib. 3: 12 (1980) (*Narcissus*) = *N. assoanus* Dufour × *N. triandrus* Linnaeus (as subsp. *pallidulus*)
porrigens Jordan, Icon. Fl. Eur. 3: 3 (1903) (*Ajax*) = *N. pseudonarcissus* var. *porrigens*
portensis Pugsley, in J. Roy. Hort. Soc. 58 (1) 61 (1933) (*Narcissus*) Section Pseudonarcissus
var. ***portensis***
var. ***albido-tepaloideus*** A.Fernandes, Leitão & Aguiar, in Anuário Soc. Brot. 58: 22 (1992 publ. 1993)
†*poujastou* Barr in Pugsley, in J. Roy. Hort. Soc. 58 (1) 70 (1933) (*Narcissus*) = *N. pallidiflorus* var. *intermedius*
praecox Tenore, Cat. Hort. Neap. 1813: 2976 (1812) (*Narcissus*) = *N. italicus*
praecox = *N. bulbocodium* subsp. *praecox*
praelongus Jordan, Icon. Fl. Eur. 3: 2 (1903) (*Ajax*) = *N. gayi* var. *praelongus*
praelongus = *N. assoanus* subsp. *praelongus*
pratensis Jordan & Fourreau, Brev. Pl. Nov. 2: 109 (1868) (*Hermione*) = *N. tazetta* subsp. *lacticolor*
× ***pravianoi*** Fernández Casas, in Fontqueria 3: 25 (1983) (*Narcissus*) = *N. primigenius* (Fernández Suárez ex Laínz) Fernández Casas & Laínz × *N. triandrus* Linnaeus
primigenius (Fernández Suárez ex Laínz) Fernández Casas & Laínz, in Fontqueria 11: 15 (1986) (*Narcissus*) Section Pseudonarcissus. PC 1998
primulinus Haworth, Syn. Pl. Succ.: 329 (1812) (*Hermione*) = *N.* × *intermedius*
primulinus = *N. bertolonii* var. *primulinus*
propinquus Salisbury, Prodr. Stirp. Chap. Allerton: 221 (1796) (*Narcissus*) = *N. hispanicus* var. *propinquus*
provincialis Pugsley, in J. Bot. 77: 334 (1939) (*Narcissus*) Section Pseudonarcissus
pseuditalicus Rouy, Fl. France 13: 46 (1912) (*Narcissus*) = *N. italicus*
pseudo-jonquilla Desfontaines, Tabl. École Bot., ed. 2: 35 (1815) (*Narcissus*) Name without description
pseudonarcissus Linnaeus, Sp. Pl.: 289 (1753) (*Narcissus*) Section Pseudonarcissus
subsp. ***pseudonarcissus*** ('King Umberto', 'Telamonius', "The Garland", "The Lent Lily"). AGM 1994
var. ***pseudonarcissus***
var. ***festinus*** (Jordan) Pugsley, in J. Roy. Hort. Soc. 58 (1) 64 (1933)
var. ***humilis*** Pugsley, in J. Roy. Hort. Soc. 58 (1) 65 (1933) ('Scoticus')
var. ***insignis*** Pugsley, in J. Roy. Hort. Soc. 58 (1) 65 (1933)
var. ***minoriformis*** Pugsley, in J. Roy. Hort. Soc. 58 (1) 64 (1933)
var. ***montinus*** (Jordan) Pugsley, in J. Roy. Hort. Soc. 58 (1) 64 (1933)
var. ***pisanus*** (Pugsley) A.Fernandes, in Daffodil & Tulip Year Book 33: 59 (1968)
var. ***platylobus*** (Jordan) Pugsley, in J. Roy. Hort. Soc. 58 (1) 64 (1933)
var. ***porrigens*** (Jordan) Pugsley, in J. Roy. Hort. Soc. 58 (1) 64 (1933)
subsp. *abscissus* (Schultes & Schultes f.) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 182 (1951) = *N. abscissus*
subsp. *albescens* (Pugsley) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 182 (1951) = *N. albescens*
subsp. *alpestris* (Pugsley) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 182 (1951) = *N. alpestris*
subsp. *bicolor* (Linnaeus) Baker, Handb. Amaryll.: 4 (1888) = *N. bicolor*
subsp. ***calcicarpetanus*** (Fernández Casas) Fernández Casas, in Fontqueria 4: 27 (1983)
subsp. *confusus* (Pugsley) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 183 (1951) = *N. confusus*
subsp. *cyclamineus* (Haworth) Baker, Handb. Amaryll.: 4 (1888) = *N. cyclamineus*
subsp. ***eugeniae*** (Fernández Casas) Fernández Casas, in Fontqueria 4: 27 (1983)
subsp. *gayi* (Hénon) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 182 (1951) = *N. gayi*
subsp. *leonensis* Fernández Casas, in Fontqueria 6: 50 (1984) = *N. nobilis* var. *leonensis*
subsp. *longispathus* (Pugsley) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 183 (1951) = *N. longispathus*
subsp. *macrolobus* (Jordan) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 182 (1951) = *N. macrolobus*
subsp. *major* (Curtis) Baker, Handb. Amaryll.: 4 (1888) = *N. hispanicus*
subsp. *minor* Baker, Handb. Amaryll.: 4 (1888) = *N. minor*
subsp. *moschatus* (Linnaeus) Baker, Handb. Amaryll.: 4 (1888) = *N. moschatus*
subsp. ***munozii-garmendiae*** (Fernández Casas) Fernández Casas, in Fontqueria 4: 27 (1983)
subsp. *muticus* Baker, Handb. Amaryll.: 3 (1888) = *N. abscissus*
subsp. *nevadensis* (Pugsley) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 183 (1951) = *N. nevadensis*

subsp. *nobilis* (Schultes & Schultes f.) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 182 (1951) = *N. nobilis*
subsp. *obvallaris* (Salisbury) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 183 (1951) = *N. obvallaris*
var. *toscanus* (Pugsley) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 183 (1951) = *N. obvallaris*
subsp. *pallidiflorus* (Pugsley) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 182 (1951) = *N. pallidiflorus*
subsp. *pisanus* (Pugsley) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 183 (1951) = *N. pseudonarcissus* var. *pisanus*
subsp. *portensis* (Pugsley) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 183 (1951) = *N. portensis*
subsp. ***pugsleyanus*** Barra & López, in Anales Jard. Bot. Madrid 39 (2): 298 (1982 pub. 1983)
subsp. *tortuosus* (Haworth) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 182 (1951) = *N. tortuosus*
var. *bromfieldii* Syme = *N. obvallaris*
var. *concolor* Bromfield = *N. obvallaris*
var. *johnstonii* Baker, in Gard. Chron. 25: 590 (1886) = *N.* × *taitii*
var. *lorifolius* Gillot = *N. bicolor* var. *lorifolius*
pseudo-poeticus Boutigny ex Nyman, Consp. Fl. Eur. 4: 710 (1882) (Narcissus) = *N. poeticus*
puccinellii Parlatore, Fl. Ital. 3: 133 (1858) (*Narcissus*) Section Tazettae
pugsleyanus = *N. pseudonarcissus* subsp. *pugsleyanus*
× ***pugsleyi*** Fernández Casas, in Fontqueria 6: 41(1984) (*Narcissus*) = *N. alpestris* Pugsley × *N. assoanus* Dufour
× ***pujolii*** Font Quer, in Mem. Mus. Ci. Nat. Barcelona Ser. Bot. 1 (2) 14 (1924) (*Narcissus*) = *N. assoanus* Dufour × *N. dubius* Gouan
pulchellus Salisbury, Prodr. Stirp. Chap. Allerton: 223 (1796) (*Narcissus*) = *N. triandrus* var. *pulchellus*
pumila Haworth, Monogr. Narcissin.: 14 (1831) (*Helena*) = *N. dubius*
pumilus Salisbury, Prodr. Stirp. Chap. Allerton: 220 (1796) (*Narcissus*) = *N. minor* var. *pumilus*
pumilus Delile, in P.J.Redouté, Liliac. 7: t. 409 (1813) (*Narcissus*) = *N. dubius*
pumilus Herbert, Amaryllidaceae: 300 (1837) (*Narcissus*) = *N. dubius*
purpureo-cinctus (Haworth) Spach, Hist. Nat. Vég. 12: 453 (1846) (*Narcissus*) = 'Purpureo-cinctus'
pusillus G.Don, in Hort. Brit. (Loudon): 116 (1830) (*Narcissus*) = *N. jonquilla* var. *minor*
pyrenaicus Persoon, Syn. Pl. (Persoon) 1: 350 (1805) (*Narcissus*) = *N. triandrus*
× *pyrenaicus* Dorda Alcaraz, Rivas Ponce & Fernández Casas, in Fontqueria 31: 237 (1991) (*Narcissus*) = *N.* × *dordae*
queltia Sweet, Hort. Brit. (Sweet): 407 (1826) (*Narcissus*) = *N.* × *incomparabilis*
quintanilhae = *N. bulbocodium* subsp. *quintanilhae*
radians Lapeyrouse, Hist. Pl. Pyrénées: 177 (1813) (*Narcissus*) = *N. pseudonarcissus*
radiatus Delile, in P.J.Redouté, Liliac. 8: t. 459 (1815) (*Narcissus*) = *N.* × *intermedius*
radiiflorus Salisbury, Prodr. Stirp. Chap. Allerton: 225 (1796) (*Narcissus*) Section Narcissus
var. ***radiiflorus***
var. ***exertus*** (Haworth) A.Fernandes, in Daffodil & Tulip Year Book 33: 49 (1968)
var. ***poetarum*** (Haworth) Burbidge & Baker, Narcissus: 85 (1875) ('Poetarum')
var. ***stellaris*** (Haworth) A.Fernandes, in Daffodil & Tulip Year Book 33: 49 (1968)
radinganorum Fernández Casas, in Fontqueria 6: 41 (1984) (*Narcissus*) Section Pseudonarcissus
× ***rafaelii*** Patino & Uribe-Echebarría, in Collect. Bot. (Barcelona) 26: 144 (2003) (*Narcissus*) = *N. assoanus* Leon Dufour × *N. eugeniae* Fernández Casas
× *raianus* A.Fernandes, Leitao & Aguiar, in Mem. Acad. Ci. Lisboa, 32: 37 (1992 publ. 1993) (parentage: *bulbocodium* × *triandrus* [as subsp. *lusitanicus*]) = *N.* × *fosteri*
recurvifolius Loddiges, Place of publication untraced (*Narcissus*) = ?
recurvus Haworth, Syn. Pl. Succ.: 331 (1812) (*Narcissus*) = *N. poeticus* var. *recurvus*
redoutei Sweet, Hort. Brit. (Sweet), ed. 2: 514 (1830) (*Narcissus*) = *N. triandrus* var. *loiseleurii*
redoutei Rouy, Fl. France 13: 46 (1912) (*Narcissus*) = *N. tazetta* subsp. *lacticolor*
reflexus Brotero, Fl. Lusit.: 550 (1804) (*Narcissus*) = *N. triandrus* var. *triandrus*
reflexus Loiseleur-Deslongchamps, Not. Fl. France: 165 (1810) (*Narcissus*) = *N. triandrus* var. *loiseleurii*
regulosus = Mis-spelling of *rugulosus*
rempolensis Panizzi in Parlatore, Giorn. Bot. Ital. 2, part 1: 3 (1847) (*Narcissus*) = *N. tazetta*
renaudii Bavoux, in Mém. Soc. Emul. Doubs, 2nd series, 4: 114 (1854) (*Narcissus*) = *N. pseudonarcissus*
requienii M.Roemer, Fam. Nat. Syn. Monogr. 4: 236 (1847) (*Narcissus*) = *N. assoanus*
ricasolianus Parlatore, Fl. Ital. 3: 147 (1858) (*Narcissus*) = *N. patulus*
rifanus Emberger & Maire, Pl. Marocc. Nov.: 6 (1929) (*Narcissus*) = *N. romieuxii* subsp. *romieuxii* var. *rifanus*
rivasmartinezii Fernández Casas, in Fontqueria 44: 256, 258, fig. 1 (1996) (*Narcissus*) Section Jonquilla
× ***rogendorfii*** Battandier, Fl. Algérie Tunisie: 327 (1904) (*Narcissus*) = *N. elegans* (Haworth) Spach × *N. tazetta* Linnaeus
romanensis Ureña, in Anales Jard. Bot. Madrid 43 (1) 185 = *N.* × *neocarpetanus*
romieuxii Braun-Blanquet & Maire, in Bull. Soc. Hist. Nat. Afrique N. 13: 192 (1922) (*Narcissus*) Section Bulbocodium

subsp. ***romieuxii***
var. ***romieuxii***. AM(a) 1938, AGM 1994
var. ***mesatlanticus*** Maire, Pl. Marocc. Nov.: 6 (1929). AM 1984
var. ***rifanus*** (Emberger & Maire) A.Fernandes, in Bol. Soc. Brot., 2nd series, 33: 113 (1959)
subsp. ***albidus*** (Emberger & Maire) A.Fernandes, in Daffodil & Tulip Year Book 33: 56 (1968)
var. ***albidus***
var. ***zaianicus*** (Maire, Weiller & Wilczec) A.Fernandes, in Bol. Soc. Brot., 2nd series, 33: 113 (1959) (A form "*lutescens*" may be found in cultivation but the name has not been formally published)

× ***romoi*** Fernández Casas, in Fontqueria 36: 271 (1993) (*Narcissus*) = *N. cantabricus* de Candolle × *N. fernandesii* Pedro

rotularis (Haworth) Spach, Hist. Nat. Vég. 12: 444 (1846) (*Narcissus*) Section Tazettae

× *rozeirae* Fernández Casas, in Fontqueria 6: 43 (1984) (*Narcissus*) (parentage: *N. bulbocodium* Linnaeus × *N. triandrus* Linnaeus [as subsp. *pallidulus*]) = *N.* × *fosteri*

rugilobus Haworth, Monogr. Narcissin.: 3 (1831) (*Ajax*) = *N. bicolor* var. *lorifolius*

rugulosus (Haworth) Schultes & Schultes f. Syst. Veg. 7ii: 956 (1830) (*Narcissus*) = 'Rugulosus'

rupicola Dufour, in Syst. Veg. 7ii: 958 (1830) (*Narcissus*) Section Apodanthi. AM(a) 1941, AM 1977, AM 1979
subsp. ***rupicola***. AGM 1994
subsp. ***marvieri*** (Jahandiez & Maire) Maire & Weiller, in Bull. Soc. Hist. Nat. Afr. Nord 29: 452 (1938). AM(a) 1940, AM(p) 1952, AGM 1994
subsp. *pedunculatus* (Cuatrecasas) Laínz, Place of publication untraced = *N. cuatrecasasii*
subsp. ***watieri*** (Maire) Maire & Weiller, Fl. Afr. Nord 6: 61 (1959). AM(a) 1991, FCC 2001

× ***rupidulus*** Fernández Casas & Susanna, in Anales Jard. Bot. Madrid 38 (1) 301 (1981) (*Narcissus*) = *N. rupicola* Dufour × *N. triandrus* Linnaeus (as subsp. *pallidulus*)

× *sabinii* Lindley, Bot. Reg. 9: t. 763 (1824) (*Narcissus*) = *N.* × *incomparabilis*

× *sampaianus* A.Fernandes, in Mem. Acad. Ci. Lisboa, 32:38 (1992 publ. 1993) (*Narcissus*) (parentage: *bulbocodium* [as subsp. *bulbocodium*] × *triandrus* [as subsp. *pallidulus*]) = *N.* × *foster*i

sardous Martelli, Monocot. Sardoae: 122 (1901) (*Narcissus*) = *N. tazetta* subsp. *lacticolor*

scaberulus Henriques, in Bol. Soc. Brot. 6: 45 (1888) (*Narcissus*) Section Apodanthi

segimonensis = *N. cuatrecasasii* var. *segimonensis*

segurensis Ríos, D.Rivera, Alcaraz & Obón, in Bot. J. Linn. Soc. 131 (2) 153 (1999) (*Narcissus*) Section Pseudonarcissus

semipartitus Link, Handbuch 1: 200 (1829) (*Narcissus*) = ?*N.* × *odorus*

serioflorens Schur, Enum. Pl. Transsilv.: 657 (1866) (*Narcissus*) = ?*N. radiiflorus* var. *stellaris*

serotina Haworth, Monogr. Narcissin: 1 (1831) (*Corbularia*) = *N. bulbocodium* var. *serotinus*

serotinus Linnaeus, Sp. Pl.: 290 (1753) (*Narcissus*) Section Serotini
var. ***serotinus***
var. ***deficiens*** (Herbert) Baker, Handb. Amaryll.:10 (1888)
var. ***emarginatus*** Chabert, in Bull. Soc. Bot. France 36: 321 (1889)

serotinus Salzmann ex Schousboe, Iagttag. Vextrig. Marokko: 155 (1800) (*Narcissus*) = *N. serotinus* Linnaeus

serotinus Jordan, Icon. Fl. Eur. 3: 3 (1903) (*Ajax*) = *N. abscissus* var. *serotinus*

serratus Haworth, Misc. Nat.: 179 (1803) (*Narcissus*) = *N. pseudonarcissus*

sibthorpii Haworth, in Trans. Linn. Soc. London 5: 243 (1800) (*Narcissus*) = *N. obvallaris*

siculus Parlatore, Fl. Ital. 3: 149 (1858) (*Narcissus*) = *N. patulus*

similis Salisbury, in Trans. Hort. Soc. London 1: 358 (1812) (*Hermione*) = *N. jonquilla*

solaris Haworth, Monogr. Narcissin.: 9 (1831) (*Hermione*) = *N. cupularis*

× ***somedanus*** Fernández Casado, Nava & Suárez Pérez, in Fontqueria 48: 29-34, fig. 4a-c (1997 publ. 1998) (*Narcissus*) = *N. asturiensis* (Jordan) Pugsley (as var. *villarvildensis*) × *N. triandrus* Linnaeus

× ***souliei*** Guétrot, Pl. Hybr. France 3 & 4: 103 (1927-1928) (*Narcissus*) = *N. assoanus* Dufour × *N. poeticus* Linnaeus

spathulatus Haworth, Monogr. Narcissin.: 14 (1831) (*Narcissus*) = *N. tazetta*

spiralis Fischer & Meyer, in Ann. Sci. Nat. Bot., 4th series, 1: 30 (1854) (Narcissus) = *N. serotinus*

spiralis Parlatore, Fl. Ital. 3: 152 (1858) (*Narcissus*) = *N. tazetta* subsp. *lacticolor*

spurius Haworth, Syn. Pl. Succ.: 327 (1812) (*Ajax*) = *N. hispanicus* var. *spurius*

stella hort., in Gartenflora 35: 264 (1886) = 'Stella'

stellaris Haworth, Monogr. Narcissin.: 15 (1831) (*Narcissus*) = *N. radiiflorus* var. *stellaris*

stellaris = *N. jonquilla* var. *stellaris*

stellatus de Candolle, Fl. Franç. 5: 323 (1815) (*Narcissus*) = *N. tazetta* susbsp. *lacticolor*

†*stellatus* Spruner ex Nyman, Consp. Fl. Eur. 4: 710 (1882) (*Narcissus*) = *N. polyanthos*

stelliflorus Schur, in Oesterr. Bot. Z. 19: 205 (1869) (*Narcissus*) = *N. radiiflorus* var. *stellaris*

stenantha Lange, in Overs. Kongel. Danske Vidensk. Selsk. Forh. Medlemmers Arbeider 1893: 193 (1893) = *N.* x *stenanthus*

× ***stenanthus*** (Lange) Fernández Casas, in Fontqueria 1: 12 (1982) (*Narcissus*) = *N. bulbocodium* Linnaeus (as var. *nivalis*) × *N. confusus* Pugsley

straminea Haworth, Monogr. Narcissin.: 12 (1831) (*Hermione*) = *N. tazetta*

striatellus = Mis-spelling of *striatulus*
striatulus Haworth, Suppl. Pl. Succ.: 132 (1819) (*Ganymedes*) = *N. triandrus*
subalbidus Loiseleur-Deslongchamps, Not. Fl. France: 163 (1810) (*Narcissus*) = *N. italicus*
subcrenata Haworth, Monogr. Narcissin.: 10 (1831) (*Hermione*) = *N. tazetta* subsp. *lacticolor*
sublutea Haworth, Monogr. Narcissin.: 8 (1831) (*Hermione*) = *N.tazetta*
subnivalis Fernández Casas, in Fontqueria 10: 10 (1986) (*Narcissus*) Section Bulbocodium
sulcicaulis Haworth, Monogr. Narcissin.: 11 (1831) (*Hermione*) = *N. tazetta* subsp. *corcyrensis*
sulphureus Sweet, Hort. Brit. (Sweet): 407 (1826) (*Narcissus*) = *N.* × *incomparabilis*
× *susannae* Fernández Casas, Exsicc. Distrib. 3: 13 (1980) (*Narcissus*) (parentage: *N. cantabricus* de Candolle [as subsp. *monophyllus*] × *N. triandrus* Linnaeus [as subsp. *pallidulus*] = *N.* × *litigiosus*
sylvestris Lamarck, Fl. Françoise 3: 390 (1778) (*Narcissus*) = *N. pseudonarcissus*
syriacus Boissier, Diagn. Pl. Orient., 2nd series, 3: 4 (1859) (*Narcissus*) = *N. tazetta* subsp. *lacticolor*
× ***taitii*** Henriques, in Bol. Soc. Brot. 5: 173 (1887) (*Narcissus*) = *N. pseudonarcissus* Linnaeus × *N. triandrus* Linnaeus (as subsp. *pallidulus*). FCC 1887 as *N.* × *johnstonii*
tananicus (Maire) Ibn Tattou, in Bocconea 8: 194 (1998) (*Narcissus*) = *N. cantabricus* subsp. *tananicus*
†*tazaensis* (as var. of *N. rupicola* subsp. *marvieri*) M.Salmon, in Monocot Nursery Plant List 2001
tazetta Linnaeus, Sp. Pl.: 290 (1753) (*Narcissus*) Section Tazettae ("Kashmir Local", "Seventeen Sisters")
subsp. ***tazetta***
var. *chinensis* M.Roemer, Fam. Nat. Syn. Monogr. 4: 223 (1847) = *N. tazetta* subsp. *lacticolor*
var. *chrysanthus* (de Candolle) hort.= *N. bertolonii*
var. *neglectus* (Tenore) hort.= *N. tazetta* subsp. *lacticolor*
var. *praecox* (Tenore) hort.= *N. italicus*
var. *syriacus* (Boissier) hort.= *N. tazetta* subsp. *lacticolor*
subsp. ***aureus*** (Loiseleur-Deslongchamps) Baker, Handb. Amaryll.: 9 (1888)
subsp. *bertolonii* (Jordan) Baker, Handb. Amaryll.: 8 (1888) = *N. bertolonii*
subsp. *canariensis* (Herbert) Baker, Handb. Amaryll.: 8 (1888) = *N. canariensis*
subsp. *chinensis* Masamune &Yanagihara, in Trans. Nat. Hist. Soc. Formosa 31: 329 (1941) = *N. tazetta* subsp. *lacticolor*
subsp. ***corcyrensis*** (Herbert) Baker, Handb. Amaryll.: 7 (1888)
subsp. *cupularis* (Salisbury) Baker, Handb. Amaryll.: 9 (1888) = *N. cupularis*
subsp. *dubius* (Gouan) Baker, Handb. Amaryll.: 8 (1888) = *N. dubius*
subsp. ***gussonei*** (Rouy) Maire, Bull. Soc. Hist. Nat. Afr. Nord 28: 381 (1937)
subsp. *italicus* (Ker Gawler) Baker, Handb. Amaryll.: 8 (1888) = *N. italicus*
subsp. ***lacticolor*** Baker, Handb. Amaryll.: 7 (1888) ('Bazelman Minor', 'Chinese Grand Emperor', 'Chinese Sacred Lily', 'Crenulatus', 'Grand Emperor', ?'Grand Emperor of China', "China Lily", "Good Luck Lily", "Joss Lily", "Lien Chu Lily", "New Year Lily", "Water Fairy Flower", "Water Nymph Flower"). HC 1974
†var. *tenorii* (Parlatore) hort.
†var. *trewianus* (Ker Gawler) hort. ('Basselman Major', 'Bazelman Major', ?'Muzart Orientalis', Tazetta 'Trewianus', "Bossleman's Narcissus")
subsp. ***ochroleucus*** (Loiseleur-Deslongchamps) Baker, Handb. Amaryll.: 8 (1888) ("Ragged White", "Straw White")
subsp. *pachybolbus* (Durieu de Maisonneuve) Baker, Handb. Amaryll.: 8 (1888) = *N. pachybolbus*
subsp. *panizzianus* (Parlatore) Baker, Handb. Amaryll.: 8 (1888) = *N. panizzianus*
subsp. *papyraceus* (Ker Gawler) Baker, Handb. Amaryll.: 8 (1888) = *N. papyraceus*
subsp. *patulus* (Loiseleur-Deslongchamps) Baker, Handb. Amaryll.: 7 (1888) = *N. patulus*
subsp. *polyanthos* (Loiseleur-Deslongchamps) Baker, Handb. Amaryll.: 8 (1888) = *N. polyanthos*
tazetta-poeticus Grenier & Godron, Fl. de Fr. 3: 257 (1855) (*Narcissus*) = *N.* × *medioluteus*
telamon Haworth, Syn. Pl. Succ.: 326 (1812) (*Ajax*) = *N. pseudonarcissus* subsp. *pseudonarcissus*
telamonius Link, Handbuch 1: 204 (1829) (*Narcissus*) = *N. pseudonarcissus* subsp. *pseudonarcissus*
tenorii Parlatore, Fl. Ital. 3: 137 (1858) (*Narcissus*) = *N. tazetta* subsp. *lacticolor* var. *tenorii*
tenuiflorus Schultes & Schultes f., in Syst. Veg. 7ii: 1733 (1830) (*Narcissus*) = *N. italicus*
tenuifolius Salisbury Prodr. Stirp. Chap. Allerton: 222 (1796) (*Narcissus*) = *N. bulbocodium* subsp. *bulbocodium* var. *tenuifolius*
× ***tenuior*** Curtis, Bot. Mag. 11: 379 (1797) (*Narcissus*) = *N. jonquilla* Linnaeus × *N. poeticus* Linnaeus (assumed) (Poeticus 'Planicorona', "The Slender Flat Crowned")
tenuis Agardh in Schultes & Schultes f., Syst. Veg. 7ii: 964 (1830) (*Narcissus*) = *N.* × *tenuior*
tereticaulis Haworth, in Trans. Linn. Soc. London 5: 245 (1800) (*Narcissus*) = ?*N.* × *intermedius*
†*timbali* Gautier in Timbal-Lagrave, in Bull. Soc. Sc. Phys. & Nat. Toul. 3: 143 (1875-76) (*Narcissus*) = ?*N. dubius*
†*tinei* Todaro ex Parlatore, Fl. Ital. 3: 146 (1858) (*Narcissus*) = *N. tazetta* subsp. *lacticolor*
tingitanus Fernández Casas, in Fontqueria 44: 262 (1996) (*Narcissus*) Section Bulbocodium
toletanus (*N.* × *susannae* var. *toletanus*) Fernández Casas & Luceño, in Anales Jard. Bot. Madrid 43 (1) 187 (1986) = *N.* x *litigiosus*

tortifolius Fernández Casas, in Saussurea 8: 43 (1977) (*Narcissus*) Section Tazettae
tortuosus (Haworth) Spach, Hist. Nat. Vég. 12: 454 (1846) (*Narcissus*) Section Pseudonarcissus (Pseudonarcissus Moschatus 'Tortuosus', ?'Silver Bells', "The Great Tortuose White Spanish Daffodil")
toscanus Pugsley, in J. Roy. Hort. Soc. 58: 56 (1933) (*N. obvallaris* var. *toscanus*) = *N. obvallaris*
trewianus Ker Gawler, in Bot. Mag. 32: t. 1301 (1810) = *N. tazetta* subsp. *lacticolor* var. *trewianus*
triandrus Linnaeus, Sp. Pl., ed. 2, 1: 416 (1762) (*Narcissus*) Section Ganymedes ("Ganymede's Cup"). AM 1984, AGM 1994
subsp. ***triandrus***
var. ***triandrus*** ("Angel's Tears")
var. *albus* (Haworth) Baker, Narcissus: 71 (1875) = *N. triandrus* var. *triandrus*
var. ***alejandrei*** Barra, in Anales Jard. Bot. Madrid 58 (1) 185 (2000)
var. *calathinus* hort. = *N. triandrus* var. *loiseleurii*
var. ***concolor*** (Haworth) Link, Handbuch: 1: 201 (1829). AM(a) 1938
var. ***loiseleurii*** (Rouy) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 178 (1951). AM(e) 1920
var. *mutatis* Coutinho, Place of publication untraced = *N. triandrus*
var. ***pulchellus*** (Salisbury) Baker, Narcissus: 71 (1875)
subsp. *capax* (Salisbury) D.A.Webb, in Bot. J. Linn. Soc. 76 (4) 303 (1978) = *N. triandrus* var. *loiseleurii*
var. *cernuus* (Salisbury) Baker, Narcissus: 71 (1875) = *N. triandrus* subsp. *pallidulus*
subsp. ***lusitanicus*** (Dorda Alcaraz & Fernández Casas) Barra, in Anales Jard. Bot. Madrid, 58 (1) 186 (2000)
subsp. ***pallidulus*** (Graells) D.A.Webb, in Bot. J. Linn. Soc. 76 (4) 303 (1978)
var. ***pallidulus***
var. ***paivae*** Barra, in Anales Jard. Bot. Madrid 58 (1) 185 (2000)
triandrus Curtis, Bot. Mag. 2: t. 48 (1788) (*Narcissus*) = *N. triandrus* subsp. *pallidulus*
tridymus Burbidge, in Gard. Chron. 1888(1): 603 (1881) (*Narcissus*) = 'Tridymus'
trifida Haworth, Monogr. Narcissin.: 9 (1831) (*Hermione*) = *N. tazetta*
triflorus Haworth, Monogr. Narcissin.: 14 (1831) (*Narcissus*) = *N.* × *medioluteus*
× ***trilobus*** Linnaeus, Sp. Pl., ed. 2, 1: 417 (1762) (*Narcissus*) = *N. bicolor* Linnaeus × *N. jonquilla* Linnaeus
tripartitus Hornemann, Hort. Bot. Hafn. 1: 315 (1813) (*Narcissus*) = *N.* × *intermedius*
tripodalis Loddiges ex Schultes & Schultes f., as "*tripedalis*", in Syst. Veg. 7ii: 987 (1830) (*Narcissus*) = *N. ornatus* Haworth
tripodalis Salisbury in Haworth, Monogr. Narcissin.: 14 (1831) (*Narcissus*) = *N. ornatus* Haworth
tubaeflorus Salisbury, Prodr. Stirp. Chap. Allerton: 221 (1796) (*Narcissus*) = *N. poeticus*
tubulosus Baldacci, in Nuovo Giorn. Bot. Ital., 2nd series, 6 (4) 351 (1899) (*Narcissus*) = ?*N. poeticus*
tubulosus Jordan, Icon. Fl. Eur. 3: 4 (1903) (*Ajax*) = *N. abscissus* var. *tubulosus*
× ***tuckeri*** Barra & López, in Anales Jard. Bot. Madrid 41 (1): 203 (1984) (*Narcissus*) = *N. fernandesii* Pedro × *N. hedraeanthus* (P.B.Webb & Heldreich) Colmeiro
× ***turgaliensis*** Dorda Alcaraz & Fernández Casas, in Bol. Soc. Brot., 2nd series, 60: 177 (1987) (*Narcissus*) = *N. bulbocodium* Linnaeus (as subsp. *bulbocodium* var. *conspicuus*) × *N. jonquilla* Linnaeus
turgidus Salisbury, Prodr. Stirp. Chap. Allerton: 222 (1796) (*Narcissus*) = *N. bulbocodium*
× *ubriquensis* M.Salmon, in Monocot Nursery Plant List 2001 (parentage: *N. fernandesii* [as var. *cordubensis*] × *N. triandrus* [as subsp. *pallidulus*]) = *N.* × *incurvicervicus*
unicolor Tenore, Fl. Napol. 1: 144 (1811) (*Narcissus*) = *N. papyraceus*
uniflora Asso in Schultes & Schultes f., Syst. Veg. 7ii: 962 (1830) = *N. assoanus*
uniflorus hort. as a synonym in Schultes & Schultes f., in Syst. Veg. 7ii: 964 (1830) (*Narcissus*) = *N.* × *tenuior*
validus = *N. bulbocodium* subsp. *validus*
× ***vallrutae*** Barra, in Anales Jard. Bot. Madrid 57 (1) 179 (1999) (*Narcissus*) = *N. bicolor* Linnaeus (as var. *concolor*) × *N. poeticus* Linnaeus
varduliensis Fernández Casas & Uribe-Echebarría, in Estud. Inst. Alavés Naturaleza 3: 232 (1988) (*Narcissus*) Section Pseudonarcissus
varians Gussone in Parlatore, Fl. Ital. 3: 141 (1858) (*Narcissus*) = *N. tazetta* subsp. *lacticolor*
vasconicus Fernández Casas, in Fontqueria 11: 19 (1986) (*Narcissus*) = *N. jacetanus* subsp. *vasconicus*
verbanensis = *N. poeticus* var. *verbanensis*
vergellensis Parlatore, Fl. Ital. 3:148 (1858) (*Narcissus*) = *N. patulus*
verus hort., Place of publication untraced (*Narcissus*) = *N. poeticus* var. *hellenicus*
× ***victoriae*** Sprenger, in Gartenflora 40: 453 (1891) (*Narcissus*) = *N. pseudonarcissus* Linnaeus × *N. tazetta* Linnaeus (as subsp. *aureus*)
villarvildensis = *N. asturiensis* var. *villarvildensis*
viridiflorus Schousboe, Iagttag. Vextrig. Marokko: 157 (1800) (*Narcissus*) Section Jonquilla
†*viriditubus* (as subsp. of *N. bulbocodium*) M.Salmon, in Daffodils 1991-92: 32
vulgaris Coutinho, Fl. Portugal: 140 (1913) (*Narcissus*) = *N. bulbocodium* subsp. *bulbocodium*
watieri Maire, in Bull. Soc. Hist. Nat. Afr. Nord 12: 186 (1921) (*Narcissus*) = *N. rupicola* subsp. *watieri*

webbii Parlatore, Fl. Ital. 3 123 (1858) (*Narcissus*) = *N. jonquilla*

willkommii (Sampaio) A.Fernandes, in Bol. Soc. Brot., 2nd series, 40: 213-215 (1966) (*Narcissus*) Section Jonquilla. AM 1995

× ***xavieri*** Nava & Fernández Casado, in Fontqueria 31: 249 (1991) (*Narcissus*) = *N. bulbocodium* (as subsp. *bulbocodium* var. *citrinus*) × *N. pallidiflorus*

yepesii Ríos, D.Rivera, Alcaraz & Obón, in Bot. J. Linn. Soc. 131 (2) 161 (1999) (*Narcissus*) Section Pseudonarcissus

zaianicus Maire, Weiller & Wilczec, in Bull. Soc. Hist. Nat. Afr. Nord. 29: 452 (1938) (*Narcissus*) = *N. romieuxii* subsp. *albidus* var. *zaianicus*