



THE ROYAL HORTICULTURAL SOCIETY

# The International Daffodil Register and Classified List (2008)

*First Supplement*



© 2008 The Royal Horticultural Society  
80 Vincent Square, London SW1P 2PE, United Kingdom  
[www.rhs.org.uk](http://www.rhs.org.uk)

International Daffodil Registrar:  
Sharon McDonald

All rights reserved. No part of this book may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the copyright holder

ISBN 9781902896953

Printed and bound in the UK by the University Press, Cambridge

*Cover:* “Narcissus cyclamineus, Johnstoni and Triandrus albus”  
from 1887 Barr and Son daffodil catalogue.  
Image courtesy of RHS Lindley Library

**FIRST SUPPLEMENT**  
**to**  
**THE INTERNATIONAL DAFFODIL REGISTER AND CLASSIFIED LIST (2008)**  
**2007–2008**

The daffodil names listed here are supplementary to the *International Daffodil Register and Classified List (2008)*; they were registered between 1 July 2007 and 30 June 2008. They are followed by a list of some other recent additions and amendments to the Register.

Registration	page 1
Classification and description	page 2
Registrations 2007–2008	page 3
Additions and amendments to the <i>International Daffodil Register and Classified List (2008)</i>	page 26
Illustrations of descriptive terms	page 32

## REGISTRATION

Hybridizers, raisers and other introducers of daffodils are urged to ensure that the names of new plants are registered, and are reminded that registration should preferably take place before plants are released or catalogued. Registration is conducted by The Royal Horticultural Society, International Cultivar Registration Authority for the genus *Narcissus*. Application forms are available from:

- |  |  |
|--|--|
| <ul style="list-style-type: none"><li>• The International Daffodil Registrar:<br/>Miss Sharon McDonald, Botany Department,<br/>RHS Wisley, Woking, Surrey GU23 6QB, UK<br/>Fax (44) 01483 211 750<br/>Email <a href="mailto:sharonmcdonald@rhs.org.uk">sharonmcdonald@rhs.org.uk</a></li><li>• The National Daffodil Registrar (Holland):<br/>Drs J. van Scheepen, KAVB, Postbus 175,<br/>2180 AD Hillegom, Holland<br/>Fax (31) 2525 369 51<br/>Email <a href="mailto:vanscheepen@kavb.NL">vanscheepen@kavb.NL</a></li><li>• The National Daffodil Registrar (Czech Republic):<br/>Ing. Ivan Karakoz, ul. Zizkova cp. 1539, 274 01<br/>Slaný, Czech Republic<br/>Email <a href="mailto:Karakoz@seznam.cz">Karakoz@seznam.cz</a></li><li>• The National Daffodil Registrar (USA):<br/>Mrs Mary Lou Gripshover, 1686 Grey Fox Trail,<br/>Milford, Ohio 45150, USA<br/>Fax 001 513 248 9137<br/>Email <a href="mailto:mgripshover@cinci.rr.com">mgripshover@cinci.rr.com</a></li></ul> | <ul style="list-style-type: none"><li>• The National Daffodil Registrar (Japan):<br/>Miss Eri Komoriya, 1196 Ohkido-Cho,<br/>Midori-ku, Chiba-City, Chiba 267-0057, Japan<br/>Fax 81-43-294-8504<br/>Email <a href="mailto:rx12572@nifty.ne.jp">rx12572@nifty.ne.jp</a></li><li>• The National Daffodil Registrar (Australia):<br/>Mrs Jennie Jamieson, 1 Bromley Place,<br/>Kingsley, WA 6026, Australia<br/>Fax (61) 89 409 1156<br/>Email <a href="mailto:ndaalaison@hotmail.com">ndaalaison@hotmail.com</a></li><li>• The National Daffodil Registrar (New Zealand):<br/>Mr Max Hamilton, 18 Whitford Place,<br/>Rotoruna North, Hamilton 3210, New Zealand<br/>Fax (64) 0785 43610<br/>Email <a href="mailto:kham@clear.net.nz">kham@clear.net.nz</a></li></ul> |
|--|--|

Once registered, names and classifications may be changed only with the agreement of the International Cultivar Registration Authority, upon application to the International Registrar.

## NOTES ON CLASSIFICATION AND DESCRIPTION

### **Note 1 – on classification**

The combination of division and colour code assigned here (or as amended in any future Supplement) is the registered classification, to be observed, for example, when schedules require cultivars to be shown “as registered”. The registered classification is not altered by any note of variable measurement or colour. (See p26 for any notes of variability in previous registrations.)

### **Note 2 – on colour coding**

Guidelines on colour coding, including those on distinguishing between Yellow and Orange and between Orange and Red appear in the Register and on registration forms. It is at the registrant's discretion to distinguish White from Yellow or Green, Yellow from Green, or Pink from the paler tones of Orange or Red.

In addition:

#### **– green at corona base**

The green at the base of a corona, whether in the tube or in the corona itself, may be included in the colour code if it is prominent and plain to see. Registrants are advised to include it only if it is consistent from year to year.

#### **– non-concentric colours**

When coding colours in perianth or corona that appear in radial rather than concentric bands, or in a flare from the base, or in flecks or splashes: start with a letter for the predominant colour; proceed with an oblique line; follow with the letter(s) (in any order) for the non-predominant colour(s).

For example, a yellow flower with a white streak along the midrib of the perianth segments would be Y/W-Y; a white flower with radial bands of orange and yellow on the corona segments would be W-W/OY.

### **Note 3 – on colour terms**

Colour Chart numbers in registered descriptions, eg 37D in ‘Battersby’, are from the *RHS Colour Chart* (1966 (reprinted 1986), 1995, 2001, 2007). Colour names followed by Chart numbers without brackets are equivalents adopted by the RHS for all its international registers. They are taken from the Universal Colour Language in the Inter-Society Color Council-National Bureau of Standards colour-name system. Colour names followed by Chart numbers with brackets or by no numbers at all are those supplied by the registrant.

### **Note 4 – on description**

Registered descriptions are drawn up from application forms and, whenever possible, from photographs and actual specimens too. The Registrar would welcome readers' comments on the accuracy of all descriptions.

Illustrations of descriptive terms appear on p32.

### **Note 5 – on height**

Stem heights in registered descriptions may be taken to be Standard (325–675 mm) unless otherwise stated, when they will be described as Dwarf (less than 325 mm) or Tall (more than 675 mm).

### **Note 6 – on Standards**

The Standard noted at the end of some descriptions is the designated herbarium specimen or illustration forming a permanent record of the distinguishing characteristics of the cultivar and fixing the cultivar name.

## REGISTRATIONS 2007–2008

The following cultivar names were registered between 1 July 2007 and 30 June 2008 by The Royal Horticultural Society, International Cultivar Registration Authority for the genus *Narcissus*.

Entries follow the style of those in the *International Daffodil Register and Classified List (2008)* and may be interpreted accordingly (see p10 in the Register).

To access the *International Daffodil Register and Classified List (2008)* on the internet, go to:  
**[www.rhs.org.uk/plants/registerpages/intro.asp](http://www.rhs.org.uk/plants/registerpages/intro.asp)**

The seed parent is given before the pollen parent.

### **‘Adapter’ 2 Y-R**

(Jackson’s Daffodils, 1998) Jackson’s Daffodils, 2007  
Sdlg 251/98 × sdlg 101/91  
Fl. rounded, 104 mm wide; perianth segments 43 mm long, roundish in outline, blunt at apex, vivid yellow 9B, spreading, plane, with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower; corona 28 mm long, cup-shaped, ribbed, red (30C), mouth straight, with rim dentate. Mid-season to late

### **‘Affiliate’ 4 Y-Y**

(Jackson’s Daffodils, 1997) Jackson’s Daffodils, 2007  
Sdlg 93/87 × ‘Eastertide’; sdlg no.225/97  
Fl. rounded, 85 mm wide; perianth and other petaloid segments 34 mm long, roundish in outline, blunt at apex, brilliant yellow 7A, spreading, plane, with margins incurved, smooth and of heavy substance, overlapping half; corona 25 mm long, vivid yellow 13A. Mid-season to late

### **‘Albert Cooper’ 3 Y-R**

(Brian S.Duncan) Brian S.Duncan, 2008  
‘Solar System’ × sdlg 1763 (‘Amboseli’ × ‘Burning Bush’); sdlg no.2022  
Fl. rounded, 118 mm wide; perianth segments 48 mm long, roundish, very broad, yellow, spreading, plane, with margins slightly incurved, smooth and of heavy substance, overlapping; the inner segments a little narrower; corona 18 mm long, cup-shaped, ribbed, deep orange-red, mouth straight, frilled, with rim dentate. Late. Sunproof

### **‘Altun Ha Gold’ 2 Y-Y**

(A.J.R.Pearson) A.J.R.Pearson, 2008  
‘Altun Ha’ sport  
Fl. forming a double triangle, 100 mm wide, facing up, dark lemon yellow (6A); perianth segments 43 mm long, very broadly ovate, blunt, spreading, plane, with margins slightly incurving, smooth and of heavy substance, overlapping; the inner segments narrower, shouldered at base; corona 35 mm long, funnel-shaped, ribbed, mouth expanded, wavy, with rim flanged and crenate. Mid-season to late. Slightly scented

### **‘American Idol’ 2 W-R**

(John R.Reed) John R.Reed, 2008  
‘Quasar’ × ‘Culmination’; sdlg no.93-10-4  
Tall

### **‘Andrew’s Choice’ 7 Y-O**

(Barbara Fry, 1980) Cornwall Area Bulb Grower’s Association, 2007  
‘Cinel’ × *N. jonquilla*; sdlg no.77/48/7  
Fls 1–3 per stem, 80 mm wide, facing up; perianth segments 32 mm long, roundish, broad, prominently mucronate, deep matt lemon, slightly reflexed, plane, with some segments folded at midrib, smooth, overlapping one-third to a half; the inner segments narrower, somewhat spreading; corona 12 mm long, bowl-shaped, deeply ribbed, pale orange, paling to base, with a darker tone at rim, mouth expanded, wavy. Mid-season to late. Sunproof

### **‘Annequin’ 3 Y-YYR**

(R.A.Scamp, 1996) R.A.Scamp, 2007  
‘Badbury Rings’ × ‘Triple Crown’; sdlg no.85x31  
Fl. 88 mm wide; perianth segments 37 mm long, broadly ovate, blunt, prominently mucronate, yellow, spreading, concave, with margins a little incurved, smooth and of heavy substance, overlapping half or more; corona 12 mm long, cup-shaped, lightly ribbed, yellow, with a narrow band of red at rim, mouth expanded, wavy, with rim broadly crenate, split and overlapping in places. Mid-season. Standard: digital image provided by registrant (WSY0101236)

### **‘Anthony Robert’ 3 Y-O**

(Diane Irwin) IRN Associates Ltd, 2007  
‘Red Ember’ × ‘Achduart’  
Fl. forming a double triangle, 100 mm wide; perianth segments 43 mm long, very broad, shouldered at base, mucronate, spreading, plane, with margins incurved, smooth and of heavy substance, overlapping half or more; corona 14 mm long, bowl-shaped, ribbed, mouth straight, frilled, with rim dentate. Tall. Mid-season. Sweetly scented

### **‘Ariel’ 8 W-W**

(Avner Cohen, Dorit Sandler, Herut Yahel & Aurel Ion, pre-1996) C.S.Weijers & Sons, 2008  
Name accepted due to grant of Plant Breeder’s Rights (EU) April 2006  
Fls several per stem, 50 mm wide, facing down, white (155C); perianth segments 20 mm long, oblong, blunt, slightly mucronate, spreading, concave, with broad midrib showing, of membranaceous substance, overlapping at base only; the inner segments narrower; corona 5 mm long, cup-shaped, smooth, mouth straight, ribbed and even, with rim entire

**'Ashton Gem' 2 Y-O**

(D.C.MacArthur, 1996) D.C.MacArthur, 2008

'Evelix' × 'Royal Orange'; sdlg no.ED6291

Fl. forming a double triangle, 103 mm wide; perianth segments 42 mm long, ovate in outline, rounded at apex, mucronate, pale yellow 8D, spreading, concave, with margins incurved and midrib showing, creased and of heavy substance, overlapping half; corona 32 mm long, funnel-shaped, ribbed, orange (27B), mouth expanded, frilled, with rim flanged and crenate. Late. Sunproof. Sweetly scented

**'Autumn Glow' 8 Y-GOO**

(H.Koopowitz) H. Koopowitz, 2008

*N. tazetta* subsp. *aureus* × *N. miniatus*; sdlg no.00-96

Fls 6 per stem, rounded, 33 mm wide, facing up; perianth segments 13 mm long, ovate in outline, rounded at apex, pale soft yellow, spreading, concave, with margins slightly incurved, smooth and of heavy substance, overlapping one-third; the inner segments narrower; corona 2 mm long, bowl-shaped, angled, rich medium orange, with green at base, mouth straight, even, with rim entire. Dwarf. Autumn-flowering. Sunproof

**'Baby Boomer' 7 Y-Y**

(Brent &amp; Becky's Bulbs) Brent &amp; Becky's Bulbs, 2008

'Avalanche' × *N. jonquilla*

Fls 6 to 8 per stem, 35 mm wide, at right angles to the stem or facing up; perianth segments 15 mm long, oblong, blunt at apex, vivid yellow 9A, with prominent white mucro, spreading, plane to a little concave, with midrib showing, of heavy substance, overlapping half; the inner segments ovate, shouldered at base, less prominently mucronate; corona 4 mm long, cup-shaped, smooth, orange-yellow (14B), mouth straight, narrowly ribbed, even to a little wavy, with rim entire. Dwarf. Mid-season. Sweetly scented

**'Battersby' 2 W-WWP**

(A.Harper) R.Beckwith, 2008

Fl. rounded, 90 mm wide; perianth segments 37 mm long, roundish, very broad, rounded at apex, slightly mucronate, white, spreading, plane, smooth and of membranaceous substance, overlapping half; the inner segments narrower, blunt at apex, not noticeably mucronate; corona 13 mm long, cup-shaped, ribbed, white, with a band of light yellowish pink 37D at rim, mouth flared, lightly frilled, with rim dentate. Late. Sweetly scented. Standard: photographic transparency provided by registrant (WSY0101389)

**'Been There' 3 Y-Y**

(Jackson's Daffodils, 1997) Jackson's Daffodils, 2007

Sdlg 137/85 × sdlg 118/89; sdlg no.355/97

Fl. 95 mm wide; perianth segments 42 mm long, light yellow (2D); corona 12 mm long, darker in tone (5A) than the perianth segments. Late

**'Beesknees' 8 Y-O**

(Wilfred Hall, 1993) Wilfred Hall, 2008

Sdlg no.93T22

Fls 5-7 per stem, forming a double triangle, 25 mm wide; perianth segments ovate in outline, rounded at apex, mucronate, brilliant yellow 15C, slightly reflexed, concave, creased and of membranaceous substance, overlapping one-third; the inner segments not noticeably mucronate; corona cup-shaped, smooth, orange (23A), mouth slightly incurved, even, with rim entire. Dwarf. Very early. Sweetly scented

**'Betka' 2 W-P**

(Graeme Brumley) Graeme Brumley, 2008

'Clique' × 'Verran'; sdlg no.62

Fl. rounded, 90 mm wide; perianth segments 35 mm long, very broadly ovate in outline, rounded at apex, mucronate, white, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments narrower, blunt, shouldered at base; corona 30 mm long, cylindrical, broadly ribbed, pink, deepening to base and paling to rim, mouth frilled, rim flanged, crenate, split and overlapping in places. Mid-season

**'Betty Jean Foster' 4 W-O**

(Betty and Freddie McCown) Betty and Freddie

McCown, 2008

'Ice Follies' open pollinated; sdlg no.03-BFM-1

Fl. star-shaped, 100 mm wide; perianth and other petaloid segments in several whorls, symmetrically arranged; the two outer whorls broadly ovate, blunt, truncate, spreading, plane, with margins recurved, smooth, with midrib showing, of membranaceous substance, overlapping a quarter; the inner segments narrower, inflexed, more strongly recurved and a little creased; the inner whorls becoming shorter and more strongly inflexed towards the centre; corona segments half as long as and opposite to the perianth and other petaloid segments and interspersed among them, smooth. Tall. Early. Sweetly scented

**'Biggar' 8 W-W**

(W.R.P.Welch) IRN Associates Ltd, 2008

Sdlg no.02-08

Fls 14 per stem, 55 mm wide; perianth segments 24 mm long, ovate, blunt, inflexed, concave, smooth and of heavy substance, overlapping one-third; the inner segments narrower; corona 10 mm long, bowl-shaped, smooth, mouth a little expanded, even, with rim entire. Tall. Autumn-flowering. Strongly scented. Standard: colour print provided by registrant (WSY0101384)

**'Blatant' 11a Y-Y**

(Jackson's Daffodils, 1997) Jackson's Daffodils, 2007

'She's Apples' × sdlg 83/89

Fl. forming a double triangle, 122 mm wide; perianth segments 47 mm long, very broad, blunt, yellow (7C), spreading, plane, with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 36 mm long, disc-shaped, ribbed, vivid yellow 13A, mouth lobed. Early to mid-season

**'Bonny Beth' 4 Y-Y**

(D.C.MacArthur) D.C.MacArthur, 2008  
Fl. forming a double triangle, 104 mm wide; perianth and other petaloid segments 41 mm long, ovate, acute, brilliant yellow 7A, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; corona segments 27 mm long, vivid yellow 17C. Mid-season

**'Braeside' 2 YYW-P**

(Jackson's Daffodils, 1996) Jackson's Daffodils, 2007  
Sdlg 232/87 × sdlg 236/88; sdlg no.87/96  
Fl. forming a double triangle, 98 mm wide; perianth segments 40 mm long, very broad, blunt, shouldered at base, yellow (3B), with white (155C) at base, spreading, plane, with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 35 mm long, funnel-shaped, ribbed, pink (26D), mouth flared and frilled, with rim dentate. Mid-season

**'Bruce's Joy' 6 Y-O**

(Bruce Irwin) Bruce Irwin, 2007  
Unknown × *N. cyclamineus*  
Fl. star-shaped, 53 mm wide, facing down; perianth segments 30 mm long, ovate, overlapping one-third; corona 30 mm long, cylindrical, smooth. Very early. Sunproof. Sweetly scented

**'Buckshead' 4 W-Y**

(R.A.Scamp, 1997) R.A.Scamp, 2008  
'Cristobal' × 'Marjorie Treveal'; sdlg no.766  
Fl. rounded, 85 mm wide; perianth and other petaloid segments in several whorls, smooth and of heavy substance; the outer whorl 40 mm long, very broadly ovate in outline, rounded at apex, mucronate, spreading, plane to a little concave; the inner whorls narrower, becoming successively shorter, blunt at apex, less prominently mucronate, more strongly concave, inflexed, with margins wavy; corona segments 30 mm long, interspersed among the perianth and other petaloid segments, smooth, frilled, irregularly lobed. Mid-season to late. Standard: colour print provided by registrant (WSY0101362)

**'Burt Cottage' 2 W-P**

(Brian S.Duncan) Brian S.Duncan, 2007  
'Brindle Pink' × 'Eastern Promise'; sdlg no.2333  
Fl. 110 mm wide; perianth segments very broadly ovate in outline, blunt or rounded at apex, prominently mucronate, pure white, slightly reflexed, plane in lower half, concave above, smooth, overlapping half or more; the inner segments a little more narrowly ovate, blunt, less prominently mucronate, spreading, loosely creased, with margins wavy; corona bowl-shaped, smooth, deep orange-pink, mouth straight, lightly frilled

**'Butte Park' 4 Y-Y**

(R.A.Scamp, 1989) R.A.Scamp, 2008  
'Saint Keverne' × 'Tamar Fire'; sdlg no.384  
Fl. 92 mm wide; perianth and other petaloid segments in three whorls, the two outer whorls 34 mm long, broadly ovate, blunt, yellow, with

prominent pale mucro, spreading, plane, smooth and of heavy substance, overlapping half; the inner whorl less prominently mucronate, inflexed, concave; corona segments 24 mm long, half the width of and slightly darker in tone than the petaloid and perianth segments, smooth, frilled, irregularly lobed or thumbled, with the upper half of the segments loosely folded inwards. Mid-season. Slightly scented

**'Buttercream' 10 Y-Y**

(Walter J.M.Blom) Walter J.M.Blom, 2008  
Sdlg 8-17 × 'Peppermint'; sdlg no.955-17  
Fl. star-shaped, 30 mm wide, facing up, pale greenish yellow 2D; perianth segments 15 mm long, lanceolate, acute, spreading, plane, smooth and of heavy substance, separated; corona 20 mm long, cup-shaped, lightly ribbed, mouth expanded and a little wavy, with rim crenate. Dwarf. Very early. Sweetly scented

**'California Dreaming' 2 Y-P**

(John R. Reed) John R. Reed, 2008  
'Old Satin' × 'Eclat'

**'Caroline Jane Gordon' 2 W-GPP**

(D.C.MacArthur, 1996) D.C.MacArthur, 2008  
'Pismo Beach' open pollinated; sdlg no.ED691  
Fl. forming a double triangle, 92 mm wide; perianth segments 37 mm long, broadly ovate, truncate, mucronate, yellowish white 155D, spreading, concave, creased and of heavy substance, overlapping half; corona 31 mm long, funnel-shaped, ribbed, light yellowish pink 36A, with brilliant yellow-green 154B at base and strong yellowish pink at rim, mouth flared, frilled and lobed, with rim dentate. Mid-season. Sweetly scented

**'Cassie's Caress' 2 Y-Y**

(D.C.MacArthur) D.C.MacArthur, 2008  
'Royal Orange' × sdlg (2 W-W); sdlg no.ED0197  
Fl. forming a double triangle, 87 mm wide, pale yellow 8D; perianth segments 35 mm long, broadly ovate in outline, rounded at apex, mucronate, spreading, concave, smooth and of heavy substance, overlapping half or more; the inner segments slightly narrower, shouldered at base; corona 35 mm long, cup-shaped, ribbed, mouth straight, frilled, with rim dentate. Mid-season. Sweetly scented

**'Casual Elegance' 10 Y-Y**

(Walter J.M.Blom) Walter J.M.Blom, 2008  
Sdlg 8-17 × 'Peppermint'; sdlg no.955-13  
Fl. star-shaped, 25 mm wide, light greenish yellow 4B; perianth segments 20 mm long, lanceolate, acute, spreading to a little inflexed, plane, smooth and of heavy substance, separated; corona 20 mm long, cup-shaped, lightly ribbed, mouth expanded and wavy, with rim crenate. Dwarf. Very early. Sweetly scented

**'Causeway Sunshine' 1 Y-Y**

(Derrick Turbitt, 1994) Derrick Turbitt, 2007

'Cophetua' × 'Golden Joy'; sdlg no.9403

Fl. 118 mm wide; perianth segments 45 mm long, broadly ovate, blunt, noticeably mucronate, yellow, spreading, plane to slightly concave, with margins a little wavy, smooth and of heavy substance, overlapping half; the inner segments shouldered at base, less noticeably mucronate, slightly inflexed; corona 48 mm long, funnel-shaped, smooth, darker in tone than the perianth segments, mouth narrowly flared, lightly ribbed, wavy, with rim a little split and overlapping in places, crenate. Mid-season to late

**'Caveat' 4 W-O**

(Jackson's Daffodils, 1996) Jackson's Daffodils, 2007

Sdlg 255/87 × sdlg 217/82; sdlg no.76/96

Fl. rounded, 88 mm wide; perianth and other petaloid segments 30 mm long, very broad, blunt, shouldered at base, white (155A), spreading, plane, with margins incurling, smooth and of heavy substance, overlapping half or more; corona segments 15 mm long, vivid orange 28B. Mid-season

**'Chantez' 11a W-GWY**

(K.van der Veek) Narveco, 2008

Sdlg no.KV 00-36

Fl. 105 mm wide, facing up; perianth segments 50 mm long, broadly ovate, blunt, prominently mucronate, yellowish white 155B, spreading, plane to slightly twisted, with margins wavy and somewhat recurved, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, shouldered at base, a little inflexed; corona 30 mm long, split to base, the six segments two-thirds the length of the perianth segments and of the same width, bi-lobed, with the lobes overlapping, angled, regularly ribbed, yellowish white 158D, with brilliant yellow-green 150A at base, touched light yellow (4D) at margins at base, a little inflexed, folded, deeply frilled, overlapping at shoulder, margins wavy, with rim entire. Early

**'Chuffed' 2 YYW-W**

(Jackson's Daffodils, 1996) Jackson's Daffodils, 2007

'Day Dream' × 'Lemon Snow'; sdlg no.48/96

Fl. forming a double triangle, 104 mm wide; perianth segments 42 mm long, very broad, blunt, shouldered at base, yellow (6A), with white (158C) at base, spreading, plane, with margins incurling, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 36 mm long, funnel-shaped, ribbed, white (158A), mouth flared and frilled, with rim dentate. Early

**'Ciao' 3 Y-Y**

(Jackson's Daffodils, 1994) Jackson's Daffodils, 2007

'Triad' × 'Nonchalant'; sdlg no.170/94

Fl. forming a double triangle, 100 mm wide; perianth segments 45 mm long, very broad, blunt, shouldered at base, yellow (5A), spreading, plane, with margins incurved, smooth and of heavy substance, overlapping half or more; corona 15 mm long, bowl-shaped, ribbed, brilliant yellow 7A, mouth straight and frilled, with rim dentate. Mid-season

**'Clovally Ayr' 9 W-GYR**

(R.A.Scamp, 1992) R.A.Scamp, 2008

'Corofin' × 'Lady Serena'; sdlg no.506

Fl. 94 mm wide; perianth segments 40 mm long, broadly ovate, blunt, truncate and mucronate, white, spreading, plane, with margins wavy, smooth and of heavy substance, overlapping half or more; the inner segments a little narrower, less prominently mucronate; corona 8 mm long, disc-shaped, narrowly ribbed, yellow, with green at base and a narrow band of orange-red at rim, mouth expanded, wavy and lobed, with rim split and overlapping in places, minutely dentate. Late. Sweetly scented. Standard: colour print provided by registrant (WSY0101365)

**'Clown Janet Hall McGurrin' 2 W-PPW**

(John R. Reed) John R. Reed, 2008

Sdlg no.79-17

Mid-season

**'Coeur d'Alene' 9 W-GYR**

(R. &amp; E.Havens, 1989) R. &amp; E.Havens, 2008

'Sea Green' × 'Mountain Poet'; sdlg no.Y170/2

Fl. rounded, 67 mm wide; perianth segments 29 mm long, roundish in outline, rounded at apex, slightly mucronate, white, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments only a little narrower, shouldered at base, truncate, not noticeably mucronate; corona 5 mm long, disc-shaped, regularly ribbed, yellow, with green at base and a narrow band of orange-red at rim, mouth expanded, lightly wavy, with rim dentate. Late

**'Colgrain Primary' 2 Y-GYY**

(D.C.MacArthur, 1996) D.C.MacArthur, 2008

'Una Bremner' open pollinated; sdlg no.ED50190

Fl. forming a double triangle, 93 mm wide; perianth segments 41 mm long, ovate, blunt, greenish yellow (2A/2C), spreading, concave, creased and of heavy substance, overlapping one-third; corona 23 mm long, cup-shaped, ribbed, brilliant greenish yellow 1A, shading through pale greenish yellow 9D to brilliant greenish yellow 3B at rim, with strong yellow-green 145A at base, mouth straight, frilled, with rim crenate and slightly flanged. Late. Sweetly scented

**'Cormiston' 8 W-W**

(W.R.P.Welch) IRN Associates Ltd, 2008

Sdlg no.01-08

Fls 14 per stem, 50 mm wide; perianth segments 23 mm long, oblong, rounded at apex, prominently mucronate, inflexed, concave, smooth and of heavy substance, overlapping one-third; the inner segments ovate, blunt; corona 10 mm long, bowl-shaped, smooth, mouth even to a little wavy, with rim entire. Tall. Autumn-flowering. Strongly scented. Standard: colour print provided by registrant (WSY0101385)

**'Coro Rosie' 2 W-P**

(Peter Irwin) IRN Associates Ltd, 2007

'My Word' × IRN sdlg 90/17; sdlg no.98/34A

Fl. forming a double triangle, 92 mm wide. Tall. Very early. Sunproof. Sweetly scented



**‘Crystal Bells’ 5 Y-Y**

(R. & E. Havens) R. & E. Havens, 2008

‘Limequilla’ × *N. triandrus* subsp. *triandrus*; sdlg no. HH20/1

Fls 3–4 per stem, 60 mm wide, facing down; perianth segments 28 mm long, oblong, blunt at apex, slightly mucronate, lemon yellow, reflexed, plane, smooth and of heavy substance, overlapping a quarter; the inner segments more nearly ovate; corona 12 mm long, cup-shaped, smooth, slightly darker in tone than the perianth segments, mouth straight, even, with rim entire. Late. Sweetly scented

**‘Csollany’ 8 W-Y**

(Wilfred Hall) Wilfred Hall, 2008

‘Grand Monarque’ × ‘Basra’; sdlg no. GMX-83

Fls 2–4 per stem; perianth segments broadly ovate, blunt, mucronate, spreading, plane to a little concave, with margins incurved, smooth and of heavy substance, overlapping one-third to a half; the inner segments not noticeably mucronate; corona bowl-shaped, lightly ribbed, mouth straight, even, with rim entire. Early. Sweetly scented

**‘Culinish’ 2 W-GGW**

(D.C. MacArthur) D.C. MacArthur, 2008

‘Catherine MacKenzie’ open pollinated; sdlg no. ED14098

Fl. forming a double triangle, 89 mm wide; perianth segments 41 mm long, very broadly ovate, blunt, mucronate, yellowish white 155D, spreading, concave, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base; corona cup-shaped, ribbed, brilliant yellow-green 154B, with moderate yellow-green 148B at base and shading to yellowish white 155D at rim, straight, heavily frilled, with rim crenate. Late. Strongly scented

**‘Dalmeny’ 2 Y-R**

(R.A. Scamp, 1995) R.A. Scamp, 2008

‘Enfield’ × ‘Gold Convention’; sdlg no. 806

Fl. 85 mm wide; perianth segments 37 mm long, broadly ovate, blunt, with pale mucro, spreading to a little concave, smooth and of heavy substance, overlapping half or more; the inner segments narrower, less prominently mucronate; corona 36 mm long, funnel-shaped, short, smooth, mouth flared, widely expanded, lightly frilled, with rim deeply crenate. Mid-season to late. Sunproof. Standard: colour print provided by registrant (WSY0101367)

**‘Denarius’ 2 Y-Y**

(R. & E. Havens, 1997) R. & E. Havens, 2008

‘Widgeon’ × ‘Memento’ × ‘Magic Lantern’; sdlg no. GH13/10

Fl. 95 mm wide, coppery yellow; perianth segments 38 mm long, broadly ovate in outline, rounded at apex, mucronate, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments only a little narrower, slightly inflexed; corona 35 mm long, funnel-shaped, smooth, mouth slightly expanded, lightly and broadly ribbed, wavy, with rim crenate. Mid-season

**‘Dinnerplate’ 2 W-Y**

(K. van der Veek) Narveco, 2007

Sdlg no. KV94-91

Fl. 120 mm wide, facing up; perianth segments 49 mm long, broadly ovate, blunt, prominently mucronate, pale yellowish white (4D to 155D), spreading, plane to a little concave, with margins wavy, overlapping half; the inner segments narrower, creased, with midrib showing; corona 33 mm long, shallow bowl-shaped, very broad, lightly ribbed, brilliant yellow 7A, paling to 7B at base, mouth lobed and lightly frilled, with rim crenate. Early. Sweetly scented

**‘Doctor Langsford’ 4 Y-Y**

Alan Langsford, 2007

‘First Hope’ sport

Perianth and other petaloid segments of heavy substance. Dwarf. Very early

**‘Eastbrook Beauty’ 2 Y-O**

(John Gibson) John Gibson, 2008

‘Loch Naver’ × ‘Ulster Bank’ × ‘Stanway’; sdlg no. 57-3-95

Fl. rounded, 75 mm wide; perianth segments 31 mm long, very broadly ovate in outline, blunt to rounded at apex, vivid yellow 25A, with slight pale mucro, spreading, plane, with margins a little incurved, smooth and of heavy substance, overlapping half or more; the inner segments roundish in outline, rounded at apex, less prominently mucronate; corona 14 mm long, cup-shaped, lightly ribbed, strong orange 25A, mouth straight, wavy, with rim entire. Mid-season. Standard: colour print provided by registrant (WSY0101439)

**‘Electric Brae’ 11a W-GPO**

(Gerard Knehans Jr) Gerard Knehans Jr, 2008

‘Zombie’ × ‘Shrike’; sdlg no. 9736-1

Fl. 105 mm wide; perianth segments 40 mm long, very broadly ovate in outline, rounded at apex, truncate, mucronate, white, slightly reflexed, concave, with margins a little wavy, smooth and of heavy substance, overlapping half or more; the inner segments narrower, blunt, less prominently mucronate, spreading; corona 32 mm long, the six segments each closely overlying a perianth segment, forming an outer and an inner whorl of three, two-thirds the length and width of the perianth segments, joined at margins at base, bi-lobed with the lobes overlapping, a little creased, light pink 49C, with olive green (153C) at base and a very broad band of light orange 29B at rim, heavily frilled, separated, with margins wavy. Early

**‘Energizer’ 2 O-R**

(John R. Reed) John R. Reed, 2008

‘Sabine Hay’ × ‘Stylish’; sdlg no. 87-6-2

Mid-season

**'Enlightenment' 2 Y-P**

(R. & E. Havens) R. & E. Havens, 2008  
 'American Dream' × ('Widgeon' × 'Memento'); sdlg no. I24/2  
 Fl. 95 mm wide; perianth segments 38 mm long, broadly ovate in outline, rounded at apex, lemon yellow, with pale mucro, spreading to a little reflexed, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, blunt, less prominently mucronate, plane; corona 36 mm long, cylindrical, smooth, pink, mouth expanded, lightly frilled, with rim dentate. Late. Sunproof

**'Erin Marie' 2 W-Y**

(Martha Ann Griner) Martha Ann Griner, 2008  
 'Geometrics' open pollinated; sdlg no. 94-02A  
 Fl. forming a double triangle, 92 mm wide, facing slightly up; perianth segments 40 mm long, very broadly ovate, blunt, mucronate, spreading, plane to a little concave, smooth and of heavy substance, overlapping one-third to a half; the inner segments narrower, shouldered at base; corona 30 mm long, funnel-shaped, broadly ribbed, mouth straight and wavy. Mid-season. Sweetly scented. Standard: colour print provided by registrant (WSY0101440)

**'Eskedos' 2 Y-R**

(Wilfred Hall) Wilfred Hall, 2008  
 'Craig Stiel' × 'Wee One'; sdlg no. 01/5  
 Fl. 78 mm wide; perianth segments very broadly ovate in outline, rounded at apex, with pale mucro, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments slightly narrower, shouldered at base; corona cup-shaped, smooth, mouth slightly flared, wavy, with rim crenate. Early

**'Euphonic Bells' 5 W-W**

(R. & E. Havens) R. & E. Havens, 2008  
 'Limequilla' × *N. triandrus* subsp. *triandrus*; sdlg no. HH20/3  
 Fls 3–5 per stem, 60 mm wide, facing down; perianth segments 25 mm long, oblong, rounded to blunt at apex, mucronate, reflexed, plane to a little concave, smooth and of heavy substance, overlapping one-third to a half; the inner segments ovate, blunt, less prominently mucronate; corona 18 mm long, cup-shaped, smooth, mouth straight, lightly ribbed, even, with rim entire. Late

**'Feasible' 2 Y-R**

(Jackson's Daffodils, 1997) Jackson's Daffodils, 2007  
 Sdlg 62/83 × sdlg 145/80; sdlg no. 365/97  
 Fl. forming a double triangle, 104 mm wide; perianth segments 45 mm long, very broad, blunt, shouldered at base, vivid yellow 9A, spreading, plane, with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 25 mm long, cup-shaped, ribbed, red (30C), mouth straight and frilled, with rim dentate. Mid-season to late

**'Ferial Wendy' 2 Y-Y**

(R. A. Scamp, 1987) W. J. S. Hosking, 2007  
 Sdlg no. S37  
 Fl. forming a double triangle, 110 mm wide; perianth segments 47 mm long, ovate in outline, rounded at apex, medium golden yellow, spreading, plane, with margins incurving, smooth and of membranaceous substance, overlapping; corona 46 mm long, smooth, dark golden yellow, mouth ribbed, even, with rim flanged and dentate. Mid-season

**'Firelight Gold' 10 Y-Y**

(Walter J. M. Blom) Walter J. M. Blom, 2008  
 Sdlg 8-20 × 'Peppermint'  
 Fl. star-shaped, 25 mm wide, vivid yellow 12A; perianth segments 15 mm long, lanceolate, acute, spreading, plane, smooth and of heavy substance, separated; corona 20 mm long, cup-shaped, regularly ribbed, mouth expanded and lightly frilled, with rim crenate. Dwarf. Very early. Sweetly scented

**'Firewall' 11a Y-Y/O**

(K. van der Veek) Narveco, 2007  
 Sdlg no. KV 99-30  
 Fl. 85 mm wide, facing up; perianth segments 40 mm long, roundish, very broad, vivid yellow 12A, with pale mucro, spreading, concave, with margins minutely incurved, smooth and of heavy substance, overlapping half or more; the inner segments ovate, blunt, less noticeably mucronate, somewhat inflexed, with margins wavy and midrib showing, creased; corona 30 mm long, split to base, the six segments in two whorls of three closely overlying the perianth segments and half their length and width, yellow, shading to orange (17B) in broad patches at margins, more or less heavily ribbed, deeply frilled. Mid-season. Sweetly scented

**'Flashing Red' 2 Y-R**

(P. D. K. Ramsay) P. D. K. Ramsay, 2008  
 Sdlg 95:25A ('Rabid' × 'Cowboy') × 'Cameo Flush'; sdlg no. 04:66  
 Fl. rounded, 118 mm wide; perianth segments very broad, rounded at apex, with margins recurved, smooth and of heavy substance, overlapping; corona cup-shaped, smooth, mouth flared, frilled, with rim rolled. Mid-season. Sunproof

**'Fleeting Glimpse' 2 Y-YYR**

(Gordon Coombes) Gordon Coombes, 2008  
 'Valley Glow' × 'Goldfinger'; sdlg no. G1-04  
 Fl. 100 mm wide; perianth segments very broadly ovate, blunt, golden yellow, with prominent white mucro, spreading, plane, with margins a little incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, less prominently mucronate; corona cup-shaped, smooth, golden yellow, with a broad band of orange-red at rim, mouth flared and heavily frilled, with rim entire. Mid-season. Sunproof. Strongly scented

**'Fort Chicago' 1 Y-Y**

(John R. Reed) John R. Reed, 2008  
 'Celtic Gold' × 'Dream Prince'; sdlg no. 95-1-10  
 Early

**'Frances Delight' 11a W-P**

(R.A.Scamp, 1995) R.A.Scamp, 2008  
Sdlg 177 ('Chenoweth' × 'Rainbow') × 'Phantom';  
sdlg no.882

Fl. 98 mm wide; perianth segments 38 mm long, broadly ovate in outline, rounded at apex, slightly mucronate, white, spreading, plane to a little concave, smooth and of heavy substance, overlapping half or more; the inner segments narrower, blunt, not noticeably mucronate; corona 25 mm long, deeply split, the six segments closely overlying the perianth segments and of the same width, rounded at apex, with overlapping lobes, a little creased, pale pink, with margins wavy, lightly frilled. Mid-season to late. Standard: colour print provided by registrant (WSY0101369)

**'French Robin' 3 W-WWP**

(R.E. Jerrell & Tom Stettner, 2000) Tom Stettner, 2008

'Mae Gibson Foster' × 'Personable'; sdlg no.JS 87-85-1  
Fl. rounded, 89 mm wide; perianth segments 42 mm long, very broadly ovate, blunt, mucronate, white, spreading, plane, smooth, overlapping half or more; the inner segments a only a little narrower, shouldered at base, slightly inflexed; corona 7 mm long, bowl-shaped, narrowly ribbed, white, with a broad band of bright reddish pink at rim, mouth expanded, lightly frilled, with rim crenate. Mid-season. Mildly sun resistant. Standard: colour print provided by registrant (WSY0101357)

**'Galactic Star' 1 YYW-W**

(K.van der Veek) C.G.van den Berg & Son, 2008  
Sdlg no.93-04

Fl. 100 mm wide, facing down; perianth segments 40 mm long, roundish, shouldered at base, mucronate, light greenish yellow 3C, with a band of greenish white 155C at base, reflexed, convex, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower; corona 43 mm long, funnel-shaped, lightly ribbed, opening pale yellow-green 4D, becoming white, mouth flared, frilled, split and overlapping in places, crenate. Early. Sweetly scented

**'Gasconade Lemonade' 6 YYW-WWY**

(Gerard Knehans Jr, 1991) Gerard Knehans Jr, 2008  
Sdlg no.KN.151

Fl. forming a double triangle, 75 mm wide, facing down; perianth segments 30 mm long, ovate in outline, rounded at apex, light greenish yellow 8C, with a band of white at base, reflexed, plane, with midrib showing, of heavy substance; corona 20 mm long, funnel-shaped, white, with a band of light greenish yellow 8C at rim, mouth flared, wavy, with rim dentate. Mid-season

**'Glasgow Bay' 2 Y-Y**

(J.F.McLennan) IRN Associates Ltd, 2008  
Fl. forming a double triangle. Tall. Autumn-flowering to very early. Sweetly scented

**'Glencoe Pink' 2 W-P**

(John R.Reed) John R.Reed, 2008  
'Cordial' × 'Verran'; sdlg no.82-SD-2  
Mid-season

**'Golden Life' 2 Y-Y**

(Colin Crotty) Colin Crotty, 2008  
'Lehiam' × 'Gold Convention'; sdlg no.26-02  
Fl. forming a double triangle, 111 mm wide; perianth segments 45 mm long, very broadly ovate, blunt, prominently mucronate, mid-yellow, slightly reflexed, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments narrower, more nearly plane; corona 30 mm long, funnel-shaped, smooth, slightly darker in tone than the perianth, mouth straight and wavy, with rim entire. Mid-season. Sweetly scented

**'Golden Twins' 7 Y-GYY**

(R.A.Scamp, 1996) R.A.Scamp, 2008  
'Emily' × *N. jonquilla*; sdlg no.729

Fls 67 mm wide; perianth segments 29 mm long, roundish, golden yellow, with slight pale mucro, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments narrower, more nearly ovate, blunt, not noticeably mucronate, a little inflexed; corona 10 mm long, bowl-shaped, smooth, golden yellow, with green at base, mouth expanded, lightly ribbed, wavy, with rim entire. Tall. Mid-season to late. Strongly scented. Standard: colour print provided by registrant (WSY0101368)

**'Gorgeous Gold' 2 Y-Y**

(John R.Reed) John R.Reed, 2008  
Mid-season

**'Grand Slam' 1 Y-Y**

Syn. of 'Welsh Rugby Union'

**'Green Lawns' 9 W-GYR**

(R.A.Scamp, 1995) R.A.Scamp, 2008  
'Lyric' × 'Lady Serena'; sdlg no.651  
Fl. 84 mm wide; perianth segments 35 mm long, oblong, rounded at apex, truncate, mucronate, white, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments broadly ovate, blunt, slightly inflexed, with margins a little wavy; corona 5 mm long, disc-shaped, tightly ribbed, yellow, with a narrow band of red at rim, green at base, mouth widely expanded, wavy, three-lobed, with rim dentate. Late. Sweetly scented. Standard: colour print provided by registrant (WSY0101370)

**'Greg Lloyd' 2 Y-ROO**

(D.C.MacArthur) D.C.MacArthur, 2008  
Sdlg (2 Y-R) open pollinated; sdlg no.ED52597  
Fl. forming a double triangle, 90 mm wide; perianth segments 41 mm long, ovate in outline, rounded at apex, vivid yellow 9A, spreading, concave, creased and of heavy substance, overlapping half; the inner segments slightly narrower; corona 18 mm long, bowl-shaped, ribbed, vivid orange 28B, with red (30C) at base, mouth expanded, frilled, with rim dentate. Mid-season. Sunproof. Sweetly scented

### **'Grumpy' 2 Y-O**

(Peter Irwin) IRN Associates Ltd, 2007

'Orange Roughie' × 'Bank Roll'

Fl. forming a double triangle, 97 mm wide; perianth segments 39 mm long, ovate in outline, acute at apex, spreading, plane, smooth and of heavy substance, overlapping; corona 36 mm long, funnel-shaped, ribbed, mouth flared, frilled, with rim dentate. Tall. Very early. Sweetly scented

### **'Gwyn Tanner' 2 Y-O**

(D.C.MacArthur, 1994) D.C.MacArthur, 2008

'Evelix' × 'Royal Orange'; sdlg no.ED3388

Fl. forming a double triangle, 122 mm wide, facing up; perianth segments 53 mm long, broadly oblong, rounded at apex, mucronate, pale yellow 8D, spreading, plane, with midrib showing, of heavy substance, overlapping one-third; corona 31 mm long, bowl-shaped, ribbed, vivid orange-yellow 23A, paling to light orange (21C) towards rim, mouth straight, frilled, with rim dentate. Mid-season. Sunproof. Sweetly scented

### **'Gypsy Dancer' 1 W-P**

(Peter Irwin) IRN Associates Ltd, 2008

'My Word' hybrid; sdlg no.98/38B

Fl. 90 mm wide; perianth segments 35 mm long, broadly ovate, blunt, prominently mucronate, spreading, concave, overlapping one-third; the inner segments narrower, inflexed; corona 35 mm long, funnel-shaped, smooth, mouth flared, ribbed, lightly frilled, with rim entire. Autumn-flowering to very early. Sunproof. Sweetly scented

### **'Halwes' 2 Y-Y**

(Jackson's Daffodils) Jackson's Daffodils, 2007

'Nynja' × 'Impeccable'; sdlg no.82/98

Fl. forming a double triangle, 110 mm wide; perianth segments 47 mm long, very broad, blunt, shouldered at base, vivid yellow 9B, spreading, plane, with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower; corona 46 mm long, funnel-shaped, ribbed, vivid yellow 9A, mouth flared and wavy, with rim dentate. Early

### **'Hamilton Island' 4 Y-O**

(David Adams, 2004) David Adams, 2008

'Dunkery' × *N. jonquilla*; sdlg no.97/29A

Fl. rounded, 70 mm wide; perianth and other petaloid segments in three whorls, 32 mm long, very broadly ovate in outline, rounded at apex, mucronate, spreading, with the inner whorls successively more inflexed, plane, smooth and of heavy substance, overlapping half; corona segments very short, interspersed among the petaloid segments. Dwarf. Very late. Strong jonquil fragrance

### **'Hampstead Academy' 2 Y-YYO**

(T.E.Snazelle) T.E.Snazelle, 2008

'Chickerell' × 'Loch Lundie'; sdlg no.92/14/2

Fl. 85 mm wide, facing up; perianth segments 40 mm long, broadly oblong, rounded at apex, truncate, yellow, with white mucro, spreading or slightly

reflexed, plane, smooth and of heavy substance, overlapping half or more; the inner segments broadly ovate, blunt, shouldered at base; corona 15 mm long, cup-shaped, broadly ribbed, yellow, with a narrow band of orange at rim, mouth widely expanded, lightly frilled, with rim minutely crenate. Early. Sunproof

### **'Heavenly Touch' 2 W-P**

(John R.Reed) John R.Reed, 2008

'Magician' × 'Obsession'; sdlg no.87-10-HS

Perianth segments broad, smooth, overlapping; corona funnel-shaped, with mouth expanded. Mid-season

### **'Helen Link' 5 W-P**

(Mrs G.Link) Joe Hamm, 2008

'Little Princess' × *N. triandrus*; sdlg no.1384H

Fls 1–2 per stem, star-shaped, 75 mm wide, facing slightly downwards; perianth segments 31 mm long, ovate, blunt, shouldered at base, prominently mucronate, clean bright white, reflexed, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments a little narrower; corona 20 mm long, cup-shaped, broadly ribbed, blush pink, mouth slightly incurved, even, with rim entire. Late. Mildly scented

### **'High View' 1 Y-Y**

(Colin Crotty) Colin Crotty, 2008

'Midas Touch' open pollinated; sdlg no.9-00

Fl. forming a double triangle, 110 mm wide, golden yellow; perianth segments 42 mm long, very broadly ovate, blunt, mucronate, spreading, concave, smooth and of membranaceous substance, overlapping half or more; the inner segments narrower, a little inflexed; corona 47 mm long, funnel-shaped, smooth, mouth closely ribbed and lightly frilled, with rim flanged and crenate. Mid-season

### **'Hilda Robertson' 2 W-GYO**

(D.C.MacArthur) D.C.MacArthur, 2008

'Hazel Rutherford' open pollinated; sdlg no.ED694

Fl. forming a double triangle, 84 mm wide; perianth segments 35 mm long, broadly ovate in outline, rounded at apex, mucronate, yellowish white 155D, spreading, concave, smooth and of heavy substance, overlapping half or more; the inner segments slightly narrower; corona 13 mm long, bowl-shaped, ribbed, light greenish yellow 8B, with light yellow-green 145C at base and shading to strong orange 25A at rim, mouth straight, frilled, lobed, with rim dentate. Mid-season. Sweetly scented

### **'Hillman College' 2 Y-YYO**

(T.E.Snazelle) T.E.Snazelle, 2008

'Chickerell' × 'Loch Lundie'; sdlg no.92/14/3

Fl. 90 mm wide, facing down; perianth segments 44 mm long, broadly ovate in outline, rounded at apex, yellow, with pale mucro, spreading to a little reflexed, plane, with midrib showing, of heavy substance, overlapping half or more; the inner segments broadly ovate, blunt, shouldered at base; corona 15 mm long, cup-shaped, lightly ribbed, mouth expanded, a little frilled, with rim crenate. Early

**'Hollowbridge' 3 Y-Y**

(Richard McCaw) Richard McCaw, 2008

'Unique' × 'Triple Crown'; sdlg no.12

Fl. 100 mm wide; perianth segments 45 mm long, broadly ovate, blunt to rounded, not noticeably mucronate, spreading, concave, with margins a little wavy, smooth and of heavy substance, overlapping half; the inner segments narrower, blunt; corona 14 mm long, disc-shaped, angled, mouth expanded, lightly ribbed, wavy, with rim dentate. Mid-season. Standard: colour print provided by registrant (WSY0101361)

**'Honeychild' 3 W-WYO**

(Colin Crotty) Colin Crotty, 2008

'Sun Child' × 'Pure Magic'; sdlg no.37-02

Fl. 100 mm wide; perianth segments 41 mm long, very broadly ovate in outline, rounded at apex, prominently mucronate, white, spreading to a little reflexed, plane or slightly concave, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, blunt, less prominently mucronate, more nearly spreading; corona 10 mm long, disc-shaped, ribbed, white, with a band of colour at rim, opening golden yellow, becoming yellow-orange, mouth expanded and lightly frilled, with rim minutely dentate. Mid-season to late. Sweetly scented

**'Hot Chilli' 2 O-O**

(Wilfred Hall) Wilfred Hall, 2008

'Craig Stiel' hybrid; sdlg no.01/6

Fl. rounded, 75 mm wide; perianth segments roundish, rounded at apex, with pale mucro, spreading, plane, smooth, overlapping half; the inner segments not noticeably mucronate; corona cup-shaped, regularly ribbed, mouth straight, even, with rim entire. Early

**'Hot Secret' 2 W-R**

(Colin Crotty) Colin Crotty, 2008

'Quasar' × 'Culmination'; sdlg no.19-00

Fl. rounded, 102 mm wide; perianth segments 39 mm long, very broadly ovate, blunt, mucronate, white, spreading, plane, with margins incurved and midrib showing, of membranaceous substance, overlapping half or more; the inner segments narrower; corona 21 mm long, bowl-shaped, smooth, pinkish-red, mouth expanded and frilled, with rim flanged and dentate. Mid-season. Strongly scented

**'Houses of Happiness' 8 Y-O**

(W.R.P.Welch) W.R.P.Welch, 2008

'Matador' hybrid

Fls 80 mm wide; perianth segments broad, rounded, golden yellow, with pale tip; the inner segments narrower, ovate, blunt; corona glowing orange, cylindrical, mouth flared and lobed. Late

**'Ice Breaker' 2 W-W**

(P.D.K.Ramsay, 1995) P.D.K.Ramsay, 2008

'Springston Charm' open pollinated; sdlg no.99:25A  
Fl. forming a double triangle, 125 mm wide; perianth segments very broad, blunt, a little reflexed, concave, smooth and of heavy substance, overlapping half; corona funnel-shaped, smooth, mouth slightly flared, even, with rim rolled. Mid-season

**'Impute' 4 Y-O**

(Jackson's Daffodils, 1997) Jackson's Daffodils, 2007

Sdlg no.325/97

Fl. rounded, 105 mm wide; perianth segments 35 mm long, very broad, blunt, shouldered at base, yellow (3C), spreading, plane, with margins incurved, smooth and of heavy substance, overlapping half or more; corona 24 mm long, orange (17C). Mid-season to late

**'Isabella Alice' 1 Y-P**

(Diane Irwin) IRN Associates Ltd, 2007

'Rich Reward' open pollinated

Fl. forming a double triangle, 100 mm wide; perianth segments 38 mm long, ovate, blunt, pale yellow, spreading, plane, with midrib showing, of heavy substance, overlapping; corona 40 mm long, funnel-shaped, ribbed, soft pink, mouth flared, frilled, with rim dentate. Tall. Very early. Sunproof. Sweetly scented

**'Ivory Gold' 1 W-O**

(John R.Reed) John R.Reed, 2008

'Trumpet Call' × 'Lea sdlg 1-6-60; sdlg no.78-19-8

Mid-season

**'Ivory Orange' 1 W-O**

(John R.Reed) John R.Reed, 2008

'Trumpet Call' × 'Glenfarclas'; sdlg no.87-19-8

Mid-season

**'Jane Clark' 2 W-Y**

(D.C.MacArthur) D.C.MacArthur, 2008

'Bravoure' open pollinated; sdlg no.ED55199

Fl. forming a double triangle, 118 mm wide; perianth segments 49 mm long, oblong, mucronate, yellowish white 155D, spreading, plane, with margins incurving, creased and of heavy substance, overlapping a quarter; the inner segments narrower; corona 47 mm long, funnel-shaped, ribbed, brilliant yellow 7B, shading to light greenish yellow 8C at base, mouth straight, wavy, with rim crenate. Mid-season. Sweetly scented

**'J.Campbell Evans' 2 Y-O**

(D.C.MacArthur) D.C.MacArthur, 2008

'King Size' × sdlg (2 Y-O); sdlg no.ED4195

Fl. forming a double triangle, 108 mm wide; perianth segments 45 mm long, broadly ovate in outline, rounded at apex, mucronate, vivid yellow 9B, spreading, plane, with midrib showing, of heavy substance, overlapping half or more; corona 36 mm long, funnel-shaped, ribbed, yellow-orange (21B), with a lighter tone (21C) at base and shading to a darker tone (23A) at rim, mouth expanded, frilled and lobed, with rim crenate. Mid-season. Sunproof

**'Johnny Dodds' 1 Y-O**

(A.J.R.Pearson, 1996) A.J.R.Pearson, 2008

'Glenfarclas' × 'Uncle Duncan'; sdlg no.98-2-T7

Fl. forming a double triangle, 90 mm wide; perianth segments 36 mm long, ovate, blunt, golden yellow, spreading, plane, with margins incurving, smooth, overlapping; corona 38 mm long, cylindrical, smooth, strong reddish orange, mouth expanded, lightly ribbed, even, with rim dentate. Mid-season. Slightly scented

**'Joy's Favorite' 8 Y-O**

(W.R.P.Welch) W.R.P.Welch, 2008

'Matador' × Autumn Colors Group

Fls 5 to 8 per stem, 54 mm wide, rounded; perianth segments very broadly ovate in outline, rounded at apex, mucronate, yellow, spreading, plane, smooth and of heavy substance, overlapping; corona bowl-shaped, smooth, deep orange, mouth expanded and wavy, with rim entire. Tall. Very early to mid-season. Sunproof. Sweetly scented

**'Kantzeewai' 2 Y-YP**

(Chris Yates) Chris Yates, 2008

'Fragrant Rose' × 'Hambledon'; sdlg no.2.32.97

Fl. 100 mm wide; perianth segments 42 mm long, broadly ovate, blunt, lemon yellow, with pale mucro, spreading or slightly inflexed, plane to a little concave, smooth, overlapping half; the inner segments narrower, more nearly spreading; corona 28 mm long, funnel-shaped, smooth, pink, with yellow at base and shading to strong apricot pink at rim, mouth broadly ribbed, wavy and irregularly lobed, with rim flanged and crenate. Mid-season. Sunproof. Slightly scented

**'Katie MacColl' 9 W-GYO**

(D.C.MacArthur, 1998) D.C.MacArthur, 2008

'Catherine MacKenzie' open pollinated; sdlg no. ED11392

Fl. forming a double triangle, 65 mm wide; perianth segments 26 mm long, broadly ovate in outline, rounded at apex, mucronate, yellowish white 155D, spreading, concave, smooth and of heavy substance, overlapping half or more; the inner segments shouldered at base; corona 6 mm long, disc-shaped, ribbed, light greenish yellow 1C, shading through 4B to yellow-orange (14B) at rim, with light yellow-green 145B at base, mouth straight, frilled, with rim dentate. Late. Sweetly scented

**'Kaylee Ann' 3 W-GYR**

(Clive Postles, 1994) Roger Braithwaite, 2008

'Dunley Hall' × 'Doctor Hugh'; sdlg no.1-148-89

Fl. 110 mm wide; perianth segments very broadly ovate, truncate, mucronate, spreading, concave, with margins a little incurved, overlapping half; the inner segments narrower, not noticeably mucronate, a little inflexed; corona 18 mm long, bowl-shaped, lightly ribbed, yellow, with green at base and a band of orange-red at the rim and mouth a little expanded, heavily frilled, with rim split and overlapping in places, entire. Tall. Late. Sunproof

**'Kerryteuila' 8 Y-O**

(W.R.P.Welch) W.R.P.Welch, 2008

('Autumn Sol' × 'Ballymarlow') open pollinated × *N. jonquilla*

Fls 3 to 5 per stem, forming a double triangle, 55 mm wide, facing up; perianth segments 23 mm long, ovate, acute, mucronate, rich golden yellow, spreading, plane, with margins wavy and notched, smooth and of heavy substance, overlapping; corona 12 mm long, cup-shaped, ribbed, deep orange, paling to rim, mouth straight and wavy, with rim notched. Late. Sunproof. Sweetly scented

**'Kihikihi Kid' 2 Y-Y**

(Graeme and Faith Miller) Graeme and Faith Miller, 2008

'Gin and Lime' × 'Altun Ha'; sdlg no.00-20

Fl. rounded, 110 mm wide; perianth segments 43 mm long, rounded at apex, spreading, concave, smooth and of heavy substance, overlapping; corona 40 mm long, funnel-shaped, smooth, mouth flared, ribbed, wavy, with rim crenate. Mid-season

**'Kind-A-Magic' 2 W-YYO**

(Peter Irwin) IRN Associates Ltd, 2007

IRN sdlg 91/11A × 'Pink Silk'; sdlg no.IRN 99/42A

Fl. forming a double triangle, 105 mm wide; perianth segments 45 mm long, very broadly ovate, blunt, spreading, plane, with midrib showing, of heavy substance, overlapping half or more; corona 20 mm long, bowl-shaped, yellow with a band of orange at rim. Tall. Very early to early. Sweetly scented

**'Lady Sainsbury' 2 W-Y**

(Rosewarne EHS) Winchester Growers Ltd, 2008

'Malvern City' open pollinated; sdlg no.65-98-8

Fl. forming a double triangle; perianth segments broadly ovate, blunt, not noticeably mucronate, spreading, plane, overlapping half; the inner segments narrower, shouldered at base; corona funnel-shaped, smooth, mouth expanded and lightly frilled, with rim flanged and entire. Early

**'Lakeland Sunset' 3 W-YYO**

(M.W.Baxter, 1994) M.W.Baxter, 2008

'Thoresby' × 'Ringleader'; sdlg no.B89-4B-95

Fl. 98 mm wide; perianth segments 40 mm long, very broadly ovate, blunt, minutely mucronate, yellowish white 155D, spreading, plane to a little concave, with margins slightly wavy, smooth, overlapping half; the inner segments narrower, a little inflexed; corona 11 mm long, bowl-shaped, shallow, broadly ribbed, vivid yellow 12A, with a broad band of vivid orange 28B at rim, mouth expanded, lightly frilled and irregularly lobed, with rim split and overlapping in places, dentate. Mid-season. Standard: colour print provided by registrant (WSY0101253)

**'Lands End' 2 O-O**

(Peter Irwin) IRN Associates Ltd, 2007

Sdlg no.98/154A

Fl. forming a double triangle, 95 mm wide; perianth segments 40 mm long, ovate, blunt, spreading, plane, smooth and of heavy substance, overlapping half or more; corona 37 mm long, cup-shaped, smooth, with mouth flared and wavy. Very early. Sweetly scented

**'Latchley Meadows' 2 W-Y**

(R.A.Scamp, 1995) R.A.Scamp, 2008

'Grand Prospect' × 'Gold Bond'; sdlg no.892

Fl. forming a double triangle, 106 mm wide; perianth segments 46 mm long, very broadly ovate, blunt, prominently mucronate, spreading, plane to a little concave, smooth and of heavy substance, overlapping half or more; the inner segments narrower, less prominently mucronate; corona 35 mm long, funnel-shaped, smooth, mouth flared, broadly ribbed,

wavy, rim crenate. Mid-season. Standard: colour print provided by registrant (WSY0101372)

**'Leaf Peeper' 2 Y-R**

(B.S.Duncan) David Burdick, 2008

Sdlg 1260 ('Patabundy' × 'State Express') × 'Burning Bush'; sdlg no.2160

Fl. 96 mm wide; perianth segments 44 mm long, broadly ovate, blunt, rich golden yellow, with white mucro, spreading, concave, overlapping half; the inner segments narrower, shouldered at base, plane; corona 21 mm long, bowl-shaped, smooth, strong orange-red, mouth widely expanded, lightly ribbed and frilled, with rim crenate. Late. Sunproof. Standard: colour print provided by registrant (WSY0101363)

**'Lemon Luster' 2 Y-Y**

(R. & E.Havens) R. & E.Havens, 2008

'Lemon Sails' × 'Sun Gem'; sdlg no.172/3

Fl. 90 mm wide, deep lemon yellow; perianth segments 36 mm long, very broadly ovate in outline, rounded at apex, mucronate, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments a little narrower, blunt at apex; corona 34 mm long, cylindrical, smooth, mouth slightly expanded, ribbed, frilled, with rim dentate. Late

**'Linda Jones' 9 W-OOR**

(Martin Harwood) Martin Harwood, 2008

'Ace of Diamonds' × 'Red Hugh'

Fl. 60 mm wide; perianth segments 25 mm long, broadly oblong, white, touched yellow at margins at base, minutely mucronate, plane, with margins a little incurling, smooth, overlapping half; the inner segments broadly ovate, not noticeably mucronate; corona 4 mm long, disc-shaped, ribbed, strong orange 25A, with a very narrow band of strong red 39A at rim, mouth lightly frilled, with rim minutely crenate. Late

**'Little Meg' 7 Y-GYO**

(R.A.Scamp, 1996) R.A.Scamp, 2008

'Lancaster' × *N. jonquilla*; sdlg no.744

Fls 1–2 per stem, rounded, 63 mm wide; perianth segments 27 mm long, roundish, prominently mucronate, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments less prominently mucronate, a little inflexed, with midrib showing; corona 8 mm long, bowl-shaped, ribbed, mouth expanded, frilled, with rim crenate. Mid-season. Strongly scented. Standard: colour print provided by registrant (WSY0101374)

**'Little Stranger' 7 Y-Y**

(W.G.Pannill) W.G.Pannill, 2008

'Sailboat' sport

Fls 3 per stem, 52 mm wide; perianth segments 18 mm long, ovate, acute, with pale mucro, reflexed, plane or a little twisted, overlapping at base only; corona 15 mm long, funnel-shaped, short, broadly ribbed, mouth expanded, wavy, with rim entire. Dwarf. Mid-season

**'Little York' 2 Y-P**

(R. & E.Havens, 1997) R. & E.Havens, 2008

'Oregon Pioneer' × 'American Dream'; sdlg no. GH41/10A

Fl. rounded, 72 mm wide; perianth segments 28 mm long, very broad, roundish, prominently mucronate, deep lemon yellow, slightly reflexed, plane to a little concave, smooth and of heavy substance, overlapping half or more; the inner segments narrower, blunt, less prominently mucronate, plane; corona 25 mm long, funnel-shaped, smooth, bright pink, mouth expanded, lightly ribbed, tightly frilled, with rim dentate. Mid-season. Sunproof

**'Lowdham' 2 Y-Y**

(A.J.R.Pearson, 1994) A.J.R.Pearson, 2008

'Easter Moon' × 'Carib Gipsy'; sdlg no.96-43-Q40

Fl. forming a double triangle, 100 mm wide; perianth segments 40 mm long, very broadly ovate, blunt, dark primrose yellow (5B), spreading, plane, smooth and of heavy substance, overlapping; corona 29 mm long, funnel-shaped, angled, mid-yellow (9A), mouth straight, ribbed, wavy, with rim flanged and crenate. Mid-season. Slightly scented

**'Macneale Legacy' 2 Y-Y**

(John R.Reed) John R. Reed, 2008

Sdlg no.80-44-2

Mid-season

**'Mangapiko' 2 Y-R**

(Graeme and Faith Miller) Graeme and Faith Miller, 2008

Sdlg 93-13 × 'Rheban Red'; sdlg no.98-38

Fl. rounded, 123 mm wide; perianth segments 48 mm long, roundish in outline, spreading, concave, smooth and of heavy substance, overlapping; corona 23 mm long, funnel-shaped, ribbed, mouth expanded, frilled, with rim dentate. Mid-season

**'Marie Curie Diamond' 7 Y-Y**

(Rosewarne EHS) Cornwall Area Bulb Growers Association, 2008

'Saint Keverne' × *N. jonquilla*; sdlg no.RW 44

Fl. forming a double triangle, 90 mm wide, golden yellow; perianth segments 39 mm long, oblong, mucronate, spreading, plane, smooth and of heavy substance, overlapping half; corona 24 mm long, cup-shaped, very broadly ribbed, mouth a little expanded, wavy, with rim crenate. Early. Strongly scented. Standard: colour print provided by registrant (WSY0101381)

**'Marquette' 2 W-Y**

(Fl.Wentick) Fl.Wentink, 2008

Sdlg no.Bic-100

Fl. 100 mm wide; perianth segments 40 mm long, very broadly ovate, blunt, mucronate, white (2D), spreading or a little reflexed, plane, with broad midrib showing, of heavy substance, overlapping half; the inner segments narrower, slightly concave; corona 38 mm long, funnel-shaped, smooth, brilliant greenish yellow 3A, mouth flared, broadly ribbed, wavy, obscurely lobed, with rim minutely dentate. Early. Sweetly scented

**'Mayor's Choice' 11a W-YYP**

(R.A.Scamp, 1996) R.A.Scamp, 2008

Sdlg 177 ('Chenoweth' × 'Rainbow') × 'Phantom'; sdlg no.834

Fl. 100 mm wide; perianth segments 40 mm long, broadly ovate, blunt, mucronate, white, spreading or slightly reflexed, plane to a little concave, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, less prominently mucronate; corona segments 24 mm long, split to base, the six segments half as wide as the perianth segments and opposite to them, blunt, bi-lobed, with lobes slightly overlapping, smooth, pink, with a broad band of yellow at base, lightly frilled. Mid-season. Sunproof. Standard: colour print provided by registrant (WSY0101371)

**'Melrose Delight' 2 W-P**

(John R. Reed) John R. Reed, 2008

'Arctic Char' × 'Dear Me'

Mid-season

**'Mesquite' 2 Y-Y**

(Robert Spotts) Robert Spotts, 2008

'Misquote' × ('Evenlode' × *N. viridiflorus*)

Fl. forming a double triangle, 100 mm wide, light greenish yellow; perianth segments 41 mm long, broadly ovate in outline, rounded at apex, truncate, with white mucro, a little inflexed, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, blunt at apex, less prominently mucronate; corona 22 mm long, cup-shaped, smooth, mouth straight, lightly ribbed, even or a little wavy, with rim entire. Early

**'Meticulous' 5 Y-Y**

(R. & E.Havens) R. & E.Havens, 2008

'Limequilla' × *N. triandrus* subsp. *triandrus*; sdlg no. HH20/6

Fls 2–3 per stem, 57 mm wide, facing down, lemon yellow; perianth segments 25 mm long, oblong, mucronate, reflexed, plane, smooth and of heavy substance, overlapping at base only; the inner segments narrower, more nearly ovate; corona 14 mm long, cup-shaped, smooth, mouth straight, lightly and broadly ribbed, even, with rim entire. Late

**'Milkwood' 11a W-Y**

(Colin Crotty, 1994) Colin Crotty, 2008

'Colblanc' hybrid; sdlg no.26-94

Fl. forming a double triangle, 122 mm wide; perianth segments 49 mm long, very broadly ovate, blunt, mucronate, white, spreading, plane or with margins incurved from midrib, of heavy substance, overlapping half; corona 33 mm long, split to base, the six segments as wide as the perianth segments and closely overlying them, forming an outer and an inner whorl of three, a little creased, pale creamy yellow, paler at margins, bi-lobed, minutely crenate, overlapping. Mid-season. Strongly scented

**'Miss Klein' 7 Y-Y**

(J.W.Blanchard) C.van der Veek, 2008

? *N. rupicola* hybrid

Fls 3 per stem, 26 mm wide, facing up; perianth segments 10 mm long, ovate in outline, rounded at apex, prominently mucronate, light greenish yellow 4C to brilliant greenish yellow 3B, spreading, plane, with midrib showing, overlapping one-third to a half; the inner segments blunt at apex, less prominently mucronate; corona 6 mm long, bowl-shaped, lightly and broadly ribbed, vivid greenish yellow 2A, mouth widely expanded, even or a little wavy, with rim entire. Dwarf. Mid-season

**'Miss Mutch' 2 W-GWO**

(D.C MacArthur, 1998) D.C. MacArthur, 2008

'Pismo Beach' open pollinated; sdlg no.ED3192

Fl. forming a double triangle, 83 mm wide; perianth segments 38 mm long, broadly oblong, rounded at apex, yellowish white 155D, spreading, plane, with midrib showing, of heavy substance, overlapping half; corona 14 mm long, bowl-shaped, ribbed, yellowish white 155D, shading to orange (29D) at rim, with greenish white 155A at base, mouth straight, frilled, with rim dentate. Mid-season. Strongly scented

**'Mist of Avalon' 4 W-O**

(R.A.Scamp, 1995) R.A.Scamp, 2008

'Rainbow' × sdlg 75-159-1 ('Lawali' × sdlg R3509); sdlg no.639

Fl. rounded, 114 mm wide; perianth and other petaloid segments white, in several whorls; the outer whorls 40 mm long, very broadly ovate, blunt, spreading, plane to a little concave, smooth and of heavy substance, overlapping half or more; the inner whorls a little narrower, slightly shorter, inflexed; corona segments 23 mm long and interspersed among the perianth and other petaloid segments, opening pink, becoming pale orange, broad, smooth, frilled, crenate. Mid-season to late. Sunproof. Standard: colour print provided by registrant (WSY0101373)

**'Mogley's Favorite' 7 O-R**

(W.R.P.Welch) W.R.P.Welch, 2008

'Ambergate' × 'Quick Step'

Fls 1 to 3 per stem, rounded, 60 mm wide; perianth segments 27 mm long, ovate, blunt, yellow-orange, spreading, plane, with margins wavy, smooth, overlapping; corona 11 mm long, bowl-shaped, ribbed, orange-red, mouth expanded and wavy, with rim entire. Late. Sweetly scented

**'Molly Mop' 12 W-YOY**

(June Pesterfield) R.A.Scamp, 2008

'Beryl' × 'Orangery'; sdlg no.92-R-14

Fl. forming a double triangle, 80 mm wide, facing down; perianth segments 25 mm long, broadly ovate, blunt, prominently mucronate, white, reflexed, plane, smooth and of heavy substance, overlapping half; the inner segments a little narrower, less prominently mucronate; corona 12 mm long, bowl-shaped, angled, orange, with yellow at base and a thin band of yellow at rim, mouth expanded, heavily frilled, with rim notched. Dwarf. Early to mid-season. Standard: colour print provided by registrant (WSY0101376)



### **'Moneybroom' 3 W-WYY**

(Richard McCaw) Richard McCaw, 2008  
Sdlg × 'Soft Focus' hybrid; sdlg no.165  
Fl. 100 mm wide; perianth segments 46 mm long, broadly ovate, blunt, mucronate, white, spreading, a little concave, smooth, overlapping half or more; the inner segments narrower; corona 14 mm long, disc-shaped, ribbed, white, with a narrow band of yellow at rim, mouth expanded, lightly frilled, with rim split and overlapping in places, crenate. Standard: colour print provided by registrant (WSY0101359)

### **'Mossy Ridge' 3 W-GYY**

(Colin Crotty, 1996) Colin Crotty, 2008  
'Pearl Drift' × 'Shine On'; sdlg no.46-96  
Fl. 100 mm wide; perianth segments 41 mm long, very broadly ovate in outline, rounded at apex, prominently mucronate, pure white, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, blunt, less prominently mucronate; corona 13 mm long, bowl-shaped, angled, pale yellow, with vivid green at base and a narrow band of deep yellow at rim, mouth expanded and lightly frilled, with rim minutely dentate. Mid-season to late. Sweetly scented

### **'Nariel' 2 W-P**

(Graeme Brumley) Graeme Brumley, 2008  
'Ethel Breen' × 'Nexus'; sdlg no.377  
Fl. 90 mm wide; perianth segments 35 mm long, very broad, oblong, rounded at apex, spreading to a little reflexed, concave, with midrib showing, of heavy substance, overlapping one-third to a half; the inner segments broadly ovate, blunt, shouldered at base; corona 30 mm long, funnel-shaped, smooth, mouth slightly flared, lightly ribbed, wavy, with rim crenate. Mid-season

### **'Nene River' 2 W-Y**

(A.J.R.Pearson, 1996) A.J.R.Pearson, 2008  
'Owston Wood' × sdlg 87-32-K29 (['Stoke Charity' × 'Panache'] × 'Fair Prospect'); sdlg no.99-12-R18  
Fl. 105 mm wide; perianth segments 44 mm long, ovate in outline, acute at apex, greenish white (157B), slightly reflexed, plane, smooth and of heavy substance, overlapping; the inner segments narrower; corona 42 mm long, smooth, dark lemon yellow (9A), mouth lobed, with margins crenate. Mid-season. Slightly scented

### **'Nessa' 7 Y-O**

(R.A.Scamp, 1995) R.A.Scamp, 2008  
'Montego' × *N. jonquilla* var. *henriquesii*; sdlg no.796  
Fls 1-3 per stem, 60 mm wide; perianth segments 25 mm long, broadly ovate, blunt, yellow, with white mucro, spreading to slightly reflexed, plane to a little concave, with margins wavy, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate; corona 8 mm long, bowl-shaped, deeply ribbed, reddish orange, touched green at base, mouth expanded, lightly frilled, with rim split and overlapping in places, entire. Mid-season. Strongly scented. Standard: colour print provided by registrant (WSY0101375)

### **'Nock Nock' 6 W-YYO**

(Stephen J.Vinisky) Chriss Rainey, 2008  
'Beryl' open pollinated; sdlg no.V87-9-1  
Fl. 75 mm wide; perianth segments 30 mm long, ovate, blunt, white, reflexed, concave, with margins incurved, smooth and of heavy substance, overlapping one-third to a half; the inner segments narrower, shouldered at base; corona 15 mm long, cup-shaped, broadly ribbed, yellow, with a broad band of orange at rim, mouth straight, lightly frilled, with rim slightly incurved and deeply dentate. Dwarf. Mid-season. Sweetly scented

### **'Ohau Brilliance' 1 Y-O**

(Peter Irwin, 1995) IRN Associates Ltd, 2007  
'Orange Roughie' × 'Glenfarclas'; sdlg no.89/8B  
Fl. forming a double triangle, 102 mm wide; perianth segments 38 mm long, ovate, blunt, spreading, plane, with midrib showing, of heavy substance, overlapping; corona 39 mm long, funnel-shaped, ribbed, mouth flared and frilled, with rim dentate. Very early. Sunproof. Sweetly scented

### **'Ohau Hope' 2 W-W**

(Diane Irwin) IRN Associates Ltd, 2007  
'Glen Hope' × 'Kiwi Mist'; sdlg no.87/2I  
Fl. forming a double triangle, 106 mm wide; perianth segments 45 mm long, ovate, blunt, spreading, plane, smooth and of heavy substance, overlapping; corona 37 mm long, funnel-shaped, ribbed, mouth flared and wavy, with rim crenate. Very early. Sweetly scented

### **'Ohau Lights' 1 Y-O**

(Peter Irwin, 1995) IRN Associates Ltd, 2007  
'Orange Roughie' × 'Glenfarclas'; sdlg no.89/8A  
Fl. forming a double triangle, 100 mm wide; perianth segments 44 mm long, ovate, blunt, spreading, plane, with midrib showing, of heavy substance, overlapping; corona 44 mm long, funnel-shaped, ribbed, mouth flared and frilled, with rim dentate. Tall. Very early. Sunproof. Sweetly scented

### **'Ohau Rosa' 2 W-P**

(Peter Irwin) IRN Associates Ltd, 2007  
'Capree Elizabeth' × 'Filoli'; sdlg no.95/25A  
Fl. rounded, 90 mm wide; perianth segments 35 mm long, very broad in outline, blunt at apex, shouldered at base, spreading, plane, smooth and of heavy substance, overlapping half or more; corona 31 mm long, funnel-shaped, ribbed, mouth flared and frilled, with rim dentate. Mid-season. Sunproof. Sweetly scented

### **'Ohau Splendour' 1 W-P**

(Diane Irwin, 1995) IRN Associates Ltd, 2007  
'Silver Convention' × 'Vahu'; sdlg no.90/2G  
Fl. forming a double triangle, 100 mm wide; perianth segments 42 mm long, ovate, blunt, spreading, plane, smooth and of heavy substance, overlapping half or more; corona 42 mm long, funnel-shaped. Tall. Very early. Sunproof. Sweetly scented

**'Onya' 2 W-P**

(Jackson's Daffodils, 1995) Jackson's Daffodils, 2007  
'Dailmanach' × 'Ann Cameron'; sdlg no.12/95  
Fl. 110 mm wide; perianth segments 45 mm long, very broad, blunt, shouldered at base, greenish white (155A), spreading, plane, with margins incurved, smooth and of heavy substance, overlapping half or more; corona 42 mm long, funnel-shaped, ribbed, pink (29C), mouth flared and frilled, with rim dentate. Early

**'Oregon Petticoat Group' 10 Y-Y**

(Walter J.M.Blom) Walter J.M.Blom, 2007  
A range of plants derived from *N. bulbocodium*  
× *N. rupicola* and *N. bulbocodium* × *N. jonquilla*

**'Oregon Sunset' 2 Y-P**

(R. & E.Havens, 1987) R. & E.Havens, 2008  
'Lorikeet' × 'Magician'; sdlg no.WH27/1A  
Fl. 110 mm wide; perianth segments 47 mm long, broadly ovate in outline, rounded at apex, mucronate, light lemon yellow, spreading, concave, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, blunt, plane; corona 42 mm long, funnel-shaped, smooth, bright apricot pink, mouth flared, ribbed, deeply frilled, with rim minutely dentate. Mid-season. Sunproof

**'Otaki Pearl' 8 W-W**

(Bruce Irwin, 1993) Kirby Fong, 2008  
Sdlg no.BDP 15/95  
Fls 4–8 per stem, forming a double triangle, 25 mm wide; perianth segments 11 mm long, ovate, blunt, spreading, deeply concave, smooth and of heavy substance, overlapping one-third; the inner segments a little narrower, shouldered at base, not noticeably mucronate; corona 2 mm long, bowl-shaped, smooth, mouth straight, even, with rim entire. Dwarf.  
Mid-season. Standard: colour print provided by registrant (WSY0101386)

**'Our Bruce' 1 Y-Y**

(P.D.K.Ramsay) P.D.K.Ramsay, 2008  
'Moon River' × 'Lordship'; sdlg no.00:40  
Fl. forming a double triangle, 120 mm wide; perianth segments very broad, rounded at apex, slightly reflexed, plane, with margins incurved, smooth and of heavy substance, overlapping one-third; the inner segments narrower; corona funnel-shaped, smooth, mouth flared and even. Mid-season

**'Pacific Waves' 3 O-O**

(Diane Irwin, 1992) IRN Associates Ltd, 2007  
'Red Ember' × 'Achduart'; sdlg no.89/64A  
Fl. rounded, 90 mm wide; perianth segments 36 mm long, roundish, orange, spreading, plane, smooth and of heavy substance, overlapping half or more; corona 10 mm long, cup-shaped, smooth, deep orange, mouth straight and ribbed, with rim entire. Sweetly scented

**'Panchali' 8 Y-O**

(Wilfred Hall, 1994) Wilfred Hall, 2008  
'Matador' × *N. jonquilla*; sdlg no.MJ-4  
Fls 3–5 per stem, rounded; perianth segments very broadly ovate in outline, rounded at apex, not

noticeably mucronate, spreading, plane to a little concave, with margins slightly incurving, smooth and of membranaceous substance, overlapping half or more; the inner segments slightly inflexed; corona bowl-shaped, broadly ribbed, mouth straight, a little wavy, with rim entire. Early. Sweetly scented.  
Resembles 'Hoopoe' but with perianth segments less prominently mucronate

**'Park Creation' 7 Y-Y**

(K.van der Veek) Kapiteyn Speciale Culturen, 2008  
Fl. star-shaped, 80 mm wide, facing up, yellow-orange (14A); perianth segments ovate, acute, slightly mucronate, spreading, with margins incurved and midrib showing, of heavy substance, overlapping a quarter to half; the inner segments narrower, a little inflexed; corona funnel-shaped, short, smooth, mouth slightly flared, lightly ribbed and a little wavy, with rim entire. Mid-season. Strongly scented. TGA 2007

**'Park Perfume' 2 W-P**

(K.van der Veek) Kapiteyn Speciale Culturen, 2008  
Fl. forming a double triangle, 115 mm wide; perianth segments 47 mm long, broadly ovate, blunt, mucronate, greenish white (155A), spreading, plane to a little concave, with margins slightly wavy and midrib showing, of heavy substance, overlapping one-third to a half; the inner segments narrower, shouldered at base; corona 40 mm long, funnel-shaped, narrowly ribbed, orange-pink (33D), mouth flared, wavy, with rim crenate. Mid-season. Sunproof. Sweetly scented

**'Pathetique' 1 W-P**

(R. & E.Havens, 1994) R. & E.Havens, 2008  
'Pink Satin' × 'Pink Silk'; sdlg no.DH7/2  
Fl. 100 mm wide; perianth segments 42 mm long, broadly ovate in outline, rounded at apex, mucronate, white, spreading to a little reflexed, plane, smooth and of heavy substance, overlapping one-third to a half; the inner segments narrower, shouldered at base, blunt; corona 45 mm long, cylindrical, smooth, clean pink, mouth flared, lightly ribbed and frilled, with rim dentate. Mid-season. Sunproof

**'Pentland Firth' 8 W-W**

(W.R.P.Welch) IRN Associated Ltd, 2008  
Sdlg no.03-08  
Fl. 45 mm wide; perianth segments 21 mm long, oblong or ovate, prominently mucronate, inflexed, plane to a little concave, of heavy substance, overlapping one-third; the inner segments narrower; corona 10 mm long, bowl-shaped, smooth, mouth even to slightly wavy, with rim entire. Tall. Autumn-flowering. Strongly scented. Standard: colour print provided by registrant (WSY0101383)

**'Perfect Lady' 2 W-P**

(K.van der Veek) W.van Lierop & Sons, 2007  
Sdlg no.KV 22  
Fl. 105 mm wide, facing up; perianth segments 40 mm long, very broadly ovate, blunt, mucronate, yellowish white 155D, spreading, plane to a little concave, with margins wavy and minutely incurved,

of heavy substance, with broad midrib showing, irregular, overlapping half; the inner segments more narrowly ovate, less noticeably mucronate, a little inflexed; corona 20 mm long, funnel-shaped, loosely ribbed, reddish pink (39B), mouth expanded, deeply frilled, with rim split and overlapping in places, entire. Mid-season. Sunproof. Sweetly scented

**'Perrydale' 2 Y-YPP**

(R. & E.Havens, 1989) R. & E.Havens, 2008  
'Precedent' × 'Pink Cloud' × 'Top Notch'; sdlg no. Y143/1

Fl. 87 mm wide; perianth segments 35 mm long, ovate, blunt, lemon yellow, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; corona 22 mm long, cylindrical, short, angled, yellow, with a very broad band of mid-pink at rim, mouth straight, lightly frilled, with rim dentate. Late. Sunproof

**'Peter Chown' 11a Y-O**

(R.A.Scamp, 1996) R.A.Scamp, 2008  
'Enfield' × 'Obelisk' × 'Tamar Fire'; sdlg no.692  
Fl. forming a double triangle, 86 mm wide; perianth segments 33 mm long, ovate in outline, rounded at apex, spreading, plane, smooth and of heavy substance, overlapping half or more; corona 22 mm long, ribbed, wavy, lobed, dentate. Mid-season. Sunproof

**'Petty Sessions' 4 Y-P**

(Jackson's Daffodils, 1996) Jackson's Daffodils, 2007  
Sdlg 162/87 × sdlg 98/91; sdlg no.108/96  
Fl. rounded, 85 mm wide; perianth segments 34 mm long, very broad, blunt, shouldered at base, yellow (5D), spreading, plane, with margins incurved, smooth and of heavy substance, overlapping half or more; corona 25 mm long, pink (20D), shading to a darker tone (20B) at rim. Early to mid-season

**'Pierce-Arrow' 1 Y-O**

(John R.Reed) John R.Reed, 2008  
'Trumpet Call' × 'Glenfarclas'; sdlg no.89-83-17  
Mid-season

**'Pigmy Group' 7 Y-Y**

(Walter J.M.Blom) Walter J.M.Blom, 2007  
Fls. dark yellow

**'Pink Climax' 2 Y-P**

(John R.Reed) John R.Reed, 2008  
'Qantasia' × 'Fidelity'; sdlg no.92-19-1  
Mid-season

**'Pink Showers' 2 P-P**

(John R.Reed) John R.Reed, 2008  
'Quasar' × 'Culmination'; sdlg no.93-10-1  
Perianth segments overlapping. Mid-season

**'Pink Swallowtail' 2 W-P**

(Gerard Knehans Jr, 1989) Gerard Knehans Jr, 2008  
'Fragrant Rose' hybrid; sdlg no.KN.011  
Fl. forming a double triangle, 95 mm wide; perianth segments 40 mm long, broadly ovate, blunt, prominently mucronate, white, slightly reflexed,

plane, smooth and of heavy substance, overlapping one-third; the inner segments narrower, shouldered at base; corona 18 mm long, cup-shaped, lightly ribbed, strong yellowish pink 38A, mouth slightly expanded, a little wavy, with rim minutely dentate. Mid-season

**'Pin-Up Girl' 2 W-P**

(John R.Reed) John R. Reed, 2008  
'Everpink' × 'Kristin'; sdlg no.90-75  
Perianth segments overlapping half or more.  
Mid-season

**'Pocket Change' 1 Y-Y**

(John R.Reed) John R.Reed, 2008  
'Celtic Gold' × 'Dream Prince'; sdlg no.90-35-1  
Mid-season

**'Popeye' 4 W-Y**

(K.van der Veek) J.G.Weijers & Son, 2008  
Fl. forming a double triangle, 113 mm wide, facing up; perianth and other petaloid segments 44 mm long, in two whorls of six; the outer whorl very broadly ovate, blunt, mucronate, yellowish white 155D, reflexed, plane to a little concave, with margins wavy, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, with midrib showing; the inner whorl yellowish white 155B, strongly inflexed, deeply concave, folded inwards from midrib; corona in several whorls; the outer whorl entire, 35 mm long, cylindrical, smooth, brilliant yellow 7A, with light greenish yellow 7D at base, mouth expanded, lightly ribbed, wavy, irregularly lobed, the lobes overlapping, with rim flanged and entire; the inner whorls split into segments two-thirds the length of the perianth and other petaloid segments, tightly clustered at centre, lighter in tone (7B/7C) than the outer whorl, folded and a little frilled. Early. Sweetly scented

**'Portland Head' 1 Y-O**

(Peter Irwin) IRN Associates Ltd, 2007  
Fl. forming a double triangle, 100 mm wide; perianth segments 38 mm long, ovate in outline, acute at apex, spreading, plane, smooth and of heavy substance, overlapping half or more; corona 39 mm long, funnel-shaped, ribbed, mouth flared and wavy, with rim dentate. Early. Sunproof. Sweetly scented

**'Prairie City' 7 W-W**

(R. & E.Havens) R. & E.Havens, 2008  
'Limequilla' × 'Hillstar'; sdlg no.110/1  
Fls 2-3 per stem, 65 mm wide; perianth segments 27 mm long, ovate in outline, rounded at apex, truncate, mucronate, white, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, blunt, less prominently mucronate; corona 17 mm long, cup-shaped, angled, opening lemon yellow, becoming white, mouth straight, wavy, with rim crenate. Late

**'Premium Bond' 4 Y-O/Y**

(Colin Crotty, 1995) Colin Crotty, 2008  
'Spun Honey' × ('Falstaff' × 'Checkmate'); sdlg  
no.62-95

Fl. 100 mm wide; perianth and other petaloid  
segments in three whorls, regularly arranged, broadly  
ovate in outline, blunt or rounded at apex, not  
noticeably mucronate, golden yellow, a little creased  
and of membranaceous substance, overlapping half;  
the outer whorls 38 mm long, spreading, plane to a  
little concave; the centre whorl narrower, shorter,  
strongly inflexed, with margins incurling; corona  
segments 24 mm long, interspersed among the  
perianth segments, broad, mid-orange, touched  
yellow, creased and a little frilled, slightly inflexed,  
with rim entire. Mid-season. Strongly scented

**'Rachel Bushen' 1 Y-Y**

(Martin Harwood) Martin Harwood, 2008

Sdlg (1 Y-Y) × Carncairn sdlg

Fl. forming a double triangle 78 mm wide, facing  
slightly upwards; perianth segments 33 mm long,  
broadly ovate in outline, blunt at apex, brilliant  
greenish yellow 5A, with white mucro, spreading,  
concave, with margins a little wavy, smooth and of  
heavy substance, overlapping half; the inner segments  
narrower, less noticeably mucronate, more nearly  
plane; corona 31 mm long, cylindrical, angled, mouth  
slightly expanded, lightly frilled, with rim entire.  
Early. Strongly scented. Standard: herbarium  
specimen – flowering (WSY0101387)

**'Rae of Heather' 2 W-YRR**

(Diane Irwin) IRN Associates Ltd, 2007

'Coral Fair' × 'Colin's Joy'; sdlg no.IRN 88/11A

Fl. forming a double triangle, 100 mm wide; perianth  
segments 43 mm long, ovate, blunt, white, spreading,  
plane, with margins incurling, smooth and of heavy  
substance, overlapping half or more; corona 20 mm  
long, shallow, wide-spreading, ribbed, red (34C), with  
pale yellow 158A at base, mouth wavy. Mid-season

**'Resistasol' 1 Y-O**

(Brian S.Duncan) Brian S.Duncan, 2008

'Uncle Duncan' × 'Oregon Trail'; sdlg no.2363

Fl. rounded, 103 mm wide; perianth segments 49 mm  
long, broadly ovate in outline, rounded at apex,  
mid-yellow, spreading, plane, with margins incurved,  
smooth and of heavy substance, overlapping half; the  
inner segments narrower; corona 49 mm long,  
cylindrical, smooth, bright orange, mouth slightly  
expanded, ribbed and wavy, with rim dentate. Very  
early to early. Sunproof

**'Riding the Thermals' 6 Y-Y**

(Gerard Knehans Jr) Gerard Knehans Jr, 2008

Fl. 72 mm wide, facing down, vivid yellow 9A;  
perianth segments 28 mm long, oblong, slightly  
mucronate, reflexed, with margins recurved, smooth  
and of heavy substance, overlapping one-third; the  
inner segments narrower, acute, plane to a little  
concave; corona 20mm long, cylindrical, smooth,  
mouth flared, wavy, with rim minutely dentate. Early

**'Righteous' 3 Y-YYO**

(Jackson's Daffodils, 1997) Jackson's Daffodils, 2007  
Sdlg 160/84 × 'Citronita'; sdlg no.380/97

Fl. forming a double triangle, 100 mm wide; perianth  
segments 45 mm long, very broad, blunt, shouldered  
at base, yellow (6B), spreading, plane, with margins  
incurved, smooth and of heavy substance, overlapping  
half or more; the inner segments narrower; corona  
13 mm long, bowl-shaped, ribbed, darker in tone (7A)  
than the perianth segments, with strong orange 25A  
at rim, mouth straight and frilled, with rim dentate.  
Mid-season

**'Rio Blanco' 1 W-W**

(Colin Crotty) Colin Crotty, 2008

'Silent Valley' × 'Panache'; sdlg no.32-01

Fl. forming a double triangle, 112 mm wide, pure  
white; perianth segments 43 mm long, very broadly  
ovate, blunt, mucronate, spreading, plane, with  
margins incurved, smooth and of heavy substance,  
overlapping half or more; the inner segments inflexed;  
corona 49 mm long, funnel-shaped, smooth, mouth  
flared and lobed, with rim rolled and dentate.  
Mid-season. Sweetly scented

**'Ringside' 2 W-WYY**

(P.D.K.Ramsay, 1995) P.D.K.Ramsay, 2008

'New Hope' × 'Ceres'; sdlg no.95:87

Fl. 128 mm wide; perianth segments very broad,  
roundish, spreading, plane, with margins slightly  
incurved, smooth and of heavy substance, overlapping  
half; corona bowl-shaped, smooth, mouth flared,  
even, with rim flanged. Very late

**'Romy' 2 W-YYO**

(K.van der Veek) J.Th.M.van der Slot & Son, 2008

Fl. 90 mm wide; perianth segments 36 mm long, very  
broadly ovate in outline, roundish at apex, mucronate,  
greenish white 157D, spreading, plane to a little  
concave, with midrib showing, of heavy substance,  
overlapping half or more; the inner segments a little  
narrower, shouldered at base, less prominently  
mucronate; corona 35 mm long, funnel-shaped,  
smooth, light yellow (9C), with vivid yellow 9B at  
base and a band of orange (24B) at rim, mouth flared,  
broadly ribbed, much frilled, lobed, with rim  
minutely crenate. Mid-season. Sunproof. Sweetly  
scented

**'Rorie' 2 Y-GYO**

(D.C.MacArthur) D.C.MacArthur, 2008

'King Size' × sdlg (2 Y-O); sdlg no.ED4395

Fl. forming a double triangle, 84 mm wide; perianth  
segments 33 mm long, broadly ovate in outline,  
rounded at apex, mucronate, vivid yellow 12A,  
spreading, concave, with midrib showing, of heavy  
substance, overlapping half; the inner segments  
narrower; corona 16 mm long, bowl-shaped, ribbed,  
strong orange-yellow 17A, shading through vivid  
yellow 13A to strong orange 24A at rim, with  
yellow-green (151B) at base, mouth straight, frilled,  
with rim crenate. Mid-season. Strongly scented

**'Rosemary Pearson' 2 W-P**

(A.J.R.Pearson) A.J.R.Pearson, 2008

'Dailmanach' × sdlg 88-64-K25 ('Romance' × 'Pink Panther'); sdlg no.01-61-W45

Fl. forming a double triangle, 100 mm wide; perianth segments 40 mm long, ovate in outline, rounded at apex, greenish white (157A), spreading, plane, smooth and of heavy substance, overlapping; the inner segments narrower; corona 29 mm long, funnel-shaped, angled, pale pink (28D), mouth expanded, ribbed, wavy, with rim crenate. Mid-season. Slightly scented

**'Rose Sheen' 2 W-P**

(John R.Reed) John R.Reed, 2008

'Chiquita' × 'Culmination'; sdlg no.83-94-3

Perianth segments broad; corona deep reddish pink, with the red tint becoming more pronounced in some seasons. Mid-season

**'Rosslyn Gold' 1 Y-Y**

(J.F.McLennan) IRN Associates Ltd, 2008

Fl. forming a double triangle, 90 mm wide; perianth segments 35 mm long, broadly ovate, blunt, with white mucro, spreading, plane, with margins wavy and midrib showing, overlapping half or more; the inner segments a little narrower, more nearly acute; corona 37 mm long, funnel-shaped, smooth, mouth expanded, lightly ribbed, wavy, with rim crenate. Tall. Autumn-flowering to very early. Sweetly scented

**'Rowell Fair' 2 Y-O**

(John Gibson, 1994) John Gibson, 2008

'Craig Stiel' × 'Loch Naver'; sdlg no.3-6-89

Fl. 95 mm wide; perianth segments 39 mm long, broadly ovate, blunt, vivid yellow 9A, with slight white mucro, spreading, a little concave, with broad midrib showing, of heavy substance, overlapping one-third to a half; the inner segments slightly narrower, less prominently mucronate; corona 21 mm long, cup-shaped, smooth, strong orange 25A, mouth straight, even, with rim entire. Mid-season

**'Rudy's Louise' 7 YYW-YYW**

(R. &amp; E.Havens) R. &amp; E.Havens, 2008

'Hillstar' × 'Pink Step'; sdlg no.18/5

Fls 3–4 per stem, 60 mm wide; perianth segments 25 mm long, ovate, blunt, mucronate, lemon yellow, with a band of white at base, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 14 mm long, cup-shaped, angled, golden orange-yellow, with white at rim, mouth straight, wavy, with rim crenate. Late. Sweetly scented

**'Rumpus' 3 Y-O**

(Brian S.Duncan) Brian S.Duncan, 2008

'Shindig' × sdlg 85/25 ('Burning Bush' × 'Patabundy'); sdlg no.2462

Fl. 103 mm wide; perianth segments 44 mm long, very broadly ovate, blunt, mid-yellow, with slight white mucro, spreading, a little concave, smooth and of heavy substance, overlapping half; the inner segments roundish, slightly truncate, more nearly

plane; corona 10 mm long, bowl-shaped, deeply ribbed, reddish orange, mouth slightly expanded and wavy, with rim minutely crenate. Mid-season to late

**'Rustic Charm' 8 Y-Y**

(Wilfred Hall) IRN Associates Ltd, 2008

Fls 10 per stem, rounded, 40 mm wide; perianth segments 20 mm long, broadly ovate, blunt, very prominently mucronate, pale yellow, slightly reflexed, a little concave, of heavy substance, overlapping half or more; the inner segments roundish, less prominently mucronate; corona 8 mm long, bowl-shaped, smooth, deep yellow, mouth straight, even, with rim entire. Tall. Autumn-flowering. Strongly scented

**'Rydal' 1 Y-Y**

(M.W.Baxter, 1998) M.W.Baxter, 2008

'Sun City' × 'Corbiere'; sdlg no.B91-18D-98

Fl. forming a double triangle, 97 mm wide; perianth segments 47 mm long, broadly ovate, blunt, prominently mucronate, vivid yellow 15B, reflexed, plane, a little creased, overlapping half or more; the inner segments narrower, spreading, with midrib showing; corona 49 mm long, funnel-shaped, ribbed, vivid yellow 15A, mouth straight, with rim flanged and dentate. Mid-season. Sweetly scented

**'Sacré Coeur' 2 W-GYP**

(Brian S.Duncan) Brian S.Duncan, 2007

'Notre Dame' × 'June Lake'; sdlg no.2434

Fl. 103 mm wide; perianth segments 40 mm long, broadly ovate in outline, rounded at apex, prominently mucronate, white, touched green at base, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 17 mm long, cup-shaped, smooth, pale yellow, with green at base and a very broad band of pink at rim, mouth straight and lightly frilled, with rim entire. Mid-season to late. Sunproof

**'Sahara Sunrise' 2 Y-Y**

(Ron Allen, 1997) Ron Allen, 2008

'Gold Convention' × 'Akala'; sdlg no.1-57-92

Fl. 115 mm wide; perianth segments 45 mm long, very broadly ovate, blunt, with pale mucro, spreading, plane or a little concave, smooth and of heavy substance, overlapping one-third; the inner segments narrower, shouldered at base, less prominently mucronate, more nearly plane; corona 38 mm long, funnel-shaped, smooth, mouth flared, lightly frilled and irregularly lobed, with rim dentate. Early. Slightly scented

**'San Pedro' 2 Y-Y**

(Colin Crotty, 1998) Colin Crotty, 2008

'Tucaman' × 'Imperial'; sdlg no.53-98

Fl. forming a double triangle, 120 mm wide; perianth segments 48 mm long, ovate, blunt, mid-yellow, spreading, plane, with margins incurved, smooth and of membranaceous substance, overlapping half; the inner segments narrower; corona 36 mm long, cup-shaped, smooth, slightly darker in tone than the perianth segments, mouth straight, ribbed and wavy, with rim flanged and crenate. Mid-season

**'School Road' 2 W-Y**

(Diane Irwin) IRN Associates Ltd, 2007  
Fl. forming a double triangle; perianth segments ovate, blunt, spreading, plane, smooth and of heavy substance, overlapping half or more; corona cup-shaped. Very early. Sweetly scented

**'Secret Blush' 8 W-W**

(Wilfred Hall) Wilfred Hall, 2008  
'Grand Monarque' × 'Fiddledee'; sdlg no.GMX-44  
Fls 3–4 per stem, 55 mm wide, facing slightly downwards; perianth segments broadly ovate in outline, rounded at apex, mucronate, white, spreading, concave, creased and of heavy substance, overlapping half; the inner segments blunt at apex, shouldered at base; corona bowl-shaped, deeply ribbed, opening yellow, with a band of pale pink at rim, the whole corona becoming pure white, mouth straight, wavy, with rim entire. Early

**'Seonaid Frances' 3 W-GYO**

(D.C.MacArthur) D.C.MacArthur, 2008  
'Purbeck' × Lea sdlg 6-40-77; sdlg no.ED7195  
Fl. forming a double triangle, 116 mm wide; perianth segments 51 mm long, broadly ovate in outline, rounded at apex, mucronate, yellowish white 155D, spreading, plane, with margins incurling, smooth and of heavy substance, overlapping half or more; the inner segments slightly narrower, shouldered at base; corona 12 mm long, cylindrical, ribbed, vivid yellow 17C, with green (194A) at base and a band of strong orange 25A at rim, mouth straight, frilled, with rim dentate. Mid-season. Sunproof. Strongly scented

**'Silent Spring' 7 W-W**

(John R.Reed) John R.Reed, 2008  
'Misty Glen' × *N. jonquilla*  
Mid-season

**'Singing Hills' 7 YYW-W**

(R. & E.Havens) R. & E.Havens, 2008  
Sdlg G0114 ('Acceleration' open pollinated); sdlg no. LH026  
Fls 2–3 per stem, 63 mm wide; perianth segments 26 mm long, ovate, blunt, mucronate, deep lemon yellow, with a band of white at base, spreading to slightly reflexed, plane to a little concave, smooth and of heavy substance, overlapping one-third; the inner segments narrower, shouldered at base, plane; corona 15 mm long, bowl-shaped, angled, pinkish white, mouth expanded, wavy, with rim crenate. Late. Sunproof. Sweetly scented

**'Sir Ed' 2 W-W**

(P.D.K.Ramsay, 1995) P.D.K.Ramsay, 2008  
'White Glen'; sdlg no.95:21  
Fl. 122 mm wide; perianth segments very broad, rounded at apex, plane, with margins incurved, smooth and of heavy substance, overlapping; corona bowl-shaped, smooth, mouth straight, even, with rim rolled. Late

**'Sissy' 6 Y-Y**

(R.A.Scamp, 1988) R.A.Scamp, 2008

'Perimeter' × *N. cyclamineus*; sdlg no.103

Fl. star-shaped, 70 mm wide; perianth segments 31 mm long, ovate, blunt, mucronate, reflexed, plane, with midrib showing, a little creased and of heavy substance, overlapping one-third; corona 19 mm long, funnel-shaped, mouth straight, regularly ribbed, wavy, with rim dentate. Dwarf. Early. Standard: colour print provided by registrant (WSY0101378)

**'Slavonic Dance' 11a W-P**

(R. & E.Havens, 1997) R. & E.Havens, 2008  
'Lemon Sails' × 'Mission Impossible'; sdlg no.GH4/4  
Fl. 95 mm wide; perianth segments 35 mm long, broadly ovate in outline, rounded at apex, mucronate, white, spreading, plane to a little concave, smooth and of heavy substance, overlapping half or more; the inner segments narrower, blunt; corona 29 mm long, split to more than half its length, the six segments closely overlying the perianth segments to two-thirds their width, joined at margins from base to midpoint, bi-lobed, lightly ribbed, apricot pink, with margins wavy, heavily frilled, separated. Mid-season. Sunproof

**'Snowfrost' 10 W-W**

(Walter J.M.Blom) Walter J.M.Blom, 2008  
Sdlg 8-7 × *N. cantabricus* subsp. *monophyllus*; sdlg no.865-1  
Fl. star-shaped, 30 mm wide, greenish white 155C; perianth segments 20 mm long, lanceolate, acute, spreading to a little inflexed, plane, smooth and of heavy substance, separated; corona 25 mm long, cup-shaped, lightly ribbed, mouth expanded and wavy, with rim crenate. Dwarf. Very early. Sweetly scented

**'Solstice Star' 3 Y-GOO**

(H.Koopowitz) H.Koopowitz, 2008  
'Biometrics' × *N. miniatus*; sdlg no.97-19  
Fl. star-shaped, 38 mm wide, facing up; perianth segments 18 mm long, lanceolate, acute, light greenish yellow 8C, spreading, twisted, with margins slightly wavy, smooth and of membranaceous substance, overlapping at base only; the inner segments narrower; corona 5 mm long, cup-shaped, smooth, strong orange 24A, mouth slightly flared, with rim crenate. Dwarf. Autumn-flowering. Sunproof

**'Sophie's Choice' 4 Y-Y**

C.van der Salm & Son, 2008  
Fl. star-shaped, 90 mm wide, facing down; perianth segments 40 mm long, ovate, blunt, prominently mucronate, light yellow (4D), with vivid greenish yellow 2A at margins at apex and brilliant greenish yellow 1A at base, spreading, plane to a little concave, with margins slightly wavy, with pale midrib showing, of membranaceous substance, irregular, overlapping at base only; the inner segments a little inflexed below and recurved above; corona segments in more than one whorl, brilliant yellow 7A, touched light yellow (4D); the outer whorl entire, cup-shaped, smooth; the inner whorls clustered at centre, crumpled; three segments at centre longer than the others, alternate to the perianth segments, roundish, flared. Dwarf. Mid-season. Sweetly scented

### **'Spa Town' 2 W-W**

(R.Beckwith) R.Beckwith, 2008

'Nightflight' × 'Hanbury'; sdlg no.1-17-2000

Fl. forming a double triangle, 118 mm wide; perianth segments 46 mm long, broadly ovate, blunt, mucronate, spreading, plane to a little concave, smooth and of heavy substance, overlapping one-third to a half; the inner segments narrower, shouldered at base, less prominently mucronate, a little creased; corona 44 mm long, funnel-shaped, angled, mouth flared, expanded, regularly ribbed, with rim crenate. Mid-season. Sweetly scented. Standard: photographic transparency provided by registrant (WSY0101390)

### **'Spoken For' 2 W-W**

(Jackson's Daffodils, 1997) Jackson's Daffodils, 2007  
Sdlg 143/84 × sdlg 153/9; sdlg no.382/97

Fl. forming a double triangle, 110 mm wide; perianth segments 45 mm long, very broad, blunt, shouldered at base, yellowish white (155B), spreading, plane, with margins incurved, smooth and of heavy substance, overlapping; the inner segments narrower; corona 39 mm long, funnel-shaped, ribbed, greenish white (155A), mouth flared and frilled, with rim dentate. Mid-season to late

### **'Spring Essence' 2 W-Y**

(Grant Mitsch Novelty Daffodils) J.S.Pennings, 2008

Fl. 88 mm wide; perianth segments 37 mm long, broadly ovate, blunt, opening yellow green (2D), touched yellow (3B), becoming greenish white 155A, with paler mucro, a little reflexed, concave, with margins wavy, creased and of heavy substance, irregular, overlapping half; the inner segments narrower, shouldered at base; corona 27 mm long, funnel-shaped, short, smooth, opening vivid yellow 9A, touched light yellow (9D) at mouth, becoming vivid yellow 9B, with a slightly darker tone at mouth (9A), mouth flared, narrowly ribbed, lightly frilled, with rim split and overlapping in places. Dwarf or standard. Early. Strongly scented

### **'Stand Up' 4 Y-O**

K. & J.van der Meer, 2008

Fl. forming a double triangle, 96 mm wide, facing up; perianth and other petaloid segments in three whorls; the outer whorl 38 mm long, very broadly ovate, shouldered at base, blunt, mucronate, light greenish yellow 3C, with brilliant greenish yellow 6A at base and brilliant greenish yellow 3A at margins at apex, spreading or a little inflexed, concave, with margins slightly wavy, smooth and of membranaceous substance, overlapping half; the inner whorls successively shorter, deeply concave and more strongly inflexed; the centre whorl brilliant yellow 12B; corona segments 24 mm long, half the width of the perianth segments and interspersed among them, smooth, yellow-orange (17A/B), slightly concave, with margins frilled. Early to mid-season. Sunproof. Strongly scented

### **'Star Baby' 1 Y-Y**

(Mrs G.Link) Joe Hamm, 2008

'Wee Bee' × *N. cyclamineus*; sdlg no.283

Fl. star-shaped, 38 mm wide, facing up, clear yellow;

perianth segments 15 mm long, lanceolate, acute, spreading to a little reflexed, slightly twisted, with margins wavy and of heavy substance, overlapping at base only; the inner segments narrower; corona 18 mm long, cylindrical, angled, lightly ribbed, mouth flared, heavily frilled, with rim dentate. Dwarf. Early. Faintly and pleasantly scented

### **'Starting Orders' 2 Y-Y**

(J.F.McLennan) IRN Associates Ltd, 2008

Fl. forming a double triangle; perianth segments 44 mm long, broadly ovate, blunt, mucronate, spreading, plane, with margins a little wavy, overlapping half; the inner segments narrower; corona 37 mm long, funnel-shaped, smooth, mouth widely flared, deeply frilled, with rim entire. Tall. Autumn-flowering to very early. Sweetly scented

### **'Strathisla' 2 Y-Y**

(Colin Crotty) Colin Crotty, 2008

'Gold Reign' × 'Gold Script' sdlg; sdlg no.13-02

Fl. forming a double triangle, 120 mm wide, deep yellow; perianth segments 48 mm long, very broadly ovate, blunt, with a slight white mucro, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments narrower and a little inflexed; corona 39 mm long, funnel-shaped, smooth, mouth flared and regularly frilled, with rim crenate. Mid-season. Sweetly scented

### **'Sue Ann' 2 YYW-WWP**

(W.G.Pannill) David Burdick, 2008

'Del Rey' × sdlg 146 ('Amber Rose' × ['Roman Candle' × 'Rima']); sdlg no.79/2

Perianth segments 41 mm long, lemon yellow, with a band of white at base; corona 32 mm long, opening deep yellow-pink, becoming white, with pink at rim. Early to mid-season

### **'Sue Michelmores' 9 W-OOR**

(Martin Harwood) Martin Harwood, 2008

'Cantabile' × 'Red Hugh'

Fl. 65 mm wide, facing up; perianth segments 30 mm long, broadly oblong, noticeably mucronate, pure white, a little reflexed, plane, with margins slightly wavy, smooth, overlapping half or more; the inner segments broadly ovate in outline, acute at apex, shouldered at base, not noticeably mucronate, spreading; corona 3 mm long, disc-shaped, deeply ribbed, strong orange 25A, with a very narrow band of red at rim, mouth slightly wavy, with rim minutely crenate. Late

### **'Sukey' 6 Y-Y**

(R.A.Scamp, 1992) Rebecca Bevan, 2008

'Ristin' × *N. cyclamineus*; sdlg no.538

Fl. 87 mm wide, facing slightly downwards; perianth segments 34 mm long, broadly ovate, truncate, with white mucro, reflexed, concave, smooth and of heavy substance, overlapping one-third; the inner segments narrower, less prominently mucronate; corona 34 mm long, cylindrical, broadly ribbed, mouth flared, wavy, with rim deeply dentate. Dwarf. Early. Standard: colour print provided by registrant (WSY0101380)

**‘Sweet Love’ 7 W-YYW**

(Becky & Brent Heath) Brent & Becky’s Bulbs, 2008  
 ‘Sweet Charity’ × *N. jonquilla*  
 Fls 2 per stem, facing down; perianth segments broadly ovate in outline, rounded at apex, mucronate, white (4D), spreading, plane to concave, with midrib showing, overlapping half; the inner segments blunt, shouldered at base, inflexed; corona bowl-shaped, broadly ribbed, yellow-orange (13B), paling to light yellow (6D) towards mouth, with a narrow band of white at rim, mouth expanded, wavy, with rim split and overlapping in places, dentate. Mid-season. Sunproof. Sweetly scented

**‘Symphony Gold’ 10 Y-Y**

(Walter J.M.Blom) Walter J.M.Blom, 2008  
 Sdlg 8-17 × ‘Peppermint’; sdlg no.955-6  
 Fl. star-shaped, 25 mm wide, facing slightly upwards; perianth segments 15 mm long, lanceolate, acute, brilliant greenish yellow 3A, spreading to a little reflexed, plane, smooth and of heavy substance, separated; corona 20 mm long, bowl-shaped, ribbed, brilliant greenish yellow 7A, mouth expanded and wavy, with rim crenate. Dwarf. Very early. Sweetly scented

**‘Tanager Lane’ 8 W-O**

(John R.Reed) John R.Reed, 2008  
 ‘Matador’ open pollinated; sdlg no.84-212-1  
 Fls up to 8 per stem. Mid-season. Resembles ‘Matador’ but with white perianth segments. Fertile

**‘Tang’ 2 Y-O**

(R. & E.Havens) R. & E.Havens, 2008  
 ‘Gold Velvet’ × ‘Scarlet Chord’; sdlg no.HH26/4  
 Fl. rounded, 100 mm wide; perianth segments 41 mm long, ovate, blunt, mucronate, bright yellow, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments less prominently mucronate; corona 38 mm long, cylindrical, smooth, tangerine orange, mouth straight, slightly frilled, with rim dentate. Early. Sunproof

**‘Tasmanian Child’ 2 Y-Y**

(T.E.Snazelle) T.E.Snazelle, 2008  
 ‘Proska’ × *N. fernandesii*; sdlg no.92/9/1  
 Fl. 50 mm wide, facing up; perianth segments 20 mm long, ovate, blunt, with pale mucro, spreading, plane, with midrib showing, of heavy substance, overlapping half; the inner segments a little narrower; corona 19 mm long, cylindrical, ribbed, mouth straight, wavy, with rim entire. Dwarf. Early

**‘Taughblane’ 3 Y-R**

(Richard McCaw) Richard McCaw, 2008  
 ‘Triple Crown’ × ‘Garden News’; sdlg no.86  
 Fl. 73 mm wide; perianth segments 30 mm long, very broadly ovate, blunt, with pale mucro, spreading, deeply concave, of heavy substance, overlapping half or more; the inner segments a little narrower; corona 8 mm long, cup-shaped, smooth, mouth straight, lightly ribbed, a little wavy, with rim crenate. Mid-season. Standard: colour print provided by registrant (WSY0101364)

**‘Tempera’ 1 W-O**

(R. & E.Havens, 1997) R. & E.Havens, 2008  
 (‘Widgeon’ × ‘Memento’) × ‘Magic Lantern’; sdlg no.GH13/2  
 Fl. 100 mm wide; perianth segments 40 mm long, broadly ovate, blunt, mucronate, creamy white, spreading to slightly reflexed, plane to a little concave, smooth and of heavy substance, overlapping one-third to a half; the inner segments narrower, not noticeably mucronate, spreading; corona 40 mm long, funnel-shaped, smooth, creamy orange, mouth slightly expanded, broadly ribbed, wavy, with rim crenate. Mid-season. Sunproof

**‘Tête Bouclé’ 4 Y-Y**

(J.de Winter) Nic van Schagen & Sons, 2008  
 ‘Tête-à-Tête’ sport  
 Fls 1 or rarely 2 per stem; perianth and petaloid segments brilliant greenish yellow 6A; corona segments opening yellow to yellow-orange (12A to 14A), becoming vivid yellow 13A. Dwarf. Early

**‘The Caley’ 2 W-Y**

(Dan du Plessis) R.A.Scamp, 2008  
 Sdlg open pollinated; sdlg no.85-56-3  
 Fl. forming a double triangle, 108 mm wide; perianth segments 44 mm long, broadly ovate, blunt, spreading, plane to a little concave, with margins wavy, creased and of heavy substance, overlapping half; corona 40 mm long, funnel-shaped, smooth, with mouth flared, expanded, lightly ribbed and wavy, with rim minutely crenate. Early to mid-season. Standard: colour print provided by registrant (WSY0101377)

**‘The Foxtrott’ 6 W-P**

(J.de Winter) Ivor Fox, 2007  
 ‘Coringa’ hybrid  
 Fl. 76 mm wide; perianth segments broadly ovate, blunt, pure white, reflexed, with margins incurling, smooth and of heavy substance; corona funnel-shaped, smooth, mid-pink, mouth flared and even, with rim crenate. Dwarf. Early. Sunproof

**‘Thunder Roll’ 1 Y-R**

(John R.Reed) John R.Reed, 2008  
 ‘Uncle Duncan’ × sdlg 87-19-4 (‘Trumpet Call’ × ‘Glenfarclas’); sdlg no.95-111-1  
 Perianth segments smooth, overlapping; corona funnel-shaped, deep orange-red. Tall. Mid-season

**‘Touchdown’ 2 W-P**

(C.van der Veek) Roger Braithwaite, 2008  
 Fl. 108 mm wide; perianth segments broadly ovate, blunt, spreading, concave, overlapping one-third to a half; the inner segments narrower, shouldered at base, plane; corona 30 mm long, funnel-shaped, lightly ribbed, mouth straight, wavy, with rim entire. Tall. Mid-season



**'Toyama' 4 Y-Y**

C. van der Salm, 2008

'White Marvel' sport

Fl. 90 mm wide; perianth segments 35 mm long, broadly ovate, blunt, light greenish yellow 4C, with slight white mucro, spreading to a little inflexed, concave, with raised midrib, of heavy substance, overlapping half; the inner segments narrower, spreading at base, incurved at apex, with margins more or less reflexed; corona in several whorls, 23 mm long, brilliant greenish yellow 5B, touched with pale yellow at margins, loosely frilled; the outer whorl entire, smooth, deeply lobed, with mouth flared; the inner whorls clustered within, the segments narrow, erect. Mid-season. Sweetly scented

**'Trendy Trail' 3 W-Y**

(Brian S.Duncan) Brian S.Duncan, 2008

Sdlg no.2427

Fl. 110 mm wide; perianth segments 45 mm long, broadly ovate, blunt, milk-white, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, acute, inflexed, a little concave; corona 15 mm long, bowl-shaped, ribbed, deep lemon yellow, mouth expanded and nearly frilled, with rim crenate. Mid-season

**'Trenwith' 1 Y-Y**

(R.A.Scamp, 1995) R.A.Scamp, 2008

'Hero' × 'Ouma'; sdlg no.758

Fl. forming a double triangle, 106 mm wide; perianth segments 46 mm long, broadly ovate, blunt, yellow, with pale mucro, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments narrower, less prominently mucronate, a little creased; corona 47 mm long, funnel-shaped, smooth, a deeper tone than the perianth segments, sometimes with orange tones, mouth slightly flared, wavy, with rim dentate. Mid-season. Standard: colour print provided by registrant (WSY0101379)

**'Tresham Gold' 2 Y-Y**

(John Gibson, 1996) John Gibson, 2008

'Bryanston' open pollinated; sdlg no.1-20-92

Fl. 95 mm wide; perianth segments 40 mm long, broadly ovate, blunt, only very slightly mucronate, vivid yellow 9A, spreading, plane, a little incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, less prominently mucronate, a little creased; corona 24 mm long, funnel-shaped, smooth, vivid yellow 14A, mouth expanded, loosely frilled, entire. Early to mid-season

**'Triple Pink' 2 W-WPP**

(P.D.K.Ramsay) P.D.K.Ramsay, 2008

'Dailmanach' × sdlg 95:41 ('Vain' × 'Kathryn Mac'); sdlg no.99:24

Fl. 125 mm wide; perianth segments very broad, roundish in outline, rounded at apex, inflexed, plane, smooth and of heavy substance, overlapping; the inner segments narrower; corona funnel-shaped, smooth, mouth flared, even, with rim crenate. Mid-season

**'Undeb Rygbi Cymru' 1 Y-Y**

Syn. of 'Welsh Rugby Union'

**'Valley Lad' 2 Y-Y**

(Colin Crotty) Colin Crotty, 2008

'Midas Touch' × 'Gold Convention'; sdlg no.52-02

Fl. forming a double triangle, 112 mm wide; perianth segments 43 mm long, broadly ovate, blunt, mid-yellow, with white mucro, spreading to a little reflexed, slightly concave, smooth and of heavy substance, overlapping half or more; the inner segments a little narrower; corona 37 mm long, funnel-shaped, smooth, slightly darker in tone than the perianth segments, mouth lightly frilled and obscurely lobed, with rim flanged and dentate. Mid-season. Strongly scented

**'Vic en Rose' 2 W-P**

(T.Bloomer, 1979) Rinus van der Salm, 2008

Sdlg no.364

Fl. forming a double triangle, 110 mm wide; perianth segments 45 mm long, broadly ovate, blunt, mucronate, yellowish white 155D, spreading, plane to concave, with midrib showing, of membranaceous substance, overlapping half; the inner segments narrower, very slightly inflexed; corona 40 mm long, funnel-shaped, smooth, strong yellowish pink 31C, shading to orange-pink (31D) at rim, mouth a little expanded, lightly ribbed, frilled, with rim flanged and crenate. Mid-season. Sweetly scented

**'Voices of Spring' 5 W-W**

(R. &amp; E.Havens) R. &amp; E.Havens, 2008

'Irresistible' × *N. triandrus* subsp. *triandrus*; sdlg no.HH 16/1

Fls 5–7 per stem, 65 mm wide, facing down; perianth segments 30 mm long, ovate in outline, acute at apex, reflexed, plane, smooth and of heavy substance, overlapping one-third to a half; corona 13 mm long, cup-shaped, smooth, mouth straight, even, with rim entire. Late

**'Wallop' 2 W-P**

(Jackson's Daffodils, 1993) Jackson's Daffodils, 2007

Sdlg 150/84 × sdlg 248/87; sdlg no.145/93

Fl. forming a double triangle, 100 mm wide; perianth segments 42 mm long, very broad, blunt, shouldered at base, white (155A), spreading, plane, with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower; corona 34 mm long, funnel-shaped, ribbed, pink (27A), mouth flared and frilled, with rim dentate. Mid-season

**‘Water Mill’ 3 W-YYO**

(R.Beckwith) R.Beckwith, 2008

‘Loch Alsh’ × ‘Carole Lombard’; sdlg no.2-6-95

Fl. 100 mm wide; perianth segments 45 mm long, roundish, very broad, rounded at apex, truncate, prominently mucronate, spreading, plane, with midrib showing, of heavy substance, overlapping half or more; the inner segments broadly ovate, blunt, less prominently mucronate, slightly concave; corona 10 mm long, disc-shaped, ribbed, brilliant yellow 12A, with a band of orange (23A) at rim, mouth expanded, wavy, irregularly lobed, with rim split and overlapping in places, dentate. Late. Sweetly scented. Standard: photographic transparency provided by registrant (WSY0101388)

**‘Welsh Rugby Union’ 1 Y-Y**

(R.A.Scamp, 1989) Royal Horticultural Society, 2008

‘Argosy’ × (‘Saint Keverne’ × ‘Malvern City’); sdlg no.593

Fl. forming a double triangle, 119 mm wide, golden yellow; perianth segments 49 mm long, broadly ovate, blunt, with pale mucro, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate; corona 50 mm long, funnel-shaped, smooth, mouth flared, expanded, narrowly ribbed, obscurely lobed, with rim crenate. Mid-season. Standard: colour print provided by registrant (WSY0101382). Syn. ‘Undeb Rygbi Cymru’, ‘Grand Slam’

**‘White Pekin’ 1 W-W**

(David Adams, 1999) David Adams, 2008

‘Broomhill’ × sdlg (B. Kinghorn 1 W-W’); sdlg no.90/04C

Fl. forming a double triangle, 105 mm wide; perianth segments 42 mm long, very broadly ovate, blunt, shouldered at base, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 43 mm long, cylindrical, angled, mouth straight, smooth and even, with rim crenate and slightly flanged. Mid-season. Mildly scented

**‘Winter Greetings’ 10 W-W**

(Walter J.M.Blom) Walter J.M.Blom, 2008

Sdlg 8-20 × ‘Peppermint’; sdlg no.956-2

Fl. star-shaped, 25 mm wide, facing up, greenish white (157B); perianth segments 18 mm long, lanceolate, acute, spreading, plane, smooth and of heavy substance, separated; corona 25 mm long, funnel-shaped, broad, neatly ribbed, mouth expanded and lightly frilled, with rim crenate. Dwarf. Very early. Sweetly scented

**‘Winter Wonderland’ 10 W-W**

(Walter J.M.Blom) Walter J.M.Blom, 2008

Sdlg 10-10 × ‘Peppermint’; sdlg no.957-3

Fl. 25 mm wide, facing slightly upwards, greenish white 155C; perianth segments 15 mm long, lanceolate, acute, spreading to a little inflexed, plane, smooth and of heavy substance, separated; corona 20 mm long, cup-shaped, short, ribbed, mouth

expanded and wavy, with rim crenate. Dwarf. Very early. Sweetly scented

**‘Yana’ 10 W-W**

Nancy R.Wilson, 2008

Selection from Trimon Group

Fls 1–2 per stem, star-shaped, 37 mm wide, facing up; perianth segments 16 mm long, oblong, narrow, blunt, spreading to a little inflexed, with margins deeply incurled, smooth and of heavy substance, separated; corona 14 mm long, cup-shaped, smooth, mouth widely expanded, regularly and very lightly ribbed, wavy, with rim entire. Dwarf. Early to mid-season. Sweetly scented

**‘Yellow Flight’ 1 Y-Y**

(Fl.Wentink) Fl.Wentink, 2008

Sdlg no.G-T 8

Fl. forming a double triangle, 110 mm wide, facing up; perianth segments 50 mm long, broadly ovate, blunt, mucronate, brilliant yellow 7A, spreading, slightly concave, with margins a little wavy, smooth and of heavy substance, overlapping a quarter; the inner segments narrower, shouldered at base, more nearly plane; corona 55 mm long, funnel-shaped, smooth, vivid yellow 12A, mouth flared, broadly ribbed, wavy and lobed, with rim entire. Early. Sweetly scented

**‘Zikomo’ 2 O-O**

(John Gibson, 1995) John Gibson, 2008

‘Craig Stiel’ × ‘Mill Grove’; sdlg no.2-4-90

Fl. 90 mm wide; perianth segments 36 mm long, broadly ovate, blunt, orange (23A), with white mucro, spreading, concave, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 26 mm long, cup-shaped, irregularly ribbed, strong orange 25A, mouth straight, minutely ribbed, slightly wavy, with rim entire. Mid-season. Standard: colour print provided by registrant (WSY0101438)



# ADDITIONS AND AMENDMENTS TO THE INTERNATIONAL DAFFODIL REGISTER AND CLASSIFIED LIST (2008)

The compilers are grateful to those who have drawn attention to omissions from the *International Daffodil Register and Classified List* and its Supplements, pointed out errors, suggested changes or supplied new information.

Amendments to cultivar names, divisions, colour codes, parentages, originators and registrants will usually be published in an annual Supplement. Amendments to descriptions will usually only be published in a new edition of the Register. However, all amendments will be published on the internet, in a regular updating of the Register posted on RHS Online at: [www.rhs.org.uk/plants/registerpages/intro.asp](http://www.rhs.org.uk/plants/registerpages/intro.asp)

## INTERNATIONAL DAFFODIL REGISTER AND CLASSIFIED LIST (2008)

### Additions to the Register

Autumn Colors Group 8

(W.R.P. Welch) Pollen parent of 'Joy's Favorite'

### Amendments to the Register NB: Notes of variability do not alter the classification (see p2, Note 1)

'Albicans' 1 W-W	Removed: date. Removed: parentage. Added: Syn. of <i>N. albescens</i> in 2008 Register
'A. Rawson'	Altered Div. to: 12 in 2008 Register
'Ashland'	Alter colour code to: W-W
<i>N. × boutignyanus</i>	Amend ref. to: Fl. Pyren. (Philippe) 2: 335 (1859)
'Cameo Jewel'	Changed from Div. 1 to Div. 2 in 2008 Register. Parents changed from 'Akala' × 'Goldfinger' to 'Golden Jewel' × 'Gold Convention' in 2008 Register
'Campfire' (Mitsch)	Changed colour code to: Y-R in 2008 Register
<i>N. × chevassutii</i>	In List of Botanical Names: remove dagger and put name in bold type. In Botanical Classification: Remove dagger
'Chiltern' (Chapman)	Remove description, flowering season and reference to 'Ptolemy'
'Cooksoniae'	2 W-W (Mrs Norman Cookson, pre-1910). Syn. <i>N. cooksonii</i> . AM 1910 (Cultivar added to 2008 Register)
'Denali'	Changed season to: mid-season in 2008 Register
'Duchess of Albany'	Alter division to: 12
'Duke of Albany'	Alter division to: 12
<i>N. eugeniae</i>	In List of Botanical Names: Remove from list of subspecies of <i>N. pseudonarcissus</i> . In Botanical Classification: Remove from list of subspecies of <i>N. pseudonarcissus</i> (in Section Pseudonarcissus)
<i>N. filifolia</i>	In List of Botanical Names amend entry to read: <i>filifolia</i> M. Roemer, Fam. Nat. Syn. Monogr. 4: 190 (1847) ( <i>Corbularia</i> ) (as <i>N. bulbocodium</i> var. <i>filifolius</i> (M. Roemer) hort.) = variant of <i>N. bulbocodium</i> subsp. <i>bulbocodium</i>
<i>N. filifolius</i>	In List of Botanical Names add new entry: <i>filifolius</i> (as <i>N. bulbocodium</i> var. <i>filifolius</i> (M. Roemer) hort.) = variant of <i>N. bulbocodium</i> subsp. <i>bulbocodium</i>
'Grand Duke of Hesse'	Alter division to: 12
'Gold Velvet'	Alter season to: early
'Grandma's Sweetheart'	Alter division to: 6
Group names and trade names	All Group names and trade names should appear without the single quotation marks which appear in the 2008 Register
'Innocence' (Backhouse)	Altered division to: 12 in 2008 Register
'Leda'	1 W-W Syn. of 'Hartland's Leda' (Cultivar added to 2008 Register)
<i>N. luteus</i>	Amend ref. to: Fl. Pyren. (Bubani)
'Mastersianus'	12 W-Y (J.G. Nelson, pre-1882) (Cultivar added to 2008 Register)
'Mississippi Traveler'	Alter colour code to: W-Y

<i>N. × montsiccianus</i>	In List of Botanical Names: rewrite entry as <i>× montsiccianus</i> Romo, in Fontqueria, 24: 15 (1989) ( <i>Narcissus</i> ) (parentage: <i>N. assoanus</i> Dufour ex Schultes & Schultes f. <i>× N. assoanus</i> [as var. <i>palearensis</i> ]) = <i>N. assoanus</i> . In Botanical Classification: remove entry (from Section Jonquilla)
<i>N. × nutans</i>	In List of Botanical Names: remove question mark in parentage. In Botanical Classification: remove question mark in parentage
'Pageant' (Spry)	Changed seed parent to: 'Gay Gordon' in 2008 Register
'Pink Lightning'	Alter division to: 2
'Princess Alice' (Div. 8)	Altered division to: 12 in 2008 Register
'S.A. de Graaff' (Div. 8)	Alter division to: 12 in 2008 Register
'Sarnian Belle' 1 W-W	Added: Syn. of 'Hartland's Leda'. Removed: date in 2008 Register
<i>N. tazetta</i> subsp. <i>lacticolor</i> var. <i>tenorii</i>	Add dagger and put name in plain type
<i>N. tazetta</i> subsp. <i>lacticolor</i> var. <i>trewianus</i>	Add dagger and put name in plain type
'Tortuosus'	Syn. of <i>N. tortuosus</i> (Cultivar added to 2008 Register)
'Tripodalis'	Syn. of <i>N. tripodalis</i> (Cultivar added to 2008 Register)
'Tridymus'	Altered Div. to: 12. Added originator: ?W. Backhouse. Altered date to: pre-1869 in 2008 Register
'Twain's Gold'	8 Y-Y (L.S. Hannibal) L.S. Hannibal, 1990. 'Fortune' <i>×</i> a wild-collected selection from <i>N. tazetta</i> (Cultivar added to 2008 Register)
'Veronica Brown'	Changed parents to: 'Dailmanach' <i>×</i> 'Quasar' in 2008 Register
'Version'	Changed from Div. 2 to Div. 1 in 2008 Register
'Very Wellcome'	Alter division to: 11a. Add first flowering date: 2003. Add note: Rukšāns cat. 2003
'Wedding Dress'	Alter division to: 11a. Add first flowering date: 2003. Add note: Rukšāns cat. 2003
'West Post'	Changed from Div. 3 to Div. 2 in 2008 Register
'White Wedgewood'	Changed name to: 'White Wedgewood' in 2008 Register
'Windfest'	Alter division to: 11a. Add first flowering date: 2003. Add note: Rukšāns cat. 2003
'Ypsilante'	Alter spelling to: 'Ypsilanti'. Alter date to: pre-1913. Alter note to: Syn. of 'Ypsilante'
'Ypsilanti'	Alter spelling to 'Ypsilante'. Add division and colour code: 9 W-Y YR. Remove: date. Alter note to: See of 'Ypsilanti'

(Cultivar added to 2008 Register) = Entries added to the 2008 Register which were previously unrecorded in any Supplement

### **Additions to the List of Originators and Registrants**

Allen, Ron	Newhaven, East Sussex, England
Bevan, Rebecca	Wisley, Surrey, England
Brumley, Graeme	Monbulk, Victoria, Australia
Burdick, David	Pittsfield, Massachusetts, USA
Fong, Kirby	Livermore, California, USA
Griner, Martha Ann	Chesterfield, New Jersey, USA
Hamm, Joe	Washington, Pennsylvania, USA
Heath, Becky	See Heath, Brent
Ion, Aurel	Beit Dagen, Israel
Irwin, Bruce	Levin, New Zealand
Langsford, Alan	Bere Alston, Devon, England
McCaw, Richard	Hillsborough, Co. Down, Northern Ireland
McCown, Betty and Freddy	Lebanon, Oregon, USA
Nixon, Robert	Tasmania, Australia
Rainey, Chriss	Reston, Virginia, USA
Stettner, Tom	Cincinnati, Ohio, USA
Stocken, C.M.	b. 1922, d. 1966
van den Berg, C.G., & Son	Anna Paulowna, Holland
van der Meer, K. & J.	Breezand, Holland
van der Salm, Rinus	Den Helder, Holland
van der Slot, J.Th.M., & Son	Lisse, Holland
van Schagen, N., & Son DV	Beheer, Bergen, Holland
Wejers, J.G. & Son	Burgerbrug, Holland

### **Amendments to the List of Originators and Registrants**

Welch, W.R.P.	Add new address: Santa Cruz, California
Weyers, C.S. & Son	Amend spelling to Weijers, C.S., & Sons
Yates	Add new address: Bicknoller, Somerset









# Illustrations of descriptive terms

## FLOWER



*star-shaped*



*double triangle*



*rounded*

## PERIANTH SEGMENTS



*reflexed*



*inflexed*



*spreading*



*plane*



*concave*



*twisted*



*mucronate*



*very broadly mucronate*



*oblong*



*obovate*



*shouldered obovate at base*



*spatulate*



*acute*



*blunt*



*mucronate*



*truncate*

## CORONA - from the side



*cylindrical*



*funnel*



*cup*



*bowl*



*disc*

## - section



*round*




*hexagonal*




*lobed*

## CORONA MOUTH - from the side



*straight*



*flared*

## - section



*round*



*many*




*fringed*



*lobed*

## CORONA RIM - from the side



*flanged*



*rolled*

## - section



*ciliate*



*denticulate*



*crenate*

ISBN 978-1-902896-95-3



9 781902 896953 >