



Sharing the best in Gardening

The International Daffodil Register & Classified List (2008)

Fifth Supplement



© 2012 The Royal Horticultural Society
80 Vincent Square, London SW1P 2PE, United Kingdom
www.rhs.org.uk

International Daffodil Registrar:
Sharon McDonald

All rights reserved. No part of this book may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the copyright holder

ISBN 9781907057373

Printed and bound in the UK by Page Bros, Norwich

Cover: “Narcissus cyclamineus, Johnstoni and Triandrus albus”
from 1887 Barr and Son daffodil catalogue.
Image courtesy of RHS Lindley Library

FIFTH SUPPLEMENT
to
THE INTERNATIONAL DAFFODIL REGISTER AND CLASSIFIED LIST (2008)
2011–2012

The daffodil names listed here are supplementary to the *International Daffodil Register (2008)*; they were registered between 1 July 2011 and 30 June 2012. They are followed by a list of some other recent additions and amendments to the Register.

Registration	page 1
Classification and description	page 2
Registrations 2011–2012	page 3
Additions and amendments to previous Supplements	page 27
Additions and amendments to the <i>International Daffodil Register (2008)</i>	page 27
Horticultural Classification (including revised definitions of Division 9)	page 29
Illustrations of descriptive terms	page 32

REGISTRATION

Hybridizers, raisers and other introducers of daffodils are urged to ensure that the names of new plants are registered, and are reminded that registration should preferably take place before plants are released or catalogued. Registration is conducted by The Royal Horticultural Society, International Cultivar Registration Authority for the genus *Narcissus*. Application forms are available from:

- The International Daffodil Registrar: Miss Sharon McDonald
RHS Wisley, Woking, Surrey GU23 6QB, UK
Fax (44) 01483 211750
Email sharonmcdonald@rhs.org.uk
- The National Daffodil Registrar (the Netherlands): Drs J. van Scheepen
KAVB, Postbus 175, 2180 AD Hillegom, the Netherlands
Fax (31) 2525 369 51
Email vanschepen@kavb.NL
- The National Daffodil Registrar (Czech Republic): Ing. Ivan Karakoz
ul. Zizkova cp. 1539, 274 01 Slaný, Czech Republic
Email Karakoz@seznam.cz
- The National Daffodil Registrar (USA): Mrs Mary Lou Gripshover
1686 Grey Fox Trail, Milford, Ohio 45150, USA
Tel 001 513 248 9137
Email mgripshover@cinci.rr.com
- The National Daffodil Registrar (Japan): Miss Eri Komoriya
1196 Ohkido-Cho, Midori-ku, Chiba-City, Chiba 267-0057, Japan
Fax 81-43-294-8504
Email rx12572@nifty.ne.jp
- The National Daffodil Registrar (Australia): Mrs Jennie Jamieson
11 Bromley Place, Kingsley, WA 6026, Australia
Fax (61) 89 409 1156
Email ndaaliaison@hotmail.com
- The National Daffodil Registrar (New Zealand): Mr Wilfred Hall
105 Wallace Loop Rd, Ihakara, RD1 Levin, New Zealand 5571
Email wilshe@xtra.co.nz

Once registered, names and classifications may be changed only with the agreement of the International Cultivar Registration Authority, upon application to the International Registrar.

NOTES ON CLASSIFICATION AND DESCRIPTION

Note 1 - on classification

The combination of division and colour code assigned here (or as amended in any future Supplement) is the registered classification, to be observed, for example, when schedules require cultivars to be shown "as registered". The registered classification is not altered by any note of variable measurement or colour. (See pp.28–29 for any notes of variability in previous registrations.)

Note 2 – on colour coding

Guidelines on colour coding, including those on distinguishing between Yellow and Orange and between Orange and Red appear in the Register and on registration forms. It is at the registrant's discretion to distinguish White from Yellow or Green, Yellow from Green, or Pink from the paler tones of Orange or Red.

In addition:

– green at corona base

The green at the base of a corona, whether in the tube or in the corona itself, may be included in the colour code if it is prominent and plain to see. Registrants are advised to include it only if it is consistent from year to year.

– non-concentric colours

When coding colours in perianth or corona that appear in radial rather than concentric bands, or in a flare from the base, or in flecks or splashes: start with a letter for the predominant colour; proceed with an oblique line; follow with the letter(s) (in any order) for the non-predominant colour(s).

For example, a yellow flower with a white streak along the midrib of the perianth segments would be Y/W-Y; a white flower with radial bands of orange and yellow on the corona segments would be W-W/OY.

Note 3 – on colour terms

Colour Chart numbers in registered descriptions, e.g. 1D in 'Andy Blanchard', are from the *RHS Colour Chart* (1966 (reprinted 1986), 1995, 2001, 2007). Colour names followed by Chart numbers without brackets are equivalents adopted by the RHS for all its international registers. They are taken from the Universal Colour Language in the Inter-Society Color Council-National Bureau of Standards colour-name system. Colour names followed by Chart numbers with brackets or by no numbers at all are those supplied by the registrant.

Note 4 – on description

Registered descriptions are drawn up from application forms and, whenever possible, from photographs and actual specimens too. The Registrar would welcome readers' comments on the accuracy of all descriptions.

Illustrations of descriptive terms appear on p.32.

Note 5 – on height

Stem heights in registered descriptions may be taken to be Standard (325–675mm) unless otherwise stated, when they will be described as Dwarf (less than 325mm) or Tall (more than 675mm).

Note 6 – on Standards

The Standard noted at the end of some descriptions is the designated herbarium specimen or illustration forming a permanent record of the distinguishing characteristics of the cultivar and fixing the cultivar name.

REGISTRATIONS 2011–2012

The following cultivar names were registered between 1 July 2011 and 30 June 2012 by The Royal Horticultural Society, International Cultivar Registration Authority for the genus *Narcissus*.

Entries follow the style of those in the *International Daffodil Register and Classified List* (2008) and may be interpreted accordingly (see p. 10 in the Register).

To access the *International Daffodil Register and Classified List* (2008) on the internet, go to www.rhs.org.uk/Plants/Plant-science/Plant-registration/Daffodils

The seed parent is given before the pollen parent.

'Alex Jones' 2 W-P

(R.A.Scamp, 1994) R.A.Scamp, 2012
'Dailmanach' × 'Pol Dornie'; sdlg no. 723
Fl. forming a double triangle, 116mm wide; perianth segments 55mm long, broadly ovate, blunt, mucronate, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments shouldered at base, less prominently mucronate; corona 42mm long, funnel-shaped, smooth, mouth straight, lightly ribbed, even, irregularly and very shallowly lobed, with rim flanged and crenate. Mid-season to late. Very slightly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0117754)
Etymology: Named for the presenter of the BBC's One Show

'Anasazi' 3 WWG-GWW

(Robert Spotts, 1994) Robert Spotts, 2012
'Lollipop' × ('Dallas' × *N. viridiflorus*)
Fl. rounded, 90mm wide; perianth segments 37mm long, ovate, blunt, spreading, slightly concave, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 11mm long, cup-shaped, ribbed, mouth straight and even, with rim crenate. Mid-season.
Etymology: Named for the ancient peoples of Southwestern USA

'Andrea Maree' 2 W-W

(Ian H.Dyson) Ian H.Dyson, 2012
'Barnstorm' open pollinated; sdlg no. 0312
Fl. 95mm wide, facing slightly upwards; perianth segments very broadly ovate in outline, rounded at apex, mucronate, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments narrower, blunt at apex, less prominently mucronate; corona funnel-shaped, smooth, mouth narrowly flared, broadly ribbed and lightly frilled, with rim crenate. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0117755)
Etymology: Named for the hybridizer's late daughter

'Andy Blanchard' 5 Y-Y

(Mrs Anne Wright) Mrs Anne Wright, 2012
N. triandrus subsp. *triandrus* var. *triandrus*

× *N. cyclamineus*; sdlg no. 2103

Fls 1–2 per stem, 43mm wide, facing downwards, pale greenish yellow 1D; perianth segments 21mm long, lanceolate, broad, acute, mucronate, strongly reflexed, plane to a little concave, with margins incurved or recurved, with midrib showing, of heavy substance, overlapping at base only; corona 15mm long, cylindrical, lightly ribbed, mouth straight and wavy with rim dentate. Dwarf. Early.
Nomenclatural Standard: colour print supplied by registrant (WSY0117756)

'Angus Callander' 2 Y-O

(D.C.MacArthur) D.C.MacArthur, 2012
'Morag MacDonald' × un-named 2 Y-O; sdlg no. ED6904
Fl. forming a double triangle, 101mm wide, facing up; perianth segments 42mm long, broadly ovate, blunt, with pale mucro, spreading, slightly concave, with margins a little incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 16mm long, cup-shaped, broadly ribbed, mouth straight and lightly frilled, with rim crenate. Mid-season. Sunproof. Strongly scented.
Nomenclatural Standard: colour print supplied by registrant (WSY0117649)

'Angus MacMillan' 2 W-YWO

(D.C.MacArthur) D.C.MacArthur, 2012
'Fellowship' open pollinated; sdlg no. ED605
Fl. 100mm wide; perianth segments 40mm long, very broadly ovate in outline, roundish at apex, prominently mucronate, yellowish white 155D, spreading, concave, with margins incurved, with midrib showing, of heavy substance, overlapping one-third to a half; the inner segments narrower, blunt at apex, less prominently mucronate; corona 18mm long, bowl-shaped, angled, yellowish white 155B, with brilliant greenish yellow 3B at base and a band of light orange-yellow 25D, touched with brilliant orange 25C at rim, mouth straight, regularly ribbed and lightly frilled, with rim crenate. Late. Sweetly scented.
Nomenclatural Standard: colour print supplied by registrant (WSY0117651)

'Apache Chief' 2 O-R

(M.E.Brogden) Brogden Bulbs, 2012

(['Tourist' × 'Apache Maid'] × 'Stylist') × 'Creag Dubh'; sdlg no. BB 00-6-1

Fl. forming a double triangle, 105mm wide; perianth segments 46mm long, ovate, blunt, yellow-orange, spreading, plane, smooth, overlapping one-third; the inner segments narrower; corona 30mm long, cup-shaped, lightly ribbed, orange-red, mouth straight and wavy, with rim crenate. Mid-season

'Archic Boy' 2 Y-O

(A.A.Crerar) A.A.Crerar, 2012

Lea sdlg 2-7-75 × Hunter sdlg 21/80A ('Air Marshal' × 'Torricon'); sdlg no. 1940

Fl. forming a double triangle, 105mm wide; perianth segments 43mm long, ovate, brilliant yellow 7A, spreading, plane, smooth and of heavy substance, overlapping; corona 28mm long, funnel-shaped, ribbed, orange (28A), mouth flared and wavy. Mid-season

'Ashton Delight' 2 Y-O

(D.C.MacArthur, 1999) D.C.MacArthur, 2012

? 'Cheer Leader' open pollinated; sdlg no. ED6616

Fl. forming a double triangle, 106mm wide, facing up; perianth segments 48mm long, ovate, blunt, mucronate, brilliant yellow 10A, spreading, concave, with margins incurving, creased, of heavy substance, overlapping half; the inner segments narrower, acute; corona 18mm long, cup-shaped, ribbed, strong orange 24A, mouth straight and frilled, with rim dentate. Mid-season. Sunproof.

Nomenclatural Standard: colour print supplied by registrant (WSY0117757)

'August Ace' 4 Y-Y

(J.F.McLennan, 1993) J.F.McLennan, 2012

'Kazan' × 'Golden Orbit'; sdlg no. 93-32

Fl. forming a double triangle, 97mm wide; perianth and other petaloid segments in 3 or more whorls, mid-yellow; the outer whorls 42mm long, ovate, blunt, slightly mucronate, spreading, plane, with margins wavy, smooth and of heavy substance, irregular, overlapping half or more; the inner whorls significantly shorter, strongly inflexed, concave; corona segments in several whorls, deep yellow; the outer whorl 35mm long, completely enclosing the inner whorls of petaloid and corona segments, broad, inflexed, with margins wavy; the inner whorls short, clustered at centre, deeply inflexed. Tall. Very early to early

'August Sunrise' 2 Y-YYR

(G.J.Phillips) G.J.Phillips, 2012

'Banda' × sdlg 88-83-3; sdlg no. I 13-11

Fl. 104mm wide; perianth segments 44mm long; corona 33mm long. Early

'Autumn Magic' 12 W-G

(H.Koopowitz) H.Koopowitz, 2012

N. miniatus × 'Emerald Sea'

Fls 7 per stem, rounded, 45mm wide; perianth

segments 21mm long, ovate in outline, rounded at apex, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 2mm long, cup-shaped and ribbed, mouth flared, with rim entire. Dwarf. Autumn. Strongly scented.

Etymology: Named for its flowering time

'Baby Beryl' 6 Y-Y

(H.Koopowitz) H.Koopowitz, 2012

'Beryl' × *N. jonquilla*; sdlg no. 01-099-1

Fl. rounded, 26mm wide, facing up; perianth segments 15mm long, very broadly ovate, light greenish yellow 4B, blunt, reflexed, plane or with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower; corona 8mm long, cylindrical, ribbed, brilliant yellow 11A, mouth straight and wavy, with rim entire. Dwarf. Early.

Etymology: Named after its seed parent

'Bella Glow' 2 W-P

(J.W.Buxton, 2001) J.W.Buxton, 2012

'Dailmanach' × 'Polar Glow'; sdlg no. 72/97

Fl. forming a double triangle, 115mm wide; perianth segments 46mm long, very broad, blunt, spreading, plane or with margins a little incurved, smooth and of heavy substance, overlapping half; the inner segments slightly narrower; corona 37mm long, funnel-shaped, smooth, mouth expanded and even, with rim flanged and entire. Mid-season

'Bella Snow' 2 W-W

(J.W.Buxton) J.W.Buxton, 2012

'Polar Snow' × 'Florence Joy'; sdlg no. 78/01

Fl. forming a double triangle, 118mm wide; perianth segments 49mm long, very broadly ovate, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments slightly narrower; corona 37mm long, funnel-shaped, smooth, mouth straight and even, with rim flanged and entire. Mid-season

'Bermuda Triangle' 1 Y-Y

(P.D.K.Ramsay) P.D.K.Ramsay, 2012

Sdlg PR 97:26 × Hamilton sdlg 15-94; sdlg no. 03:15

Fl. forming a double triangle, 120mm wide; perianth segments 50mm long, very broad, spreading, plane, smooth and of heavy substance, overlapping half; corona 54mm long, cylindrical, smooth, mouth flared, with rim dentate. Tall. Early.

Etymology: Named for its triangular perianth segments

'Best Mate' 2 W-W

(David Adams, 1992) David Adams, 2012

'Dear Me' × ('Easter Moon' × Brogden sdlg T19); sdlg no. 85/08A

Fl. forming a double triangle, 102mm wide; perianth segments 34mm long, ovate in outline, acute at apex, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 21mm long, funnel-shaped, ribbed, mouth straight and frilled, with rim flanged and dentate. Mid-season. Mildly scented

'Betcherrygah' 1 W-Y

(Ian H.Dyson) Ian H.Dyson, 2012

'Pops Legacy' × 'Quench'; sdlg no. 0322

Fl. forming a double triangle, 102mm wide; perianth segments very broadly ovate, blunt, mucronate, spreading, plane, smooth, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate; corona funnel-shaped, smooth, mouth flared, regularly ribbed, frilled, with rim entire. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0117758)

Etymology: The Aboriginal name for budgerigars

'Bethan-Sian' 2 Y-P

(R.A.Scamp, 1997) R.A.Scamp, 2012

'Memento' × 'Penkivel'; sdlg no. 848

Fl. 96mm wide; perianth segments 40mm long, broadly ovate, blunt, mucronate, opening whitish, becoming yellowish, spreading to a little reflexed, plane or with margins slightly incurved, smooth and of membranaceous substance, overlapping one-third to a half; the inner segments shouldered at base, not noticeably mucronate; corona 36mm long, funnel-shaped, smooth, mouth a little expanded, regularly ribbed, wavy and three-lobed, with rim flanged and dentate. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0117759)

'Birthday Boy' 2 W-YOO

(Denise E.McQuarrie) Denise E.McQuarrie, 2012

'Carib Gipsy' × 'Sabre'; sdlg no. G40

Fl. rounded, 108mm wide; perianth segments 46mm long, very broad, rounded at apex, mucronate, spreading, plane, smooth and of heavy substance, overlapping half or more; corona 38mm long, funnel-shaped, smooth, mouth flared, wavy and lobed, with rim crenate. Mid-season. Sunproof.

Etymology: Named in honour of friend and fellow daffodil grower Kevin Kerr's 65th birthday. This is one of his favourite daffodils

'Callay' 4 W-O

(D.C.MacArthur, 1999) D.C.MacArthur, 2012

'Monterrico' × 'Eribol'; sdlg no. ED61293

Fl. 96mm wide; perianth and other petaloid segments in three or more whorls; the outer whorls 45mm long, broadly ovate, blunt, mucronate, yellowish white 155D, spreading to a little inflexed, plane, smooth and of heavy substance, overlapping half; the inner whorls less prominently mucronate, more strongly inflexed, folded inwards from midrib; corona segments 16mm long, interspersed among all the whorls of petaloid segments and clustered at centre, broad, strong orange 24A, with yellowish orange (16A) at base, heavily frilled at centre. Mid-season. Sunproof.

Nomenclatural Standard: colour print supplied by registrant (WSY0117653)

'Catherine Penny Buchan' 2 W-GPO

(D.C.MacArthur) D.C.MacArthur, 2012

'Pismo Beach' open pollinated; sdlg no. ED40198

Fl. forming a double triangle, 79mm wide; perianth segments 33mm long, ovate, blunt, prominently mucronate, yellowish white 155B, spreading, concave, with margins incurving, creased, of heavy substance, overlapping one-third; the inner segments narrower; corona 14mm long, cup-shaped, ribbed, pale yellowish pink 27D, with brilliant yellow-green 154B at base and a band of pale orange (29C) at rim, mouth straight and frilled, with rim crenate. Late. Sunproof. Strongly scented

'Causeway Gem' 6 Y-Y

(Derrick Turbitt, 2002) Derrick Turbitt, 2012

'Bryanston' × *N. cyclamineus*; sdlg no. 0201

Fl. 80mm wide, facing slightly downwards; perianth segments 32mm long, oblong in outline, rounded at apex, prominently mucronate, medium yellow, reflexed, plane or with margins slightly recurved, smooth and of heavy substance, overlapping a quarter; the inner segments narrower, acute at apex, less prominently mucronate; corona 30mm long, cylindrical, smooth, slightly darker in tone than the perianth segments, mouth widely flared, lightly ribbed and a little wavy, with rim minutely crenate. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0117760)

'Causeway Torch' 2 W-YYP

(Derrick Turbitt, 1997) Derrick Turbitt, 2012

'Mentor' × 'High Society'; sdlg no. 9718

Fl. 105mm wide; perianth segments 45mm long, roundish, very broad, scarcely mucronate, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 25mm long, cylindrical, smooth, mouth straight, narrowly ribbed and a little wavy, with rim rolled and crenate. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0117762)

Etymology: to celebrate the Olympic Torch coming to the Causeway coast in 2012

'Celeste Aida' 2 Y-P

(R. & E.Havens) R. & E.Havens, 2012

'American Dream' × 'Color Magic'; sdlg no. MH7/1

Fl. 90mm wide; perianth segments 38mm long, very broadly ovate, deep lemon yellow, blunt, mucronate, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 36mm long, cylindrical, smooth, deep pink, mouth straight, lightly ribbed, frilled, with rim crenate. Mid-season. Sunproof.

Nomenclatural Standard: colour print supplied by registrant (WSY0117764)

'Centenary Gold' 2 Y-Y

(R.A.Scamp, 1997) R.A.Scamp, 2012

'Altun Ha' × 'Gold Bond'; sdlg no. 858

Fl. 110mm wide; perianth segments 45mm long, very broad, oblong in outline, rounded at apex, yellow, with slight white micro, spreading, concave, with margins incurved, smooth and of heavy substance, overlapping half; the inner segments shouldered at

base, less prominently mucronate; corona 38mm long, cylindrical, smooth, yellow, mouth straight and wavy, with rim entire. Tall. Mid-season to late. Nomenclatural Standard: colour print supplied by registrant (WSY0117765)

Etymology: Awarded the best new plant award at the Cornwall Garden Society Centenary Show

'Charming Lady' 6 W-GPP

(J.de Winter) M.H.van der Zon & Sons, 2012
Fl. 97mm wide, facing up; perianth segments 40mm long, very broadly ovate, truncate and mucronate, yellowish white NN155D, reflexed, concave, with margins incurling, with midrib showing, of membranaceous substance, overlapping half; the inner segments narrower, shouldered at base; corona 25mm long, funnel-shaped, angled, strong yellowish pink 33C, with green at base, mouth a little expanded, broadly ribbed, irregularly frilled and lobed, with rim flanged and crenate. Mid-season. Sunproof. Strongly scented.
Nomenclatural Standard: colour print supplied by registrant (WSY0117766)

'Clandellow' 2 Y-Y

(G.J.Phillips) G.J.Phillips, 2012
'Gold Convention' × 'Rampage'; sdlg no. I 25-4
Fl. 115mm wide; perianth segments 52mm long; corona 41mm long. Mid-season.
Etymology: Combination of the hybridizer's nursery name "Clandon" and the fact that this is an all-yellow daffodil

'Clandonation' 2 Y-Y

(G.J.Phillips, 1999) G.J.Phillips, 2012
'Gold Convention' × 'Impeccable'; sdlg no. F 11-4
Fl. 112mm wide; perianth segments 50mm long; corona 45mm long. Mid-season.
Etymology: Combines nursery name and bulbs donated to NDS Auction

'Classic Warpaint' 3 W-YRR

(Ian H.Dyson) Ian H.Dyson, 2012
'Langley Dandy' × 'Hawangi'; sdlg no. 0470
Fl. 95mm wide; perianth segments very broadly ovate in outline, rounded at apex, truncate and mucronate, spreading, concave, with margins a little incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, less prominently mucronate; corona bowl-shaped, smooth, mouth expanded, irregularly ribbed, heavily frilled and deeply six-lobed, with rim split and overlapping in places. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0117767)

'Clean Sweep' 3 W-WWY

(Nial Watson) Ringhaddy Daffodils, 2012
'Loch Alsh' × 'Port Noo'; sdlg no. 356
Fl. rounded, 110mm wide; perianth segments 43mm long, very broad, roundish, truncate, mucronate, white, slightly reflexed, plane or with margins a little incurved, smooth and of heavy substance,

overlapping half; the inner segments narrower, not noticeably mucronate; corona 13mm long, disc-shaped, ribbed, creamy white (4D), with a band of brilliant yellow 7B at rim, mouth expanded and frilled, with rim dentate and split and overlapping in places. Early to mid-season. Sweetly scented.
Nomenclatural Standard: colour print supplied by registrant (WSY0117768)

'Cobb & Co.' 2 Y-Y

(Ian H.Dyson) Ian H.Dyson, 2012
'Miss Primm' × 'Impeccable'; sdlg no. 0380
Fl. forming a double triangle, 95mm wide; perianth segments broadly ovate, blunt, truncate and slightly mucronate, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, not noticeably mucronate; corona funnel-shaped, smooth, mouth straight, broadly ribbed, wavy, with rim entire. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0117769)
Etymology: Named for an early settlement coach firm

'Cobber' 2 W-O

(M.G.Temple-Smith) M.G.Temple-Smith, 2012
Sdlg 31/85 ('Brano' × 'My Word') × 'Glaston'; sdlg no. 04-121
Fl. 103mm wide; perianth segments 45mm long, roundish, very broad, mucronate, white, spreading, slightly concave, with midrib showing, of heavy substance, overlapping one-third; corona 21mm long, disc-shaped, broadly ribbed, vivid orange 28B, mouth expanded, frilled and irregularly lobed, with rim dentate and notched. Mid-season. Sunproof.
Nomenclatural Standard: colour print supplied by registrant (WSY0117770)

'Color Room' 2 W-P

(John R.Reed) John R.Reed, 2012
'Cabaret' × 'Verran Rose'; sdlg no. 98-176-2
Etymology: Named for the salon belonging to the hybridizer's hairdresser

'Commencement' 4 Y-P

(R. & E.Havens) R. & E.Havens, 2012
'Ransom' × 'Convergence'; sdlg no. OH11
Fl. 85mm wide; perianth and other petaloid segments in two or more whorls, deep lemon yellow; the outer whorl 32mm long, roundish, prominently mucronate, spreading, concave, with margins incurling, smooth and of heavy substance, overlapping half or more; the inner segments narrower, oblong in outline; the inner whorls deeply inflexed and concave, with margins wavy; corona segments in two or more whorls, opening pure pink, becoming pastel pink; the outer whorl enclosing the inner petaloid and corona segments, smooth, heavily frilled, irregularly lobed, crenate; the inner whorls crumpled. Mid-season. Sunproof.
Nomenclatural Standard: colour print supplied by registrant (WSY0117771)

'Contralto' 2 W-P

(Brian S.Duncan, 2002) Brian S.Duncan, 2012
'Clouds Rest' × 'Soprano'; sdlg no. 2487
Fl. forming a double triangle, 112mm wide; perianth segments 45mm long, very broadly ovate, blunt, mucronate, pure white, spreading, plane to a little concave, smooth and of heavy substance, overlapping one-third to a half; the inner segments narrower, shouldered at base, more nearly plane; corona 20mm long, funnel-shaped, angled, cerise pink, mouth slightly expanded, narrowly and lightly ribbed, a little wavy, with rim crenate. Late. Sunproof.
Nomenclatural Standard: colour print supplied by registrant (WSY0117772)

'Conundrum' 2 Y-YOO

(Denise E.McQuarrie) Denise E.McQuarrie, 2012
'Carib Gipsy' × 'Sabre'; sdlg no. G9
Fl. rounded, 110mm wide; perianth segments 46mm long, very broadly ovate, blunt, mucronate, spreading, plane or with margins slightly incurved, smooth and of heavy substance, overlapping half; corona 42mm long, cylindrical, smooth, mouth flared and frilled, with rim crenate. Mid-season. Sunproof. The colour of the corona may vary, sometimes remaining deep yellow, rather than maturing to orange.
Etymology: Named for the colour, which changes and so proves a conundrum to register

'Coral Isle' 2 YYW-P

(Ian H.Dyson) Ian H.Dyson, 2012
'New Dawn' × 'Capree Elizabeth'; sdlg no. 0479
Perianth segments ovate, blunt, mucronate, a little reflexed, plane or with margins slightly incurved, smooth and of heavy substance, overlapping half; the inner segments narrower; corona funnel-shaped, smooth, mouth widely flared, lightly ribbed, frilled, with rim notched and crenate. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0117773)

'Cosine' 11a W-P

(Brian S.Duncan) Brian S.Duncan, 2012
'Trigonometry' × 'Diversity'; sdlg no. 3284
Fl. 105mm wide; perianth segments 40mm long, roundish, very broad, prominently mucronate, white, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments narrower, broadly ovate, blunt, slightly inflexed; corona segments 28mm long, each closely overlying a perianth segment, forming an outer and an inner whorl of three and of the same width, bi-lobed, with lobes overlapping, neatly ribbed, deep coral pink, margins a little wavy, separated. Mid-season. Sunproof.
Nomenclatural Standard: colour print supplied by registrant (WSY0117774)

'Creamer' 1 W-Y

(K.van der Veek) Narveco, 2012
Fl. 125mm wide, facing up; perianth segments 50mm long, broadly ovate, blunt, slightly mucronate, greenish white 157D, spreading, plane, or with

margins incurved, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 80mm long, funnel-shaped, narrowly ribbed, light greenish yellow 4C, mouth widely expanded, frilled and irregularly lobed, with rim flanged and entire. Mid-season. Sweetly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117775)

'Daddy Longlegs' 1 Y-Y

(Henry Hartmann, 1999) Henry Hartmann, 2012
'Saint Keverne' × 'Gold Convention'; sdlg no. 9909
Perianth segments very broadly ovate, blunt, mucronate, spreading to a little reflexed, with margins recurved, smooth and of heavy substance, overlapping; the inner segments narrower; corona funnel-shaped, ribbed, mouth flared and frilled, with rim entire. Tall. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0117776)
Etymology: Named for its long stem

'Dargo' 2 W-YYP

(Graeme Brumley, 1999) Graeme Brumley, 2012
'Carnlough' × 'Nexus'; sdlg no. 68
Fl. forming a double triangle, 80mm wide; perianth segments 30mm long, broadly ovate, blunt, mucronate, spreading, plane, with mid-rib showing, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate; corona 25mm long, funnel-shaped, smooth, mouth expanded, broadly ribbed and a little frilled. Mid-season

'D-Day' 6 Y-Y

(E.Lievens, 1990) Lievens Botanical Flowerbulbs, 2012
'Peeping Tom' × 'Peeping Tom'; sdlg no. 6-86-12
Fl. 110mm wide; perianth segments 44mm long, broadly ovate in outline, rounded to blunt at apex, mucronate, brilliant yellow 7A, strongly reflexed, convex and slightly twisted, with margins incurved, smooth and of heavy substance, overlapping a quarter; the inner segments a little narrower; corona 50mm long, cylindrical, smooth, brilliant yellow 12A, mouth expanded, wavy and irregularly lobed, with rim notched, crenate and widely flanged. Early. Strongly scented.
Nomenclatural Standard: colour print supplied by registrant (WSY0117777)

'Dinkum' 3 W-WWP

(G.J.Phillips) G.J.Phillips, 2012
'Fiddleedee' × 'Possum'; sdlg no. I 16-1
Fl. 90mm wide; perianth segments 39mm long; corona 12mm long. Mid-season

'Director's Cut' 2 Y-Y

(P.D.K.Ramsay) P.D.K.Ramsay, 2012
Sdlg 97:2 ('Midas Touch' × 'Director') × 'Chobe River'; sdlg no. 08:62
Fl. rounded, 110mm wide; perianth segments 44mm long, roundish, mucronate, spreading, plane or with margins incurving, smooth and of heavy substance,

overlapping one-third to a half; corona 40mm long, cup-shaped, smooth, mouth straight and even, with rim rolled and crenate. Mid-season

'Disc Eye' 9 W-GYR

(I.C.Dreaver, 1995) R.J.Abernethy, 2012

sdlg no. ID14

Fl. 65mm wide; perianth segments 28mm long, broad, slightly mucronate, spreading, plane, of heavy substance, overlapping half; the inner segments shouldered at base; corona 5mm long, disc-shaped, smooth, mouth even, with rim entire. Early to mid-season

'Division Belle' 4 Y-O

(Gordon Coombes) Gordon Coombes, 2012

'Blossom' [4 W-O] open pollinated; sdlg no. G24-03

Fl. 90mm wide; perianth and other petaloid segments in three or more whorls, mid-yellow, with white mucro; the outer whorl 39mm long, broadly ovate, blunt, spreading, concave, smooth and of heavy substance, overlapping half; the inner segments narrower; the middle whorl slightly inflexed, with margins incurled; the inner whorls successively shorter, strongly inflexed, deeply concave and folded inwards from midrib; corona segments yellow-orange, interspersed among all the whorls of petaloid segments and clustered at centre; the outer whorl 27mm long, smooth, broad and spreading; the inner whorls inflexed, lobed and frilled. Early. Sunproof. Strongly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117779)

'Dolcoath' 2 Y-R

(R.A.Scamp, 1996) R.A.Scamp, 2012

'Red Flame' × 'Loch Lundie'; sdlg no. 814

Fl. 94mm wide; perianth segments 40mm long, broadly ovate, blunt, slightly truncate, yellow, with white mucro, reflexed, with margins incurling, smooth and of heavy substance, overlapping one-third to a half; the inner segments narrower, shouldered at base, more nearly spreading; corona 18mm long, cup-shaped, angled, orange-red, mouth a little expanded, ribbed and frilled, with rim split and overlapping in places. Mid-season. Sun resistant. Nomenclatural Standard: colour print supplied by registrant (WSY0117780)

Etymology: Named for the Cornish district

'Dubai Sunset' 2 W-OOY

(R.J.Abernethy, 1991) R.J.Abernethy, 2012

'Vanity Fair' × ('Deodora' × ['Signal Light' × sdlg]); sdlg no. R.A.B./202

Fl. rounded, 105mm wide; perianth segments 43mm long, roundish, mucronate, white, spreading, plane, with midrib showing, of heavy substance, overlapping half or more; corona 19mm long, bright orange, with a band of apricot yellow at rim, mouth wavy and lobed. Mid-season to late

'Elda Gardiner' 2 Y-P

(David Karnstedt, 2001) Pam Enger, 2012

'Freedom Rings' × 'Memento'; sdlg no. K95-60-3

Fl. rounded; perianth segments ovate, blunt, spreading, plane, smooth and of heavy substance, overlapping half; corona cylindrical, smooth, mouth straight and even, with rim entire. Mid-season

'Elegant Queen' 2 W-Y

(Brian S.Duncan) Brian S.Duncan, 2012

'Fiona McKillop' × 'Queen's Guard'; sdlg no. 2967

Fl. forming a double triangle, 115mm wide; perianth segments 47mm long, broadly ovate, blunt, mucronate, pure white, spreading to a little reflexed, plane, smooth, overlapping one-third to a half; the inner segments narrower, shouldered at base; corona 40mm long, cylindrical, smooth, limey lemon yellow, mouth slightly expanded, narrowly ribbed, even, with rim rolled and entire. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0117781)

'Elizabeth May' 2 W-P

(M.E.Brogden, 1998) Brogden Bulbs, 2012

'Aimee Joy' × 'Dailmanach'; sdlg no. BB 3-04-2

Fl. forming a double triangle, 105mm wide; perianth segments 45mm long, very broad, rounded at apex, white, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 35mm long, bowl-shaped, ribbed, deep pink, mouth flared and lobed, with rim rolled and crenate. Mid-season. Sunproof

'El Luté' 1 YYW-WWY

(Colin Crotty) Colin Crotty, 2012

'Trumpet Warrior' × 'Lemon Snow'; sdlg no. 2-03

Fl. forming a double triangle, 110mm wide; perianth segments 44mm long, broadly ovate, blunt, bright lemon yellow, with a broad band of white at base and a pale mucro, spreading, plane to a little concave, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, less prominently mucronate, more nearly plane; corona 46mm long, cylindrical, smooth, white, with a narrow band of yellow at rim, mouth straight, broadly ribbed, wavy, with rim flanged and entire. Early. Strongly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117782)

Etymology: named after the Boney M song of the same name

'Emperor Concerto' 2 YYW-WWY

(R. & E.Havens) R. & E.Havens, 2012

'American Classic' × 'Rose Lake'; sdlg no. QH23/6

Fl. 100mm wide; perianth segments 39mm long, very broadly ovate in outline, rounded at apex, mucronate, deep creamy lemon yellow, with a band of white at base, spreading, concave, with margins incurled, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, more nearly plane; corona 38–39mm long, cylindrical, smooth, white, with a narrow band of yellow at rim, mouth straight, narrowly ribbed, wavy, with rim crenate. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0117783)

'Ettamogah' 2 YYW-WYY

(Ian H.Dyson, 2001) Ian H.Dyson, 2012

'Daydream' hybrid

Fl. forming a double triangle, 100mm wide; perianth segments broadly ovate, blunt, mucronate, yellow, spreading, plane, smooth, overlapping half; the inner segments narrower; corona funnel-shaped, smooth, orange-red, mouth straight and wavy, with rim crenate and narrowly flanged. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0117784)

'Everytime' 2 Y-Y

(G.J.Phillips, 1996) G.J.Phillips, 2012

'Danger' × 'Redlands Too'; sdlg no. B 21-3

Fl. 102mm wide; perianth segments 45mm long; corona 34mm long. Early.

Etymology: Named for its consistency; giving showable blooms everytime

'Firefighter' 3 Y-R

(Nial Watson, 2001) Ringhaddy Daffodils, 2012

'Jennie Tait' × 'Ulster Bank'; sdlg no. W383

Fl. forming a double triangle, 105mm wide; perianth segments 43mm long, very broadly ovate, blunt, vivid yellow 9B, with white mucro, spreading, plane or with margins a little incurved, smooth and of heavy substance, overlapping one-third to a half; the inner segments narrower, shouldered at base, less prominently mucronate; corona 14mm long, bowl-shaped, smooth, red (30C), mouth flared, wavy and shallowly lobed, with rim entire. Early to mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0117785)

Etymology: named for the Highland and Islands Fire and Rescue Service, South Lochs

'Firestick' 2 Y-R

(Ian H.Dyson) Ian H.Dyson, 2012

'Rheban Red' × 'Lennymore'; sdlg no. 0301

Perianth segments very broadly ovate, blunt, mucronate, spreading, concave, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona cup-shaped, smooth, mouth expanded, wavy and irregularly lobed, with rim flanged and crenate. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0117786)

'Fleeting Moment' 2 Y-YYO

(Gordon Coombes) Gordon Coombes, 2012

'Valley Glow' × 'Goldfinger'; sdlg no. G7-04

Fl. 93mm wide; perianth segments 38mm long, very broadly ovate, blunt, mucronate, mid-yellow, spreading, concave, smooth and of heavy substance, overlapping half or more; the inner segments slightly narrower, shouldered at base, less prominently mucronate; corona 20mm long, cup-shaped, smooth, mid-yellow, with a broad band of orange at rim, mouth straight and very slightly wavy, with rim

entire. Mid-season. Strongly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117787)

'Floral Guernsey' 2 W-R

(R.Beckwith, 2002) R.Beckwith, 2012

'Wychavon' × 'Royal Marine'; sdlg no. 1.8.1997

Fl. forming a double triangle, 90mm wide; perianth segments 39mm long, very broad, blunt, white, spreading, concave, with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 15mm long, cup-shaped, smooth, red (40B), mouth straight, ribbed and wavy, with rim flanged and crenate. Mid-season. Sunproof. Sweetly scented.

Etymology: Floral Guernsey is the promoting body for Guernsey-in-Bloom. 2012 is its 20-year anniversary. It is also the year in which Guernsey hosted the RHS Britain in Bloom Awards. The hybridizer, who is a Britain in Bloom judge, was asked for a daffodil to give this name to

'Forged Gold' 2 Y-Y

(Nial Watson) Ringhaddy Daffodils, 2012

'Gold Convention' × 'Goldfinger'; sdlg no. W150

Fl. forming a double triangle, 104mm wide; perianth segments 43mm long, roundish in outline, very broad, blunt at apex, vivid yellow 9A, with pale mucro, spreading, plane or with margins very slightly incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate; corona 36mm long, funnel-shaped, smooth, vivid yellow 12A, mouth narrowly flared and slightly wavy, with rim entire. Mid-season. Sweetly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117788)

'Forrester' 2 Y-O

(Ian H.Dyson) Ian H.Dyson, 2012

'Entente' × 'Hot Gossip'; sdlg no. 0363

Fl. forming a double triangle; perianth segments broad, oblong in outline, rounded at apex, mucronate, spreading, plane, with broad midrib showing, overlapping half or more; the inner segments narrower, shouldered at base, not noticeably mucronate, with margins a little wavy; corona cup-shaped, smooth, mouth expanded and wavy, with rim split and overlapping in places. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0117789)

'Frontier Glow' 2 Y-Y

(Graeme and Faith Miller) Graeme and Faith Miller, 2012

'Tauhoa' × 'Impeccable'; sdlg no. 04-126

Fl. rounded, 122mm wide; perianth segments 53mm long, very broadly ovate, blunt, light yellow 15D, spreading, concave, with margins incurved, smooth and of heavy substance, overlapping; the inner segments narrower; corona 46mm long, funnel-shaped, ribbed, orange-yellow (15B), mouth flared and frilled, with rim dentate. Mid-season

'Frontier Halo' 1 Y-WYY

(Graeme and Faith Miller) Graeme and Faith Miller, 2012

'Tauhoa' × 'Impeccable'; sdgl no. 04-108

Fl. rounded, 113mm wide, lemon yellow; perianth segments 43mm long, very broadly ovate, blunt, spreading, concave, with margins incurved, smooth and of heavy substance, overlapping; the inner segments narrower; corona 43mm long, funnel-shaped, angled, mouth flared and frilled, with rim rolled and dentate. Early

'Frostee Classic' 2 W-W

(Ian H. Dyson) Ian H. Dyson, 2012

'Florence Joy' × 'Kurrewa'; sdgl no. 0304

Fl. forming a double triangle, 90mm wide; perianth segments very broadly ovate, blunt, mucronate, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments narrower, scarcely mucronate; corona funnel-shaped, smooth, mouth narrowly flared, wavy, with rim notched. Early. Nomenclatural Standard: colour print supplied by registrant (WSY0117790)

'Frosty Lady' 1 W-W

(Colin Crotty) Colin Crotty, 2012

'Blanco Sol' × sdgl (1 W-W); sdgl no. 14-05

Fl. forming a double triangle, 125mm wide; perianth segments 52mm long, broadly ovate, blunt, mucronate, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 56mm long, cylindrical, smooth, slightly constricted near base, mouth expanded and even, with rim crenate. Mid-season. Strongly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0117791)

Etymology: named for its colour

'Garden Warbler' 2 YYW-W

(R. & E. Havens, 2002) R. & E. Havens, 2012

Parentage unknown; sdgl no. LH69

Fl. 80mm wide; perianth segments 31mm long, very broadly ovate in outline, rounded at apex, mucronate, bright lemon yellow, with a band of white at base, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, ovate, blunt, less prominently mucronate; corona 20mm long, cup-shaped, smooth, opening lemon yellow, becoming white, mouth straight and wavy, with rim crenate. Late.

Nomenclatural Standard: colour print supplied by registrant (WSY0117792)

'Georgie May' 2 W-WWP

(R.A. Scamp, 1989) R.A. Scamp, 2012

'Georgie Girl' × 'Raspberry Ring'; sdgl no. 328

Fl. forming a double triangle, 100mm wide; perianth segments 42mm long, very broadly ovate, blunt, prominently mucronate, white, spreading, plane or with margins incurving, smooth and of heavy substance, overlapping half; the inner segments

narrower, shouldered at base, less prominently mucronate; corona 24mm long, cup-shaped, smooth, white, with a broad band of bright pink at rim, mouth a little expanded, very lightly ribbed, frilled and irregularly six-lobed, with rim narrowly flanged and entire. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0117793)

'Gift Basket' 1 Y-Y

(Walter J.M. Blom, 2002) Walter J.M. Blom, 2012

'Little Beauty' × *N. cyclamineus*; sdgl no. 230-5

Fl. star-shaped, 50mm wide; perianth segments 20mm long, lanceolate in outline, acute at apex, vivid yellow 12A, spreading to slightly reflexed, plane, with margins a little wavy, smooth and of heavy substance, overlapping a quarter; corona 20mm long, cylindrical, ribbed, orange-yellow (14A), mouth flared and frilled, with rim notched. Dwarf. Early. Strongly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0117795)

'Godfather' 2 W-R

(John R. Reed) John R. Reed, 2012

'Ruby Red' × 'Super Hero'; sdgl no. 2000-169-1

Fl. facing up; perianth segments broad

'Gofor Gold' 4 Y-Y

(J.F. McLennan, 1992) J.F. McLennan, 2012

'Arctic Gold' × 'Fiji'; sdgl no. 92-90

Fl. 98mm wide; perianth and other petaloid segments 42mm long, oblong, mucronate, golden yellow, spreading, plane or with margins incurving, smooth and of heavy substance, overlapping one-third; corona segments 36mm long, in two or more whorls, deep golden yellow. Mid-season

'Golden Peak' 1 Y-Y

(Brian S. Duncan, 2002) Brian S. Duncan, 2012

'Tyrone Gold' × 'Impeccable'; sdgl no. 2703

Fl. forming a double triangle, 105mm wide, deep golden yellow; perianth segments 38mm long, broadly ovate, blunt, with white mucro, spreading, plane, smooth, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate, a little inflexed; corona 43mm long, cylindrical, smooth, mouth narrowly flared and slightly wavy, with rim entire. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0117796)

'Golden Silence' 7 Y-Y

(R. & E. Havens) R. & E. Havens, 2012

'Regeneration' open pollinated; sdgl no. MH041/1

Fls 3 per stem, 65mm wide, deep golden yellow; perianth segments 28mm long, oblong in outline, rounded at apex, mucronate, spreading, plane or with margins slightly incurved, smooth and of heavy substance, overlapping half; the inner segments slightly narrower, ovate, blunt; corona 15mm long, cup-shaped, smooth, mouth straight and wavy, with rim crenate. Late. Sweetly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117797)

'Gold Flash' 6 Y-Y

(Henry Hartmann) Henry Hartmann, 2012
'Rival' × 'Daddy Longlegs'; sdlg no. 1101
Fl. rounded, 86mm wide; perianth segments 35mm long, very broadly ovate, blunt, with white mucro, reflexed, convex, with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 36mm long, cylindrical, smooth, mouth straight, ribbed and frilled, with rim flanged and entire. Tall. Very early.

Nomenclatural Standard: colour print supplied by registrant (WSY0117798)

Etymology: Named for its colour and shape

'Grand Choice' 2 W-WWP

(B.S.Duncan) F.Charlton, 2012

'High Society' × 'China Doll'; sdlg no. 2994

Fl. forming a double triangle, 120mm wide; perianth segments 47mm long, broadly ovate, blunt, white, spreading, plane to a little concave, with margins incurved, smooth, overlapping half; the inner segments narrower, shouldered at base, more nearly plane; corona 29mm long, funnel-shaped, smooth, white, with a broad band of pink at rim, mouth straight, lightly ribbed and wavy, with rim crenate. Mid-season to late.

Nomenclatural Standard: colour print supplied by registrant (WSY0117799)

'Great Joy' 2 W-P

(John R.Reed) John R.Reed, 2012

'Pink Silk' × 'Magician'; sdlg no. 96-3-1

Perianth segments white; corona deep reddish pink.

Etymology: Named for Joy Haeffner, a great friend of Oakwood

'Gwendoline Rae' 3 W-GYR

(R.A.Scamp, 1988) R.A.Scamp, 2011

'Corofin' × 'Crenver'; sdlg no. 252

Fl. rounded, 82mm wide; perianth segments 35mm long, roundish, spreading, with margins incurving, smooth and of heavy substance, overlapping half; corona 8mm long, disc-shaped, ribbed, mouth wavy, with rim dentate. Mid-season. Sweetly scented

'Gwenllian' 3 W-GYY

(R.A.Scamp, 1991) R.A.Scamp, 2011

'Woodland Star' × 'Lady Serena'; sdlg no. 649

Fl. 85mm wide; perianth segments 37mm long, very broad, roundish, prominently mucronate, spreading, plane to slightly concave, smooth and of heavy substance, overlapping half; the inner segments broadly ovate, blunt, less prominently mucronate; corona 8mm long, disc-shaped, regularly ribbed, mouth a little expanded and wavy, with rim split and overlapping in places. Tall. Very late. Strongly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0117800)

Etymology: named at the request of The Princess Gwenllian Society

'Hannah Jesse' 7 Y-O

(R.A.Scamp, 1996) R.A.Scamp, 2012

'Pipe Major' × *N. jonquilla*

Fls 2–3 per stem, forming a double triangle, 82mm wide, facing upwards; perianth segments 35mm long, ovate, blunt, clear yellow, with slight white mucro, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, acute, slightly twisted; corona 15mm long, bowl-shaped, narrowly ribbed, yellow-orange, mouth expanded, a little wavy and three-lobed, with rim crenate. Tall. Late. Sun resistant. Strongly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117802)

'Happy Retreat' 2 W-P

(John R.Reed) John R.Reed, 2012

'Melody Lane' × 'Dailmanach'; sdlg no. 81-1-2

Fl. facing up; perianth segments white; corona pure pink.

Etymology: Named for the home of Charles Washington, George Washington's youngest brother

'Heaven Eleven' 11a W-W

(Gordon Coombes) Gordon Coombes, 2012

'Pearl Drift' open pollinated; sdlg no. G12-05

Fl. forming a double triangle, 87mm wide; perianth segments 33mm long, broadly ovate, blunt, mucronate, white, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 16mm long, split to base, the six segments each closely overlying a perianth segment, forming an inner and an outer whorl of three, of the same width as the perianth segments, shallowly lobed, very smooth, even, opening creamy white, becoming white. Mid-season. Strongly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117803)

'Hey You' 2 Y-YOO

(Gordon Coombes) Gordon Coombes, 2012

'Valley Glow' × 'Goldfinger'; sdlg no. G10-03

Fl. 120mm wide; perianth segments 50mm long, very broadly ovate, blunt, mucronate, spreading to a little reflexed, plane, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, less prominently mucronate; corona 35mm long, funnel-shaped, smooth, mouth straight and wavy, with rim narrowly flanged. Early. Sunproof. Strongly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117804)

'Hokey Pokey' 1 Y-Y

(David Adams) David Adams, 2012

('Temple Gold' × 'Valley Gold') × 'Misquote'; sdlg no. 97/09A

Fl. forming a double triangle, 100mm wide, golden yellow; perianth segments 38mm long, very broadly ovate in outline, rounded at apex, spreading, plane or with margins slightly incurved, smooth and of heavy

substance, overlapping half; corona 40mm long, cylindrical, smooth, mouth flared, ribbed and frilled, with rim dentate. Mid-season

‘Hopscotch’ 8 W-Y

(Wilfred Hall, 1999) Wilfred Hall, 2012
‘Grand Monarque’ × ‘Naenae’; sdlg no. GMX-40
Fls 9–12 per stem, 42mm wide; perianth segments 16mm long, ovate, acute, prominently mucronate, white, spreading, plane or with margins a little incurved, smooth and of heavy substance, overlapping half; the inner segments slightly narrower, less prominently mucronate; corona 6mm long, opening cup-shaped, becoming disc-shaped, smooth, brilliant greenish yellow 3B, mouth straight, even and very lightly lobed, with rim entire. Early. Mildly scented.
Nomenclatural Standard: colour print supplied by registrant (WSY0117805)

‘Hot Seat’ 2 O-O

(Colin Crotty) Colin Crotty, 2012
‘Valley Glow’ × ‘Fever Pitch’; sdlg no. 13-04
Fl. rounded, 105mm wide; perianth segments 44mm long, roundish, mucronate, yellow, heavily flushed with orange, slightly reflexed, plane or with margins incurved, smooth and of membranaceous substance, overlapping half or more; the inner segments narrower; corona 20mm long, cup-shaped, smooth, bright orange, mouth flared, ribbed and wavy, with rim dentate. Mid-season. Strongly scented.
Etymology: named for its colour

‘Ice Cascade’ 2 W-W

(Ian H.Dyson, 2002) Ian H.Dyson, 2012
‘Buttermere Lake’ × Radcliffe sdlg (W-O); sdlg no. 0325
Fl. 95mm wide; perianth segments very broadly ovate, rounded, prominently mucronate, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments narrower, not noticeably mucronate; corona cylindrical, smooth, mouth straight, narrowly ribbed, wavy, with rim crenate. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0117806)

‘Iced Tea’ 2 W-P

(John R.Reed) John R.Reed, 2012
‘Valinor’ × ‘Verran Rose’; sdlg no. 95-19-1
Perianth segments white; corona the colour of iced tea, almost honey brown.
Etymology: Named for the colour of the corona

‘Ice Gem’ 6 W-W

(Colin Crotty, 1991) Colin Crotty, 2012
‘Mitzu’ × *N. cyclamineus*; sdlg no. 97-91
Fl. star-shaped, 63mm wide, facing down, opening pale primrose yellow, becoming pure white; perianth segments 27mm long, lanceolate in outline, acute at apex, strongly reflexed, convex, with margins recurved, smooth and of heavy substance, separated; corona 25mm long, cylindrical, smooth, mouth

straight and lightly frilled, with rim broadly flanged and minutely dentate. Dwarf. Very early. Sweetly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117807)

Etymology: named for its colour at maturity

‘Ihakara Gem’ 8 W-Y

(Wilfred Hall, 1999) Wilfred Hall, 2012
‘Grand Monarque’ hybrid; sdlg no. GMX-41
Fls 10–15 per stem, 37mm wide; perianth segments 15mm long, broadly ovate, blunt, mucronate, yellowish white 158C, spreading, becoming reflexed, plane to a little concave, with margins incurving, smooth, but sometimes with midrib showing and with a little creasing, of heavy substance, overlapping half; the inner segments narrower, spatulate, less prominently mucronate; corona 5mm long, cup-shaped, angled, vivid yellow 14A, mouth straight, even to slightly wavy, with rim entire or with some light notching. Early to mid-season. Sweetly scented.
Nomenclatural Standard: colour print supplied by registrant (WSY0117808)

‘Intelligence’ 1 W-Y

(R. & E.Havens) R. & E.Havens, 2012
Sdlg TEH50/2 (‘Jetfire’ × ‘At Dawning’) × sdlg VH9 (‘Glenfarclas’ × [‘Rima’ × ‘Graduation’]); sdlg no. MH51/1
Fl. 105mm wide; perianth segments 43mm long, broadly ovate, blunt, prominently mucronate, milk white, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 43mm long, cylindrical, smooth, lemon yellow, tinted orange soon after opening, mouth straight, deeply ribbed, frilled, with rim entire. Early.
Nomenclatural Standard: colour print supplied by registrant (WSY0117809)

‘Izzy’s Dream Weaver’ 9 W-GYR

(I.C.Dreaver, 1995) R.J.Abernethy, 2012
sdlg no. ID9
Fl. rounded, 66mm wide, facing up; perianth segments 28mm long, very broad, truncate and mucronate, spreading, plane or with margins slightly incurved, smooth and of heavy substance, overlapping half; corona 5mm long, disc-shaped, mouth even, with rim entire. Mid-season to late. Strongly and sweetly scented

‘Izzy’s Pride’ 9 W-GYR

(I.C.Dreaver, 1994) R.J.Abernethy, 2012
sdlg no. ID13
Fl. 68mm wide; perianth segments 29mm long, ovate, blunt, white, spreading, plane, smooth and of heavy substance, overlapping one-third to a half; the inner segments narrower; corona 4mm long, disc-shaped, ribbed, bright yellow, with green at base and a narrow band of red at rim, mouth even, with rim crenate. Early to mid-season

'James Wright' 9 W-GYO

(Daniel Bellinger) Daniel Bellinger, 2012

'Torr Head' × ('Proxy' × *N. poeticus* var. *hellenicus*);
sdlg no. 00.55.4

Fl. 72mm wide; perianth segments 27mm long, broad, oblong in outline, rounded at apex, prominently mucronate, yellowish white 155D, slightly reflexed, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, broadly ovate, truncate, not noticeably mucronate; corona 2mm long, bowl-shaped, broadly ribbed, brilliant yellow 7B, with strong yellow-green 143B at base and a very narrow band of orange (28A) at rim, mouth straight and lightly frilled, with rim crenate. Very late. Sunproof. Sweetly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117810)

Etymology: Named for the Ohio poet, whose works include *The Branch Will Not Break*

'Kapiti Talisman' 8 Y-O

(J.F.McLennan, 1992) J.F.McLennan, 2012

'Kazan' × 'Soleil d'Or' sdlg open pollinated; sdlg no. 92-44

Fls 1–5 per stem, 55mm wide; perianth segments 21mm long, broadly ovate, blunt, mucronate, soft yellow, a little inflexed, with margins incurved, smooth, overlapping half; the inner segments narrower, less prominently mucronate; corona 12mm long, cup-shaped, lightly ribbed, mid-orange, mouth expanded and frilled, with rim notched and crenate. Early to mid-season. Sunproof. Strongly scented

'Kate' 1 W-W

(Kate Reade) Ringhaddy Daffodils, 2012

'Kibitzer' open pollinated

Fl. star-shaped, 40mm wide; perianth segments 11mm long, broad, lanceolate, acute, mucronate, white, a little reflexed, plane, smooth and of heavy substance, overlapping at base only; the inner segments slightly twisted; corona 13mm long, cylindrical, smooth, white, sometimes with a band of pale yellow at rim, mouth straight, broadly and lightly ribbed, a little wavy, with rim flanged and minutely dentate. Dwarf. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0117812)

Etymology: named for the hybridizer

'Katea Charm' 9 W-GYR

(I.C.Dreaver, 1994) R.J.Abernethy, 2012

sdlg no. ID3

Fl. 68mm wide; perianth segments 28mm long, very broadly ovate, mucronate, white, spreading, with margins incurved, smooth and of heavy substance, overlapping half; corona 5mm long, disc-shaped, smooth, yellow, with green at base and a very narrow rim of red at rim, mouth even, with rim crenate. Early to mid-season

'Kathleen Clark' 2 W-P

(D.C.MacArthur) D.C.MacArthur, 2012

'Pismo Beach' open pollinated; sdlg no. ED6603

Fl. forming a double triangle, 92mm wide; perianth segments 38mm long, broadly ovate, blunt, mucronate, yellowish white 155A, spreading, concave, with margins incurved, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate, more nearly plane; corona 23mm long, funnel-shaped, regularly ribbed, pale yellowish pink (24D), mouth a little expanded, wavy and slightly lobed, with rim flanged and crenate. Mid-season. Sweetly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117655)

'Kathrin Louise' 2 W-WWP

(P.D.K.Ramsay) P.D.K.Ramsay, 2012

'Waihaia' × 'Pink Spice'; sdlg no. 10:30

Fl. rounded, 112mm wide; perianth segments 39mm long, roundish, spreading, plane or with margins incurving, smooth and of heavy substance, overlapping one-third; corona 31mm long, cylindrical, smooth, mouth straight and even, with rim rolled and crenate. Early. Sunproof.

Etymology: Named for a close friend of the hybridizer's wife

'Katie Miller' 2 W-P

(Ken Bowser) Roger Braithwaite, 2012

Fl. 108mm wide; perianth segments very broadly ovate, blunt, spreading, plane, smooth, overlapping one-third; the inner segments significantly narrower; corona funnel-shaped, smooth, mouth slightly expanded, narrowly ribbed, wavy, with rim crenate. Late. Sunproof

'Kevin Heinze' 1 Y-O

(Ian H.Dyson, 2002) Ian H.Dyson, 2012

'Glen Clova' × 'Hero'; sdlg no. 0319

Fl. 105mm wide; perianth segments very broadly ovate, blunt, mucronate, spreading, a little concave, creased, of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona bowl-shaped, smooth, mouth flared and irregularly lobed, with rim rolled and split and overlapping in places. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0117813)

'Kim Joanne' 1 YYW-WWY

(Ian H.Dyson) Ian H.Dyson, 2012

'Rampage' × 'Daydream'; sdlg no. 0318

Fl. forming a double triangle; perianth segments broadly ovate, blunt, mucronate, yellow, with white at base, spreading, plane to a little concave, smooth, overlapping half or more; the inner segments narrower; corona funnel-shaped, smooth, white, with a band of pale yellow at rim, mouth flared and lightly frilled, with rim notched and crenate. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0117814)

Etymology: Named for the hybridizer's daughter

'Kiwi Rebel' 2 Y-YYR

(P.D.K.Ramsay) P.D.K.Ramsay, 2012

'Cameo Rebel' × 'Kinsman'; sdlg no. 06:101

Fl. rounded, 110mm wide; perianth segments 45mm long, very broadly ovate, mucronate, spreading, plane, smooth and of heavy substance, overlapping; corona 39mm long, bowl-shaped, smooth, mouth flared and wavy, with rim rolled and dentate. Mid-season.

Etymology: Name derived from seed parent

'Lady Patricia' 4 Y-Y

(Pat Sully) Pat Sully, 2012

Perianth and other petaloid segments in several whorls; the outer whorls broad, lanceolate, acute, greenish yellow, with white mucro, a little inflexed, concave, smooth, overlapping at base only; the inner whorls becoming successively shorter, more inflexed and more deeply concave; corona segments interspersed amongst the petaloid segments, broad and bi-lobed, with margins wavy. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0117815)

'Landslide' 4 W-O

(J.F.McLennan, 1995) J.F.McLennan, 2012

'Blossom' [4 W-O] × sdlg 86 D ('Landmark' × 'Beckington'); sdlg no. 95-11

Fl. 112mm wide; perianth and other petaloid segments in 4 or more whorls, white; the outer whorls 46mm long, ovate, blunt, slightly inflexed, plane, smooth, overlapping one-third to a half; the inner whorls becoming successively shorter, more inflexed and wavy at margins; corona segments 25mm long, interspersed amongst the inner whorls of the petaloid segments and clustered at centre, soft orange, with yellow-pink tones, broad, frilled to a little crumpled. Early to mid-season. Sunproof

'Lemon Cocktail' 1 YYW-WWY

(Nial Watson, 2001) Ringhaddy Daffodils, 2012

'Daydream' × 'Goldfinger'; sdlg no. 183

Fl. forming a double triangle, 98mm wide; perianth segments 40mm long, very broadly ovate, blunt, light greenish yellow 5C, with a band of white at base and with a prominent white mucro, spreading, plane, smooth and of heavy substance, overlapping one-third to a half; the inner segments narrower, shouldered at base, with midrib showing; corona 46mm long, cylindrical, smooth, white, with a band of very pale greenish yellow at rim, mouth flared, lightly ribbed and frilled, with rim crenate. Early to mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0117817)

'Lemon Smoothie' 2 Y-Y

(Graeme and Faith Miller) Graeme and Faith Miller, 2012

'Tauhoa' × 'Impeccable'; sdlg no. 04-030

Fl. rounded, 105mm wide, lemon yellow; perianth segments 40mm long, very broadly ovate, blunt, spreading, concave, with margins incurved, smooth and of heavy substance, overlapping; the inner segments narrower; corona 38mm long, funnel-shaped, angled, mouth flared and frilled, with rim dentate. Early

'Lesley's Pickup' 1 Y-Y

(P.D.K.Ramsay) P.D.K.Ramsay, 2012

'Sargeant's Caye' × 'Ombersley'

Fl. rounded, 109mm wide; perianth segments 42mm long, ovate, blunt, plane or with margins incurled, smooth and of heavy substance, overlapping one-third; corona 45mm long, funnel-shaped, smooth, mouth flared and wavy, with rim crenate. Early.

Etymology: The bulblet was picked up by Lesley, the hybridizer's wife

'Lezant' 3 Y-YYR

(R.A.Scamp, 1989) R.A.Scamp, 2012

'Aircastle' × 'Montego'; sdlg no. 327

Fl. 95mm wide; perianth segments 40mm long, broadly ovate, blunt, slightly mucronate, spreading, concave, with margins incurving, smooth and of membranaceous substance, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate; corona 10mm long, cup-shaped, angled, mouth expanded, ribbed, lightly frilled and irregularly lobed, with rim dentate. Mid-season. Slightly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117818)

Etymology: Cornish place name

'Lima's Green Grace' 8 G-G

(Manuel Lima) H.Koopowitz, 2012

'Avalanche' × *N. viridiflorus*

Fls 9 per stem, star-shaped, 40mm wide, some facing upwards and some at right angles to the stem; perianth segments 18mm long, oblong to ovate in outline, acute to blunt at apex, pale lime (145D), spreading, plane or with margins slightly incurving, smooth and of heavy substance, separated; the inner segments narrower; corona 3mm long, bowl-shaped, slightly ribbed, a deeper tone than the perianth segments (145A), paler at rim, mouth expanded and even, with rim entire. Dwarf. Autumn-flowering. Strongly scented.

Etymology: Named for the hybridizer and the colour of the flower

'Lima's Green Road' 12 G-G

(Manuel Lima) H.Koopowitz, 2012

'El Camino' × *N. viridiflorus*

Fls 2 per stem, 67mm wide, star-shaped, facing down; perianth segments 33mm long, lanceolate in outline, blunt at apex, yellow-green (151B), spreading, plane or with margins incurving, smooth and of membranaceous substance, separated; the inner segments narrower; corona 7mm long, cylindrical, ribbed, yellow-green (151A), mouth straight and wavy, with rim notched. Dwarf. Autumn-flowering. Strongly scented.

Etymology: Named for its parents

'Lincolnshire Lady' 3 W-W

(R.A.Scamp, 1988) Lincolnshire Daffodil Society, 2012

'Cool Crystal' × 'Delos'; sdlg no. 263

Fl. rounded, 110mm wide; perianth segments 45mm long, very broad, roundish, slightly mucronate,

spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments a little narrower, shouldered at base; corona 15mm long, bowl-shaped, angled, mouth expanded, irregularly ribbed, frilled, with rim entire. Mid-season to late.

Nomenclatural Standard: colour print supplied by hybridizer (WSY0117819)

Etymology: Named by the Lincolnshire Daffodil Society for Lady Sally Bruce-Gardyne

'Little Warrior' 1 YYW-WWY

(Denise E. McQuarrie) Denise E. McQuarrie, 2012
'Trumpet Warrior' × 'Lighthouse Reef'; sdlg no. J58
Fl. 78mm wide; perianth segments 33mm long, ovate, blunt, mucronate, spreading, plane, smooth and of heavy substance, overlapping half; corona 34mm long, cylindrical, smooth, mouth straight, wavy and lobed, with rim crenate, notched and slightly rolled. Mid-season

'Lost and Found' 2 Y-YYO

(W.G. Pannill) David Burdick, 2012
'Balalaika' × 'Ringmaster' × 'Circlet'; sdlg no. X407
Fl. 76mm wide; perianth segments 30mm long, broadly ovate, blunt, slightly truncate, mucronate, soft primrose yellow, spreading, plane, smooth, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate; corona 12mm long, bowl-shaped, smooth, deep yellow, with a broad band of deep orange at rim, mouth expanded, very lightly ribbed, wavy and irregularly lobed, with rim crenate. Mid-season to late.
Nomenclatural Standard: colour print supplied by registrant (WSY0117820)

'Loyal Knight' 2 Y-YOR

(M.E. Brogden, 1998) Brogden Bulbs, 2012
'Redlands Too' × ('Kiwi Moon' × 'Some Day'); sdlg no. BB 3-06-2
Fl. forming a double triangle, 110mm wide; perianth segments 47mm long, very broad, rounded at apex, spreading, plane, smooth, overlapping half; the inner segments narrower, shouldered at base; corona 25mm long, cup-shaped, angled, mouth expanded and even, with rim rolled and crenate. Early to mid-season

'Loyal Oscar' 1 Y-Y

(Denise E. McQuarrie) Denise E. McQuarrie, 2012
'Golden Realm' × 'Ristin'; sdlg no. J63
Fl. forming a double triangle, 112mm wide; perianth segments 48mm long, broadly ovate, blunt, yellow, with pale mucro, spreading, plane or with margins slightly incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, more nearly plane; corona 49mm long, cylindrical, smooth, yellow, mouth flared, wavy and lobed, with rim notched and narrowly rolled. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0117821)

'Lucie Nottingham' 4 W-Y

(R.A. Scamp, 1996) R.A. Scamp, 2012
'Rainbow' × ('Gay Time' × 'Tiber'); sdlg no. 713
Fl. 95mm wide; perianth and other petaloid segments forming three or more whorls; outer whorl 35mm long, broadly ovate, blunt, very slightly mucronate, spreading, plane, smooth and of heavy substance, overlapping half; the inner whorls becoming successively more concave and deeply inflexed; the innermost whorl folded deeply inwards from midrib; corona segments 16mm long, interspersed amongst the inner whorls of petaloid segments and clustered at centre, inflexed, a little creased, with margins wavy. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0117822)

Etymology: Named at the request of friends and family of Lucie Nottingham, to celebrate her 70th birthday and to recognise her lifetime of good works for numerous charities and other organisations

'Lucky Dice' 4 Y-Y

(J.F. McLennan) J.F. McLennan, 2012
'Last Dice' hybrid
Fl. rounded, 118mm wide; perianth and other petaloid segments in 3 or more whorls, mid-yellow; the outer whorls 49mm long, broad, roundish, mucronate, spreading, with margins incurved, smooth and of membranaceous substance, overlapping half or more; the inner whorls a little inflexed and concave, becoming folded inwards at midrib; corona segments 30mm long, interspersed amongst the inner whorls of the petaloid segments and of a deeper tone, becoming shorter, narrower and more strongly inflexed, with margins wavy. Late

'Lunar Probe' 4 Y-YOO

(J.F. McLennan, 1993) J.F. McLennan, 2012
'Kazan' × 'Golden Orbit'; sdlg no. 93-33
Fl. rounded, 102mm wide; perianth and other petaloid segments 42mm long, ovate to roundish, mid-yellow, spreading, plane or with margins incurving, smooth and of heavy substance, overlapping one-third to a half; the inner whorls more strongly inflexed; corona segments 35mm long, in two or more whorls, opening deep yellow, becoming orange. Early. Sunproof

'Maelstrom' 4 W-P

(Denise E. McQuarrie) Denise E. McQuarrie, 2012
'Recital' × 'Bouquet'; sdlg no. E6
Fl. rounded, 115mm wide; perianth and other petaloid segments white, in several whorls; outer whorls 45mm long, roundish, mucronate, spreading, plane or with margins slightly incurved, smooth and of heavy substance; the inner whorls narrower, inflexed and folded inwards from midrib; corona segments 38mm long, interspersed amongst the petaloid segments, smooth, frilled and notched, opening yellow, becoming deep pink. Mid-season. Sunproof.
Etymology: Named for its appearance

'Mary Caroline' 7 Y-Y

(T.E.Snazelle) T.E.Snazelle, 2012

'Golden Aura' × *N. willkommii*; sdlg no. 99/1/1
 Fls 2–3 per stem, forming a double triangle, 41mm wide; perianth segments 17mm long, ovate, acute, with white mucro, spreading, concave, with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, less prominently mucronate, more nearly plane; corona 14mm long, cup-shaped, angled, mouth straight and slightly wavy, with rim entire. Dwarf. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0117823)
 Etymology: Named for the hybridizer's granddaughter

'Mary Moore' 2 Y-R

(R.A.Scamp, 1989) R.A.Scamp, 2012

'Polbathic' × 'Loch Lundie'; sdlg no. 322
 Fl. forming a double triangle, 90mm wide; perianth segments 40mm long, ovate, blunt, mucronate, spreading, plane, or with margins a little incurved, smooth and of heavy substance, overlapping one-third to a half; the inner segments narrower; corona 16mm long, cup-shaped, smooth, mouth flared, wavy and irregularly lobed, with rim entire. Mid-season. Sun resistant.
 Nomenclatural Standard: colour print supplied by registrant (WSY0117824)

'Matangi Gem' 1 Y-Y

(P.D.K.Ramsay) P.D.K.Ramsay, 2012

Varies between Divs 1 & 2

'Impeccable' × 'Cameo Gem'; sdlg no. 09:8
 Fl. forming a double triangle, 104mm wide, facing up; perianth segments roundish, truncate, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half or more; corona cup-shaped, smooth, mouth straight and wavy, with rim flanged and crenate. Mid-season

'Matangi Gold' 2 Y-Y

(P.D.K.Ramsay) P.D.K.Ramsay, 2012

'Gold Duet' × 'Jim's Gold'; sdlg no. 08:78

Fl. 110mm wide; perianth segments 36mm long, rounded and truncate, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping a quarter; the inner segments narrower; corona 33mm long, cup-shaped, smooth, mouth flared and even, with rim dentate. Tall. Very early.
 Etymology: The hybridizer lives at Matangi and both parents include gold in their names

'Matangi Sun' 2 Y-Y

(P.D.K.Ramsay) P.D.K.Ramsay, 2012

Sdlg 97:3 ('Midas Touch' × 'Director') × 'Chobe River'; sdlg no. 08:63

Fl. forming a double triangle, 109mm wide; perianth segments 40mm long, roundish, mucronate, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 33mm long, cup-shaped, smooth, mouth straight and wavy, with rim rolled and crenate. Mid-season

'Memorial Day' 2 W-P

(John R.Reed) John R.Reed, 2012

'Everpink' × 'Kerstin'; sdlg no. 90-75-3

Etymology: Named to honour those people who dig bulbs for their daffodil clubs at Oakwood on Memorial Day weekend

'Mesmerizing' 2 Y-P

(John R.Reed) John R.Reed, 2012

'Excimeter' × 'Patawatomi'; sdlg no. 2003-116-1

Fl. facing up; perianth segments brilliant clear yellow; corona rose red-pink

'Mighty Mite' 1 YYG-Y

(John R.Reed) John R.Reed, 2012

'Celtic Gold' × 'Dream Prince'; sdlg no. 93-1-1

'Miss Diddles' 7 Y-YYO

(R.A.Scamp, 1996) R.A.Scamp, 2012

'Montego' × *N. jonquilla* var. *henriquesii*; sdlg no. 657
 Fls 1–3 per stem, 70mm wide; perianth segments 29mm long, oblong in outline, rounded at apex, with prominent pale mucro, reflexed, plane or with margins incurved, smooth and of heavy substance, overlapping one-third to a half; the inner segments narrower, more nearly ovate; corona 9mm long, disc-shaped, broadly ribbed, mouth expanded, wavy and three-lobed, with rim entire. Mid-season. Sweetly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0117826)

Etymology: Named for an elderly lady, who loved flowers

'Miss Olivia' 2 W-W

(Glenbrook Bulb Farm) Richard & Ida Perrignon, 2011

Previously listed as unregistered

'Heralding' × 'Chaos'

Fl. forming a double triangle, 91mm wide; perianth segments 38mm long, ovate, blunt, slightly mucronate, pure white, spreading to a little inflexed, plane, with midrib showing, of heavy substance, overlapping a quarter to one-third; the inner segments narrower, acute at apex; corona 33mm long, cylindrical, lightly and broadly ribbed, creamy white, becoming white, mouth narrowly flared and neatly frilled, with rim minutely crenate. Very early. Nomenclatural Standard: colour print supplied by registrant (WSY0117827)

Etymology: named by the hybridizer after Olivia Perrignon, the 3-year-old daughter of his friends Richard & Ida Perrignon, after Olivia's survival from a long and potentially fatal illness

'Molly Ann' 3 W-Y

(L.F.Manser, 2000) L.F.Manser, 2012

'Easter Moon' open pollinated; sdlg no. 94419

Fl. 98mm wide; perianth segments 40mm long, roundish, very broad, mucronate, spreading, plane to a little concave, with midrib showing, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate; corona 11mm long, cup-shaped, ribbed, mouth expanded and frilled.

Mid-season. Sweetly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117829)

'Mr Sweet' 2 Y-Y

(R.A.Scamp, 1991) R.A.Scamp, 2011

'Ristin' × *N. cyclamineus*; sdlg no. 537

Fl. forming a double triangle, 70mm wide; perianth segments 32mm long, ovate, acute, mucronate, spreading, with margins incurved and a little wavy, creased, of membranaceous substance, overlapping a quarter; the inner segments slightly narrower, shouldered at base; corona 23mm long, funnel-shaped, angled, mouth expanded, ribbed and heavily frilled, with rim flanged and entire. Dwarf. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0117830)

Etymology: named for a popular teacher (retired) at Trenode School, Cornwall

'Myear' 3 W-GOO

(Chris Yates, 1995) Chris Yates, 2012

'Purbeck' × 'Doctor Hugh'; sdlg no. 12-90

Fl. 105mm wide; perianth segments 47mm long, white, very broadly ovate in outline, rounded at apex, slightly mucronate, spreading, plane or with margins very slightly incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, spatulate, truncate, not noticeably mucronate; corona 10mm long, bowl-shaped, angled, strong orange 25A, with green at base, mouth a little expanded, deeply ribbed, wavy, with rim flanged and crenate. Late mid-season. Moderately scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117832)

'My Honey' 2 W-WYY

(P.D.K.Ramsay) P.D.K.Ramsay, 2012

'Cameo Legacy' × 'Honeybourne'; sdlg no. 04:39

Fl. forming a double triangle, 108mm wide, facing up; perianth segments 42mm long, very broad, mucronate, spreading, concave, with margins incurved, smooth and of heavy substance, overlapping; the inner segments shouldered at base, more strongly inflexed; corona 37mm long, cup-shaped, smooth, mouth flared and frilled, with rim rolled and dentate. Tall. Mid-season.

Etymology: Bred from 'Honeybourne'

'Napoleon Complex' 1 YYW-P

(W.G.Pannill) David Burdick, 2012

Sdlg (Y-P) × 'High Society'; sdlg no. 89/186

Fl. 80mm wide, facing slightly upwards; perianth segments 32mm long, oblong in outline, rounded at apex, pale lemon yellow, with prominent white mucro and with a distinct band of white at base, slightly reflexed, plane, smooth, overlapping half; the inner segments ovate in outline and blunt at apex; corona 32mm long, funnel-shaped, smooth, pale peach-pink, mouth a little expanded, lightly frilled and irregularly lobed, with rim flanged and crenate. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0117833)

'Narracan' 1 Y-Y

(Graeme Brumley) Graeme Brumley, 2012

'Ricom' open pollinated; sdlg no. 253

Fl. forming a double triangle, 105mm wide; perianth segments 42mm long, broadly ovate, blunt, mucronate, spreading, a little concave, with margins slightly incurved, smooth, overlapping half; the inner segments narrower, shouldered at base; corona 45mm long, cylindrical, smooth, mouth straight and wavy, with rim entire. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0117835)

'Nexttime' 2 Y-Y

(G.J.Phillips) G.J.Phillips, 2012

'Gold Convention' × 'Rampage'; sdlg no. I 25-2

Fl. 112mm wide; perianth segments 50mm long; corona 49mm long. Mid-season.

Etymology: Not quite a premier bloom, maybe next time

'Nirree' 2 W-WWP

(M.G.Temple-Smith, 2001) M.G.Temple-Smith, 2012

Sdlg 26/86 (38/80 × 'Foundling') × 'Kerstin'; sdlg no. 01-62

Fl. forming a double triangle, 70mm wide; perianth segments 29mm long, very broadly ovate, blunt, mucronate, white, spreading, concave, with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 13mm long, bowl-shaped, regularly ribbed, white, with a broad band of strong yellowish pink 43D at rim, mouth expanded and lightly frilled, with rim crenate. Dwarf. Early to mid-season. Sunproof.

Nomenclatural Standard: colour print supplied by registrant (WSY0117836)

'Northern Dawn' 3 W-YYR

(Clive Postles) Roger Braithwaite, 2012

sdlg no. CPS 329

Fl. 110mm wide; perianth segments broadly ovate, blunt, mucronate, spreading, with margins incurved, smooth; corona disc-shaped, lightly ribbed, mouth a little expanded, wavy and irregularly lobed, with rim crenate. Late. Sunproof

'Oak Ridge' 2 W-P

(Colin Crotty) Colin Crotty, 2012

'Neon Blaze' × 'Wild Star'; sdlg no. 18-05

Fl. 103mm wide; perianth segments 42mm long, very broad, roundish, slightly truncate, mucronate, pure white, a little reflexed, concave, smooth and of heavy substance, overlapping half or more; the inner segments broadly ovate, shouldered at base, spreading, with margins incurved; corona 22mm long, cup-shaped, narrowly ribbed, pink, paling at rim, mouth expanded, frilled and three-lobed, with rim broadly flanged and split and overlapping in places. Mid-season. Strongly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117837)

'Oarsman' 2 W-W

(Colin Crotty) Colin Crotty, 2012

'Sheelagh Rowan' × 'River Queen'; sdlg no. 36-05

Fl. 104mm wide; perianth segments 41mm long, very broadly ovate, blunt, mucronate, spreading, plane to a little concave, smooth and of membranaceous substance, overlapping half or more; the inner segments narrower, spatulate, less prominently mucronate, with margins a little wavy; corona 35mm long, funnel-shaped, broadly ribbed, mouth straight and wavy, with rim flanged and entire. Mid-season. Strongly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117838)

'Ojibwa' 3 Y-YYO

(Colin Crotty) Colin Crotty, 2012

'Fever Pitch' × Hunter sdlg (20/81); sdlg no. 9-05

Fl. 125mm wide; perianth segments 51mm long, very broadly ovate, blunt, scarcely mucronate, bright mid-yellow, spreading, concave, smooth and of membranaceous substance, overlapping half; the inner segments narrower, with margins incurved; corona 18mm long, bowl-shaped, neatly ribbed, yellow, with a broad band of orange at rim, mouth expanded and wavy, with rim minutely crenate. Mid-season. Strongly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117839)

Etymology: another name for the Native American Indian tribe, the Chippewa

'Orange Julius' 2 W-O

(Brian S.Duncan) Denis Dailey, 2012

sdlg no. D1629

Fl. rounded; perianth segments roundish, spreading, plane, smooth and of heavy substance, overlapping half or more; corona funnel-shaped, smooth, mouth flared and even, with rim entire. Mid-season. Sunproof

'Orange Parfait' 4 Y-O

(Graeme and Faith Miller) Graeme and Faith Miller, 2012

'Resplendent' × Hamilton sdlg 11-96; sdlg no. 04-055

Fl. rounded, 110mm wide; perianth and other petaloid segments 45mm long, very broadly ovate, blunt, spreading, concave, with margins incurved, smooth and of heavy substance, overlapping; the inner segments narrower. Early. Sunproof

'Our Jess' 7 W-P

(Ian H.Dyson) Ian H.Dyson, 2012

'Quick Step' × 'Clouds Rest'; sdlg no. 0484

Fls 2–3 per stem, 65mm wide; perianth segments ovate, blunt, opening white, flushed with pink, becoming white, spreading, with margins incurved, with midrib showing, of heavy substance, overlapping half; corona bowl-shaped, ribbed, bright pink, mouth expanded and wavy, with rim crenate. Mid-season. Sweetly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117840)

Etymology: Named for the hybridizer's granddaughter

'Palo Verde' 7 G-G

(Manuel Lima, 1995) Robert Spotts, 2012

Unknown × *N. viridiflorus*

Fls 2–4 per stem, star-shaped, 65mm wide; perianth segments 27mm long, oblong in outline, acute at apex, spreading, plane, with midrib showing, irregular, separated; corona 3mm long, bowl-shaped, mouth lobed, with rim entire. Becoming tall. Autumn-flowering. Minimally scented.

Etymology: Named for the green tree of South-western USA desert

'Papasan' 2 W-Y

(John R.Reed) John R.Reed, 2012

'Pike Lake' × ('Irish Mist' × 'Flash Affair'); sdlg no. 2000-16-2

Etymology: Named for the father of all the Oakwood barn cats

'Passionate' 4 W-P

(Ian H.Dyson) Ian H.Dyson, 2012

'Quasar' × 'Christmas Valley'; sdlg no. 0338

Fl. forming a double triangle, 98mm wide; perianth and other petaloid segments in 3 or more whorls; the outer whorls ovate, blunt, spreading, plane to a little concave, smooth, overlapping one-third to a half; the inner whorls becoming successively more inflexed, concave and folded deeply inwards from midrib; corona segments interspersed amongst the petaloid segments and clustered at centre, broad and sometimes bi-lobed, with lobes overlapping, inflexed and crumpled towards centre. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0117841)

'Pat Redman' 3 W-GYY

(R.A.Scamp, 1995) R.A.Scamp, 2012

'Oykel' × 'Lancaster'; sdlg no. 870

Fl. rounded, 100mm wide; perianth segments 42mm long, very broad, rounded at apex, truncate, mucronate, spreading, plane, with midrib showing, of heavy substance, overlapping half or more; the inner segments a little narrower, less prominently mucronate, more deeply truncate; corona 14mm long, bowl-shaped, narrowly ribbed, mouth expanded and wavy, with rim notched. Mid-season to late.

Nomenclatural Standard: colour print supplied by registrant (WSY0117842)

'Pax Romana' 1 W-P

(R. & E.Havens) R. & E.Havens, 2012

'American Dream' × 'Color Magic'; sdlg no. MH7/2

Fl. rounded, 110mm wide; perianth segments 41mm long, very broad, roundish, slightly mucronate, ivory white, spreading, plane, smooth and of heavy substance, overlapping half or more; corona 44mm long, cylindrical, smooth, bright pink, deepening to rim, mouth flared, irregularly lobed and lightly frilled, with rim dentate. Mid-season. Sunproof.

Nomenclatural Standard: colour print supplied by registrant (WSY0117843)

'Peseta' 8 W-W

(J.W.Blanchard, 1977) J.W.Blanchard, 2012
 'Ringstead' × *N. dubius*; sdlg no. 72/25C
 Fls 2–4 per stem, rounded, 36mm wide; perianth segments 13mm long, roundish, slightly truncate, mucronate, spreading, concave, with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments a little narrower, inflexed; corona 7mm long, bowl-shaped, broadly ribbed, mouth widely expanded, wavy and shallowly three-lobed, with rim minutely crenate. Dwarf. Early. Sweetly scented.
 Nomenclatural Standard: colour print supplied by RHS (WSY0117844)

'Pink Emotion' 1 Y-P

(K.van der Veek) M.H.van der Zon & Sons, 2012
 Fl. 120mm wide, facing up; perianth segments 44mm long, roundish, very broad, blunt, mucronate, opening white, becoming pale greenish yellow (4D), spreading, plane or with margins incurved, with midrib showing, of heavy substance, irregular, overlapping half or more; the inner segments shouldered at base; corona 46mm long, funnel-shaped, angled, yellowish pink (22D), paling to base, with a deeper tone (24C) at rim, mouth flared, narrowly ribbed, heavily frilled and irregularly lobed, with rim crenate. Early. Strongly scented.
 Nomenclatural Standard: colour print supplied by KAVB (WSY0117845)

'Pink Quest' 3 W-WWP

(G.J.Phillips, 1997) G.J.Phillips, 2012
 'Chasta' × 'Audubon'; sdlg no. C 19-1
 Fl. 100mm wide; perianth segments 44mm long; corona 13mm long. Mid-season.
 Etymology: Named for the search for a genuine small-cup pink

'Pinky Bar' 1 W-P

(David Adams, 1997) David Adams, 2012
 'Dear Me' × 'Melancholy'; sdlg no. 84/12A
 Fl. forming a double triangle, 68mm wide; perianth segments 24mm long, broadly ovate, blunt, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; corona 25mm long, funnel-shaped, ribbed, mouth straight and frilled, with rim dentate. Mid-season. Sunproof

'Pinto Pony' 2 W-O

(Denise E.McQuarrie) Denise E.McQuarrie, 2012
 Parentage unknown; sdlg no. J34
 Fl. forming a double triangle, 78mm wide; perianth segments 32mm long, ovate in outline, acute at apex, mucronate, spreading, plane, smooth and of heavy substance, overlapping half; corona 24mm long, cylindrical, smooth, mouth straight, wavy and lobed, with rim notched. Mid-season

'Pleasant Hollow' 6 Y-O

(John R.Reed) John R.Reed, 2012
 'Monal' × *N. cyclamineus*; sdlg no. 84-49-2
 Early

'Plymouth Hoe' 1 Y-R

(R.A.Scamp, 1995) R.A.Scamp, 2012
 'Hero' × sdlg 268 (1 Y-Y); sdlg no. 831
 Fl. forming a double triangle, 101mm wide; perianth segments 41mm long, broadly ovate, blunt, mucronate, yellow, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments shouldered at base; corona 42mm long, funnel-shaped, smooth, bright orange-red, mouth expanded and frilled, with rim flanged and minutely crenate. Mid-season. Sun resistant.
 Nomenclatural Standard: colour print supplied by registrant (WSY0117846)

'Powerball' 4 Y-Y

(J.F.McLennan, 1992) J.F.McLennan, 2012
 'Arctic Gold' × 'Fiji'; sdlg no. 92-82
 Fl. forming a double triangle, 104mm wide; perianth and other petaloid segments in 2 or more whorls, deep yellow; the outer whorls 42mm long, ovate in outline, rounded at apex, mucronate, spreading, plane, smooth and of heavy substance, irregular, overlapping one-third; the inner whorls deeply inflexed and folded inwards from midrib; corona 34mm long, interspersed amongst the inner whorls of petaloid segments and of a deeper tone, broad, frilled and lobed. Mid-season

'Poykokarra' 3 W-YYO

(M.G.Temple-Smith) M.G.Temple-Smith, 2012
 Parentage unrecorded; sdlg no. 04-99
 Fl. rounded, 93mm wide; perianth segments 37mm long, very broad, rounded at apex, truncate and mucronate, white, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments a little narrower, less prominently mucronate; corona 11mm long, disc-shaped, narrowly ribbed, light greenish yellow 5C, with a very narrow band of orange (30C) at rim, mouth expanded, frilled and deeply six-lobed, with rim crenate. Early.
 Nomenclatural Standard: colour print supplied by registrant (WSY0117847)

'Proliferation' 7 W-W

(R. & E.Havens) R. & E.Havens, 2012
 'Regeneration' × sdlg GO16 ('Limequilla' open pollinated); sdlg no. MH35/2
 Fls 3 per stem, 65mm wide; perianth segments 25mm long, roundish, mucronate, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; corona 15mm long, cup-shaped, angled, mouth expanded and wavy, with rim entire. Late. Sweetly scented.
 Nomenclatural Standard: colour print supplied by registrant (WSY0117848)

'Qiyana-Raine' 4 Y-O

(Clive Postles) Roger Braithwaite, 2012
 sdlg no. CPS 2-91
 Fl. forming a double triangle, 105mm wide; perianth and other petaloid segments forming three or more whorls; the outer whorls broadly ovate, blunt, not noticeably mucronate, slightly inflexed, concave, with

margins a little incurved, smooth, overlapping one-third; the inner whorls becoming successively more inflexed and deeply concave; corona segments interspersed amongst the petaloid segments and clustered at centre, broad, flat and smooth, becoming successively more inflexed towards centre. Late. Sunproof

'Raj' 2 O-O

(Clive Postles) L.Tomlinson, 2012

Fl. 70mm wide; perianth segments, very broadly ovate, blunt, bright yellow-orange, with prominent white mucro, reflexed, concave, smooth, overlapping half or more; the inner segments narrower; corona cup-shaped, broadly ribbed, bright red-orange, mouth straight, lightly frilled and irregularly three-lobed, with rim entire. Mid-season.

Nomenclatural Standard: colour print supplied by I. Tyler (WSY0117849)

'Ramallah' 1 Y-Y

(John R.Reed) John R.Reed, 2012

'Celtic Gold' × 'Dream Prince'; sdlg no. 93-23

Etymology: Named for the home town of Doctor Salous, a respected colleague of the hybridizer

'Red Raider' 3 Y-R

(G.J.Phillips, 1988) G.J.Phillips, 2012

'Kiwi Invader' × 'Tia'; sdlg no. 83-92-2

Fl. 98mm wide; perianth segments 42mm long; corona 14mm long. Mid-season

'Reno Road' 7 Y-O

(Roberta Watrous) Gene Cameron, 2012

Fls 1-2 per stem, rounded; perianth segments broadly ovate, blunt, mucronate, light yellow, spreading, plane, smooth, overlapping half; the inner segments narrower; corona bowl-shaped, smooth, strong orange, mouth slightly expanded, lightly ribbed, wavy, with rim entire. Dwarf. Late.

Nomenclatural Standard: colour print supplied by M.L. Griphover (WSY0117851)

Etymology: Named for the street in which the hybridizer lived

'Renworth' 5 W-W

(A.H.Robinson) Wilfred Hall, 2012

sdlg no. 03/03

Fls 2-3 per stem, 70mm wide; perianth segments 30mm long, oblong in outline, blunt at apex, slightly mucronate, spreading, plane, smooth and of membranaceous substance, overlapping one-third; the inner segments ovate, acute, less prominently mucronate; corona 22mm long, funnel-shaped, slightly angled, mouth straight, very lightly ribbed, a little wavy, with rim entire. Dwarf. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0117852)

'Rimu Tree' 2 Y-O

(David Adams) David Adams, 2012

'Falstaff' × Jackson sdlg (x78/11)

Fl. forming a double triangle, 90mm wide; perianth

segments 38mm long, ovate in outline, rounded at apex, yellow, spreading, plane or with margins slightly incurved, smooth and of membranaceous substance, overlapping half; corona 24mm long, cup-shaped, angled, light orange, deepening to rim, mouth expanded and frilled with rim crenate and narrowly flanged. Late. Sunproof

'Ringed Plover' 9 W-GYO

(Nial Watson) Ringhaddy Daffodils, 2012

'Hill Head' × 'Felindre'; sdlg no. 387

Fl. rounded, 72mm wide; perianth segments 30mm long, very broadly ovate in outline, rounded at apex, mucronate, slightly reflexed, plane, smooth and of heavy substance, overlapping; the inner segments narrower; corona 6mm long, disc-shaped, smooth, mouth lightly ribbed, even, with rim dentate. Late

'Roseapple' 2 W-P

(R. & E.Havens) R. & E.Havens, 2012

'Rose Lake' open pollinated; sdlg no. OH045/1

Fl. 100mm wide; perianth segments 40mm long, broadly ovate in outline, rounded at apex, prominently mucronate, white, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, blunt at apex; corona 29mm long, funnel-shaped, smooth, deep red-pink, deepening to rim, mouth expanded, neatly ribbed, frilled, with rim dentate. Mid-season. Sunproof.

Nomenclatural Standard: colour print supplied by registrant (WSY0117853)

'Rosesilk' 1 W-P

(G.J.Phillips, 1997) G.J.Phillips, 2012

'Pink Silk' × sdlg 82-126-2 ('Sedate' × 'Rosewood'); sdlg no. B 17-2

Fl. 98mm wide; perianth segments 42mm long; corona 42mm long. Early.

Etymology: Named for its parent and grandparent

'Rosie Emily' 1 Y-P

(Clive Postles) Roger Braithwaite, 2012

sdlg no. CPS 374

Fl. 110mm wide; perianth segments ovate, blunt, with margins incurved, smooth, overlapping half; the inner segments narrower; corona funnel-shaped, smooth, mouth flared and lightly frilled, with rim crenate. Late. Sunproof

'Royal Jubilee' 2 Y-Y

(Barbara Fry) J.H.Richards & Sons, 2012

Fl. 100mm wide; perianth segments 40mm long, broadly ovate, blunt, mucronate, spreading, slightly concave, smooth, overlapping one-third to a half; the inner segments much narrower, less prominently mucronate; corona 33mm long, funnel-shaped, angled, mouth narrowly flared, broadly ribbed, wavy, with rim crenate. Mid-season. Sweetly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117854)

'Rural Haven' 2 Y-Y

(Alistair Davey) Alistair Davey, 2012

'New Penny' × 'Trumpet Warrior'; sdlg no. 216-04
Fl. forming a double triangle, 75mm wide; perianth segments 30mm long, very broadly ovate in outline, rounded at apex, mucronate, mid-yellow, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 20mm long, cup-shaped, smooth, a slightly deeper tone than the perianth segments, mouth straight, ribbed and wavy, with rim flanged and crenate. Mid-season. Strongly scented

'Rural Seaview' 3 W-GYO

(Alistair Davey, 1998) Alistair Davey, 2012

'Bandit' × 'Voda'; sdlg no. 129-98

Fl. forming a double triangle, 100mm wide; perianth segments 42mm long, very broadly ovate, blunt, pure white, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower; corona 11mm long, bowl-shaped, ribbed, yellow, with green at base and a broad band of bright orange at rim, mouth flared and frilled, with rim dentate. Mid-season. Strongly scented

'Saint David's Day' 2 Y-Y

(Johnny Walkers) Taylors Bulbs, 2012

Fl. 104mm wide; perianth segments 41mm long, broadly ovate, blunt, mucronate, slightly darker than brilliant greenish yellow 6A, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments narrower; corona 40mm long, funnel-shaped, smooth, slightly more yellow than vivid yellow 14A, mouth expanded, broadly and lightly ribbed, frilled and irregularly lobed, with rim crenate and broadly flanged. Strongly scented. Nomenclatural Standard: colour print supplied by RHS (WSY0117856)

'Saluka' 5 W-W

(M.G.Temple-Smith, 1992) M.G.Temple-Smith, 2012

'Quick Step' × *N. triandrus* subsp. *triandrus* var. *triandrus*; sdlg no. 04/92

Fls 3 per stem, 69mm wide, facing downwards; perianth segments 31mm long, ovate in outline, acute at apex, mucronate, strongly reflexed, with margins incurved, smooth, overlapping a quarter; the inner segments slightly narrower; corona 14mm long, cup-shaped, smooth, mouth straight and even, with rim entire. Dwarf. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0117858)

'Sandmere Gold' 2 Y-Y

(Wayne G.Hughes) Wayne G.Hughes, 2012

'Gold Convention' × 'Impeccable'; sdlg no. 98-72 (4.3)

Fl. forming a double triangle, 115mm wide; perianth segments 46mm long, very broad, vivid yellow 9A, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping; corona 39mm long, cylindrical, smooth, vivid yellow 14A, mouth flared and ribbed, with rim crenate. Tall. Early

'Season's Greetings' 7 W-GWW

(H.Koopowitz) H.Koopowitz, 2012

N. jonquilla × 'Emerald Sea'; sdlg no. 01-008-1

Fls 3–5 per stem, 36mm wide, facing up, yellowish white 155D; perianth segments 17mm long, oblong in outline, rounded at apex, reflexed, concave, smooth and of membranaceous substance, overlapping at base only; the inner segments narrower; corona 5mm long, cup-shaped, ribbed, mouth straight and wavy, with rim entire. Dwarf. Very early. Sweetly scented. Etymology: Named for its flowering time

'Seedalene' 3 W-O

(G.J.Phillips, 1996) G.J.Phillips, 2012

'Crimpelene' × J245/87 ('Hartz' × 'Potent'); sdlg no. B 64-1

Fl. 108mm wide; perianth segments 46mm long; corona 12mm long. Late

'Serene Meadow' 5 Y-Y

(R. & E.Havens, 1998) R. & E.Havens, 2012

'Limequilla' × *N. triandrus* subsp. *triandrus*

var. *triandrus*; sdlg no. HH20/4

Fls 3 per stem, 70mm wide, facing down, lemon yellow; perianth segments 30mm long, broad, lanceolate in outline, acute at apex, reflexed, plane, smooth and of heavy substance, overlapping at base only; corona 12mm long, cup-shaped, smooth, mouth straight and even, with rim entire. Late. Nomenclatural Standard: colour print supplied by registrant (WSY0117859)

'Simply Purring' 2 W-YYO

(David Adams, 2002) David Adams, 2012

'Ringleader' × 'Purbeck'; sdlg no. 95/06A

Fl. forming a double triangle, 104mm wide; perianth segments 38mm long, broadly ovate in outline, rounded at apex, mucronate, white, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 14mm long, cup-shaped, ribbed, yellow, with a narrow band of orange at rim, mouth straight and frilled, with rim dentate. Mid-season to late. Mildly scented

'Small Fancy' 5 Y-Y

(Walter J.M.Blom, 2002) Walter J.M.Blom, 2012

N. triandrus subsp. *triandrus* var. *triandrus* ×

N. jonquilla var. *henriquesii*; sdlg no. 282-9

Fls 2–5 per stem, 45mm wide; perianth segments 18mm long, oblong in outline, blunt at apex, spreading to a little reflexed, brilliant greenish yellow 3A, convex, with margins recurved, smooth and of heavy substance, overlapping a quarter; corona 10mm long, cup-shaped, smooth, brilliant greenish yellow 3B, mouth slightly expanded, even, with rim entire. Dwarf. Mid-season. Strongly scented

'Snow Goblin' 3 W-GWW

(M.G.Temple-Smith) M.G.Temple-Smith, 2012

'Polar Imp' × 'Rimdeegee'; sdlg no. 04-126

Fl. 69mm wide; perianth segments 27mm long, very broad, rounded at apex, mucronate, spreading, plane,

smooth and of heavy substance, overlapping half or more; the inner segments a little narrower, more nearly ovate, shouldered at base; corona 9mm long, cup-shaped, broadly ribbed, mouth flared and lightly frilled, with rim dentate. Dwarf. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0117860)

‘Spartan Gold’ 2 Y-Y

(Brian S.Duncan) Brian S.Duncan, 2012
‘Impeccable’ × sdlg 1956 (‘Red Spartan’ × ‘Gold Bond’); sdlg no. 2713
Fl. 110mm wide, golden yellow; perianth segments 41mm long, very broadly ovate, blunt, mucronate, spreading, plane, smooth, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate; corona 37mm long, cylindrical, smooth, mouth narrowly flared, a little wavy, with rim entire. Tall. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0117861)

‘Spring Grace’ 2 YYW-Y

(R. & E.Havens, 2002) R. & E.Havens, 2012
‘American Classic’ × ‘Disquiet’; sdlg no. LH64/1
Fl. 95mm wide; perianth segments 38mm long, broadly ovate, blunt, mucronate, bright sunshine yellow, spreading, plane to a little concave, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 35mm long, cylindrical, smooth, a shade deeper in tone than the perianth segments, mouth straight and even, with rim entire. Late.
Nomenclatural Standard: colour print supplied by registrant (WSY0117862)

‘Spring Hope’ 9 W-YYR

(D.C.MacArthur) D.C.MacArthur, 2012
‘Campion’ open pollinated; sdlg no. ED11600
Fl. 83mm wide; perianth segments 33mm long, ovate, blunt, prominently mucronate, yellowish white 155D, somewhat reflexed, concave, with margins slightly incurved, smooth and of heavy substance, overlapping one-third to a half; the inner segments narrower, spatulate, very slightly twisted; corona 7mm long, disc-shaped, narrowly ribbed, brilliant yellow 13B, shading to brilliant greenish yellow 7C at base, with a narrow band of red (30A) at rim, mouth straight, wavy and irregularly lobed, with rim crenate. Mid-season. Sweetly scented.
Nomenclatural Standard: colour print supplied by registrant (WSY0117657)

‘Spring Storm’ 1 W-W

(David Adams, 1999) David Adams, 2012
‘Snowy Morn’ × ‘Chaos’; sdlg no. 94/06A
Fl. forming a double triangle, 102mm wide; perianth segments 37mm long, ovate, blunt, mucronate, spreading to slightly reflexed, plane, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 37mm long, funnel-shaped, smooth, mouth expanded and frilled, with rim flanged and dentate. Mid-season. Strongly scented

‘Steptoe’ 1 W-W

(Leenen Innovation) Leenen Innovation, 2012
Fl. 110mm wide, facing up, greenish white 155C; perianth segments 30mm long, broad, roundish in outline, blunt at apex, truncate and mucronate, spreading, plane or with margins incurved, with midrib showing, of heavy substance, irregular, overlapping half or more; the inner segments narrower; corona 41mm long, funnel-shaped, angled, mouth flared, ribbed, wavy and lobed, with rim rolled and crenate. Early. Strongly scented.
Nomenclatural Standard: colour print supplied by registrant (WSY0117863)

‘Steren’ 7 W-GYY

(R.A.Scamp, 1996) R.A.Scamp, 2012
‘Port Erin’ × *N. jonquilla*; sdlg no. 732
Fls 1–2 per stem, star-shaped, 85mm wide; perianth segments 15mm long, ovate, blunt, prominently mucronate, greenish white, spreading, plane, smooth and of heavy substance, overlapping one-third; the inner segments narrower, acute at apex, a little twisted; corona 8mm long, bowl-shaped, angled, yellow, with green at base, mouth straight and slightly wavy, with rim crenate. Tall. Late. Strongly scented.
Nomenclatural Standard: colour print supplied by registrant (WSY0117864)
Etymology: Cornish for star

‘Stone Mountain’ 4 Y-P

(R. & E.Havens) R. & E.Havens, 2012
‘Baldock’ × ‘Convergence’; sdlg no. OH7/4
Fl. 110mm wide; perianth and other petaloid segments mid-yellow, in 2 or more whorls; the outer whorls 42mm long, very broadly ovate, blunt, spreading, plane, smooth and of heavy substance, overlapping one-third to a half; the inner whorls inflexed, concave, folded deeply inwards from midrib; corona segments interspersed amongst the petaloid segments and clustered at centre, broad, bright peach-pink, irregularly lobed, frilled, crenate. Late. Sunproof.
Nomenclatural Standard: colour print supplied by registrant (WSY0117866)

‘Stonham Gold’ 2 Y-Y

(R.A.Scamp, 1986) Fentongollan Farm, 2012
‘Saint Keverne’ × ‘Golden Aura’; sdlg no. 45
Fl. 85mm wide; perianth segments 33mm long, broadly ovate, blunt, mucronate, spreading, with margins incurving, with midrib showing, of heavy substance, overlapping one-third; the inner segments narrower, shouldered at base, more nearly plane; corona 30mm long, cylindrical, ribbed, mouth flared and frilled, with rim minutely dentate. Early. Lightly scented.
Nomenclatural Standard: colour print supplied by registrant (WSY0117867)

‘Strawberry Freckles’ 2 W-W/R

(John R.Reed) John R.Reed, 2012
‘Decoy’ × ‘Ken’s Favorite’ × ‘Strawberry Pie’; sdlg no. 92-67-1
Perianth segments white; corona white, flecked with red

'Sublimity' 2 Y-P

(R. & E.Havens) R. & E.Havens, 2012

'American Classic' × 'Rose Lake'; sdlg no. QH23/3
Fl. rounded, 90mm wide; perianth segments 35mm long, very broad, roundish, slightly mucronate, creamy yellow, spreading, concave, with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, broadly ovate, shouldered at base, blunt, more nearly plane; corona 26mm long, cylindrical, smooth, pastel pink, mouth straight and wavy, with rim crenate and very narrowly flanged. Mid-season. Sunproof.
Nomenclatural Standard: colour print supplied by registrant (WSY0117869)

'Sugared Fruit' 1 W-W

(Walter J.M.Blom) Walter J.M.Blom, 2012

'Gipsy Queen' × sdlg 527-3 (2 Y-R); sdlg no. 325-4
Fl. star-shaped, 50mm wide; perianth segments 20mm long, lanceolate in outline, acute at apex, greenish white 157A, spreading, plane, with margins a little wavy, smooth and of heavy substance, overlapping at base only; corona 20mm long, cylindrical, ribbed, sometimes opening yellow, becoming greenish white 157A, mouth expanded and frilled, with rim dentate and widely flanged. Dwarf. Early. Sweetly scented.
Nomenclatural Standard: colour print supplied by registrant (WSY0117870)

'Super Sue' 3 W-GWW

(Graeme and Faith Miller) Graeme and Faith Miller, 2012

'Pure Magic' × 'By Gummo'; sdlg no. 04-120
Fl. forming a double triangle, 98mm wide; perianth segments 42mm long, ovate, blunt, spreading, concave, with margins incurved, smooth and of heavy substance, overlapping; the inner segments narrower; corona 13mm long, disc-shaped, ribbed, mouth frilled and lobed, with rim dentate. Late

'Sutherland Falls' 5 W-W

(Malcolm Wheeler) Malcolm Wheeler, 2012

'Limequilla' × *N. triandrus* subsp. *triandrus* var. *triandrus*; sdlg no. M63E
Fls 3–4 per stem, 64mm wide, facing slightly downwards; perianth segments 27mm long, oblong to ovate, blunt, mucronate, very slightly reflexed, plane or with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments ovate, less prominently mucronate; corona 18mm long, cup-shaped, smooth, mouth straight, even to a little wavy, with rim flanged and entire. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0117871)
Etymology: named for the third highest waterfall in the world, which is in Fiordland National Park, New Zealand

'Taneka' 1 Y-P

(M.E.Brogden) Brogden Bulbs, 2012

'Corbiere' × 'Capree Elizabeth'; sdlg no. BB 01-2-3
Fl. forming a double triangle; perianth segments ovate in outline, acute at apex, spreading, plane,

smooth, overlapping half; the inner segments narrower; corona funnel-shaped, ribbed, mouth flared and wavy, with rim entire. Mid-season

'Tangerine Tango' 4 Y-O

(Nial Watson) Ringhaddy Daffodils, 2012

'Menabilly' × ('Crackington' × 'Sabine Hay'); sdlg no. 707
Fl. 100mm wide; perianth and other petaloid segments in 3 or more whorls; the outer whorls 37mm long, very broadly ovate, truncate, brilliant yellow 13C, with white mucro, spreading, slightly concave, with margins incurved, smooth and of heavy substance, overlapping half; the inner whorls becoming successively more strongly inflexed, deeply concave and folded inwards from midrib; corona segments 17mm long, interspersed amongst the petaloid segments and clustered at centre, light orange 28C, broad and heavily frilled. Mid-season. Sunproof. Sweetly scented.
Nomenclatural Standard: colour print supplied by registrant (WSY0117873)

'Tannatea' 2 W-WWP

(M.G.Temple-Smith) M.G.Temple-Smith, 2012

'Rimdeedee' × sdlg 18/86 ('Foundling' × 'Fiddleedee'); sdlg no. 05-17
Fl. 67mm wide, facing slightly downwards; perianth segments 26mm long, very broadly ovate, blunt, mucronate, white, spreading, concave, with margins incurved, smooth, overlapping half; the inner segments narrower and shouldered at base; corona 12mm long, bowl-shaped, broadly ribbed, white, with a broad band of strong yellowish pink 37B at rim, mouth expanded and a little wavy, with rim dentate. Dwarf. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0117874)

'Tasman Blush' 11a W-P

(M.G.Temple-Smith, 2002) M.G.Temple-Smith, 2012

Sdlg 27/88 ('Canasta' × 'Vahu') × sdlg 20/88 ([('Jubilation' × Evans sdlg 0/14) × 'Vahu'); sdlg no. 02-33
Fl. 103mm wide; perianth segments 36mm long, broadly ovate, blunt, white, spreading, concave, with margins incurved, with midrib showing, irregular, overlapping half or more; the inner segments narrower, shouldered at base; corona 25mm long, split to base, the six segments each closely overlying a perianth segment, forming an outer and an inner whorl of three, of the same width as the perianth segments, bilobed, with lobes overlapping, a little creased, light yellowish pink, 37D, with a broad band of moderate yellowish pink 37C at rim, heavily frilled. Early.
Nomenclatural Standard: colour print supplied by registrant (WSY0117875)

'Tasman Pride' 11a W-WWO

(M.G.Temple-Smith) M.G.Temple-Smith, 2012

Sdlg 27/88 ('Canasta' × 'Vahu') × sdlg 20/88 ([('Jubilation' × Evans sdlg 0/14) × 'Vahu'); sdlg no. 03-40

Fl. 100mm wide; perianth segments 40mm long, broadly ovate, blunt, mucronate, white, spreading, concave, with margins incurling, smooth, overlapping half or more; the inner segments a little narrower, shouldered at base; corona 30mm long, the six segments each closely overlying a perianth segment, forming an outer and an inner whorl of three, two-thirds the width of the perianth segments, bi-lobed, with lobes overlapping, creased, opening light greenish yellow 3D, with a band of red-orange (35C) at rim, becoming white, with a band of red-orange (23B) at rim, frilled. Early.
Nomenclatural Standard: colour print supplied by registrant (WSY0117876)

‘Template’ 1 YYW-WWY

(M.G.Temple-Smith, 2001) M.G.Temple-Smith, 2012

Sdlg 56/90 (‘Honeybird’ × ‘Prado’) × ‘Pale Enigma’; sdlg no. 01-67

Fl. rounded, 106mm wide; perianth segments 44mm long, very broad, rounded at apex, yellow, with a band of white at base and with white mucro, spreading, plane, smooth and of heavy substance; the inner segments narrower, shouldered at base, less prominently mucronate; corona 46mm long, funnel-shaped, regularly ribbed, white, with a narrow band of yellow at rim, mouth flared and lightly filled, with rim dentate. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0117877)

‘Tenderly’ 7 Y-Y

(Walter J.M.Blom, 2001) Walter J.M.Blom, 2012

N. rupicola #4 × *N. cyclamineus*; sdlg no. 173-19
Fl. rounded, 28mm wide, vivid yellow 9A; perianth segments 10mm long, very broad, roundish, spreading, plane, smooth and of heavy substance, overlapping half or more; corona 3mm long, bowl-shaped, smooth, mouth expanded and even, with rim entire. Dwarf. Mid-season. Strongly scented

‘Thin Ice’ 2 W-Y

(Gordon Coombes) Gordon Coombes, 2012

‘Blanco Sol’ × ‘White Ermine’; sdlg no. G3-04

Fl. forming a double triangle, 110mm wide; perianth segments 47mm long, broadly ovate, blunt, mucronate, white, reflexed, plane or with margins a little incurved, smooth and of heavy substance, overlapping one-third to a half; the inner segments much narrower, shouldered at base, more nearly acute; corona 40mm long, cylindrical, smooth, bright yellow, mouth straight, irregularly ribbed, wavy, with rim entire. Mid-season. Strongly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117878)

‘Tintagel Lady’ 4 Y-Y

(R.A.Scamp, 1990) R.A.Scamp, 2012

‘Golden Aura’ × ‘Menability’; sdlg no. 508

Fl. rounded, 95mm wide, dark yellow; perianth and other petaloid segments in three or more whorls; the outer whorls 39mm long, broadly ovate, blunt, with

white mucro, spreading, plane, smooth and of heavy substance, overlapping half; the inner whorls becoming successively more inflexed and concave; the innermost whorl with the segments deeply folded inwards from the midrib; corona segments 25mm long, interspersed among the inner whorls of petaloid segments and clustered at centre, broad, with margins wavy. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0117879)

Etymology: Named at the request of Lady Reddock Tintagel

‘Trego’ 9 W-GYR

(M.W.Carney) M.W.Carney, 2012

N. poeticus var. *poeticus* open pollinated; sdlg no. 01-08-01

Fl. star-shaped, 45mm wide; perianth segments 21mm long, oblong in outline, deeply truncate and minutely mucronate, spreading, a little concave, with margins wavy, smooth and of heavy substance, overlapping one-third to a half; the inner segments narrower and ovate; corona 3mm long, disc-shaped, narrowly ribbed, mouth flared, minutely filled, with rim dentate. Dwarf. Very late. Sweetly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117881)

Etymology: Named after the town in Maryland

‘Tyabb Gold’ 2 YYG-Y

(Ian H.Dyson) Ian H.Dyson, 2012

‘Altun Ha’ × ‘Trumpet Warrior’; sdlg no. 0345

Perianth segments very broad, oblong in outline, rounded at apex, mucronate, spreading to a little reflexed, plane, smooth and of heavy substance, overlapping half or more; the inner segments narrower, less prominently mucronate; corona short, funnel-shaped, smooth, mouth flared, wavy and irregularly lobed, with rim notched. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0117882)

‘Tymitwoz’ 2 W-GWW

(Chris Yates, 2001) Chris Yates, 2012

‘Ashmore’ × ‘Silkwood’; sdlg no. 3-26-96

Fl. 115mm wide; perianth segments 50mm long, broadly ovate, blunt, mucronate, spreading, concave, smooth and of heavy substance, overlapping half; the inner segments narrower, not noticeably mucronate, more nearly plane, with midrib showing; corona 20mm long, cup-shaped, angled, mouth expanded, regularly ribbed, wavy, with rim crenate. Late mid-season. Very slightly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117883)

‘Ultimatum’ 2 W-GRR

(Colin Crotty) Colin Crotty, 2012

‘Neon Blaze’ × ‘Wild Star’; sdlg no. 21-05

Fl. 108mm wide; perianth segments 41mm long, very broadly ovate in outline, rounded at apex, mucronate, white, spreading, concave, with margins a little incurved, smooth and of heavy substance, overlapping

half or more; the inner segments narrower, shouldered at base, blunt at apex; corona 20mm long, cup-shaped, broadly ribbed, opening red-pink, with green at base and red at rim, becoming deep red, paling slightly towards base, with green at base, mouth straight, heavily frilled and irregularly lobed, with rim flanged and entire. Mid-season. Strongly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0117884)

‘Ultrasonic’ 2 Y-O

(Colin Crotty) Colin Crotty, 2012
‘Fever Pitch’ × ‘Rheban Red’; sdlg no. 5-05
Fl. 125mm wide; perianth segments 52mm long, broadly ovate, blunt, not noticeably mucronate, bright yellow, spreading, concave, with margins incurving at apex, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, plane; corona 22mm long, bowl-shaped, lightly ribbed, bright red-orange, mouth expanded, a little frilled and irregularly lobed, with rim entire. Early. Strongly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0117885)

‘Uncle Bob’ 2 YYW-WWP

(M.W.Carney) M.W.Carney, 2012
‘Lemon Sails’ × ‘Carib Gipsy’; sdlg no. 02-26-02
Fl. forming a double triangle, 78mm wide; perianth segments 30mm long, broadly ovate, blunt, mucronate, yellow, with a band of white at base, spreading, plane, smooth and of heavy substance, overlapping one-third to a half; corona 26mm long, cylindrical, smooth, opening yellow, becoming white, with a broad band of pink at rim, mouth flared, ribbed, wavy and irregularly lobed, with rim minutely crenate. Mid-season. Sunproof. Etymology: Named for the hybridizer’s uncle (Robert Sperber)

‘Uncle Tom’ 2 Y-Y

(Ian H.Dyson) Ian H.Dyson, 2012
‘Miss Primm’ × ‘Impeccable’; sdlg no. 0378
Fl. forming a double triangle, 100mm wide; perianth segments broad, oblong in outline, blunt at apex, mucronate, spreading, plane, of heavy substance, overlapping half or more; the inner segments narrower, less prominently mucronate; corona cylindrical, smooth, mouth straight, lightly ribbed, wavy, with rim entire. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0117886)
Etymology: Named in memory of Tom Parks

‘Upgrade’ 9 W-GYR

(Colin Crotty) Colin Crotty, 2012
Sdlg (Div. 9) × sdlg (Div. 9); sdlg no. 25-05
Fl. rounded, 64mm wide; perianth segments 26mm long, very broad, roundish, prominently mucronate, spreading, plane or with margins a little recurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, not noticeably mucronate; corona 4mm long, disc-shaped, broadly

ribbed, mouth straight, slightly wavy and shallowly three-lobed, with rim crenate. Late. Sweetly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0117887)

‘Upper Hand’ 3 Y-R

(Colin Crotty) Colin Crotty, 2012
‘Garfield’ × ‘Red Coat’ sdlg; sdlg no. 23-05
Fl. forming a double triangle, 98mm wide; perianth segments 39mm long, very broadly ovate, blunt, mucronate, light yellow, spreading, concave, with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments a little narrower, shouldered at base, less prominently mucronate; corona 12mm long, bowl-shaped, neatly ribbed, orange-red, mouth a little expanded, frilled, with rim entire. Mid-season. Strongly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0117888)

‘Utah Gold’ 2 Y-Y

(Colin Crotty) Colin Crotty, 2012
‘Midas Touch’ × ‘Straale’; sdlg no. 3-05
Fl. 105mm wide; perianth segments 43mm long, very broadly ovate, blunt, prominently mucronate, mid-yellow, spreading, plane, smooth and of membranaceous substance, overlapping half; the inner segments narrower, less prominently mucronate; corona 40mm long, funnel-shaped, smooth, slightly deeper in tone than the perianth segments, almost golden yellow, mouth expanded, very lightly ribbed, wavy and six-lobed, with rim rolled and minutely crenate. Mid-season. Strongly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0117889)

‘Wakool’ 2 W-P

(Graeme Brumley, 1999) Graeme Brumley, 2012
Parentage unknown; sdlg no. 76
Fl. 95mm wide; perianth segments 40mm long, broadly ovate, blunt, mucronate, spreading, concave, with margins incurved, smooth, overlapping one-third to a half; the inner segments narrower, less prominently mucronate; corona 35mm long, funnel-shaped, smooth, mouth flared, lightly ribbed and a little wavy, with rim crenate. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0117890)

‘Warrambine’ 2 W-P

(Graeme Brumley) Graeme Brumley, 2012
‘Pommy’ × ‘Clique’; sdlg no. 248
Fl. forming a double triangle, 90mm wide; perianth segments 37mm long, broadly ovate, blunt, scarcely mucronate, spreading, plane, smooth, overlapping one-third; the inner segments significantly narrower, shouldered at base, slightly truncate; corona 16mm long, funnel-shaped, smooth, mouth flared, ribbed and wavy, with rim entire. Early. Nomenclatural Standard: colour print supplied by registrant (WSY0117891)

'Wee Fergie' 2 W-P

(John R.Reed) John R.Reed, 2012

'Little Ruby' × 'Kerstin'; sdlg no. 98-136-1

Perianth segments broad and overlapping. Dwarf.

Etymology: Named for the hybridizer's first Scottish Terrier

'West Plains' 7 YY-W-W

(R. & E.Havens) R. & E.Havens, 2012

'Perpetuation' open pollinated; sdlg no. NH03/3

Fls 2-3 per stem, forming a double triangle, 65mm wide; perianth segments 27mm long, ovate in outline, rounded at apex, mucronate, deep lemon yellow, spreading, plane or with margins a little incurved, smooth and of heavy substance, overlapping one-third; the inner segments narrower, shouldered at base, less prominently mucronate; corona 12mm long, cup-shaped, smooth, becoming white, mouth straight, lightly ribbed, wavy, with rim crenate. Late. Sweetly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117892)

'White-on-white' 1 W-W

(Walter J.M.Blom) Walter J.M.Blom, 2012

'Gipsy Queen' × sdlg 527-3 (2 Y-R); sdlg no. 325-6

Fl. 50mm wide; perianth segments 20mm long, ovate, blunt, greenish white 157A, inflexed, plane, with margins a little wavy, smooth and of heavy substance, overlapping one-third; corona 25mm long, funnel-shaped, ribbed, sometimes opening pale yellow, becoming greenish white 157A, mouth expanded and frilled, with rim notched and narrowly flanged. Dwarf. Early. Sweetly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117893)

'Wild Rover' 1 Y-R

(Brian S.Duncan) Brian S.Duncan, 2012

'Tyrree' × 'Nederberg'

Fl. forming a double triangle, 102mm wide; perianth segments 39mm long, very broadly ovate, blunt, deep golden yellow, with white mucro, spreading, plane, smooth, overlapping one-third to a half; the inner segments narrower, shouldered at base; corona 39mm long, cylindrical, smooth, deep orange-red, mouth flared and lightly wavy, with rim entire and narrowly rolled. Early to mid-season. Sunproof.

Nomenclatural Standard: colour print supplied by registrant (WSY0117894)

'Winky Dink' 2 Y-P

(W.G.Pannill) David Burdick, 2012

'Highlite' × 'Magician'; sdlg no. 89/33

Fl. 97mm wide; perianth segments 42mm long, broad, oblong in outline, rounded at apex, mucronate, opening ivory white, becoming pale yellow, spreading, plane, with midrib showing, overlapping one-third; the inner segments narrower, shouldered at base, ovate, blunt, less prominently mucronate; corona 27mm long, funnel-shaped, angled, deep pink, with yellow undertones, mouth slightly flared, wavy, with rim dentate. Late.

Nomenclatural Standard: colour print supplied by registrant (WSY0117895)

'Winter Delight' 8 W-Y

(Wilfred Hall) Wilfred Hall, 2012

'Grand Monarque' × sdlg 98T4; sdlg no. GMX-215

Fls 15-24 per stem, 38mm wide; perianth segments 15mm long, very broadly ovate, blunt, mucronate, greenish white 155A, spreading, slightly concave, with margins incurving, a little creased, of heavy substance, overlapping half or more; corona 9mm long, bowl-shaped, lightly ribbed, light greenish yellow 4C, mouth straight and wavy, with rim entire. Very early. Strongly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117897)

'Winter Wind' 2 W-W

(David Karnstedt, 1987) Denis Dailey, 2012

'Broomhill' × 'Misty Glen'; sdlg no. 81-29-14

Fl. forming a double triangle, facing up; perianth segments very broad, blunt at apex, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower; corona cylindrical, angled, mouth straight and even, with rim entire. Late

'Wisp Ruby' 9 W-GOR

(I.C.Dreaver, 1993) R.J.Abernethy, 2012

sdlg no. ID11

Fl. 66mm wide; perianth segments 28mm long, ovate, mucronate, slightly reflexed, concave, with margins incurved, smooth and of heavy substance, overlapping half; corona 5mm long, disc-shaped, evenly ribbed, mouth frilled, with rim dentate. Mid-season to late

'Yare Valley' 1 W-W

(P.A.Payne) P.A.Payne, 2012

'Nightflight' × 'Harvington'; sdlg no. 8-1-99

Fl. forming a double triangle, 108mm wide; perianth segments 43mm long, broadly ovate, blunt, scarcely mucronate, spreading, plane or with margins a little incurved, smooth, overlapping half; the inner segments narrower; corona 45mm long, cylindrical, smooth, mouth widely flared, lightly ribbed, wavy, with rim entire. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0117898)

'Yummy Mummy' 2 W-WWY

(Nial Watson, 2002) Ringhaddy Daffodils, 2012

'Silkwood' × 'White Hill'; sdlg no. 288

Fl. rounded, 116mm wide; perianth segments 49mm long, very broad in outline, rounded at apex, mucronate, spreading to slightly reflexed, plane, smooth and of heavy substance, overlapping half or more; the inner segments narrower; corona 21mm long, cup-shaped, smooth, mouth straight, broadly ribbed, wavy, with rim notched and crenate. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0117900)

ADDITIONS AND AMENDMENTS TO SUPPLEMENTS 3 & 4 AND THE INTERNATIONAL DAFFODIL REGISTER (2008)

The compilers are grateful to those who have drawn attention to omissions from the International Daffodil Register and its Supplements, pointed out errors, suggested changes or supplied new information.

Amendments to cultivar names, divisions, colour codes, parentages, originators and registrants will usually be published in an annual Supplement. Amendments to descriptions will usually only be published in a new edition of the Register. However, all amendments will be published on the internet, in a regular updating of the Register posted on the RHS website at www.rhs.org.uk/Plants/Plant-science/Plant-registration/Daffodils

SUPPLEMENTS

Amendments to the Third Supplement (2009–2010)

- | | |
|---------------|---|
| ‘Heart Fire’ | Alter sdlg no. to: V93-113-9 |
| ‘Paris Dream’ | This cultivar is believed to be extinct |

Amendments to the Fourth Supplement (2010–2011)

- | | |
|----------------------------|---------------------------------------|
| ‘Peach Swirl’ | Add registration date: 2011 |
| ‘Viktoria von dem Bussche’ | Alter hybridizer to: H.A. Vandervliet |

INTERNATIONAL DAFFODIL REGISTER (2008)

Additions to the Register

- | | |
|-------------------------------|---|
| Anales Inst. Forest. Invest. | In list of Abbreviations add: Anales Instituto Forestal de Investigaciones y Experiencias |
| ‘Calirrhoe’ 1 W-W | See ‘Callirhoe’ |
| <i>N. pedunculata</i> | In List of Botanical Names add: <i>pedunculata</i> Cuatrecasas, Treb. Mus. Ci. Nat. Barcelona 12:251 (1929) = <i>N. cuatrecasasii</i> Fernández Casas, Laínz & Ruiz Rejón |
| Trab. Mus. Ci. Nat. Barcelona | In list of Abbreviations add: Trab. Mus. Ci. Nat. Barcelona. Trabajos del Museo de Ciencias Naturales de Barcelona |

Amendments to the Register

NB Notes of variability do not alter the classification see p.2, Note 1)

- | | |
|--------------------------|--|
| ‘Actaea’ | Add: Wister Award 2012 |
| ‘Arno’ 1 W-W | Alter first flowering date to: pre-1902 |
| ‘Blood Orange’ | Alter first flowering date to: pre-1903 |
| ‘Callirhoe’ | Add note: Also spelt ‘Calirrhoe’ |
| ‘Cape Point’ | Add: AM 2012 |
| ‘Carol’ (Engleheart) | Alter first flowering date to: pre-1903 |
| ‘Dainty Miss’ | Add: AM 2012 |
| ‘Diatone’ | Alter seed parent to: ‘Quick Step’ |
| Early Divisions & Groups | Alter p. 1387, paragraph 3, line 1 from “the 12-divison scheme adopted in 1910” to: “the 11-divison scheme adopted in 1910”. See also p.7, para 1, last line under Daffodil classification |
| ‘Everest’ (Crossfield) | Remove: AM(e) 1924 |
| ‘Gold Cup’ 1 Y-Y | Alter first flowering date to: pre-1902 |
| ‘Honey Guide’ | Alter seed parent to: ‘Quick Step’ |
| ‘Laura Lee’ | Alter seed parent to: ‘Quick Step’ |
| ‘Little Rusky’ | Add: PC 2012 |
| ‘Loreley’ | Alter colour code to: W-W. Alter date to: pre-1903 |
| <i>N. × macleayi</i> | Alter reference to: Bot. Reg. 9: t. 762 (1823) |

'Marieke'	Alter hybridizer to: Konynenberg & Mark
'Miss Primm'	Add: Pannill Award 2012
'Outpost'	Alter first flowering date to: pre-1903
<i>N. pedunculatus</i>	In List of Botanical Names replace place of publication untraced with: Anales Inst. Forest. Invest. 10:322 (1966)
'Picarillo'	Alter first flowering date to: 1930s. Amend publication note to: Corresp. Gripshover 2011
'Polestar'	Alter first flowering date to: pre-1902
'Problem Child'	Alter colour code to: Y-GYP. Alter seed parent to: 'Quick Step'
'Ptarmigan' 3 W-Y	Alter first flowering date to: pre-1904
<i>N. rupicola</i> subsp. <i>pedunculatus</i>	In List of Botanical Names replace place of publication untraced with: Anales Inst. Forest. Invest. 10:322 (1966)
'Samsara'	Add: PC 2012
'Satin Blanc'	Alter seed parent to: 'Quick Step'
'Seabird'	Alter colour code to: W-Y. Add: Syn. 'Sea Bird'. Insert description: Fl. nearly 100mm wide; perianth segments broad, luminous white, with pale green tones at base, with margins wavy; corona golden yellow, with a darker tone at rim, and with dark green at base. Very late
'Sea Bird'	Alter colour code to: W-Y. Alter entry to read: See 'Seabird'
'Sidney'	Alter first flowering date to: pre-1903
'Solfatare'	Add colour code: Y-Y
'Sonnet' (Engleheart)	Alter first flowering date to: pre-1903
'Steadfast'	Alter first flowering date to: pre-1904
'Tatua'	Alter colour code to: Y-OOR. Note new description
'Topaz' 2 W-O	Alter first flowering date to: pre-1904
'Warden'	Alter colour code to: W-Y
'Waterwitch'	Alter first flowering date to: pre-1901

Additions to the List of Originators and Registrants

Bowser, K.	Skelton, North Yorkshire, England
Buxton, J.W.	Nelson, New Zealand
Carney, M.W.	Boonsboro, Maryland, USA
Crerar, A.A.	Nelson, New Zealand
Dailey, Denis	d. 2012. Saint Paul, Minnesota, USA
Dyson, Ian H.	Pearcedale, Victoria, Australia
Enger, Pam	Ellsworth, Wisconsin, USA
Fentongollan Farm	St Michael Penkivel, Cornwall, England
Lievens Botanical Flowerbulbs	See Lievens, E.
Lincolnshire Daffodil Society	Lincolnshire, England
Perrignon, Richard & Ida	Sydney, Australia
Richards, J.H. & Sons	Hayle, Cornwall, England
Sully, Pat	Amersham, Buckinghamshire, England
Tomlinson, L.	Foxwist Green, Cheshire, England
Yarrell, George H.	crd c. 1920. New Zealand.

Amendments to the List of Originators and Registrants

Allen, Leslie T.	d. 2012
Cameron, E.	Add new address: Silverton

HORTICULTURAL CLASSIFICATION

Whether of wild or cultivated origin, once a selection has been distinguished by a cultivar name it should be assigned to Divisions 1–12. Daffodils distinguished solely by botanical name should be assigned to Division 13.

Notes

1. The characteristics for Divisions 5 to 10 are given for guidance only; they are not all necessarily expected to be present in every cultivar assigned to those divisions
2. Divisions 12 and 13 are not illustrated owing to the wide variation in shape and size between the flowers involved

DIVISION 1 - TRUMPET DAFFODIL CULTIVARS



One flower to a stem; corona ("trumpet") as long as, or longer than the perianth segments ("petals")

DIVISION 2 - LARGE-CUPPED DAFFODIL CULTIVARS



One flower to a stem; corona ("cup") more than one-third, but less than equal to the length of the perianth segments ("petals")

DIVISION 3 - SMALL-CUPPED DAFFODIL CULTIVARS



One flower to a stem; corona ("cup") not more than one-third the length of the perianth segments ("petals")

DIVISION 4 - DOUBLE DAFFODIL CULTIVARS



One or more flowers to a stem, with doubling of the perianth segments or the corona or both

DIVISION 5 - TRIANDRUS DAFFODIL CULTIVARS



Characteristics of *N. triandrus* clearly evident: usually two or more pendent flowers to a stem; perianth segments reflexed

DIVISION 6 - CYCLAMINEUS DAFFODIL CULTIVARS



Characteristics of *N. cyclamineus* clearly evident: one flower to a stem; perianth segments significantly reflexed; flower at an acute angle to the stem, with a very short pedicel ("neck")

DIVISION 7 - JONQUILLA AND APODANTHUS DAFFODIL CULTIVARS




Characteristics of Sections Jonquilla or Apodanthi clearly evident: one to five (rarely eight) flowers to a stem; perianth segments spreading or reflexed; corona cup-shaped, funnel-shaped or flared, usually wider than long; flowers usually fragrant

DIVISION 8 - TAZETTA DAFFODIL CULTIVARS



Characteristics of Section Tazettae clearly evident: usually three to twenty flowers to a stout stem; perianth segments spreading not reflexed; flowers usually fragrant

DIVISION 9 - POETICUS DAFFODIL CULTIVARS



Characteristics of *N. poeticus* and related species clearly evident; perianth segments pure white; corona very short or disc-shaped, not more than one-fifth the length of the perianth segments; corona usually with a green and/or yellow centre and red rim, but sometimes wholly or partly of other colours; anthers usually set at two distinct levels; flowers fragrant

DIVISION 10 - BULBODIUM DAFFODIL CULTIVARS



Characteristics of Section Bulbodium clearly evident: usually one flower to a stem; perianth segments insignificant compared with the dominant corona; anthers dorsifixed (ie attached more or less centrally to the filament); filament and style usually curved

DIVISION 11 - SPLIT-CORONA DAFFODIL CULTIVARS

Corona split - usually for more than half its length



a) Collar Daffodils
Split-corona daffodils with the corona segments opposite the perianth segments; the corona segments usually in two whorls of three



b) Papillon Daffodils
Split-corona daffodils with the corona segments alternate to the perianth segments; the corona segments usually in a single whorl of six

DIVISION 12 - OTHER DAFFODIL CULTIVARS

Daffodil cultivars which do not fit the definition of any other division

DIVISION 13 - DAFFODILS DISTINGUISHED SOLELY BY BOTANICAL NAME

SECTION TAPEINANTHUS

Autumn flowering; one to four flowers to a rounded stem; leaves very narrow, glaucous, not always present on flowering bulbs; flower ascending, yellow; corona absent or rudimentary; anthers widely exerted from the tube, much shorter than the filaments, dorsifixed

SECTION SEROTINI

Autumn flowering; usually one to two flowers to a rounded stem; leaves very narrow, glaucous, not always present on flowering bulbs; perianth segments pure white, usually twisted; corona very short, yellow, orange or green; anthers included in or slightly exerted from the tube, longer than the filaments, dorsifixed; flowers fragrant

SECTION AURELIA

Autumn flowering; three to twelve flowers to a compressed stem; leaves flat not channelled, glaucous; flowers white; corona rudimentary or absent; filaments unequal in length; anthers exserted from the tube, dorsifixed; flowers fragrant

SECTION TAZETTAE

Autumn to spring flowering; three (rarely two) to twenty flowers to a usually compressed stem; leaves flat or channelled, usually glaucous; flowers white, yellow or bicoloured; anthers included in or slightly exserted from the tube, much longer than the filaments, dorsifixed; flowers fragrant. The rounded stem and green leaves of *N. aureus* atypical, also the orange corona of *N. elegans*

SECTION NARCISSUS

Spring flowering; usually one flower (exceptionally two to four) to a compressed stem; leaves flat not channelled, glaucous; perianth segments pure white; corona disc-shaped or very shallow, sometimes of a single colour, but usually with base green, mid-zone yellow and rim red or orange and often scarious; anthers partly exserted from the tube, much longer than the filaments, dorsifixed; flowers fragrant. Section covers *N. poeticus*

SECTION JONQUILLA

Spring flowering; one to five (rarely eight) flowers to a rounded stem; leaves narrow or semi-cylindrical, green; flowers yellow, never white; perianth segments spreading or reflexed; corona usually cup-shaped, usually wider than long; anthers included in or partly exserted from the tube, much longer than the filaments, dorsifixed; flowers fragrant. The autumn flowering, green-flowered *N. viridiflorus* is atypical

SECTION APODANTHI

Spring flowering; one flower or two to five to a somewhat compressed stem; leaves narrow, channelled, glaucous; flowers white or yellow, never bicoloured; perianth segments spreading or slightly

reflexed; corona cup-shaped, funnel-shaped or flared, usually wider than long; anthers included in the tube or three included and three exserted, much longer than the filaments, dorsifixed

SECTION GANYMEDES

Spring flowering; one flower or two to six to an elliptical or cylindrical stem; flowers pendent, white or yellow or somewhat bicoloured; leaves flat or semi-cylindrical; perianth segments reflexed; corona cup-shaped (rarely campanulate); anthers three included in the tube, three exserted (often beyond the corona), equal to or much shorter than the filaments, dorsifixed. Section covers *N. triandrus*

SECTION BULBOCODIUM

Autumn to spring flowering; one flower to a rounded stem; leaves narrow, semi-cylindrical; flowers white or yellow; perianth segments insignificant compared with the dominant corona; anthers widely exserted from the tube (often beyond the corona), much shorter than the filaments (which are usually curved), dorsifixed

SECTION PSEUDONARCISSUS


Spring flowering; usually one flower to a more or less compressed or sometimes rounded stem; leaves flat or channelled, usually glaucous; flowers white, yellow or bicoloured; perianth segments usually spreading or inflexed; corona more or less cylindrical, often flared at mouth, yellow or white (never orange or red); anthers exserted from the tube, equal to or shorter than the filaments, sub-basifixed. The green leaves, rounded stem and strongly reflexed perianth segments of *N. cyclamineus* and the two to four flowers to a stem of some species including *N. alcaracensis*, *N. longispathus* and *N. nevadensis* are atypical

NOTE Hybrids distinguished solely by botanical name are also assigned to this Division.

In the Register, daffodils distinguished solely by botanical name are listed separately from those with cultivar or group names (see pages 1371–1386).

Illustrations of descriptive terms

FLOWER



star-shaped



double triangle



rounded

PERIANTH SEGMENTS



reflexed



inflexed



spreading



plane



concave



twisted



ovate



*very broadly
ovate*



oblong



obovate



*shouldered
at base*



spatulate



acute



blunt



mucronate



truncate

CORONA - from the side



cylinder



funnel



cup



bowl



disc

- section



smooth



angled




ribbed

CORONA MOUTH - from the side



straight



flared

- section



even



wavy



frilled



lobed

CORONA RIM - from the side



flanged



rolled

- section



entire



dentate



crenate

ISBN 9781907057373

