



THE ROYAL HORTICULTURAL SOCIETY

The International Daffodil Register and Classified List (2008)

Second Supplement



© 2009 The Royal Horticultural Society
80 Vincent Square, London SW1P 2PE, United Kingdom
www.rhs.org.uk

International Daffodil Registrar:
Sharon McDonald

All rights reserved. No part of this book may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the copyright holder

ISBN 9781907057069

Printed and bound in the UK by Page Bros, Norwich

Cover: “Narcissus cyclamineus, Johnstoni and Triandrus albus”
from 1887 Barr and Son daffodil catalogue.
Image courtesy of RHS Lindley Library

SECOND SUPPLEMENT
to
THE INTERNATIONAL DAFFODIL REGISTER AND CLASSIFIED LIST (2008)

2008–2009

The daffodil names listed here are supplementary to the *International Daffodil Register and Classified List (2008)*; they were registered between 1 July 2008 and 30 June 2009.

They are followed by a list of some other recent additions and amendments to the Register.

Registration	page 1
Classification and description	page 2
Registrations 2008–2009	page 3
Additions and amendments to previous Supplements	page 26
Additions and amendments to the <i>International Daffodil Register and Classified List (2008)</i>	page 26
Illustrations of descriptive terms	page 32

REGISTRATION

Hybridizers, raisers and other introducers of daffodils are urged to ensure that the names of new plants are registered, and are reminded that registration should preferably take place before plants are released or catalogued. Registration is conducted by The Royal Horticultural Society, International Cultivar Registration Authority for the genus *Narcissus*. Application forms are available from:

- | | |
|---|--|
| <ul style="list-style-type: none">• The International Daffodil Registrar:
Miss Sharon McDonald, Botany Department,
RHS Wisley, Woking, Surrey GU23 6QB, UK
<i>Fax</i> (44)1483 211750
<i>Email</i> sharonmcdonald@rhs.org.uk• The National Daffodil Registrar (Holland):
Drs J. van Scheepen, KAVB, Postbus 175,
2180 AD Hillegom, the Netherlands
<i>Fax</i> (31) 2525 369 51
<i>Email</i> vanscheepen@kavb.NL• The National Daffodil Registrar (Czech Republic):
Ing. Ivan Karakoz, ul. Zizkova cp. 1539, 274 01
Slaný, Czech Republic
<i>Email</i> Karakoz@seznam.cz• The National Daffodil Registrar (USA):
Mrs Mary Lou Gripshover, 1686 Grey Fox Trail,
Milford, Ohio 45150, USA
<i>Fax</i> 001 513 248 9137
<i>Email</i> mgripshover@cinci.rr.com | <ul style="list-style-type: none">• The National Daffodil Registrar (Japan):
Miss Eri Komoriya, 1196 Ohkido-Cho,
Midori-ku, Chiba-City, Chiba 267-0057, Japan
<i>Fax</i> 81-43-294-8504
<i>Email</i> rxe12572@nifty.ne.jp• The National Daffodil Registrar (Australia):
Mrs Jennie Jamieson, 1 Bromley Place,
Kingsley, WA 6026, Australia
<i>Fax</i> (61) 89 409 1156
<i>Email</i> ndaaliaison@hotmail.com• The National Daffodil Registrar (New Zealand):
Mr Max Hamilton, 18 Whitford Place,
Rotoruna North, Hamilton 3210, New Zealand
<i>Fax</i> (64) 0785 43610
<i>Email</i> kham@clear.net.nz |
|---|--|

Once registered, names and classifications may be changed only with the agreement of the International Cultivar Registration Authority, upon application to the International Registrar.

NOTES ON CLASSIFICATION AND DESCRIPTION

Note 1 – on classification

The combination of division and colour code assigned here (or as amended in any future Supplement) is the registered classification, to be observed, for example, when schedules require cultivars to be shown “as registered”. The registered classification is not altered by any note of variable measurement or colour. (See p26 for any notes of variability in previous registrations.)

Note 2 – on colour coding

Guidelines on colour coding, including those on distinguishing between Yellow and Orange and between Orange and Red appear in the Register and on registration forms. It is at the registrant's discretion to distinguish White from Yellow or Green, Yellow from Green, or Pink from the paler tones of Orange or Red.

In addition:

– green at corona base

The green at the base of a corona, whether in the tube or in the corona itself, may be included in the colour code if it is prominent and plain to see. Registrants are advised to include it only if it is consistent from year to year.

– non-concentric colours

When coding colours in perianth or corona that appear in radial rather than concentric bands, or in a flare from the base, or in flecks or splashes: start with a letter for the predominant colour; proceed with an oblique line; follow with the letter(s) (in any order) for the non-predominant colour(s).

For example, a yellow flower with a white streak along the midrib of the perianth segments would be Y/W-Y; a white flower with radial bands of orange and yellow on the corona segments would be W-W/OY.

Note 3 – on colour terms

Colour Chart numbers in registered descriptions, e.g. 157D in ‘Amnesty International’, are from the *RHS Colour Chart* (1966 (reprinted 1986), 1995, 2001, 2007). Colour names followed by Chart numbers without brackets are equivalents adopted by the RHS for all its international registers. They are taken from the Universal Colour Language in the Inter-Society Color Council-National Bureau of Standards colour-name system. Colour names followed by Chart numbers with brackets or by no numbers at all are those supplied by the registrant.

Note 4 – on description

Registered descriptions are drawn up from application forms and, whenever possible, from photographs and actual specimens too. The Registrar would welcome readers' comments on the accuracy of all descriptions.

Illustrations of descriptive terms appear on p32.

Note 5 – on height

Stem heights in registered descriptions may be taken to be Standard (325–675mm) unless otherwise stated, when they will be described as Dwarf (less than 325mm) or Tall (more than 675mm).

Note 6 – on Standards

The Standard noted at the end of some descriptions is the designated herbarium specimen or illustration forming a permanent record of the distinguishing characteristics of the cultivar and fixing the cultivar name.

REGISTRATIONS 2008–2009

The following cultivar names were registered between 1 July 2008 and 30 June 2009 by The Royal Horticultural Society, International Cultivar Registration Authority for the genus *Narcissus*.

Entries follow the style of those in the *International Daffodil Register and Classified List (2008)* and may be interpreted accordingly (see p10 in the Register).

To access the *International Daffodil Register and Classified List (2008)* on the internet, go to:
<http://www.rhs.org.uk/Plants/Plant-science/Plant-registration/Daffodils>

The seed parent is given before the pollen parent.

'Abenaki' 1 W-W

(Colin Crotty, 1999) Colin Crotty, 2009
'Silent Valley' × 'Panache'; sdlg no.16-99
Fl. 127mm wide; perianth segments 56mm long, very broadly ovate, blunt, mucronate, spreading, plane to a little concave, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, less prominently mucronate, more nearly plane; corona 59mm long, cylindrical, smooth, mouth straight, broadly ribbed, 6-lobed, with rim broadly flanged and minutely dentate. Mid-season. Strongly scented.
Etymology: Named for a Native North American Indian tribe. In 1699 (hence sdlg no.), the Abenaki tribe signed a treaty with settlers in Massachusetts

'Adept' 7 YYW-Y

(R. & E.Havens, 1999) R. & E.Havens, 2009
'Hillstar' × 'Pink Step'; sdlg no.18/3
Fl. 60mm wide; perianth segments 25mm long, broad, roundish, mucronate, deep lemon-yellow, with a band of white at base, spreading, plane, with margins a little wavy, smooth and of heavy substance, overlapping half; the inner segments broadly ovate, shouldered at base, less prominently mucronate; corona 12mm long, cup-shaped, lightly ribbed, pinkish buff, paling to rim, mouth expanded, wavy, with rim minutely crenate. Late. Sunproof. Sweetly scented.
Nomenclatural Standard: colour print supplied by registrant (WSY0112681)

'Al Laureys' 3 Y-R

(John R.Reed) John R.Reed, 2009
'Sabine Silk' hybrid; sdlg no.92-106-1
Mid-season to late.
Etymology: Named for a friend

'American Cowboy' 2 Y-R

(John R.Reed) John R.Reed, 2009
'Cowboy' × 'Loch Lundie'; sdlg no.98-1-1
Early to mid-season

'American Gold' 1 Y-Y

(John R.Reed) John R.Reed, 2009
'Celtic Gold' × 'Dream Prince'; sdlg no.93-1-23
Tall. Early.
Etymology: Named for the Gold Medals won by the American athletes at the 2008 Olympics

'Amicus' 2 Y-Y

(Colin Crotty, 2002) Colin Crotty, 2009
'Midas Touch' × 'Gold Script' sdlg; sdlg no.46-02
Fl. forming a double triangle, 120mm wide, golden yellow; perianth segments 50mm long, very broadly ovate, blunt, with white mucro, spreading, a little concave, smooth and of heavy substance, overlapping half or more; the inner segments narrower; corona 45mm long, funnel-shaped, smooth, mouth flared, regularly ribbed, irregularly lobed, with rim dentate. Mid-season. Sweetly scented

'Amnesty International' 1 W-W

(K.van der Veek) Narveco, 2008
Parentage unknown; sdlg no.KV 97/70
Fl. forming a double triangle, 105mm wide, facing up; perianth segments 45mm long, very broadly ovate, blunt, mucronate, greenish white 157D, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, a little inflexed, concave; corona 45mm long, funnel-shaped, regularly ribbed, opening light greenish yellow (8B/C), paling through 8D to become greenish white 157D, mouth expanded, lightly frilled, irregularly lobed, with rim crenate and narrowly flanged. Early. Sweetly scented.
Etymology: Named for the international human rights charity

'Anna Banana' 2 Y-Y

(Michael Berrigan, 2004) Michael Berrigan, 2008
'Tenterfield' × 'Misquote'; sdlg no.98-115-1
Fls rounded, 102mm wide, facing up; perianth segments 41mm long, very broad, rounded at apex, light yellow 12C, spreading, plane, smooth and of heavy substance, overlapping half or more; corona 32mm long, cylindrical, smooth, brilliant yellow 14C, mouth straight and even, with rim entire. Early.
Etymology: Child's nickname for a friend

'Anne Brontë' 9 W-GYO

(Daniel Bellinger, 2006) Daniel Bellinger, 2009
'Torr Head' × ('Proxy' × *N. poeticus* var. *hellenicus*); sdlg no.00.55.1
Fl. 55mm wide; perianth segments 24mm long, very broadly ovate, deeply truncate, scarcely mucronate, yellowish white 155B, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, not noticeably mucronate; corona 2mm long,

bowl-shaped, narrowly ribbed, brilliant greenish yellow 6C, with strong yellow-green 144A at base and a broad band of strong orange 25A at rim, mouth heavily frilled, with deeply overlapping lobes, rim dentate. Very late. Sunproof. Strongly and sweetly scented. Nomenclatural Standard: Nomenclatural Standard: colour print supplied by registrant (WSY0112713) Etymology: Named for the author of *Agnes Grey* (1847)

'Areyla' 8 Y-O

(W.R.P.Welch) W.R.P.Welch, 2009
Div. 2 × 'Matador'

Fls 1–2 per stem, rounded, 78mm wide; perianth segments 32mm long, roundish, medium yellow, spreading, plane, smooth and of heavy substance, overlapping half; corona 17mm long, cylindrical, smooth, deep orange, mouth straight, frilled, with rim flanged and dentate. Very late. Sunproof. Sweetly scented.

Etymology: Named for a friend

'Aspen' 8 W-Y

(W.R.P.Welch) W.R.P.Welch, 2009
Div. 2 or 3 × 'Yellow Butterfly'

Fls 1–3 per stem, rounded, 80mm wide; perianth segments 35mm long, roundish, creamy white, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments shouldered at base; corona 14mm long, bowl-shaped, smooth, light greenish yellow, mouth flared, frilled, with rim dentate. Very late. Sweetly scented.

Etymology: Named for a friend

'Astound' 2 W-O

(Jackson's Daffodils, 1992) Jackson's Daffodils, 2008
'Cul Beag' × 'Challenge'; sdlg no.99/92

Fl. forming a double triangle, 102mm wide; perianth segments 41mm long, very broadly ovate, truncate, mucronate, greenish white (155A), spreading, concave, smooth and of heavy substance, overlapping half; the inner segments narrower, blunt, shouldered at base, less prominently mucronate; corona 15mm long, bowl-shaped, closely ribbed, strong orange 25A, mouth expanded, lightly frilled, with rim minutely dentate, split and overlapping in places. Mid-season

'Astute' 2 W-O

(R. & E.Havens, 1998) R. & E.Havens, 2009
REH26 ('Gold Crown' × F111 [(Ardour' × 'Ceylon') × 'Brer Fox']) × REH29; sdlg no.HH31/2

Fl. 85mm wide; perianth segments 34mm long, oblong in outline, rounded at apex, prominently mucronate, opening creamy white, touched orange at base, becoming white, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments broadly ovate, shouldered at base, less prominently mucronate, a little inflexed; corona 25mm long, cylindrical, smooth, opening bright orange, becoming deeper in tone, mouth straight, lightly ribbed, a little wavy, with rim crenate and narrowly flanged. Mid-season. Sunproof.

Nomenclatural Standard: colour print supplied by registrant (WSY0112684)

'Axiomatic' 1 Y-O

(Jackson's Daffodils, 1997) Jackson's Daffodils, 2008
'Demmo' × sdlg 84/92; sdlg no.27/97

Fl. forming a double triangle, 104mm wide; perianth segments 41mm long, very broadly ovate, blunt, slightly mucronate, vivid yellow 12A, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 42mm long, funnel-shaped, lightly ribbed, strong orange 24A, frilled and a little flared, with rim dentate. Early

'Baby Kaitlyn' 7 W-W

(Michael Berrigan, 2002) Michael Berrigan, 2008
'Quick Step' × 'Foundling'; sdlg no.B-020

Fls rounded, 3 per stem, 42mm wide; perianth segments 16mm long, very broad, truncate, spreading, plane, smooth, overlapping; corona 12mm long, cylindrical, smooth, mouth expanded, even, with rim rolled, entire. Dwarf. Late. Strongly and sweetly scented

'Balderdash' 3 W-YYO

(Jackson's Daffodils) Jackson's Daffodils, 2008
Parentage unknown

Fl. 102mm wide; perianth segments 45mm long, very broadly ovate, blunt, not noticeably mucronate, greenish white (155A), spreading, concave, smooth and of heavy substance, overlapping half; the inner segments shouldered at base, plane to a little concave; corona 15mm long, bowl-shaped, lightly ribbed, brilliant yellow 13B, with a band of orange (17A) at rim, mouth expanded, finely frilled, with rim dentate

'Bandacherry' 2 W-WWP

(G.J.Phillips, 1985) G.J.Phillips, 2009
'Fallacy' × 'Cherryrim'; sdlg no.79-142-7

Fl. 110mm wide; perianth segments 50mm long, white; corona 24mm long, white, with a narrow band of pink at rim. Mid-season

'Bear's Gold' 4 Y-Y

(R.A.Scamp, 1997) R.A.Scamp, 2009
'Irish Luck' × 'Fine Gold') × 'Marjorie Treveal'; sdlg no.862

Fl. 95mm long; perianth and other petaloid segments 32mm long, in four or more whorls, broadly ovate, blunt, yellow, with a pale mucro, smooth and of heavy substance; the outer whorls spreading or slightly inflexed, plane or with margins a little incurved; the inner whorls successively shorter and more strongly inflexed, folded inwards from midrib; corona segments 25mm long, interspersed among the petaloid segments and of similar length and width to the inner whorls, roundish, a little darker in tone than the petaloid segments, slightly crumpled, frilled. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY 0112695)

'Beauty Rest' 2 W-P

(John R.Reed) John R.Reed, 2009
'Brian's Favorite' × 'Lawless'; sdlg no.95-401-2
Mid-season

'Beijing Gold' 2 Y-Y

(M. Hamilton, 2000) M. Hamilton, 2008
Hamilton sdlg hybrid; sdlg no. 5-00
Fl. forming a double triangle, 100mm wide; perianth segments 48mm long, ovate in outline, rounded at apex, vivid greenish yellow 2A, spreading, plane to a little concave, smooth and of heavy substance, overlapping; the inner segments narrower; corona 45mm long, funnel-shaped, smooth, vivid yellow 9B, mouth even, with rim crenate. Early

'Bill Purdy' 7 Y-O

(Mary Lou Gripshover, 1978) Adrienne Smith, 2008
'Ambergate' × *N. jonquilla*; sdlg no. 72-16-4
Fls 1-3 per stem; perianth segments ovate, blunt, yellow, with prominent white mucro, reflexed, concave, with margins a little wavy, overlapping half; the inner segments narrower, plane; corona bowl-shaped, lightly ribbed, orange, mouth a little expanded, wavy and 3-lobed, rim entire. Mid-season to late. Sweetly scented

'Boconnoc' 2 W-P

(R.A. Scamp, 1993) R.A. Scamp, 2009
'High Society' × 'Dailmanach'; sdlg no. 627
Fl. forming a double triangle, 110mm wide; perianth segments 45mm long, broadly ovate, blunt, mucronate, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments narrower, slightly inflexed; corona 30mm long, bowl-shaped, regularly ribbed, mouth widely expanded, wavy, with rim notched and dentate. Mid-season. Sunproof.
Nomenclatural Standard: colour print supplied by registrant (WSY0112698)

'Bowral Gold' 2 Y-Y

(Tony Davis, 2001) Graeme Davis, 2009
'Celtic Gold' × 'Impeccable'; sdlg no. 4/2001
Fl. forming a double triangle, 110mm wide; perianth segments 40mm long, very broad, mucronate, brilliant yellow 12B, spreading, plane, smooth and of heavy substance, overlapping; the inner segments narrower; corona 33mm long, cylindrical, ribbed, vivid yellow 14B, mouth straight, wavy, with rim dentate. Mid-season.
Etymology: Named for the home town of the originator

'Boyd Road' 4 Y-O

(M. Hamilton, 1998) M. Hamilton, 2008
Sdlg × 'Kiwi Sunset'; sdlg no. 22-98
Fl. rounded, 95mm wide; perianth and other petaloid segments 45mm long, very broad, roundish, vivid yellow 13A, spreading, plane to a little concave, smooth and of heavy substance, overlapping half or more; the inner segments narrower; corona segments strong orange 25A. Early. Sunproof.
Etymology: Named for the originator's previous property

'Brassicala' 4 W-O

(Brian S. Duncan, 2001) Brian S. Duncan, 2009
'Serena Beach' × 'Gay Kybo'; sdlg no. 2495
Fl. 112mm wide, rounded; perianth and other

petaloid segments in 6 or more whorls, regularly and tightly arranged, very broad, shallowly truncate and more or less prominently mucronate, milk white, smooth, deeply overlapping; the outer whorl spreading or slightly inflexed, plane or a little concave, with margins somewhat wavy; the inner whorls successively more strongly inflexed, more deeply concave and shorter, with margins incurled; the whorl at centre erect and very short; corona segments interspersed among the petaloid segments at centre and shorter than all of them, deep reddish orange.
Nomenclatural Standard: colour print supplied by registrant (WSY0112626)
Etymology: Named for its slight resemblance to a cabbage (*Brassica*)

'Bristol Bay' 2 Y-P

(R. & E. Havens, 1999) R. & E. Havens, 2009
'Widgeon' × ('Widgeon' × 'Memento'); sdlg no. I 41/1
Fl. forming a double triangle, 90mm wide; perianth segments 37mm long, broadly ovate, blunt, mucronate, light creamy yellow, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments slightly narrower, less prominently mucronate, a little inflexed; corona 31mm long, cylindrical, smooth, soft light pink, mouth narrowly flared, sharply ribbed, lightly frilled, with rim dentate. Mid-season. Sunproof.
Nomenclatural Standard: colour print supplied by registrant (WSY0112683)

'Burning Ring' 3 Y-YYR

(Brian S. Duncan) Brian S. Duncan, 2009
'Triple Crown' × 'Pacific Rim'; sdlg no. 2627
Fl. 106mm wide; perianth segments 45mm wide, very broadly ovate, blunt, deep yellow, with pale mucro, reflexed, plane to a little concave, smooth, overlapping half; the inner segments much narrower, less prominently mucronate; corona 14mm long, bowl-shaped, smooth, deep yellow, with a band of red at rim, mouth slightly expanded, lightly wavy, with rim entire. Mid-season to late.
Nomenclatural Standard: colour print supplied by registrant (WSY0112630)

'Burt House' 2 W-P

(Brian S. Duncan, 2001) Brian S. Duncan, 2009
'Naivasha' × 'Eastern Promise'; sdlg no. 2680
Fl. 110mm wide; perianth segments 43mm long, very broadly ovate, truncate, prominently mucronate, white, spreading, plane to a little concave, smooth, overlapping half or more; the inner segments narrower, shouldered at base, blunt, with broad midrib showing; corona 22mm long, funnel-shaped, angled, deep coral pink, with a narrow band of a paler tone at rim, mouth straight, wavy, irregularly lobed, with rim slightly flanged, entire. Mid-season. Sunproof.
Nomenclatural Standard: colour print supplied by registrant (WSY0112629)
Etymology: Named for the house of the originator's daughter

‘Butler University’ 3 Y-R

(John R.Reed) John R.Reed, 2009

‘Kinsman’ × ‘Suntory’; sdlg no.92-80-2

Tall. Mid-season.

Etymology: Named for an acquaintance who graduated from the university

‘Cameo Glen’ 3 W-R

(P.D.K.Ramsay, 2002) P.D.K.Ramsay, 2009

‘Meshach’ × ‘Cameo Marie’; sdlg no.02:85

Fl. rounded, 104mm wide; perianth segments 45mm long, very broadly ovate, mucronate, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; corona 11mm long, bowl-shaped, smooth, mouth straight, even, with rim rolled and dentate. Mid-season

‘Cameo Honey’ 2 W-Y

(P.D.K.Ramsay, 2005) P.D.K.Ramsay, 2009

‘Cameo Legacy’ × ‘Honeybourne’; sdlg no.04:59

Fl. 112mm wide; perianth segments 45mm long, roundish, very broad, inflexed, with margins incurved, smooth and of heavy substance, overlapping half; corona 26mm long, funnel-shaped, smooth, mouth flared, even, with rim entire. Early. Sweetly scented. Etymology: Named for the colour of the corona

‘Cameo Song’ 2 W-P

(P.D.K.Ramsay, 2004) P.D.K.Ramsay, 2009

‘Dailmanach’ × ‘Refrain’; sdlg no.04:70

Fl. 110mm wide; perianth segments 45mm long, roundish, spreading, with margins incurving, smooth and of heavy substance, overlapping; corona 24mm long, bowl-shaped, smooth, mouth flared, even, with rim entire. Late.

Etymology: Name comes from the pollen parent

‘Cameo Star’ 2 Y-Y

(P.D.K.Ramsay, 2003) P.D.K.Ramsay, 2009

‘Mary Robinson’ × ‘Crystal Star’; sdlg no.03:61

Fl. rounded, 75mm wide; perianth segments 30mm long, very broadly ovate in outline, rounded at apex, spreading, with margins incurving, smooth and of heavy substance, overlapping; corona 15mm long, cup-shaped, smooth, mouth straight, ribbed, even, with rim rolled and entire. Late

‘Captain America’ 2 W-R

(John R.Reed) John R.Reed, 2009

‘Cordial’ × ‘Magician’

Perianth segments white; corona deep red. Early to mid-season.

Etymology: Named for the comic book hero

‘Carolina Dale’ 2 Y-YOR

(Brian S.Duncan, 2001) Mark Gresh, 2009

‘Garden News’ × ‘State Express’; sdlg no.2210

Fl. forming a double triangle, 113mm wide; perianth segments 42mm long, very broadly ovate, blunt, mucronate, deep yellow, spreading, plane or with margins slightly incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate; corona 19mm long, bowl-shaped, smooth,

orange, with deep yellow at base and a band of red at rim, mouth narrowly flared, ribbed, lightly frilled, with rim dentate. Tall. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0112635)

Etymology: Named for a friend of the registrant

‘Casblonde’ 6 W-W

(Kevin Crowe, 2005) Kevin Crowe, 2008

(Sdlg 11/98 × *N. cyclamineus*) × ‘Gipsy Queen’; sdlg no.23/05

Fl. 38mm wide, white or ivory white, facing down; perianth segments 22mm long, ovate in outline, acute at apex, reflexed, with margins recurved, smooth and of heavy substance, separated; corona 24mm long, cylindrical, smooth, mouth flared, frilled, with rim notched and crenate. Dwarf. Early.

Etymology: Named for the originator’s youngest daughter

‘Casiah’ 2 W-P

(R.A.Scamp, 1993) R.A.Scamp, 2009

‘Dailmanach’ × ‘Pol Dornie’; sdlg no.S/697

Fl. forming a double triangle, 115mm wide; perianth segments 48mm long, broadly ovate, blunt, mucronate, pure white, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments narrower, less prominently mucronate, more nearly plane; corona 35mm long, funnel-shaped, smooth, soft pink, mouth lightly ribbed, a little wavy, with rim crenate and narrowly flanged. Late season.

Nomenclatural Standard: colour print supplied by registrant (WSY0112638)

‘Cavort’ 3 W-YYR

(Jackson’s Daffodils) Jackson’s Daffodils, 2008

Parentage unknown

Fl. 95mm wide; perianth segments 40mm long, very broadly ovate, blunt, truncate, mucronate, greenish white (155A), spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments narrower, plane, not noticeably mucronate; corona 7mm long, bowl-shaped, narrowly ribbed, brilliant greenish yellow 3A, with a band of red (33A) at rim, mouth straight, lightly frilled, with rim crenate. Mid-season

‘Cazwhite’ 6 W-W

(Kevin Crowe, 2005) Kevin Crowe, 2008

N. cyclamineus × sdlg 4/00; sdlg no.G5/05

Fl. facing slightly downwards; perianth segments 15mm long, oblong in outline, acute at apex, pale ivory white, sharply reflexed, with margins recurved, smooth and of heavy substance, separated; corona 31mm long, cylindrical, smooth, creamy milk-white, mouth flared, lightly frilled, lobed, with rim dentate. Dwarf. Very early.

Etymology: Named for the originator’s youngest daughter

'Celtic Prince' 1 Y-Y

(John R.Reed) John R.Reed, 2009

'Dream Prince' × 'Celtic Gold'; sdlg no.87-40-2

Fl. mid-yellow. Mid-season.

Etymology: Named for its parents

'Central Station' 2 W-Y

(C.van der Salm) C.van der Salm, 2008

'Ice Follies'? × 'Jack Snipe'

Fl. 100mm wide; perianth segments 40mm long, very broadly ovate, blunt, prominently mucronate, greenish white (paler than 1D), spreading, plane or with margins a little incurled, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate, with margins wavy; corona 30mm long, funnel-shaped, smooth, vivid yellow 9A, mouth expanded, irregularly frilled, with rim entire. Mid-season

'Cerisita' 3 W-P

(Brian S.Duncan, 2003) Brian S.Duncan, 2009

Sdlg 1560 ('Cupid's Eye' × sdlg 967 ['High Society' × 'Valinor']) × sibling sdlg 1583; sdlg no.2739

Fl. 79mm wide; perianth segments 39mm long, very broad, blunt to rounded, only very slightly mucronate, white, a little reflexed, with margins incurved at apex, smooth, overlapping half; the inner segments narrower, shouldered at base, not noticeably mucronate, spreading; corona 12mm long, bowl-shaped, smooth, deep cerise-pink (35B), paling to pink (35D) with touches of dark orange at the base and with some flecks of white at rim, mouth expanded, irregularly ribbed, wavy, lobed, with rim crenate. Dwarf. Mid-season to late.

Etymology: Named for its colour (cerise) and (ita) small

'Cherokee Tumble' 3 Y-YOO

(L.J.Van Wie, 1999) L.J.Van Wie, 2009

'Centre Ville' × 'Hotspur'; sdlg no.BA8

Fl. forming a double triangle, 94mm wide; perianth segments 38mm long, broadly ovate, blunt, slightly mucronate, very pale yellow, spreading, plane to a little concave, with margins wavy, overlapping half; the inner segments narrower, less prominently mucronate; corona 12mm long, cup-shaped, smooth, rich orange, mouth expanded, lightly ribbed and frilled, with rim crenate and broadly flanged. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0112717)

'Chicken Little' 3 W-Y

(John R.Reed) John R.Reed, 2009

Sport of 'Yellow Xit'

Dwarf. Late

'Chief Executive' 1 Y-Y

(P.D.K.Ramsay, 2004) P.D.K.Ramsay, 2009

Sdlg PR 97:26 × sdlg MH 15-94; sdlg no.04:19

Fl. forming a double triangle, 115mm wide; perianth segments 46mm long, ovate, blunt, spreading, with margins incurling, smooth and of heavy substance, overlapping a quarter; corona 52mm long, cylindrical, smooth, mouth even, with rim rolled and entire. Very early

'Choptank Dawn' 2 W-GOY

(Joanna L.Tilghman, 2007) Joanna L.Tilghman, 2009

'Just So' open pollinated; sdlg no.3/2002/010

Fl. forming a double triangle, 102mm wide; perianth segments 41mm long, broadly ovate, blunt, slightly mucronate, white, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate; corona 25mm long, cup-shaped, smooth, orange, with green at base and a narrow band of yellow at rim, mouth a little flared, lightly ribbed, wavy, with rim notched. Mid-season. Sunproof. Sweetly scented.

Etymology: Named for the Choptank River

'Clara Louisa' 2 Y-P

(M.E.Brogden, 1996) Brogden Bulbs, 2009

'Pink Heritage' × 'Capree Elizabeth'; sdlg no.BB 1-03-3

Fl. forming a double triangle, 110mm wide; perianth segments 43mm long, broadly ovate, blunt, soft creamy primrose-yellow, spreading, plane, smooth, overlapping half; corona 38mm long, cylindrical, smooth, mid-pink, paling to creamy pink at base, mouth flared, even, with rim rolled and entire. Mid-season to late.

Etymology: Named for the originator's mother

'Classical Age' 2 Y-Y

(R. & E.Havens, 1999) R. & E.Havens, 2009

'Glissando' × 'Impeccable'; sdlg no.179/1

Fl. 95mm wide, bright yellow; perianth segments 39mm long, very broadly ovate, blunt, mucronate, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments slightly narrower, shouldered at base, less prominently mucronate, more nearly plane; corona 32mm long, cylindrical, smooth, mouth straight, lightly ribbed, even, with rim minutely crenate. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0112686)

'Classic Elegance' 10 W-W

(Walter J.M.Blom, 2001) Walter J.M.Blom, 2009

Sdlg (*N. bulbocodium* 629.2) × 'Silver Palace'; sdlg no.111-21

Fl. star-shaped, 30mm wide, greenish white 155C; perianth segments 20mm long, lanceolate in outline, acute at apex, spreading, plane or with margins a little recurved, smooth and of heavy substance, separated; corona 25mm long, bowl-shaped, smooth, mouth expanded, lightly ribbed, wavy, with rim crenate. Dwarf. Mid-season. Sweetly scented.

Etymology: As the name implies

'Coker's Frome' 9 W-GYR

(R.A.Scamp, 1992) R.Hayward, 2009

'Merlin' × 'Lady Serena'; sdlg no.525

Fl. 86mm wide; perianth segments 35mm long, broadly ovate, truncate, scarcely mucronate, spreading, plane to a little concave, smooth and of heavy substance, overlapping half or more; the inner segments slightly narrower, shouldered at base, not noticeably mucronate; corona 6mm long, disc-shaped, finely ribbed, mouth minutely frilled, irregularly

lobed, with rim dentate, split and overlapping in places. Late. Sweetly scented.
Nomenclatural Standard: colour print supplied by registrant (WSY0112700)

‘Copperdale’ 2 O-O

(John Gibson, 2002) John Gibson, 2009
‘Gold Convention’ × sdlg 3-4-90 (‘Craig Stiel’ × ‘Mill Grove’); sdlg no.89-5-98
Fl. 102mm wide; perianth segments 41mm long, broadly ovate, blunt, yellow-orange (18A), with slight whitish mucro, spreading, plane or with margins slightly incurling, smooth and of heavy substance, overlapping half or more; the inner segments a little narrower, more nearly plane; corona 35mm long, funnel-shaped, loosely ribbed, strong orange 24A, mouth widely expanded, lightly frilled, with rim crenate. Mid-season. Sunproof

‘Curly Lace’ 11a Y-Y

(Brent and Becky Heath) Brent and Becky’s Bulbs, 2009
‘Curly’ × *N. jonquilla*; sdlg no.92-1
Fl. 75mm wide, at right angles to the stem or facing up; perianth segments 35mm long, roundish, brilliant greenish yellow 6A, with pale mucro, spreading to a little reflexed, plane to concave, with broad midrib showing, of heavy substance, overlapping half; the inner segments narrower, shouldered at base, blunt; corona segments 20mm long, the six segments closely overlying the perianth segments and of the same width, joined at margins at base, overlapping at shoulder, a little creased, vivid yellow 9A, bi-lobed and frilled. Mid-season. Sweetly scented

‘Darkest of All’ 10 Y-Y

(Walter J.M.Blom, 2002) Walter J.M.Blom, 2009
Sdlg (*N. bulbocodium* 10-7) × *N. cantabricus* subsp. *monophyllus*; sdlg no.866-17
Fl. star-shaped, 30mm wide, facing up; perianth segments 15mm long, lanceolate in outline, acute at apex, brilliant greenish yellow 5A, spreading to a little reflexed, plane, smooth and of membranaceous substance, separated; corona 20mm long, cup-shaped, smooth, vivid yellow 9A, mouth widely expanded, wavy, with rim broadly crenate. Dwarf. Mid-season. Sweetly scented.
Etymology: As the name implies

‘Diane Foster’ 2 W-P

(Mary Lou Gripshover, c.1990) Mary Lou Gripshover, 2009
Parentage unknown; sdlg no.80-31-2
Fl. 90mm wide; perianth segments 36mm long, broadly ovate, blunt, spreading, plane, with margins wavy, overlapping half; the inner segments significantly narrower; corona 19mm long, cup-shaped, smooth, mouth a little expanded, heavily ribbed, with rim crenate. Mid-season.
Etymology: Named to honour the originator’s best friend from high school

‘Dorothy’s Garden’ 2 Y-R

(John R.Reed) John R.Reed, 2009
‘Loch Hope’ × ‘Lipstick’; sdlg no.85-5-2
Mid-season.
Etymology: Named for Dorothy Darden who started the first inner city neighbourhood garden in 1981 in Cincinnati

‘Double Beauty’ 4 Y-O

(K.van der Veek) W.van Lierop & Sons, 2009
Sdlg no.KV 31
Fl. 100mm wide, facing up; perianth and other petaloid segments 35mm long, in two whorls of six, irregularly arranged, very broad in outline, truncate, light greenish yellow 8B to vivid yellow 9A, or sometimes paler (4C) in tone, creased, of heavy substance, overlapping half or more; the outer whorl mucronate, spreading, a little concave, with margins wavy; the inner whorl scarcely mucronate, strongly inflexed, with margins folded inwards or deeply incurved; corona segments 30mm long, interspersed among the petaloid segments, broad, yellow-orange (17A), narrowly ribbed, lightly frilled, crumpled towards centre. Mid-season. Sweetly scented

‘Downtown’ 2 W-P

(John R.Reed) John R.Reed, 2009
Syn. ‘Sometime’
‘Fragrant Rose’ × ‘Melrose Delight’; sdlg no.95-73-1
Mid-season

‘Easyjet’ 2 W-O

(K.van der Veek) Narveco, 2009
Sdlg no.KV99/18
Fl. 115mm wide; perianth segments 45mm long, broadly ovate, blunt, mucronate, yellowish white 155D, spreading, a little concave, smooth and of membranaceous substance, overlapping half; the inner segments narrower, with margins slightly wavy; corona 30mm long, funnel-shaped, smooth, strong orange N25C, touched yellow and white at apex, mouth lightly ribbed, wavy, with rim narrowly flanged, entire, split and overlapping in places. Early. Sweetly scented

Elfbells Group 10 Y-Y

(H.Koopowitz, 2009) H.Koopowitz, 2009
Microcodium Group × *N. triandrus* var. *pulchellus*; sdlg no.04-097
Fls star-shaped, 27mm wide, sometimes facing downwards, brilliant yellow 8A; perianth segments 10mm long, lanceolate in outline, acute at apex, spreading, twisted, with margins incurling, smooth and of membranaceous substance, separated; corona 10mm long, funnel-shaped, smooth, mouth expanded, even, with rim entire. Dwarf. Mid-season

‘Elizabeth Carbines-McKague’ 2 Y-YOO

(J.N.Hancock & Co.) Rosemary-Beth Rem, 2008
Parentage unknown
Fl. 90mm wide; perianth segments 35mm long, very broadly ovate, blunt, brilliant greenish yellow 4A, spreading to a little reflexed, plane or with margins slightly recurved, smooth and of heavy substance,

overlapping half; the inner segments shouldered at base; corona 26mm long, funnel-shaped, angled, orange (28A), with brilliant greenish yellow 4A at base, mouth expanded, regularly ribbed, lightly frilled, with rim crenate. Mid-season. Sunproof

'El Sid' 1 Y-Y

(Sidney DuBose, 1993) Robert Spotts, 2009
'Madrugá' × 'Glenfarclas'; sdlg no.R21-58
Fl. forming a double triangle, 100mm wide; perianth segments 40mm long, broadly ovate, blunt, yellow, spreading, plane, smooth, overlapping half; corona 40mm long, cylindrical, smooth, darker in tone than the perianth segments, variably orange, mouth flared, even, with rim dentate. Tall. Early.
Etymology: Named for the originator

'Emerald City' 3 W-GYY

(Brian S.Duncan, 2001) Brian S.Duncan, 2009
'Soft Focus' × 'Dunley Hall' or 'Evesham'; sdlg no.2589
Fl. 115mm wide; perianth segments 45mm long, very broad, rounded, mucronate, white, spreading, plane, smooth, overlapping half; the inner segments narrower, shouldered at base, not noticeably mucronate, with margins wavy; corona 12mm long, bowl-shaped, ribbed, deep lemon yellow, with deep green at base, mouth smooth, heavily frilled, with rim split and overlapping in places. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0112642)
Etymology: Named for the fictional city in *The Wonderful Wizard of Oz* (1900)

'Endearing' 7 Y/W-Y

(R. & E.Havens, 1998) R. & E.Havens, 2009
N. jonquilla hybrid; sdlg no.HH19/1
Fls 3-5 per stem, 34mm wide; perianth segments 15mm long, ovate, blunt, mucronate, bright yellow, with a stripe of white along the midrib, spreading, plane, smooth and of heavy substance, overlapping a quarter; the inner segments slightly narrower, less prominently mucronate; corona 4mm long, bowl-shaped, shallow, smooth, bright yellow, mouth straight, wavy, with rim entire. Dwarf. Late. Sweetly scented.
Nomenclatural Standard: colour print supplied by registrant (WSY0112688)

'Ethereal Magic' 2 YYW-WWY

(R. & E.Havens, 1999) R. & E.Havens, 2009
'Lemon Sails' × 'Sun Gem'; sdlg no.I 72/2
Fl. 97mm wide; perianth segments 40mm long, broadly ovate, blunt, mucronate, soft lemon-yellow, with a band of white at base, spreading or a little reflexed, plane, smooth and of heavy substance, overlapping half; the inner segments slightly narrower, less prominently mucronate; corona 34mm long, cylindrical, smooth, becoming pure white, with a narrow band of lemon-yellow at rim, mouth slightly flared, lightly ribbed and frilled, with rim crenate. Late.
Nomenclatural Standard: colour print supplied by registrant (WSY0112685)

'Evelyn Roberts' 11a W-P

(Dan du Plessis, c.1995) R.A.Scamp, 2008
'Cassata'? hybrid; sdlg no.89-40
Fl. 95mm wide; perianth segments 36mm long, broadly ovate, blunt, prominently mucronate, white, spreading to a little reflexed, concave, with margins wavy, of heavy substance, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate, more nearly plane; corona segments 25mm long, split to base, the six segments two-thirds the length of the perianth segments and of the same width, overlapping at shoulder, dark reddish pink, a little inflexed, folded, bi-lobed, with lobes overlapping, lightly frilled, margins wavy, with rim entire. Mid-season

'Evening Prayer' 9 W-R

(R. & E.Havens, 1990) R. & E.Havens, 2009
'Mountain Poet' hybrid; sdlg no.Z154/1
Fl. rounded, 62mm wide; perianth segments 26mm long, very broad, rounded at apex, scarcely mucronate, pure white, slightly reflexed, plane, smooth and of heavy substance, overlapping half or more; corona 5mm long, disc-shaped, closely ribbed, orange-red, mouth expanded, slightly wavy, with rim crenate. Late.
Nomenclatural Standard: colour print supplied by registrant (WSY0112687)

'Fineshade' 1 Y-O

(John Gibson, 2001) John Gibson, 2009
Sdlg 1-6-91 ('Tenterfield' × 'Corbiere') × 'South Street'; sdlg no.147-34-97
Fl. 105mm wide; perianth segments 41mm long, broadly ovate, blunt, brilliant yellow 7A, with prominent white mucro, spreading, plane or with margins slightly incurling, of heavy substance, overlapping half; the inner segments narrower, more nearly plane; corona 42mm long, cylindrical, angled, yellow-orange (23A), mouth slightly expanded, a little wavy, with rim crenate and irregularly notched. Very early

'Fine Trim' 2 W-GYO

(Brian S.Duncan, 2002) Brian S.Duncan, 2009
'Soprano' × 'High Society'; sdlg no.2436
Fl. 108mm wide; perianth segments 42mm long, broadly ovate, blunt, prominently mucronate, white, touched green at base, spreading, plane, smooth, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate; corona 20mm long, bowl-shaped, broadly ribbed, deep lemon yellow, with green at base and a thin band of orange at rim, mouth wavy, irregularly lobed, with rim minutely ribbed. Mid-season to late. Sunproof.
Nomenclatural Standard: colour print supplied by registrant (WSY0112639)

'Fiona Lancaster' 4 Y-Y

(A.Lancaster) K.Inman, 2008
Fl. star-shaped, 70mm wide, creamy yellow, shading to a darker tone at base; perianth and other petaloid segments in several whorls symmetrically arranged, decreasing in length and width and becoming successively more inflexed towards the centre, ovate,

prominently mucronate, spreading, with margins wavy and midrib showing, overlapping a quarter; the corona segments clustered at centre, half the length of the petaloid segments and almost completely hidden by them. Mid-season. Sweetly scented

'Fireonice' 3 W-R

(M.E.Brogden, 1996) Brogden Bulbs, 2009
'Sweet Luck' × 'Gauntlet' sibling) × 'Teina';
sdlg no.BB 1-17-5
Fl. rounded, 100mm wide; perianth segments 43mm long, very broadly ovate in outline, rounded at apex, glistening white, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments shouldered at base; corona 13mm long, disc-shaped, ribbed, fiery orange-red, mouth wavy, with rim crenate. Mid-season

'First Call' 2 Y-Y

(M.E.Brogden, 2003) Brogden Bulbs, 2009
'Impeccable' × ('Kiwi Moon' × 'Bramley' sdlg);
sdlg no.BB8-06-3
Fl. forming a double triangle, 108mm wide, deep yellow, with a golden tint; perianth segments 45mm long, broadly ovate, blunt, spreading to slightly reflexed, plane, smooth, overlapping half; the inner segments narrower; corona 30mm long, cylindrical, angled, mouth straight, wavy, with rim entire. Tall. Early to mid-season

'Flash Spice' 3 Y-Y

(P.D.K.Ramsay, 2005) P.D.K.Ramsay, 2009
'Kawhatau' × 'Lemon Spice'; sdlg no.05:63
Fl. 108mm wide; perianth segments 40mm long, very broad, rounded at apex, spreading, with margins incurved, smooth and of heavy substance, overlapping half; corona 11mm long, bowl-shaped, smooth, mouth straight, even, with rim flanged and crenate. Late

'Fop' 11a W-P

(Jackson's Daffodils, 1997) Jackson's Daffodils, 2008
'Printal' × 'Dawn Crest'; sdlg no.246/97
Fl. 105mm wide; perianth segments 41mm long, very broad, roundish, mucronate, yellowish white 155D, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments narrower, ovate, shouldered at base, blunt; corona segments 25mm long, split to more than half its length, the six segments closely overlying the perianth segments and forming an outer and an inner whorl of three, two-thirds the length of the perianth segments and of the same width, bi-lobed, with the lobes overlapping, ribbed, pink (23D), heavily frilled. Early

'Franz Jackson' 2 W-O

(John R.Reed) John R.Reed, 2009
'Orange Tint' × 'Lutana'; sdlg no.98-32-1
Early.
Etymology: Named for a great American jazz saxophonist who is the father of a friend of the registrant's wife. He recently passed away at the age of 95 after performing with many of the great American jazz performers for more than 80 years

'Fulfillment' 2 Y-P

(R. & E. Havens, 1987) R. & E. Havens, 2009
'Lorikeet' × 'Magician'; sdlg no.WH27/8
Fl. 108mm wide; perianth segments 45mm long, broadly ovate, blunt, prominently mucronate, lemon-yellow, spreading to slightly reflexed, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate; corona 40mm long, funnel-shaped, smooth, deep apricot-pink, mouth a little expanded, heavily frilled, with rim flanged and dentate. Mid-season. Sunproof.
Nomenclatural Standard: colour print supplied by registrant (WSY0112690)

'General Quarters' 1 Y-Y

(John R.Reed) John R.Reed, 2009
'Scotch Quarter' × 'Impeccable'; sdlg no.2000-13-1
Early to mid-season.
Etymology: "General Quarters" is used to assemble an army before attacking

'Glenlee' 12 Y-O

Syn. of 'Glenlee Station'

'Glenlee Station' 12 Y-O

(Agnes Sutherland, pre-1990) David Adams, 2008
Syn. 'Glenlee'
Fls 2-3 per stem, star-shaped, 35mm wide, facing down; perianth segments 15mm long, light yellow, lanceolate, acute, strongly reflexed, plane to a little concave, with midrib showing, of membranaceous substance, overlapping; corona 15mm long, cylindrical, ribbed, light orange, mouth flared, frilled, with rim dentate. Dwarf. Very early. Sunproof.
Resembles 'Jumble' but with much shorter-stemmed and smaller flowers.
Etymology: The home farm of the originator

'Golden Symphony' 5 Y-Y

(Walter J.M.Blom, 2001) Walter J.M.Blom, 2009
N. triandrus hybrid × *N. jonquilla* var. *henriquesii*;
sdlg no.768-13
Fls 3 per stem, brilliant greenish yellow 6A, facing down; perianth segments 24mm long, oblong in outline, blunt at apex, markedly reflexed, plane, with margins a little wavy and with midrib showing, of membranaceous substance, overlapping one-third; corona 16mm long, deeply cup-shaped, angled, mouth straight, ribbed, wavy, with rim crenate. Dwarf. Mid-season. Strongly scented.
Etymology: As the name implies

'Golden Tiara' 10 Y-Y

(Walter J.M.Blom, 2001) Walter J.M.Blom, 2009
Sdlg (*N. bulbocodium* 628-3) × 'Julia Jane'; sdlg no.112-6
Fl. star-shaped, 30mm wide, light greenish yellow 4B; perianth segments 15mm long, lanceolate in outline, acute at apex, spreading, with margins incurving, smooth and of heavy substance, separated; corona 15mm long, bowl-shaped, smooth, mouth expanded, lightly ribbed, distinctly 6-lobed, with rim flanged and minutely dentate. Dwarf. Early. Sweetly scented

'Gold Touch' 1 Y-Y

(P.D.K.Ramsay, 2004) P.D.K.Ramsay, 2009
 'Temple Gold' × 'Midas Touch'; sdlg no.04:13
 Fl. 109mm wide; perianth segments 38mm long, oblong, mucronate, spreading, with margins incurved, smooth and of heavy substance, overlapping a quarter; corona 39mm long, cylindrical, smooth, mouth flared, ribbed, even, with rim entire. Early

'Good Girl' 9 W-W

(M.Hamilton, 2006) M.Hamilton, 2008
 'May Be' × sdlg (9 W-O/R); sdlg no.44/08
 Fl. forming a double triangle, 75mm wide; perianth segments 32mm long, ovate in outline, acute at apex, white, spreading, plane to a little concave, smooth and of membranaceous substance, overlapping; corona 4mm long, disc-shaped, milky white, with green at base, mouth ribbed and even. Mid-season. Strongly scented.
 Etymology: Named for the originator's daughter-in-law

'Great Lakes' 1 W-Y

(John R.Reed) John R.Reed, 2009
 'Pike Lake' × 'Irish Affair'

'Greenhithe Village' 3 Y-GYY

(John Gibson, 2001) John Gibson, 2009
 'Moon Shadow' × 'Ryan Son'; sdlg no.72-16-96
 Fl. rounded, 100mm wide; perianth segments 43mm long, very broadly ovate, truncate, slightly mucronate, vivid yellow 9A, spreading, plane to a little concave, with midrib showing, of heavy substance, overlapping half or more; the inner segments less noticeably mucronate; corona 13mm long, disc-shaped, broadly ribbed, light greenish yellow 4B, with green at base, mouth straight, lightly frilled, irregularly lobed, with rim entire. Mid-season to late

'Green Spice' 3 W-G

(John R.Reed) John R.Reed, 2009
 'Irish Mint' × sdlg 85-26-1 ('Angel' × 'Misty Glen'); sdlg no.98-125-1
 Late

'Guiding Spirit' 4 Y-O

(R.A.Scamp, 1990) R.A.Scamp, 2009
 'Saint Keverne' × 'Tamar Fire'; sdlg no.366
 Fl. 70mm wide; perianth and other petaloid segments 25mm long, in several whorls, ovate, blunt, with prominent pale mucro, smooth and of heavy substance, the outer whorls spreading or a little reflexed, plane to slightly concave, overlapping half; the inner whorls successively shorter and more inflexed; the innermost whorls deeply folded inwards from midrib; corona segments 20mm long, interspersed among the perianth and other petaloid segments and of a similar width, irregularly lobed and heavily frilled. Early to mid-season. Slightly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0112702)
 Etymology: Named by the Cornish Girl Guides to celebrate 100 years of the Girl Guides

'Habari' 4 W-YY

(Brian S.Duncan, 2001) Brian S.Duncan, 2009
 'Baldock' × 'Waldorf Astoria'; sdlg no.2438
 Fl. 110mm wide; perianth and other petaloid segments in three or more whorls, white, diminishing in length and width towards centre; the outer whorls very broadly ovate, blunt, only very slightly mucronate, spreading to a little inflexed, plane or with margins a little incurved, overlapping half or more; the inner whorls less noticeably mucronate, more strongly inflexed, concave or deeply folded from midrib; corona segments interspersed among all the perianth and other petaloid segments and two-thirds the length of the inner ones, yellow, with a band of pale orange-pink at rim, heavily frilled, with margins wavy. Mid-season to late. Sunproof.
 Nomenclatural Standard: colour print supplied by registrant (WSY0112643)

'Halogen' 2 Y-W

(John R.Reed) John R.Reed, 2009
 'Impressive Dream' × 'Altun Ha'; sdlg no.98-180-1
 Mid-season.
 Etymology: Named after a bright light

'Harmonize' 11a Y-P

(Jackson's Daffodils, 1997) Jackson's Daffodils, 2008
 'Sprinter' × sdlg ME L30-3; sdlg no.271/97
 Fl. 107mm wide; perianth segments 42mm long, very broad, oblong to ovate, blunt, mucronate, light greenish yellow 6D, spreading, plane, smooth and of heavy substance, overlapping one-third; the inner segments narrower, shouldered at base, with margins a little incurved or wavy; corona 29mm long, split to base, the six segments each overlying the petaloid segments and of the same width, forming an outer and an inner whorl of three, a little creased, light yellowish pink (29C), bi-lobed, with the lobes overlapping, lightly frilled and separated

'Hawley Gift' 2 Y-R

(P.J.Radcliff) John R.Reed, 2009
 Sdlg 11/75 × sdlg 16/75; sdlg no.Radcliff 9-84
 Tall. Mid-season

'Helen Keller' 7 Y-O

(Mary Lou Gripshover, c.1993) Mary Lou Gripshover, 2009
 'Avenger' × *N. jonquilla*; sdlg no.83-21
 Fls 1-2 per stem; perianth segments ovate, blunt, with prominent white mucro, spreading, with margins incurved, smooth, overlapping one-third; the inner segments less prominently mucronate; corona bowl-shaped, regularly ribbed, mouth straight, wavy, with rim entire. Late. Sweetly scented.
 Etymology: Named for the school of the originator's grand-niece

'Helen's Memory' 3 W-Y

(John R.Reed) John R.Reed, 2009
 'Grace Note' × 'Dunley Hall'; sdlg no.90-69-1
 Late.
 Etymology: Named to honour the originator's step-mother

'Hilary Marec' 8 W-Y

(W.R.P. Welch) W.R.P. Welch, 2009

'Avalanche' × 'Gloriosus'?

Fls 15–21 per stem, rounded, 41mm wide; perianth segments 18mm long, roundish, very broad, mucronate, white, spreading, plane, smooth and of heavy substance, overlapping half or more; corona 9mm long, bowl-shaped, smooth, dark lemon yellow, mouth straight, ribbed, frilled, with rim dentate. Early. Sweetly scented.

Etyymology: Named for a friend

'Hot Embers' 2 W-GOP

(Brian S. Duncan, 2001) Brian S. Duncan, 2009

'Alston' × 'Soprano'; sdlg no. 2580

Fl. 105mm wide; perianth segments 41mm long, broadly ovate, blunt, mucronate, white, a little reflexed, plane, smooth, overlapping half; the inner segments narrower, shouldered at base; corona 20mm long, cup-shaped, smooth, pinkish orange, green at base and shading to coral pink at rim, mouth straight, lightly ribbed, a little wavy, with rim entire. Late. Sunproof. Nomenclatural Standard: colour print supplied by registrant (WSY0112646)

Etyymology: Named for the colours in the corona

'Humpf' 11a Y-P

(Jackson's Daffodils, 2002) Jackson's Daffodils, 2008

Parentage unknown; sdlg no. 6/02

Fl. 80mm wide; perianth segments 28mm long, broadly ovate, mucronate, brilliant greenish yellow 7C, spreading, plane or a little concave, smooth and of heavy substance, overlapping half; the inner segments narrower, less noticeably mucronate, a little inflexed; corona 24mm long, split to more than half its length, the six segments each closely overlying a perianth segment and of similar width, blunt, entire, regularly ribbed, pink (18C), lightly frilled. Dwarf. Early

'Hyperbole' 2 W-R

(Brian S. Duncan, 2002) Brian S. Duncan, 2009

'Magician' × sdlg 1827 (['Ken's Favorite' × 'Fragrant Rose'] × 'Last Chance'); sdlg no. 2748

Fl. 107mm wide; perianth segments 42mm long, broad, oblong, blunt, prominently mucronate, white, a little reflexed, plane, smooth, overlapping one-third to a half; the inner segments narrower, ovate, shouldered at base; corona 32mm long, funnel-shaped, lightly ribbed, brick red, mouth wavy, with rim entire. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0112650)

Etyymology: Named for the colour of the corona

'Hyscent' 8 W-Y

(M.E. Brogden, 2001) Brogden Bulbs, 2009

Sdlg WTH 93-T17 open pollinated

Fl. rounded; perianth segments roundish, white, spreading, plane, smooth, overlapping one-third; corona bowl-shaped, smooth, orange-yellow, mouth straight, even, with rim entire. Early. Strongly scented.

Etyymology: Named for the strong scent of the flower

'Isabella Callander' 2 W-WWY

(J.S.B. Lea, 1985) D.C. MacArthur, 2009

'Purbeck' × Lea sdlg 4-25-76; sdlg no. ED8521

Fl. 116mm wide; perianth segments 48mm long, very broadly ovate, rounded, scarcely mucronate, greenish white 155C, reflexed, concave, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, less prominently mucronate, smooth; corona 21mm long, bowl-shaped, lightly ribbed, yellowish white 155B, with a band of light yellow 11B at rim, mouth straight, a little frilled, six-lobed, with rim split and overlapping in places. Late. Sweetly scented

'Jacob Maurer' 6 Y-Y

(R.A. Scamp, 1993) R.A. Scamp, 2008

'Preamble' × *N. cyclamineus*; sdlg no. 542

Fl. star-shaped, 78mm wide, facing down; perianth segments 35mm long, oblong, blunt, prominently mucronate, slightly reflexed, twisted, with margins incurving, smooth and of heavy substance, overlapping a quarter; the inner segments narrower, ovate in outline, acute at apex, less prominently mucronate; corona 37mm long, cylindrical, angled, mouth flared, wavy, with rim dentate and deeply notched. Dwarf. Early.

Etyymology: Jacob Maurer was the Head Gardener at Warley Place for 50 years

'Jaeff Fore' 4 W-P

(Gerard Knehans Jr., 1999) Gerard Knehans Jr., 2009

'Fragrant Rose' × 'Pink Pageant'; sdlg no. JF4

Fl. 70mm wide; perianth and other petaloid segments in three or more whorls, white, smooth and of heavy substance; the two outer whorls 30mm long, broadly ovate, rounded at apex, mucronate, spreading, a little concave; the inner segments narrower, less prominently mucronate; the inner whorls shorter, significantly inflexed, with margins incurved; the innermost whorl deeply folded inwards from midrib; corona segments 16mm long, interspersed among the petaloid segments, pink (25B), becoming successively more inflexed, deeply frilled. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0112720)

Etyymology: A completely fabricated proper name; homophone of seedling number

'James Schuyler' 9 W-GYR

(Daniel Bellinger, 2006) Daniel Bellinger, 2009

'Dulcimer' open pollinated; sdlg no. 99.10.1

Fl. 70mm wide, facing up; perianth segments 34mm long, ovate, acute, mucronate, yellowish white 155D, spreading, concave, smooth and of heavy substance; the inner segments narrower; corona 13mm long, disc-shaped, ribbed, brilliant greenish yellow 5A, with strong yellow-green 144B at base and a band of red (40B) at rim, mouth even, with rim entire or slightly crenate. Late. Sunproof. Sweetly scented.

Etyymology: Named for the American poet

'James William Maxwell' 4 Y-Y

(M. Hamilton, 1992) M. Hamilton, 2008

Hamilton sdlg hybrid; sdlg no. 79-97

Fl. 105mm wide; perianth and other petaloid

segments 46mm long, ovate in outline, acute at apex, vivid yellow 12A, spreading, plane, smooth and of heavy substance, overlapping; the inner segments narrower; corona segments vivid yellow 14B. Early. Etymology: Named for the originator's grandson

'Janet's Gold' 2 Y-Y

(Nial Watson, 2000) Ringhaddy Daffodils, 2009 'Gold Convention' × 'Gold Bond'; sdlg no.031 Fl. forming a double triangle, 102mm wide; perianth segments 41mm long, very broadly ovate, blunt, prominently mucronate, vivid yellow 9A, spreading, plane to a little concave, with midrib showing, of heavy substance, overlapping one-third to a half; the inner segments narrower, more nearly plane; corona 34mm long, funnel-shaped, smooth, a darker tone than the perianth (14A), mouth straight, wavy, with rim crenate. Early. Mildly scented. Etymology: Named for the originator's mother-in-law

'Jealous Heart' 2 W-GOO

(Malcolm Wheeler, 2007) Malcolm Wheeler, 2008 *N. atlanticus* × sdlg Q21-2-03 (9 W-R); sdlg no.M69b-7 Fl. rounded, 40mm wide; perianth segments 18mm long, very broadly ovate, truncate, opening creamy white, becoming clearer white, slightly reflexed, plane or with margins a little incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, spreading; corona 7mm long, bowl-shaped, ribbed, strong orange, with green at base, mouth expanded, wavy, with rim minutely dentate. Dwarf. Early. Sweetly scented. Etymology: Named for the green in the corona

'Jessie Jane' 8 W-YYR

(W.R.P.Welch) W.R.P.Welch, 2009 Div. 3 × 'Matador' Fls 1-2 per stem, rounded, 88mm wide; perianth segments 38mm long, roundish, very broad, opening very pale yellow, becoming creamy white, spreading, plane, smooth and of heavy substance, overlapping half or more; corona 12mm long, bowl-shaped, ribbed, deep yellow, with red at rim, mouth flared, wavy, with rim notched. Very late. Sweetly scented. Etymology: Named for a friend

'Jim's Poet' 9 W-GYR

(M.Hamilton, 2002) Colin Crotty, 2009 Parentage unknown; sdlg no.34-02 Fl. rounded, 70mm wide; perianth segments 29mm long, very broadly ovate, rounded, mucronate, white, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments inflexed; corona 5mm long, disc-shaped, ribbed, yellow, with green at base and a fine band of dark red at rim, mouth frilled, with rim dentate. Late. Sweetly scented. Etymology: Named for Jim Davidson (Scottish daffodil enthusiast)

'Jojo' 8 Y-R

(W.R.P.Welch) W.R.P.Welch, 2009 'Altruist' × 'Bright Spot' Fls 1-2 per stem, 90mm wide; perianth segments

39mm long, roundish, very broad, truncate, opening light yellow, becoming creamy yellow, spreading, plane or with margins incurving, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 9mm long, bowl-shaped, ribbed, intense orange-red, mouth straight, wavy, with rim crenate. Tall. Very late. Sunproof. Sweetly scented. Etymology: Named for a friend

'Juliet Firstbrook' 2 Y-R

(R.A.Scamp, 1991) R.A.Scamp, 2009 'Polbathic' × 'Loch Lundie'; sdlg no.476 Fl. 97mm wide; perianth segments 40mm long, broadly ovate, blunt, scarcely mucronate, spreading, plane or with margins a little incurving, smooth and of heavy substance, overlapping half; the inner segments slightly inflexed; corona 25mm long, cup-shaped, smooth, mouth narrowly flared, broadly frilled, with rim split and overlapping in places. Mid-season to late. Sunproof. Nomenclatural Standard: colour print supplied by registrant (WSY0112704)

'Kait's Favorite' 8 W-Y

(W.R.P.Welch) W.R.P.Welch, 2009 Div. 3 × 'Matador' Fls 1-2 per stem, rounded, 90mm wide; perianth segments 39mm long, roundish, white, spreading, plane, smooth and of heavy substance, overlapping half or more; corona 13mm long, bowl-shaped, ribbed, opening very light yellow, becoming white, mouth flared, wavy, with rim entire. Tall. Very late. Sweetly scented. Etymology: Named for a friend

'Kaka Point' 2 W-P

(Brian S.Duncan, 2001) Brian S.Duncan, 2009 'Fragrant Rose' × 'Eastern Promise'; sdlg no.2296 Fl. 118mm wide; perianth segments 46mm long, roundish, very broad, prominently mucronate, white, with a slight hint of pink, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments broadly ovate, blunt, less prominently mucronate, shouldered at base; corona 27mm long, cup-shaped, smooth, deep rose pink, with a narrow band of pale pink at rim, mouth straight, lightly ribbed, wavy, with rim entire. Early to mid-season. Sunproof. Nomenclatural Standard: colour print supplied by registrant (WSY0112654) Etymology: Named for a village on the Catlins coast in New Zealand

'Kate Davies' 2 W-YPP

(R.A.Scamp, 1991) R.A.Scamp, 2009 'Rainbow' × 'Dailmanach'; sdlg no.617 Fl. forming a double triangle, 101mm wide; perianth segments 38mm long, broadly ovate, blunt, white, prominently mucronate, spreading, with margins incurving, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate; corona 29mm long, cup-shaped, smooth, very pale

pink, with a band of greenish yellow at base and a broad band of soft pink at rim, mouth expanded, broadly ribbed, wavy, with rim dentate and narrowly flanged. Mid-season. Very slightly scented.
Nomenclatural Standard: colour print supplied by registrant (WSY0112703)

‘Kathleen Smith’ 7 O-O

(M.J.Jefferson-Brown, 2000) R.A.Scamp, 2009
‘Ambergate’ × *N. jonquilla*; sdlg no.2-JB-700
Fl. 93mm wide; perianth segments 35mm long, oblong in outline, blunt at apex, prominently mucronate, opening yellow flushed with orange, becoming apricot-orange, spreading to slightly inflexed, plane to a little concave, with margins wavy, smooth and of heavy substance, overlapping half; the inner segments a little narrower; corona 14mm long, bowl-shaped, lightly ribbed, deep orange, wavy, irregularly and deeply lobed, with rim dentate. Tall. Mid-season to late. Strongly scented.
Nomenclatural Standard: colour print supplied by registrant (WSY0112705)

‘Kathy A’ 5 Y-Y

(Brian S.Duncan, 1999) Brian S.Duncan, 2009
N. triandrus subsp. *triandrus* × ‘Golden Jewel’; sdlg no.2308
Fls 2–3 per stem, star-shaped, 65mm wide, lemon yellow, facing slightly downwards; perianth segments 27mm long, ovate, acute, spreading, plane, smooth and of heavy substance, overlapping one-third; the inner segments narrower; corona 10mm long, cup-shaped, ribbed, mouth straight, wavy, with rim entire. Dwarf. Early to mid-season.
Etymology: Named to mark and celebrate the 80th birthday of Kathy Andersen

‘Kato’ 6 Y-Y

(John R.Reed) John R.Reed, 2009
Parentage unknown; sdlg no.96-64-4
Dwarf. Early.
Etymology: Named for a comic-book character

‘Kavita’ 2 W-WWP

(Tony Davis, 2001) Graeme Davis, 2009
‘High Society’ × ‘Pol Voulin’
Fl. forming a double triangle, 105mm wide; perianth segments 40mm long, broadly ovate, blunt, prominently mucronate, yellowish white 155D, spreading, plane, smooth, overlapping one-third; the inner segments significantly narrower, shouldered at base, less prominently mucronate; corona 26mm long, funnel-shaped, ribbed, yellowish white 155B, with a band of light yellowish pink 27A at rim, mouth flared, with rim crenate. Mid-season.
Etymology: Named selected from those provided in a promotion at the 2007 Canberra Floriade

‘Kiwi Melody’ 2 W-P

(G.J.Phillips, 1986) G.J.Phillips, 2009
‘Melanie’ × ‘Pasteline’; sdlg no.81-52-3
Fl. 97mm wide; perianth segments 42mm long; corona 30mm long. Mid-season

‘Koop’ 1 Y-O

(John R.Reed) John R.Reed, 2009
‘Trumpet Call’ × ‘Bailey’; sdlg no.97-47-1
Early to mid-season.
Etymology: Named for Dr Koopowitz

‘Kowtow’ 2 W-Y

(Jackson’s Daffodils, 1996) Jackson’s Daffodils, 2008
Sdlg 59/80 × ‘Theorum’; sdlg no.42/96
Fl. forming a double triangle, 100mm wide; perianth segments 41mm long, broadly ovate, blunt, greenish white (155A), spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 33mm long, funnel-shaped, ribbed, brilliant greenish yellow 3A, mouth frilled, with rim dentate

‘Lake District’ 2 W-P

(Brian S.Duncan, 2002) Brian S. Duncan, 2009
‘Naivasha’ × ‘Soprano’; sdlg no.2611
Fl. forming a double triangle, 122mm wide; perianth segments 49mm long, very broadly ovate, blunt, mucronate, pure white, spreading, concave, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, plane to a little concave; corona 18mm long, funnel-shaped, smooth, pale pink, with a broad band of cerise-pink at rim, mouth expanded, broadly ribbed, wavy, with rim minutely dentate. Mid-season. Sunproof.
Nomenclatural Standard: colour print supplied by registrant (WSY0112653)
Etymology: Named following the Alpine Garden Society’s visit to the Lake District in 2008

‘Lake Superior’ 1 W-Y

(John R.Reed) John R.Reed, 2009
‘Irish Affair’ sibling × ‘Three Oaks’; sdlg no.98-26-16
Early to mid-season.
Etymology: Named for the largest of the Great Lakes

‘Laude’ 2 W-P

(Jackson’s Daffodils, 1996) Jackson’s Daffodils, 2008
Parentage unknown; sdlg no.43/96
Fl. forming a double triangle, 105mm wide; perianth segments 43mm long, very broadly ovate, blunt, only very slightly mucronate, yellowish white 155B, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments much narrower, shouldered at base; corona 35mm long, funnel-shaped, lightly ribbed, pink (26D), mouth a little flared, heavily frilled, with rim dentate. Mid-season

‘Laughing Fox’ 3 W-OOY

(R.G.Cull, 1995) R.G.Cull, 2007
‘Sunmaid’ × ‘Ida May’; sdlg no.HC/H13
Fl. 110mm wide; perianth segments 46mm long, broadly ovate, truncate, mucronate, white, spreading or a little reflexed, plane or slightly concave, with margins wavy, smooth and of heavy substance, overlapping half or more; the inner segments more narrowly ovate, less prominently mucronate, more nearly spreading, with broad midrib showing; corona 13mm long, bowl-shaped, lightly ribbed and frilled,

strong orange 25A, with a narrow band of brilliant greenish yellow 6A at rim, mouth expanded, split and overlapping in places. Mid-season. Sunproof

'Laurelbank' 2 W-Y

(Brian S.Duncan, 2002) Brian S.Duncan, 2009
'Rivendell' × sdlg (3 W-Y); sdlg no.2662
Fl. 105mm wide; perianth segments 47mm long, very broadly ovate, blunt, prominently mucronate, white, spreading, plane to a little concave, smooth, overlapping half or more; the inner segments narrower, shouldered at base, a little inflexed, more nearly plane; corona 18mm long, bowl-shaped, smooth, deep lemon yellow, mouth expanded, lightly ribbed, with rim crenate and closely frilled. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0112656)
Etymology: Named for a house belonging to friends of the originator

'Lemon Desire' 1 Y-W

(John R.Reed) John R.Reed, 2009
'Chicken Hill' × 'Dream Prince'; sdlg no.93-97-3
Early

'Lewis Gordon' 3 W-GYO

(J.S.B.Lea, 1985) D.C.MacArthur, 2009
'Purbeck' × Lea sdlg 4-25-76; sdlg no.ED8506
Fl. forming a double triangle, 107mm wide; perianth segments 47mm long, broadly ovate, blunt, prominently mucronate, yellowish white 155D, spreading, with margins incurving and with midrib showing, of heavy substance, overlapping one-third; the inner segments narrower, less prominently mucronate, inflexed; corona 14mm long, bowl-shaped, smooth, brilliant yellow 13C, with moderate yellow-green 146D at base and a band of orange (23A) at rim, mouth straight, narrowly ribbed, lightly frilled and irregularly lobed, with rim crenate. Late. Sweetly scented

'Lickety Split' 11a Y-R

Syn. of 'Motown'

'Lightning Fire' 2 O-R

(Frank B. Galyon) R. & E.Havens, 2009
'Sabine Hay' × 'Monal'; sdlg no.FG100
Fl. 95mm wide; perianth segments 41mm long, very broad, roundish, prominently mucronate, coppery orange, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments narrower, with broad midrib showing; corona 14mm long, bowl-shaped, lightly ribbed, orange-red, mouth expanded, wavy, deeply lobed, with lobes overlapping, rim dentate. Early.
Nomenclatural Standard: colour print supplied by registrant (WSY0112689)

'Lilac Tones' 2 W-P

(Brian S.Duncan, 2001) Brian S.Duncan, 2009
'Alston' × 'Soprano'; sdlg no.2298
Fl. 120mm wide; perianth segments 47mm long, broadly ovate, blunt, prominently mucronate, white,

spreading, plane, smooth, overlapping half; the inner segments narrower, less prominently mucronate; corona 29mm long, cup-shaped, smooth, lilac pink, with a narrower band of a darker tone at rim, mouth slightly expanded, wavy, with rim crenate. Late. Sunproof.
Nomenclatural Standard: colour print supplied by registrant (WSY0112655)
Etymology: Named for the colour of the corona

'Lilly-May Bostock' 6 W-YPP

(R.A.Scamp, 1989) R.A.Scamp, 2009
'Foundling' × 'Raspberry Ring'; sdlg no.353
Fl. 90mm wide, facing down; perianth segments 40mm long, spatulate, blunt, mucronate, white, reflexed, twisted, with margins incurved, smooth and of heavy substance, overlapping; the inner segments narrower, less prominently mucronate; corona 15mm long, cup-shaped, regularly ribbed, bright pink with a band of whitish yellow at base, mouth straight, wavy, with rim minutely dentate. Dwarf. Early to mid-season.

'Lily Anne' 2 W-Y

(Leone Y.Low, 2000) Thomas Listerman, 2009
Duncan sdlg D727 × sdlg; sdlg no.3-5-M3
Fl. 50mm wide; perianth segments opening yellow, becoming white; corona opening orange, becoming bright yellow. Very early.
Etymology: Named for the granddaughter of the registrant

'Limanade' 12 YYG-GYY

(Manuel Lima, c.2000) Robert Spotts, 2009
'Jetfire' × *N. viridiflorus*
Fls 3-5 per stem, star-shaped, 56mm wide, yellow, flushed green and with green at base; perianth segments 25mm long, acute at apex, spreading, plane, smooth, overlapping at base only; corona 6.5mm long, cup-shaped, smooth, mouth straight and even, with rim entire. Very early. Slightly scented.
Etymology: Named for the originator

'Little Alice' 4 Y-O

(Nial Watson, 2002) Ringhaddy Daffodils, 2009
Div. 4 × 'Crackington'; sdlg no.340
Fl. 64mm wide, rounded; perianth and other petaloid segments 24mm long, in two whorls, yellow; the outer whorl very broadly ovate, rounded at apex, with prominent white micro, spreading, plane to concave, with margins a little wavy, smooth and of heavy substance, overlapping half or more; the inner segments narrower, less prominently mucronate, more nearly plane; the inner whorl not noticeably mucronate, with margins strongly inflexed, deeply incurved and folded inwards along the midrib; corona segments 15mm long, half to two-thirds the width of the perianth and other petaloid segments and regularly arranged between them in two whorls, obscurely bi-lobed; the outer whorl spreading or slightly inflexed, plane; the inner whorl strongly inflexed and folded inwards along the midrib. Early. Sunproof. Sweetly scented.
Etymology: Named for the daughter of the originator

'Little David' 6 W-W

(David Karnstedt) John R.Reed, 2009

'Swagger' open pollinated

Perianth segments white; corona opening yellow, becoming white. Dwarf. Very early.

Etymology: Named for its originator

'Little Sheba' 6 Y-Y

(John R.Reed) John R.Reed, 2009

'Heidi' open pollinated

Dwarf. Early

'Luna's Favorite' 8 W-Y

(W.R.P.Welch) W.R.P.Welch, 2009

'Grand Monarque' × Autumn Colors Group sdlg
Fls 10–15 per stem, forming a double triangle, 40mm wide; perianth segments 15mm long, ovate, acute, mucronate, white, spreading, plane, smooth and of heavy substance, overlapping; the inner segments shouldered at base; corona 7mm long, bowl-shaped, smooth, dark lemon yellow, mouth straight, ribbed, even, with rim entire. Early. Sweetly scented.

Etymology: Named for a friend

'Luvit' 2 W-R

(G.J.Phillips, 1988) G.J.Phillips, 2009

'Quasar' × 'Recital'; sdlg no.83-56-1

Fl. 99mm wide; perianth segments 40mm long; corona 22mm long. Mid-season

'Lynn Jay' 3 W-GYW

(Brian S.Duncan, 2001) Brian S.Duncan, 2009

'Limpopo' × 'Silverwood'; sdlg no.2261

Fl. 115mm wide; perianth segments 46mm long, broadly ovate, blunt, prominently mucronate, pure white, spreading, plane or with margins incurved, smooth, overlapping half; the inner segments narrower, not noticeably mucronate, a little inflexed; corona 14mm long, bowl-shaped, ribbed, deep lemon yellow, with green at base and white at rim, mouth heavily frilled, with rim deeply split and overlapping. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0112660)

Etymology: Named for the niece of the originator

'Machu Picchu' 2 Y-R

(Gerard Knehans Jr., 2000) Gerard Knehans Jr., 2009

'Gunsynd' × 'Loch Leven'; sdlg no.KN198

Fl. 72mm wide; perianth segments 31mm long, broadly ovate, rounded, vivid orange-yellow 23A, with pale mucro, spreading, plane, smooth and of heavy substance, overlapping one-third to a half; the inner segments narrower, blunt, less prominently mucronate, plane or with margins incurved; corona 18mm long, bowl-shaped, smooth, vivid red 44A, mouth straight, lightly frilled, with rim minutely dentate. Early. Sunproof.

Etymology: Named for the Inca ruin

'Margaret Herbert' 7 Y-R

(R.A.Scamp, 1997) R.A.Scamp, 2008

'Dateline' × *N. jonquilla*; sdlg no.774

Fls 1–2 per stem, 70mm wide; perianth segments

30mm long, ovate, blunt, with pale mucro, spreading to a little inflexed, plane to slightly concave, smooth and of heavy substance, overlapping; the inner segments narrower, shouldered at base, less prominently mucronate, more nearly plane; corona 8mm long, bowl-shaped, broadly ribbed, mouth wavy, with rim minutely crenate. Mid-season. Sweetly scented

'Margaret Moynihan' 1 Y-P

(Brian S.Duncan, 2001) Brian S.Duncan, 2008

'Azocor' × 'Oregon Pioneer'; sdlg no.2554

Fl. forming a double triangle, 102mm wide; perianth segments 38mm long, very broadly ovate, only very slightly mucronate, creamy lemon, spreading, plane to a little concave, smooth and of heavy substance, overlapping half or more; the inner segments narrower, plane; corona 39mm long, funnel-shaped, smooth, apple blossom pink, mouth slightly expanded, wavy, with rim crenate and deeply notched. Mid-season. Sunproof.

Etymology: Named to honour a special friend

'Max's Choice' 1 W-Y

(P.D.K.Ramsay, 2004) P.D.K.Ramsay, 2009

'Honeybourne' × 'Cameo Legacy'; sdlg no.04:47

Fl. 111mm wide; perianth segments 41mm long, very broad, rounded at apex, spreading, with margins incurving, smooth and of heavy substance, overlapping a quarter; the inner segments shouldered at base; corona 43mm long, funnel-shaped, smooth, mouth straight, even, with rim rolled and dentate. Early. Sweetly scented.

Etymology: Chosen by Max Hamilton

'Maywood' 11a W-P

(R.Å.Scamp, 1995) R.A.Scamp, 2009

Sdlg 177 ('Chenoweth' × 'Rainbow') × 'Phantom'; sdlg no.615

Fl. forming a double triangle, 110mm wide; perianth segments 35mm long, broadly ovate, blunt, mucronate, white, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 32mm long, split to base, the six segments a little narrower than the perianth segments and closely overlying them, bi-lobed, lightly ribbed, pink, paling to base, frilled. Mid-season. Sunproof. Slightly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0112707)

'Mehmet' 6 Y-Y

(Kevin Crowe, 2008) Kevin Crowe, 2008

('Nanty' × *N. cyclamineus*) × sdlg 8/05; sdlg no.T5/08
Fl. 17mm wide, bright golden yellow, facing down; perianth segments 16mm long, oblong in outline, acute at apex, sharply reflexed, with apices almost touching, margins recurved, smooth and of heavy substance, separated; corona 22mm long, cylindrical, smooth, mouth lightly frilled, with rim flanged and dentate. Dwarf. Early.

Etymology: The perianth segments form a "Turk's cap", hence the Turkish name

'Michele's Shalimar' 2 W-P

(John R.Reed) John R.Reed, 2009

Syn. 'Shalimar'

'Misty Glen' × 'Cool Flame'; sdlg no.81-59-1
Mid-season.

Etymology: Named for a family pet

'Mighty Mouse' 1 Y-Y

(John R.Reed) John R.Reed, 2009

'Bagatelle' hybrid

Fl. rounded; perianth segments overlapping. Dwarf.
Early.

Etymology: Named for the cartoon character

'Millennium White' 1 W-W

(John R.Reed) John R.Reed, 2009

'Hanbury' × 'Kathy Andersen'; sdlg no.2001-64-1
Mid-season**'Min' 6 Y-Y**

(Kevin Crowe, 2004) Kevin Crowe, 2008

Sdlg 8/98 open pollinated × 'Frisson' open
pollinated; sdlg no.26/04Fl. 13mm wide, bright yellow, facing down; perianth
segments 12mm long, oblong in outline, acute at
apex, prominently mucronate, sharply reflexed, with
margins a little recurved, smooth and of heavy
substance, overlapping at base only; corona 13mm
long, cylindrical, smooth, mouth even, with rim
flanged and dentate. Dwarf. Early.Etymology: The nickname of the originator's eldest
daughter**'Misty Affair' 2 W-Y**

(P.D.K.Ramsay, 1995) P.D.K.Ramsay, 2009

'Irish Mist' × 'Flash Affair'; sdlg no.95:60

Fl. rounded, 110mm wide; perianth segments 40mm
long, very broad, rounded at apex, spreading, with
margins incurved, smooth and of heavy substance,
overlapping; corona 30mm long, cup-shaped, smooth,
mouth straight, even, with rim flanged and entire.
Mid-season**'Montroig' 2 W-YPP**

(Brian S.Duncan, 2001) Brian S.Duncan, 2009

'Soprano' × 'June Lake'; sdlg no.2600

Fl. forming a double triangle, 125mm wide; perianth
segments 48mm long, very broad, blunt, mucronate,
white, spreading, plane to a little concave, smooth and
of heavy substance, overlapping half or more; the
inner segments narrower, shouldered at base; corona
29mm long, bowl-shaped, smooth, terracotta-pink,
with greenish yellow at base, mouth straight, wavy,
with rim dentate. Mid-season to late. Sunproof.
Nomenclatural Standard: colour print supplied by
registrant (WSY0112663)

Etymology: Named for a campsite in Spain

'Morning Joy' 4 W-WYP

(R.G.Cull) R.G.Cull, 2007

'Cotton Candy' × 'Evening Pink'; sdlg no.HC/C19

Fl. 110mm wide; perianth and other petaloid
segments in three whorls, white, the two outer whorls
42mm long, broadly ovate, blunt, white, spreading ora little reflexed, plane to slightly concave, with
margins wavy, overlapping half; the centre whorl
shorter, strongly inflexed, concave, or with margins
deeply folded inwards; corona segments in three
whorls, 25mm long, half the width of the perianth
segments and interspersed among them, clustered at
centre, creamy yellow, paling to white at base, with a
broad band of strong yellowish pink 38A at rim; the
outer whorls loosely arranged, spreading, plane; the
segments at centre more tightly arranged, strongly
inflexed, with margins wavy or deeply folded inwards.
Mid-season. Sunproof**'Motown' 11a Y-R**

(John R.Reed) John R.Reed, 2009

Syn. 'Lickety Split'

'Menehay' × 'Rory's Glen'; sdlg no.98-54-3
Mid-season**'Mountain Breeze' 9 W-GYR**

(R. & E.Havens, 1989) R. & E.Havens, 2009

'Sea Green' × 'Mountain Poet'; sdlg no.Y170/4

Fl. rounded, 65mm wide; perianth segments 26mm
long, very broad, rounded, prominently mucronate,
pure white, spreading to slightly reflexed, plane to a
little concave, smooth and of heavy substance,
overlapping half or more; the inner segments narrower,
shouldered at base, not noticeably mucronate; corona
5mm long, disc-shaped, closely ribbed, yellow, with
green at base and a narrow band of orange-red at rim,
mouth expanded, wavy, with rim dentate. Late.Nomenclatural Standard: colour print supplied by
registrant (WSY0112692)**'Musca' 2 W-POO**

(W.F.Leenen & Sons) W.F.Leenen & Sons, 2008

Sdlg no.6/88

Fl. 110mm wide; perianth segments 45mm long, very
broadly ovate, blunt, noticeably mucronate, greenish
white 155C, spreading, concave, with midrib
showing, overlapping half; the inner segments
narrower, less prominently mucronate, plane; corona
44mm long, funnel-shaped, smooth, yellow-orange
(21C), with orange-pink (29C-D) at base and
yellow-orange (22A) at rim, mouth expanded,
broadly ribbed, lightly frilled, with rim crenate and
broadly flanged. Mid-season. Sweetly scented**'My Obsession' 2 W-P**

(John R.Reed) John R.Reed, 2009

'Magician' × 'Obsession'; sdlg no.87-10-1
Mid-season**'Neon' 2 YYW-YWY**

(K.van der Veek) Gouwenberg BV, 2008

Fl. 110mm wide; perianth segments 45mm long, very
broad, roundish, brilliant greenish yellow (6B/5B),
with white at base and paling to light greenish yellow
(5D) at apex, with pale mucro, spreading to slightly
reflexed, plane to a little concave, smooth and of
heavy substance, overlapping one-third; the inner
segments broadly ovate, shouldered at base, blunt,
with margins a little wavy; corona 38mm long,
funnel-shaped, shallowly ribbed, opening yellow,

becoming brilliant yellow 7A, with a broad band of white, below a narrow band of yellow at rim, mouth flared, wavy, with rim split and overlapping in places, minutely dentate. Mid-season. Sweetly scented

'Newfields' 5 Y-Y

(Malcolm Wheeler, 2003) Malcolm Wheeler, 2008

'Limequilla' × *N. triandrus* subsp. *triandrus*

var. *triandrus*; sdlg no. M25a-3

Fls 2–5 per stem, 62mm wide, pale yellow, facing down; perianth segments 28mm long, ovate, blunt, mucronate, spreading to a little reflexed, plane or with margins slightly incurved, smooth and of heavy substance, overlapping; the inner segments narrower; corona 19mm long, cup-shaped, smooth, mouth expanded, lightly ribbed, even, with rim entire. Dwarf. Mid-season. Etymology: Named for the originator's family farm

'Oakwood Stimulus' 2 YOO-R

(John R. Reed) John R. Reed, 2009

Syn. 'Stimulus'

'Glenfarclas' × sdlg 81-7-1 ('Vulcan' × 'Sutton Court'); sdlg no. 89-122-2

Early to mid-season.

'Ocean Song' 9 W-GYR

(M. Hamilton, 2002) Colin Crotty, 2009

Parentage unknown; sdlg no. 31-02

Fl. rounded, 63mm wide; perianth segments 25mm long, roundish, very broad, prominently mucronate, white, spreading, plane to a little concave, smooth and of heavy substance, overlapping half or more; the inner segments only a very little narrower, less prominently mucronate, a little inflexed; corona 3mm long, disc-shaped, smooth, yellow, with green at base and a narrow band of orange-red at rim, mouth widely expanded, neatly ribbed, slightly wavy, with rim minutely dentate. Late. Sweetly scented

'Orange Candy' 2 Y-O

(Frank B. Galyon) R. & E. Havens, 2009

'Copperfield' hybrid; sdlg no. FG56

Fl. 102mm wide; perianth segments 40mm long, broadly ovate, blunt or sometimes truncate, mucronate, pastel lemon-yellow, spreading, plane or with margins a little incurved, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate; corona 18mm long, bowl-shaped, narrowly ribbed, bright orange, mouth straight, lightly frilled, with rim entire. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0112691)

'Orangewood' 2 Y-O

(R. & E. Havens, 1998) R. & E. Havens, 2009

'Gold Velvet' × 'Scarlet Chord'; sdlg no. HH26/6

Fl. 105mm wide; perianth segments 40mm long, broadly ovate, blunt, scarcely mucronate, mid-yellow, spreading, plane or with margins a little incurving, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 35mm long, cylindrical, smooth, orange, mouth straight, wavy, with rim crenate and narrowly flanged.

Early. Sunproof.

Nomenclatural Standard: colour print supplied by registrant (WSY0112694)

'Oui' 2 Y-YYO

(David Adams, 1990) David Adams, 2008

'Falstaff' × Jackson sdlg x78/11; sdlg no. 84/25A

Fl. forming a double triangle, 72mm wide; perianth segments 31mm long, ovate, blunt, mucronate, yellow, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 15mm long, cup-shaped, ribbed, yellow, shading to orange at rim, mouth straight, wavy with rim crenate. Dwarf. Mid-season. Sunproof.

Etymology: Oui is pronounced "wee" for small

'Park Sun' 2 Y-Y

(K. van der Veeke) Kapiteyn Speciale Culteren, 2008

Fl. 105mm wide, vivid yellow 9A, facing up; perianth segments 40mm long, very broadly ovate, blunt, mucronate, spreading, concave, with midrib showing, smooth and of heavy substance, overlapping half or more; the inner segments narrower, more prominently mucronate, a little inflexed; corona 30mm long, funnel-shaped, broadly ribbed, mouth narrowly ribbed, wavy, lobed, with rim flanged and entire. Mid-season. Sweetly scented

'Pat Brown' 2 W-P

(R. A. Scamp, 1996) R. A. Scamp, 2008

'Quiet Day' × 'Phantom'; sdlg no. 804

Fl. 120mm wide; perianth segments 50mm long, very broadly ovate, blunt, mucronate, white, spreading, plane to a little concave, with margins slightly wavy, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 35mm long, funnel-shaped, smooth, opening pink, becoming paler, with a white band at rim at maturity, mouth expanded, wavy, with rim crenate and slightly flanged. Mid-season.

'Phyllis Winslow' 2 W-P

(Brian S. Duncan, 2001) Multiple Sclerosis Society, Enniskillen, 2008

'Zion Canyon' × 'Eastern Promise'; sdlg no. 2658

Fl. 105mm wide; perianth segments 42mm long, very broadly ovate in outline, rounded at apex, prominently mucronate, milk-white, spreading, plane to a little concave, with margins slightly wavy, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, inflexed; corona 18mm long, bowl-shaped, broadly ribbed, coral pink, mouth expanded, wavy, three-lobed, with rim crenate. Mid-season. Sunproof.

Etymology: Named in recognition of the dedicated work of Phyllis Winslow for the Multiple Sclerosis Society

'Pinhook Lagoon' 1 W-Y

(John R. Reed) John R. Reed, 2009

'Dayton Lake' × 'Irish Affair'; sdlg no. 97-31-3

Early to mid-season.

Etymology: Named for a small horseshoe lake, in South Bend, Indiana

'Pink Haze' 2 WPP-GPP

(Brian S.Duncan, 2000) Brian S.Duncan, 2009
'Clouds Rest' × 'Fragrant Rose'; sdlg no.2452
Fl. 100mm wide; perianth segments 40mm long, broadly ovate, blunt, scarcely mucronate, pale pink, with white at apex, spreading, with margins incurved, smooth, overlapping half; the inner segments narrower, not noticeably mucronate; corona 15mm long, bowl-shaped, lightly and narrowly ribbed, deep reddish pink, with green at base, mouth wavy, with rim crenate. Late. Sunproof.
Nomenclatural Standard: colour print supplied by registrant (WSY0112665)
Etymology: Named for the colour in the perianth segments

'Pink Lemonade' 1 Y-P

(John R.Reed, 1983) John R.Reed, 2009
'Memento' × 'Decoy'; sdlg no.83-12-1
Early to mid-season.
Etymology: Named for the colours in the perianth segments and the corona

'Pink Steroid' 2 W-P

(G.J.Phillips, 1999) G.J.Phillips, 2009
'Dailmanach' × 'Strawberry Soda'; sdlg no.E30-2
Fl. 120mm wide; perianth segments 50mm long; corona 38mm long. Mid-season

'Pirongia Prince' 4 W-Y

(Graeme and Faith Miller, 2001) Graeme and Faith Miller, 2009
'Bandit' × 'Kiwi Magic'; sdlg no.01-41
Fl. 117mm wide; perianth and other petaloid segments 47mm long, ovate in outline, rounded at apex, spreading, concave, smooth and of heavy substance, overlapping; the inner segments narrower. Mid-season. Strongly scented

'Poet Laureate' 9 W-YYR

(John R.Reed) John R.Reed, 2009
'Lucy Jane' × *N. poeticus* var. *hellenicus*;
sdlg no.84-167-1
Late

'Polar Cub' 2 W-W

(H.Koopowitz, 2003) H.Koopowitz, 2009
'Rimski' × 'Alec Gray'; sdlg no.99-108/1
Fl. forming a double triangle, 47mm wide, paper-white; perianth segments 18mm long, roundish, blunt, spreading, plane or with margins incurving, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 15mm long, cylindrical, ribbed, mouth straight, with rim crenate. Mid-season.
Etymology: Diminutive white flower

'Poolster' 4 W-Y

(Th.van der Hulst) F.H.Heemskerk, 2008
Fl. 105mm wide, facing up; perianth and other petaloid segments in three whorls, yellowish white 155D; the two outer whorls 45mm long, ovate, blunt, spreading, plane to a little concave, with midrib showing, slightly creased and of membranaceous

substance, overlapping half; the inner segments narrower; the inner whorl strongly inflexed, with margins folded deeply inwards; corona segments 30mm long, of similar width to the petaloid segments and interspersed among them, brilliant yellow 8A, paling to pale yellow 8B at margins, lightly wavy, crumpled, with the inner segments inflexed. Mid-season. Sweetly scented

'Prime Target' 1 W-O

(Brian S.Duncan, 2006) Brian S.Duncan, 2009
Sdlg 1883 (Tarry OWYZ × 'Aunt Betty') × 'Lutana'; sdlg no.3065
Fl. 102mm wide; perianth segments 36mm long, broadly ovate, blunt, mucronate, white, a little reflexed, smooth, overlapping one-third to a half; the inner segments narrower, acute at apex, spreading; corona 37mm long, cylindrical, smooth, mid-orange, mouth flared, regularly ribbed, wavy, with rim entire. Early to mid-season. Sunproof.
Etymology: Named for the breeders current main objective, which this flower represents

'Princess Hallie's Gold' 8 Y-O

(W.R.P.Welch) W.R.P.Welch, 2009
Selection from Autumn Colors Group
Fls 8–15 per stem, rounded, 29mm wide; perianth segments 12mm long, ovate in outline, rounded at apex, deep golden yellow, spreading, plane, smooth and of heavy substance, overlapping; corona 5mm long, cup-shaped, smooth, orange, mouth straight, even, with rim entire. Very early. Sunproof. Sweetly scented. Etymology: Named for a friend

'Princess Kiko' 2 W-P

(W.F.Leenen & Sons) W.F.Leenen & Sons, 2008
Parentage unknown
Fl. forming a double triangle, 105mm wide; perianth segments 40mm long, very broadly ovate, blunt, prominently mucronate, greenish white 157D, spreading, with margins incurved from midrib, and with midrib showing, of membranaceous substance, overlapping half; the inner segments narrower, less prominently mucronate, inflexed; corona 35mm long, funnel-shaped, smooth, pink (170C/D), mouth flared, broadly ribbed, lightly frilled, lobed, with rim crenate. Mid-season. Sweetly scented.
Etymology: Named for Her Imperial Highness Princess Kiko, wife of His Imperial Highness Prince Akishino of Japan

'Priorsford' 2 W-YYP

(Brian S.Duncan, 2001) Brian S.Duncan, 2009
'Zion Canyon' × 'Eastern Promise'; sdlg no.2657
Fl. forming a double triangle, 124mm wide; perianth segments 50mm long, ovate in outline, acute at apex, glistening white, spreading or slightly inflexed, plane to a little concave, smooth and of heavy substance, overlapping; the inner segments narrower; corona 24mm long, bowl-shaped, smooth, terracotta pink, with yellow at base, mouth straight, wavy, with rim dentate. Mid-season. Sunproof.
Etymology: Named for the registrant's brother's farm in Scotland

'Ptah' 6 Y-Y

(Kevin Crowe, 2004) Kevin Crowe, 2008

('Little Gem' × *N. cyclamineus*) open pollinated

× sdlg 6/01; sdlg no.10/04G

Fl. 17mm wide, vivid yellow 9B, facing down; perianth segments 9mm long, oblong in outline, acute at apex, reflexed, convex, of heavy substance, separated; corona 15mm long, cylindrical, smooth, mouth flared, wavy, with rim notched and dentate. Dwarf. Early.

Etymology: A companion for Min (from Egyptian mythology)

'Queen Fiona' 1 W-Y

(Brian S.Duncan, 2004) Brian S.Duncan, 2009

'Fiona McKillop' × 'Queen's Guard'; sdlg no.2702

Fl. forming a double triangle, 120mm wide; perianth segments 47mm long, very broadly ovate, blunt, mucronate, white, with yellow at base on opening, spreading, plane, smooth, overlapping half; the inner segments narrower, shouldered at base; corona 48mm long, cylindrical, smooth, deep lemon yellow, mouth straight, wavy, lobed, with rim rolled and entire. Early to mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0112723)

Etymology: Named for its parents

'Quiet Magic' 2 W-P

(Brian S.Duncan, 2003) Brian S.Duncan, 2009

'Fairy Magic' × 'Quiet Hero'; sdlg no.2781

Fl. 74mm wide, facing slightly upwards; perianth segments 30mm long, broadly ovate, blunt, prominently mucronate, slightly inflexed, plane to a little concave, smooth, overlapping half; the inner segments narrower, less prominently mucronate, with margins wavy; corona 14mm long, cup-shaped, smooth, mouth straight, only very slightly wavy, with rim minutely crenate. Dwarf. Mid-season to late. Sunproof.

Nomenclatural Standard: colour print supplied by registrant (WSY0112725)

Etymology: Named for its parents

'Rainbow of Colors' 11a W-YP

(J.Gerritsen & Son) W.van Lierop & Sons, 2008

Fl. 100mm wide; perianth segments 40mm wide, broadly ovate, blunt, mucronate, greenish white (155A), spreading, plane, of heavy substance, overlapping a quarter to one-third; corona 40mm long, split to base, the six segments forming an outer and an inner whorl of three, half the width of the perianth segments, creased and narrowly ribbed, opening yellow-orange, becoming orange-pink 29A, with brilliant greenish yellow 6A at base, bi-lobed, with lobes overlapping, lightly frilled; the outer whorl spreading; the inner whorl inflexed. Mid-season. Sunproof. Strongly scented

'Red Candy' 2 W-R

(John R.Reed) John R.Reed, 2009

'Indiana University' × 'Candy Man'

Mid-season.

Etymology: Named for its pollen parent and its colour

'Red Envy' 2 W-R

(John R.Reed) John R.Reed, 2009

'Decoy' × 'Magician'; sdlg no.95-16-1

Mid-season. Resembles 'Catalyst', but has a longer flowering season.

Etymology: As the name implies

'Ring Flash' 2 W-YYO

(Brian S.Duncan, 2002) Brian S.Duncan, 2009

'Soft Focus' × 'Dunley Hall' or 'Evesham'; sdlg no.2382

Fl. rounded, 112mm wide; perianth segments 44mm long, very broad, rounded at apex, mucronate, white, spreading, plane to a little concave, smooth, overlapping half or more; the inner segments narrower, less prominently mucronate; corona 15mm long, bowl-shaped, angled, yellow, with a band of orange at rim, mouth broadly ribbed, wavy, with rim split and overlapping in places. Mid-season to late. Sunproof. Nomenclatural Standard: colour print supplied by registrant (WSY0112726)

'River Crossing' 3 W-Y

(John R.Reed) John R.Reed, 2009

'Coral Light' × 'My Word'; sdlg no.81-123-1

Mid-season to late.

Etymology: Named for a new footbridge at registrant's alma mater which crosses the St. Joseph River between the school and the first ever student housing

'Rocket Man' 6 33Y-ORR

(John R.Reed) John R.Reed, 2009

'Loch Hope' × *N. cyclamineus*; sdlg no.85-38-5

Early.

Etymology: The upward pointing, long, narrow trumpet reminded the registrant of the "Rocket Man", an American television series

'Rocoza' 2 YYW-P

(Brian S.Duncan, 2001) Brian S. Duncan, 2009

'Oregon Pioneer' × 'Azocor'; sdlg no.2231

Fl. 97mm wide; perianth segments 40mm long, very broadly ovate, blunt, yellow, with white at base and pale yellow at midrib and mucro, spreading to slightly reflexed, plane or with margins a little incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower; corona 36mm long, cylindrical, smooth, very deep reddish pink, mouth straight, wavy, with rim dentate. Mid-season to late. Sunproof.

Nomenclatural Standard: colour print supplied by registrant (WSY0112727)

Etymology: 'Rocoza' is 'Azocor' backwards

'Romantique' 5 Y-Y

(Walter J.M.Blom, 2000) Walter J.M.Blom, 2009

N. triandrus hybrid × *N. jonquilla* var. *henriquesii*; sdlg no.768-22

Fls 2–4 per stem, facing down; perianth segments 11mm long, ovate, blunt, mucronate, brilliant greenish yellow 4A, reflexed, plane or with margins a slightly recurved, smooth and of heavy substance, overlapping half; corona 8mm long, cup-shaped, ribbed, yellow (4A-4C), mouth straight, lightly frilled, with rim dentate. Dwarf. Early. Strongly scented.

Etymology: Named for the delicateness of the flower

‘Rototuna Gold’ 1 Y-Y

(M.Hamilton, 1999) M.Hamilton, 2008

Parentage unknown; sdlg no.33-99

Fl. forming a double triangle, 115mm wide; perianth segments 47mm long, ovate, blunt, brilliant greenish yellow 5B, spreading, plane to a little concave, smooth and of heavy substance, overlapping; the inner segments narrower; corona 48mm long, funnel-shaped, smooth, vivid yellow 12A, mouth frilled, with rim crenate. Early. Etymology: Named for the area in which the registrant lives

‘Round Oak’ 1 Y-Y

(Clive Postles) Roger Braithwaite, 2009

‘Gold Convention’ × ‘Midas Touch’; sdlg no.2-7-81

Fl. 107mm wide; perianth segments very broadly ovate, blunt, with pale mucro, spreading, plane or with margins a little incurved, with midrib showing, overlapping half; the inner segments noticeably narrower, smooth; corona cylindrical, smooth, mouth regularly ribbed, wavy, with rim narrowly flanged. Tall. Mid-season.

Etymology: The original seedling was growing near an oak tree

‘Royleen’ 1 Y-O

(R.T.Willcox, 2003) R.T. & N.J.Willcox, 2009

‘Corbiere’ × sdlg R34/3 (1 Y-Y); sdlg no.22/8

Fl. rounded, 109mm wide; perianth segments 46mm, roundish, very broad, yellow 14B, spreading, plane, smooth and of heavy substance, overlapping half or more; corona 47mm, funnel-shaped, smooth, strong orange 25A, paling to base, mouth flared, even, with rim rolled and entire. Early to mid-season.

Etymology: Amalgamation of names Roy + Noleen (Willcox)

‘Rozzi’s Pink’ 7 W-P

(Kevin Crowe, 2005) Kevin Crowe, 2008

N. fernandesii × ‘Killara Pink’; sdlg no.1/05

Fls 2–3 per stem; perianth segments broadly ovate, blunt, prominently mucronate, ivory white, spreading, plane to a little concave, with margins slightly wavy, smooth and of heavy substance, overlapping one-third to a half; corona cup-shaped, smooth, mid-pink, mouth straight, lightly wavy, with rim entire. Very early. Sweetly scented.

Etymology: Named for the registrant’s daughter

‘Ruth Crouch’ 2 W-P

(John R.Reed) John R.Reed, 2009

‘Accent’ × ‘Verran’; sdlg no.90-4-2

Mid-season.

Etymology: Named for the previous owner of Oakwood

‘Semper Fi’ 2 W-R

(John R.Reed) John R.Reed, 2009

‘Amadeus’ × ‘Elkhart’; sdlg no.2000-124-1

Mid-season.

Etymology: Motto of the United States Marine Corps

‘Shalimar’ 2 W-P

Syn. of ‘Michele’s Shalimar’

‘Sheila Renton’ 2 W-WYY

(R.Beckwith, 2004) R.Beckwith, 2009

‘Geometrics’ × ‘Buttermere Lake’; sdlg no.1-32-99

Fl. 73mm wide; perianth segments 25mm long, very broadly ovate, blunt, prominently mucronate, white, spreading, plane to slightly concave, with midrib showing, of heavy substance, overlapping one-third to a half; the inner segments narrower, shouldered at base; corona 20mm long, funnel-shaped, lightly ribbed, greenish yellow (2C), with a band of white at base, mouth expanded, a little wavy, with rim crenate. Dwarf. Early. Sweetly scented.

Etymology: Named for the Chairman of Whickham in Bloom

‘Sheskin’ 2 W-P

(Brian S.Duncan, 2001) Brian S.Duncan, 2009

‘Alston’ × ‘Soprano’; sdlg no.2567

Fl. 116mm wide; perianth segments 45mm long, broadly ovate, blunt, mucronate, spreading to very slightly reflexed, plane to a little concave, smooth, overlapping half; the inner segments narrower, with margins a little wavy; corona 23mm long, cup-shaped, smooth, mouth straight, narrowly and tightly ribbed, with rim entire. Mid-season to late. Sunproof.

Nomenclatural Standard: colour print supplied by registrant (WSY0112728)

Etymology: Named for a relative’s farm

‘Signet Ring’ 3 W-GWO

(Brian S.Duncan, 2003) Brian S.Duncan, 2009

‘Cupid’s Eye’ × ‘Sandy Cove’; sdlg no.2817

Fl. 105mm wide; perianth segments 40mm long, very broad, blunt, mucronate, white, touched with pale lemon-yellow, spreading, concave, smooth, overlapping half or more; the inner segments narrower, shouldered at base, not noticeably mucronate; corona 13mm long, bowl-shaped, broadly ribbed, white, with green at base and a broad band of terracotta orange at rim, mouth a little expanded, lightly frilled, rim crenate. Mid-season to late. Sunproof.

Nomenclatural Standard: colour print supplied by registrant (WSY0112669)

‘Silken Snow’ 4 W-W

(Brian S.Duncan, 2002) Brian S.Duncan, 2009

Sdlg 1876 (‘Movie Star’ × ‘Last Chance’) × ‘Serena Beach’; sdlg no.2634

Fl. 110mm wide; perianth and other petaloid segments in several whorls, white; the outer whorls very broadly ovate, blunt, prominently mucronate, spreading, with margins incurved, overlapping half or more; the inner whorls narrower, less prominently mucronate, a little inflexed, becoming more strongly inflexed towards centre, deeply folded inwards from midrib; corona segments very short, interspersed among the petaloid segments, opening pale lemon-yellow, becoming white, deeply folded inwards along midrib, frilled. Mid-season to late.

Nomenclatural Standard: colour print supplied by registrant (WSY0112678)

'Silver Sparks' 8 W-W

(H.Koopowitz, 2005) H.Koopowitz, 2009
N. dubius × 'Emerald Sea'; sdlg no.01-011/1
Fls 4–8 per stem, rounded, 21mm wide; perianth segments 8mm long, ovate in outline, rounded at apex, mucronate, opening soft lemon-yellow, becoming white, spreading, plane or with margins incurling, smooth and of heavy substance, overlapping one-third; the inner segments narrower; corona 3mm long, white. Dwarf. Very early.
Etymology: The flowers remind the originator of hand-held firework sparklers

'Silverware' 1 W-W

(Colin Crotty, 1997) Colin Crotty, 2009
'Silent Valley' × 'Panache'; sdlg no.44-97
Fl. forming a double triangle, 108mm wide; perianth segments 45mm long, very broadly ovate, blunt, spreading, plane to a little concave, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 48mm long, cylindrical, smooth, mouth flared, ribbed, wavy, with rim crenate. Mid-season. Strongly scented

'Smoocher' 4 W-O

(Jackson's Daffodils, 1998) Jackson's Daffodils, 2008
Sdlg 72/86 hybrid; sdlg no.231/98
Fl. 92mm wide; perianth and other petaloid segments 44mm long, in several whorls, very broadly ovate, blunt, noticeably mucronate, greenish white (155A), smooth and of heavy substance; the outer whorls spreading to a little reflexed, plane to concave, overlapping half; the inner whorls narrower, deeply folded inwards along midrib, successively shorter and becoming inflexed; corona segments 15mm long, interspersed among the petaloid segments, orange (23A), deeply frilled. Late

'Snowtip' 2 Y-Y/W

(K.van der Veek) Combinatie Duin-Kroon, 2008
Fl. 110mm wide; perianth segments 40mm long, very broadly ovate, blunt, not noticeably mucronate, pale greenish yellow 1D, spreading, concave, smooth overlapping half or more; the inner segments a little narrower, shouldered at base, slightly inflexed, plane to a little concave; corona 35mm long, bowl-shaped, smooth, brilliant greenish yellow 6A, with light greenish yellow (2C) at base and flecks of yellowish white 155D at rim, mouth expanded, ribbed, with a deep and jagged frill. Early. Sweetly scented.
Etymology: The white spots on the margin suggest snow.
TGA 2008

'Sometime' 2 W-P

Syn. of 'Downtown'

'Southern Garden' 5 Y/W-Y

(Frank B.Galyon) R. & E.Havens, 2009
'Silver Bells' hybrid; sdlg no.FG4
Fls 3 per stem, 70mm wide, facing slightly downwards; perianth segments 30mm long, oblong, rounded, mucronate, yellow, touched white at midrib at base, with midrib showing, of heavy substance, overlapping a quarter; the inner segments narrower;

corona 20mm long, cup-shaped, smooth, bright yellow, mouth slightly expanded, lightly ribbed, a little wavy, with rim crenate. Late.
Nomenclatural Standard: colour print supplied by registrant (WSY0112693)

'Southwell' 3 W-YYO

(Mrs J.Abel Smith, 1995) M.W.Baxter, 2009
'Thoresby' × 'Starlight Express'; sdlg no.90-7C
Fl. 102mm wide; perianth segments 49mm long, very broadly ovate, blunt, prominently mucronate, white, spreading to a little concave, plane, smooth, overlapping half or more; the inner segments narrower, less prominently mucronate, more nearly spreading; corona 10mm long, bowl-shaped, closely, but lightly ribbed, vivid yellow 17C, with a broad band of strong orange 25A at rim, mouth widely expanded, neatly frilled, with rim crenate. Tall. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0112714)
Etymology: Southwell is the birthplace of the originator

'Spring Medley' 10 W-Y

(Walter J.M.Blom, 2003) Walter J.M.Blom, 2009
Sdlg (*N. bulbocodium* 10-10) × 'Peppermint'; sdlg no.957-12
Fl. star-shaped, 35mm wide, facing slightly upwards; perianth segments 15mm long, lanceolate in outline, acute at apex, greenish white (155A), spreading to a little reflexed, plane, smooth and of membranaceous substance, separated; corona 25mm long, cup-shaped, lightly ribbed, brilliant greenish yellow 6A, mouth expanded, wavy, with rim crenate. Dwarf. Early to mid-season. Sweetly scented.
Etymology: As the name implies

'Spring Sunset' 2 Y-P

(Brian S.Duncan, 2001) Brian S.Duncan, 2009
'Azocor' × 'Oregon Pioneer'; sdlg no.2619
Fl. forming a double triangle, 113mm wide; perianth segments 44mm long, very broadly ovate, blunt, creamy lemon, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, more nearly plane; corona 40mm long, funnel-shaped, smooth, apple blossom pink, mouth straight, lightly ribbed, frilled, with rim dentate. Mid-season to late. Sunproof.
Nomenclatural Standard: colour print supplied by registrant (WSY0112680)
Etymology: Name chosen from a selection received by the originator

'Spring Vista' 10 Y-Y

(Walter J.M.Blom, 1999) Walter J.M.Blom, 2009
Sdlg (*N. bulbocodium* 10-10) × 'Peppermint'; sdlg no.957-5
Fl. star-shaped, 40mm wide, facing up; perianth segments 20mm long, lanceolate in outline, acute at apex, light greenish yellow 1C, spreading to a little reflexed, plane, smooth and of heavy substance, separated; corona 30mm long, bowl-shaped, narrowly ribbed, brilliant greenish yellow 5A, mouth expanded,

wavy, with rim crenate. Dwarf. Early. Sweetly scented
Etymology: As the name implies

'Stantheman' 3 W-Y

(S.L.Clapham, 2001) Brogden Bulbs, 2009

'Oops' × 'Bandit'; sdlg no.BB 118-2

Fl. forming a double triangle, 115mm wide; perianth segments 50mm long, broadly ovate, blunt, white, spreading, plane, smooth and of heavy substance, overlapping one-third; the inner segments narrower, corona 16mm long, bowl-shaped, ribbed, mid-yellow, mouth straight, even, with rim entire. Tall. Early to mid-season.

Etymology: Named for the originator

'Steady Beat' 9 W-R

(M.Hamilton, 2001) M.Hamilton, 2008

Hamilton sdlg hybrid; sdlg no.11-03

Fl. rounded, 62mm wide; perianth segments 28mm long, roundish, white, spreading, plane, smooth and of heavy substance; the inner segments narrower; corona 4mm long, disc-shaped, red (30B), paling to 30D at base, mouth ribbed, even, with rim entire. Mid-season. Sweetly scented.

Etymology: Named after the registrant had been in hospital getting his heartbeat regulated

'Stimulus' 2 YOO-R

Syn of 'Oakwood Stimulus'

'Sudden Impact' 2 W-Y

(John R.Reed) John R.Reed, 2009

'Dunley Hall' hybrid × ('Dunley Hall' × 'Irish Affair'); sdlg no.2003-100-1

Etymology: Named for its initial effect on the originator

'Sugar and Cream' 10 W-W

(Walter J.M.Blom, 2003) Walter J.M.Blom, 2009

Sdlg (*N. bulbocodium* 10-10) × 'Peppermint'; sdlg no.957-7

Fl. star-shaped, 30mm wide; perianth segments 20mm long, lanceolate in outline, acute at apex, greenish white (157B), spreading, plane or slightly twisted, with margins a little wavy, smooth and of membranaceous substance, separated; corona 25mm long, cup-shaped, narrowly ribbed, a little lighter in tone (155C) than the perianth segments, mouth expanded, wavy, with rim crenate. Dwarf. Mid-season. Sweetly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0112310)

Etymology: Named for its colouring

'Summation' 2 W-Y

(R. & E.Havens, 1998) R. & E.Havens, 2009

'Gold Volver' × 'Iroquois'; sdlg no.HH27/1

Fl. 95mm wide; perianth segments 39mm long, broadly ovate, blunt, prominently mucronate, opening creamy white, becoming white, spreading, plane to a little concave, smooth and of heavy substance, overlapping one-third to a half; the inner segments narrower, less prominently mucronate; corona 40mm long, cylindrical, smooth, orange-yellow, mouth narrowly flared, lightly ribbed and

frilled, with rim dentate. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0112721)

'Supti' 2 Y-OOR

(Graeme and Faith Miller, 2002) Graeme and Faith Miller, 2009

'Wayby' × Ramsay sdlg 96-33; sdlg no.

Fl. rounded, 70mm wide; perianth segments 29mm long, very broad, blunt, yellow, spreading, concave, smooth and of heavy substance, overlapping; the inner segments narrower; corona 14mm long, funnel-shaped, smooth, orange, shading to red at mouth, mouth ribbed, wavy, with rim crenate. Mid-season

'Sweet Angel' 10 W-W

(Walter J.M.Blom, 1999) Walter J.M.Blom, 2009

Sdlg (*N. bulbocodium* 8-17) × 'Peppermint'; sdlg no.955-1

Fl. star-shaped, 25mm wide, greenish white 157A, facing up; perianth segments 15mm long, lanceolate in outline, acute at apex, spreading to a little reflexed, plane or with margins slightly incurved, smooth and of heavy substance, separated; corona 15mm long, bowl-shaped, narrowly ribbed, mouth expanded, wavy, with rim crenate. Dwarf. Early. Sweetly scented. Etymology: Named for the character of the flower

'Tabor Hill' 2 W-P

(John R.Reed) John R.Reed, 2009

'Cabernet' × 'Verran Rose'; sdlg no.98-176-1

Perianth segments white; corona orange-pink. Mid-season to late.

Etymology: Named for a local winery

'Tantalising' 3 W-O

(Malcolm Wheeler, 2007) Malcolm Wheeler, 2008

N. atlanticus × sdlg Q21-2-03 (9 W-R); sdlg no.M69a-7

Fl. 39mm wide; perianth segments 17mm long, oblong, very broad, squarish at apex, slightly truncate, prominently mucronate, opening creamy white, becoming clearer white, spreading, plane to a little concave, smooth and of heavy substance, overlapping half or more; the inner segments narrower, blunt at apex, less prominently mucronate; corona 4mm long, bowl-shaped, lightly ribbed, orange, mouth expanded, even, with rim entire. Dwarf. Early. Sweetly scented. Etymology: Named for its initial effect on the originator

'Templeton Lass' 2 W-W

(David Adams) David Adams, 2008

Fl. 70mm wide; perianth segments 29mm long, broadly ovate, blunt, mucronate, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, a little inflexed; corona 22mm long, funnel-shaped, lightly ribbed, mouth straight, wavy, with rim crenate. Dwarf. Mid-season. Moderately scented.

Etymology: Name suggested by Marion Brown to reflect the nursery of the originator

'The Mount' 2 W-Y

(Nial Watson, 1999) Ringhaddy Daffodils, 2009
'Royal Wedding' × 'Silkwood'; sdlg no.195
Fl. forming a double triangle, 115mm wide; perianth segments 49mm long, ovate, blunt, white, spreading, plane or with margins a little incurved, smooth and of heavy substance, separated; the inner segments narrower; corona 30mm long, disc-shaped, smooth, brilliant greenish yellow 6A, mouth even to a little wavy, with rim entire. Mid-season.
Etymology: Named for the originator's home

'Tiny Bubbles' 12 Y-Y

(Brent and Becky Heath) Brent and Becky's Bulbs, 2009
'Kibitzer' × *N. jonquilla*; sdlg no.H7
Fl. star-shaped, 50mm wide, facing down; perianth segments 22mm long, lanceolate in outline, acute at apex, vivid yellow 9A, reflexed, a little concave, smooth and of membranaceous substance, overlapping at base; corona 15mm long, cylindrical, smooth, vivid yellow 12A, mouth straight to slightly expanded, broadly ribbed, wavy, with rim crenate. Dwarf.
Mid-season. Strongly scented

'Trendspotter' 4 Y-Y

(Brian S.Duncan) Narveco, 2009
Fl. 108mm wide; perianth and other petaloid segments 45mm long, light greenish yellow 5D, in two whorls, broadly ovate, blunt, scarcely mucronate; the outer whorl spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner whorl one-third the length of the outer, inflexed, concave, deeply folded inwards along the midrib; corona segments 27mm long, greenish yellow 150D, touched light greenish yellow 5C at margins, interspersed among the inner whorl of petaloid segments, inflexed, with margins deeply incurved, lightly frilled. Mid-season. Strongly scented

'Trentagh' 3 W-GYP

(Brian S.Duncan, 2000) Brian S.Duncan, 2009
'Arran Isle' × 'Sandycove'; sdlg no.2285
Fl. 105mm wide; perianth segments 43mm long, broadly ovate, blunt, prominently mucronate, white, spreading, plane or with margins incurved, smooth, overlapping half; the inner segments narrower, not noticeably mucronate; corona 13mm long, bowl-shaped, smooth, lemon-yellow, with olive green at base and a band of orange-pink at rim, mouth lightly ribbed, rim split and overlapping in places. Mid-season to late. Sunproof.
Nomenclatural Standard: colour print supplied by registrant (WSY0112679)
Etymology: Named for the former family home of the originator's wife

'Tripapon' 2 Y-R

(G.J.Phillips, 2003) G.J.Phillips, 2009
'Scarlet Chord' × 'Banker'; sdlg no.I108-1
Fl. 122mm wide; perianth segments 52mm long; corona 32mm long. Mid-season

'Tullamore Dew' 9 W-GYR

(M.Hamilton, 2002) Colin Crotty, 2009
Parentage unknown; sdlg no.42-02
Fl. 65mm wide; perianth segments 28mm long, broadly ovate, blunt, mucronate, spreading, plane to a little concave, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 3mm long, disc-shaped, smooth, mouth expanded, ribbed, wavy, with rim dentate. Late. Sweetly scented

'Tweety Bird' 6 Y-Y

(K.van der Veek) A.P.ter Steege, 2008
Fl. star-shaped, 70mm wide, facing up; perianth segments 38mm long, very narrowly ovate in outline, acute at apex, mucronate, brilliant greenish yellow 6A, reflexed, twisted, smooth and of membranaceous substance, overlapping at base only; the inner segments only slightly narrower; corona 40mm long, cylindrical, smooth, vivid yellow 9A, mouth broadly flared, regularly ribbed, wavy, with rim notched and crenate. Early. Sweetly scented.
Etymology: Named for a cartoon character.
TGA 2007

'Underwrite' 2 Y-YO O

(Jackson's Daffodils, 1997) Jackson's Daffodils, 2008
Sdlg 62/83 × sdlg 110/92; sdlg no.91/97
Fl. 116mm wide; perianth segments 49mm long, very broadly ovate, blunt, mucronate, brilliant greenish yellow 6A, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments narrower, not noticeably mucronate, margins a little wavy; corona 27mm long, funnel-shaped, ribbed, strong orange 25B, with brilliant greenish yellow 6A at base, mouth straight, lightly frilled, with rim dentate. Early

'Vanilla Peach' 11a Y-P

(J.Gerritsen & Son) W.van Lierop & Sons, 2009
Parentage unknown; sdlg no.101
Fl. 95mm wide, facing up; perianth segments 40mm long, very broad, rounded at apex, prominently mucronate, light yellow (4D), with yellow-green (1D) at margins, spreading, plane to a little concave, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, less prominently mucronate, with margins incurved; corona segments 35mm long, each overlying a perianth segment and of the same width, forming an outer and an inner whorl of three, orange-pink (31B), streaked with light yellow (4D) on opening; the outer whorl spreading, smooth, lightly frilled; the inner whorl inflexed, creased, deeply frilled. Mid-season. Sweetly scented

'Velvet Orange' 2 Y-YOO

(R. & E.Havens, 1998) R. & E.Havens, 2009
'Gold Velvet' × 'Scarlet Chord'; sdlg no.HH26/2
Fl. forming a double triangle, 100mm wide; perianth segments 41mm long, broadly ovate, blunt, mucronate, bright yellow, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, less

prominently mucronate; corona 33mm long, cylindrical, smooth, yellow-orange, with yellow at base and orange at rim, mouth very slightly expanded, wavy, with rim dentate. Early. Sunproof.
Nomenclatural Standard: colour print supplied by registrant (WSY0112696)

'Vendell' 3 W-GYY

(Brian S.Duncan, 2001) Brian S.Duncan, 2009
'Rivendell' × sdlg (3 W-Y); sdlg no.2257
Fl. 115mm wide; perianth segments 46mm long, very broad in outline, rounded at apex, only very slightly mucronate, creamy white, a little reflexed, plane or with margins incurved, smooth, overlapping half or more; the inner segments narrower, shouldered at base; corona 15mm long, bowl-shaped, lightly ribbed, deep yellow, with green at base, mouth loosely frilled, with rim split and overlapping. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0112623)
Etymology: From 'Rivendell'

'Vitsa' 3 W-Y

(A.J.R.Pearson, 1995) A.J.R.Pearson, 2009
Sdlg 87-85-J22 ('Easter Moon' × 'Dell Chapel') × sdlg 87-51-L15 ('Dell Chapel' × 'Corozal'); sdlg no.00-13-Q88
Fl. 78mm wide; perianth segments 38mm long, broadly ovate, truncate, mucronate, greenish white 157B, strongly reflexed, plane to a little concave, smooth, overlapping half; the inner segments narrower, shouldered at base; corona 12mm long, cup-shaped, angled, strong lemon-yellow (9A), mouth expanded, regularly ribbed, with rim crenate. Mid-season to late. Strongly and sweetly scented.
Etymology: The name of a village in Zagoria, northern Greece

'Viva Diva' 3 W-Y

(Brian S.Duncan, 2001) Brian S.Duncan, 2009
'Rivendell' × sdlg (3 W-Y); sdlg no.2292
Fl. rounded, 125mm wide; perianth segments 52mm long, very broad in outline, rounded at apex, milk-white, spreading, plane or with margins slightly incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower; corona 13mm long, cup-shaped, ribbed, lemon-yellow, mouth straight, frilled, with rim dentate. Mid-season.
Etymology: Named for its classic and sophisticated bearing

'Whitford Greeneye' 9 W-GYY

(M.Hamilton, 2001) M.Hamilton, 2009
'Moyle' × sdlg (Div. 9); sdlg no.163-03
Fl. rounded, 62mm wide; perianth segments 27mm long, roundish, very broad, truncate, mucronate, white, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, blunt at apex; corona 3mm long, disc-shaped, heavily ribbed, brilliant yellow 12B, with strong yellowish green 141C at base, mouth lightly frilled, with rim crenate. Late. Strongly scented.
Etymology: Named for the green in the corona

'Whitford Sulphur Cup' 9 W-GYY

(M.Hamilton, 2001) M.Hamilton, 2009
'Moyle' × sdlg (Div. 9); sdlg no.158-03
Fl. rounded, 65mm wide; perianth segments 30mm long, roundish, very broad, mucronate, white, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, not noticeably mucronate; corona 3mm long, disc-shaped, brilliant greenish yellow 6A, with strong yellow-green 144C at base, mouth ribbed, with rim crenate. Mid-season. Strongly scented.
Etymology: Named for the yellow in the corona

'Whitford Supreme' 9 W-GYR

(M.Hamilton, 2001) M.Hamilton, 2009
Sdlg (Div. 9) × 'Tino Pai'; sdlg no.156-03
Fl. rounded, 65mm wide; perianth segments 30mm long, roundish, very broad, white, spreading, plane, smooth and of heavy substance, overlapping; corona 4mm long, disc-shaped, deep yellow, with a narrow band of red at rim, mouth ribbed, with rim crenate. Mid-season. Strongly scented.
Etymology: As the name implies

'Windy City' 1 W-Y

(John R.Reed) John R.Reed, 2009
'Irish Affair' × 'Three Oaks'; sdlg no.97-163-1
Mid-season.
Etymology: Named for the nickname of the city of Chicago

'Woodend' 3 Y-YRR

(David Adams, 1995) David Adams, 2008
'Chungking' × 'Pzaz'; sdlg no.87/15A
Fl. forming a double triangle, 110mm wide; perianth segments 47mm long, very broadly ovate in outline, rounded at apex, yellow, spreading, plane to a little concave, smooth and of heavy substance, overlapping half or more; the inner segments narrower; corona 12mm long, bowl-shaped, ribbed, red, with yellow at base, mouth straight, frilled, with rim dentate. Tall. Mid-season to late.
Etymology: Named for the originator's success at the Woodend show (2008)

ADDITIONS AND AMENDMENTS TO THE INTERNATIONAL DAFFODIL REGISTER AND CLASSIFIED LIST (2008) AND THE FIRST SUPPLEMENT

The compilers are grateful to those who have drawn attention to omissions from the *International Daffodil Register and Classified List* and its Supplements, pointed out errors, suggested changes or supplied new information.

Amendments to cultivar names, divisions, colour codes, parentages, originators and registrants will usually be published in an annual Supplement. Amendments to descriptions will usually only be published in a new edition of the Register. However, all amendments will be published on the internet, in a regular updating of the Register posted on RHS Online at <http://www.rhs.org.uk/Plants/Plant-science/Plant-registration/Daffodils>

SUPPLEMENTS

Amendments to the First Supplement (2007–2008)

'Andrew's Choice'	Add: Nomenclatural Standard: flowering herbarium specimen (WSY0112067)
'Betty Jean Foster'	Alter name to: 'Betty Jean Forster'
'Sir Ed'	Add pollen parent: 'Medici'
'Triple Pink'	Alter pollen parent to: sdlg 95:41 ('Vahu' × 'Kathryn Mae')

INTERNATIONAL DAFFODIL REGISTER AND CLASSIFIED LIST (2008)

Additions to the Register

<i>Narcissus albus</i>	In List of Botanical Names add: <i>albus</i> (Haworth) Spach, Hist. Nat. Vég. 12: 440 (1846) (<i>Narcissus</i>) = <i>N. × incomparabilis</i>
<i>N. × alentejanus</i>	In List of Botanical Names add: × <i>alentejanus</i> Fernández Casas, in Fontqueria 55 (67): 555–556 (2008) = <i>N. × perezlarae</i> Font Quer
<i>N. × perangustus</i>	In List of Botanical Names add: × <i>perangustus</i> Fernández Casas, in Fontqueria 55 (69): 572 (2008) = <i>N. × obsoletus</i> (Haworth) Spach

Amendments to the Register

NB Notes of variability do not alter the classification (see p2, Note 1)

'Akita'	Add parentage: 'Sunlover' open pollinated
<i>N. alba</i>	In List of Botanical Names remove: <i>alba</i> Haworth (Queltia)
'Ben Aligin'	Alter seed parent to: 'Poolewe'
'Betty Mae'	Add: AM 2007
'Buchanan'	Alter colour code to: W-GWW
'Buster' (Barr)	Alter colour code to: Y-O
<i>N. cantabricus</i>	In List of Botanical Names add: PC 2008
subsp. <i>tananicus</i>	
'Crackington'	Add: Wister Award 2009
'Curlew' 7 W-W	Add: AGM 2008
'Dinah Rose'	Add: PC 2007
'Dorchester'	Alter seed parent to: Evans sdlg N22/1 ('Pink Chiffon' × ['Rosegarland' × pink sdlg])
'Dunadry Inn'	Alter seed parent to: Evans sdlg N22/1 ('Pink Chiffon' × ['Rosegarland' × pink sdlg])
Eira Group	Add: AM 2008
'Garden Opera'	Add: AGM 2008
'Good Friend'	Add: PC 2008
'Hawera'	Alter AGM date to: 1996
'Jammin'	Add: PC 2008
'Kazan'	Add: Syn. 'Santorin'
'Magic Lantern'	Add: Pannill Award 2009
'Mount Hood'	Remove: Dwarf
'Mrs Langtry'	Alter division to: 2
'Narrative'	Add: Nomenclatural Standard: flowering herbarium specimen (WSY0100101)
<i>N. orientalis</i>	In List of Botanical Names alter reference to: Mant. Pl. 62 (1767)
Linnaeus	
'Pera'	Alter colour code to: W-GYR

'Saint Louie Louie'	Alter colour code to: W-O
'Santorin'	Remove: (?New Zealand origin, pre-1996) Unregistered. Add: Syn. of 'Kazan'
'Sheelagh Rowan'	Add: FCC 2008
'Spring Essence'	Add: AGM 2008
'State Express'	Alter colour code to: Y-YOO
'Strong Gold'	Add parentage: 'Camelot' × 'Primeur'
'Tranquil Image'	Add: FCC (NZ) 2008
'Triple Crown'	Add: AM 2008
'Twin Stars'	Add: PC 2007
'Warbler'	Add: AGM 2008

Additions to the List of Originators and Registrants


Berrigan, Michael R.	Oakdale, Minnesota, USA
Clapham, Stan L.	New Plymouth, New Zealand; New South Wales, Australia
Combinatie Duin-Kroon	Julianadorp, The Netherlands
Davis, Graeme	Ainslie, Australian Capital Territory, Australia
Davis, Tony	Burradoo, New South Wales, Australia
Gresh, Mark	Nanty Glo, Pennsylvania, USA
Gouwenberg BV	Den Helder, The Netherlands
Heemskerk, F. H.	Noordwijkerhout, The Netherlands
Inman, Kathleen	Longsdon, Staffordshire, England
Lancaster, A.	Mossley, Cheshire, England
Listerman, Thomas	Xenia, Ohio, USA
Multiple Sclerosis Society, Enniskillen	Co. Fermanagh, Northern Ireland
Rem, Rosemary-Beth	Gembrook, Victoria, Australia
Smith, Adrienne	Shreveport, Louisiana, USA
Sutherland, Agnes	South Canterbury, New Zealand
Tilghman, Joanna L.	Cambridge, Maryland, USA
Van Wie, Lois	Maryville, Tennessee, USA
Willcox, R. T. & N. J.	Hawera, New Zealand

Amendments to the List of Originators and Registrants

Bankhead, Delia	d. 2009
Davidson, James M.	d. 2009
Hosking, W. J. S.	d. 2008
White, Ronald C.	d. 2008

Illustrations of descriptive terms

FLOWER



star-shaped



double triangle



rounded

PERIANTH SEGMENTS



reflexed



inflexed



spreading



plane



concave



twisted



ovate



*very broadly
ovate*



oblong



obovate



*shouldered
at base*



spatulate



acute



blunt



mucronate



truncate

CORONA - from the side



cylinder



funnel



cup



bowl



disc

- section



smooth



angled



ribbed

CORONA MOUTH - from the side



straight



flared

- section



even



wavy



frilled



lobed

CORONA RIM - from the side



flanged



rolled

- section



entire




dentate



crenate

ISBN 978-1-907057-06-9



9 781907 057069 >