



The International Daffodil Register & Classified List (2008)

Fourth Supplement



© 2012 The Royal Horticultural Society
80 Vincent Square, London SW1P 2PE, United Kingdom
www.rhs.org.uk

Charity registration number 222879 / SC038262

International Daffodil Registrar:
Sharon McDonald

All rights reserved. No part of this book may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the copyright holder

ISBN 9781907057298

Printed and bound in the UK by Page Bros, Norwich

The previous supplement (Third Supplement) was published on 1st March 2011.

Cover: “Narcissus cyclamineus, Johnstoni and Triandrus albus”
from 1887 Barr and Son daffodil catalogue.
Image courtesy of RHS Lindley Library

FOURTH SUPPLEMENT
to
THE INTERNATIONAL DAFFODIL REGISTER AND CLASSIFIED LIST (2008)
2010–2011

The daffodil names listed here are supplementary to the *International Daffodil Register (2008)*; they were registered between 1 July 2010 and 30 June 2011. They are followed by a list of some other recent additions and amendments to the Register.

Registration	page 1
Classification and description	page 2
Registrations 2010–2011	page 3
Additions and amendments to previous Supplements	page 34
Additions and amendments to the <i>International Daffodil Register (2008)</i>	page 34
Illustrations of descriptive terms	inside back cover

REGISTRATION

Hybridisers, raisers and other introducers of daffodils are urged to ensure that the names of new plants are registered, and are reminded that registration should preferably take place **before** plants are released or catalogued. Registration is conducted by The Royal Horticultural Society, International Cultivar Registration Authority for the genus *Narcissus*. Application forms are available from:

- | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none">• The International Daffodil Registrar:
Miss Sharon McDonald
RHS Wisley, Woking, Surrey GU23 6QB, UK
<i>Fax</i> +44 1483 211 750
<i>Email</i> sharonmcdonald@rhs.org.uk• The National Daffodil Registrar (Netherlands):
Drs J. van Scheepen, KAVB, Postbus 175, 2180
AD Hillegom, the Netherlands
<i>Fax</i> +31 2525 369 51
<i>Email</i> vanscheepen@kavb.NL• The National Daffodil Registrar (Czech Republic):
Ing. Ivan Karakoz, ul. Zizkova cp. 1539, 274 01
Slaný, Czech Republic
<i>Email</i> Karakoz@seznam.cz• The National Daffodil Registrar (USA):
Mrs Mary Lou Gripshover, 1686 Grey Fox Trail,
Milford, Ohio 45150, USA | <ul style="list-style-type: none"><i>Tel</i> +1 513 248 9137
<i>Email</i> mgripshover@cinci.rr.com• The National Daffodil Registrar (Japan):
Miss Eri Komoriya, 1196 Ohkido-Cho,
Midori-ku, Chiba-City, Chiba 267-0057, Japan
<i>Fax</i> +81 43 294 8504
<i>Email</i> rx12572@nifty.ne.jp• The National Daffodil Registrar (Australia):
Mrs Jennie Jamieson, 11 Bromley Place, Kingsley,
WA 6026, Australia
<i>Fax</i> +61 89 409 1156
<i>Email</i> ndaaliaison@hotmail.com• The National Daffodil Registrar (New Zealand):
Mr Wilfred Hall, 105 Wallace Loop Rd, Ihakara,
RD1 Levin, New Zealand 5571
<i>Email</i> wilshe@xtra.co.nz |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Once registered, names and classifications may be changed only with the agreement of the International Cultivar Registration Authority, upon application to the International Registrar.

NOTES ON CLASSIFICATION AND DESCRIPTION

Note 1 – on classification

The combination of division and colour code assigned here (or as amended in any future Supplement) is the registered classification, to be observed, for example, when schedules require cultivars to be shown “as registered”. The registered classification is not altered by any note of variable measurement or colour. (See pp. 34 ff. for any notes of variability in previous registrations.)

Note 2 – on colour coding

Guidelines on colour coding, including those on distinguishing between Yellow and Orange and between Orange and Red, appear in the Register and on registration forms. It is at the registrant’s discretion to distinguish White from Yellow or Green, Yellow from Green, or Pink from the paler tones of Orange or Red.

In addition:

– green at corona base

The green at the base of a corona, whether in the tube or in the corona itself, may be included in the colour code if it is prominent and plain to see. Registrants are advised to include it only if it is consistent from year to year.

– non-concentric colours

When coding colours in perianth or corona that appear in radial rather than concentric bands, or in a flare from the base, or in flecks or splashes: start with a letter for the predominant colour; proceed with an oblique line; follow with the letter(s) (in any order) for the non-predominant colour(s).

For example, a yellow flower with a white streak along the midrib of the perianth segments would be Y/W-Y; a white flower with radial bands of orange and yellow on the corona segments would be W-W/OY.

Note 3 – on colour terms

Colour Chart numbers in registered descriptions, e.g. 159A in ‘Aphrodite’s Dream’, are from the *RHS Colour Chart* (1966 (reprinted 1986), 1995, 2001, 2007). Colour names followed by Chart numbers without brackets are equivalents adopted by the RHS for all its international registers. They are taken from the Universal Colour Language in the Inter-Society Color Council-National Bureau of Standards colour-name system. Colour names followed by Chart numbers with brackets or by no numbers at all are those supplied by the registrant.

Note 4 – on description

Registered descriptions are drawn up from application forms and, whenever possible, from photographs and actual specimens too. The Registrar would welcome readers’ comments on the accuracy of all descriptions.

Illustrations of descriptive terms appear on the inside back cover.

Note 5 – on height

Stem heights in registered descriptions may be taken to be Standard (325–675mm) unless otherwise stated, when they will be described as Dwarf (less than 325mm) or Tall (more than 675mm).

Note 6 – on Standards

The Standard noted at the end of some descriptions is the designated herbarium specimen or illustration forming a permanent record of the distinguishing characteristics of the cultivar and fixing the cultivar name.

REGISTRATIONS 2010–2011

The following cultivar names were registered between 1 July 2010 and 30 June 2011 by The Royal Horticultural Society, International Cultivar Registration Authority for the genus *Narcissus*.

Entries follow the style of those in the *International Daffodil Register and Classified List (2008)* and may be interpreted accordingly (see p. 10 in the Register).

To access the *International Daffodil Register and Classified List (2008)* on the internet, go to:
www.rhs.org.uk/Plants/Plant-science/Plant-registration/Daffodils

The seed parent is given before the pollen parent.

‘Alnwick Magic’ 4 W-O

(K.van der Veek) Narveco, 2011

sdlg no. KV 01/56

Fl. 100mm wide, facing up; perianth and other petaloid segments 41mm long, greenish white 155C, in two whorls; the outer whorl broad, oblong in outline, rounded at apex, slightly mucronate, spreading, plane or with margins incurved, with midrib showing, of heavy substance, overlapping one third to a half; the inner segments more nearly ovate, shouldered at base, blunt; the inner whorls, strongly inflexed, folded inwards from midrib, with margins wavy; corona in several whorls; the outer whorl entire, 40mm long, cup-shaped, smooth, yellow-orange (16B), mouth flared, narrowly ribbed, frilled, irregularly lobed, with rim rolled and crenate; the inner whorls split into segments half the length of the perianth and other petaloid segments, tightly clustered at centre, yellow-orange (21C), deeply folded, with margins wavy. Mid-season. Sweetly scented.

Nomenclatural Standard: colour print supplied by KAVB (WSY0117425)

‘Amber Waves’ 2 W-YPP

(O. David Niswonger, 2000) O. David Niswonger, 2011 37-93 (‘Gold Convention’ × 3-87 [‘Baron’s Court’ × ‘Inca Gold’]) × 33-93 (‘Gold Convention’ × ‘Inca Gold’); sdlg no. 9-00

Fl. 89mm wide; perianth segments 38mm long, broadly oblong to broadly ovate in outline, rounded to blunt at apex, slightly mucronate, white, spreading, a little concave, smooth, overlapping

one-third to a half; the inner segments narrower; corona 32mm long, funnel-shaped, smooth, pinky apricot, with yellow at base, mouth slightly expanded and broadly frilled, with rim a little notched. Mid-season. Sunproof.
Nomenclatural Standard: colour print supplied by registrant (WSY0117427)

‘American Dollar’ 3 W-W

(John R. Reed) John R. Reed, 2011

‘Irish Mint’ × 85-26-1 (‘Angel’ × ‘Misty Glen’); sdlg no. 98-125-4

‘Anabandana’ 2 W-YYR

(P.D.K. Ramsay, 1999) P.D.K. Ramsay, 2011

‘Bandit’ × ‘Waipaoa’; sdlg no. 03:100

Fl. rounded, 110mm wide; perianth segments 50mm long, roundish in outline, blunt at apex, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; corona 47mm long, bowl-shaped, smooth, mouth flared and even, with rim rolled and entire. Mid-season.
Etymology: named after a racehorse

‘Aphrodite’s Dream’ 2 W-P

(K.van der Veek) W.van Lierop & Sons, 2011

Fl. 120mm wide; perianth segments 50mm long, very broadly ovate, blunt, prominently mucronate, opening pale yellow-green 157A, becoming greenish white 155A, spreading to a little reflexed, plane, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, shouldered at base, with margins incurved; corona

45mm long, funnel-shaped, angled, opening yellowish pink (158B), with light yellowish pink 159A at rim, becoming yellowish pink (158B), mouth straight, lightly ribbed, wavy, with rim crenate and broadly flanged. Dwarf. Mid-season. Sunproof. Strongly scented. Nomenclatural Standard: colour print supplied by KAVB (WSY0117428)

'Apricot Star' 11a W-P

(Brian S.Duncan) Narveco, 2011
Fl. forming a double triangle, 120mm wide; perianth segments 52mm long, very broadly ovate, blunt, prominently mucronate, greenish white 155C, spreading, plane, smooth and of heavy substance, overlapping a quarter; the inner segments very narrow, acute at apex, shouldered at base, less prominently mucronate; corona split to base, the six segments each closely overlying a perianth segment, forming an outer and an inner whorl of three, 30mm long, a little narrower than the perianth segments, light yellowish pink 19B, touched pale yellow 19C at rim, bi-lobed, with lobes overlapping, lightly creased and wavy. Mid-season. Sunproof. Strongly scented. Nomenclatural Standard: colour print supplied by KAVB (WSY0117430)

'Art Design' 4 Y-Y

(J.de Winter) H.van der Zon & Zn, 2010
Fl. 100mm wide, facing up; perianth and other petaloid segments 40mm long, light greenish yellow 4C, with light yellow (4D) stripes, in two whorls; the outer whorl roundish, very broad, slightly mucronate, reflexed, with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, plane; the inner whorl contained inside the corona, strongly inflexed and folded slightly inwards from midrib; the corona in two whorls, brilliant yellow 13C, with a paler tone (13D) at rim; the outer whorl 40mm long, entire, smooth, mouth flared, lightly and narrowly ribbed, wavy and irregularly lobed, with rim deeply crenate; the inner segments tightly clustered at centre, heavily frilled, minutely crenate. Mid-season. Strongly scented. Nomenclatural Standard: colour print supplied by KAVB (WSY0117432)

'Aslockton' 4 Y-O

(Clive Postles) Roger Braithwaite, 2011
Fl. 105mm wide; perianth and other petaloid segments in 3 or more whorls; the two outer whorls broadly ovate, blunt, truncate, not noticeably mucronate, spreading, a little concave, smooth, overlapping half; the inner whorls shorter than the outer whorls, inflexed, folded deeply inwards from midrib; corona segments interspersed among the whorls of petaloid segments and half their length and width, smooth, a little wavy, lightly ribbed. Early. Sunproof. Nomenclatural Standard: colour print supplied by registrant (WSY0117578)

'At Last' 2 W-R

(John R.Reed) John R.Reed, 2011
'Fragrant Rose' × 'Culmination'; sdlg no. 90-95-1

'Avon Mill' 1 W-W

(John Gibson, 2001) John Gibson, 2011
'Burntoller' × 'Pink Silk'; sdlg no. 48-11-96
Fl. forming a double triangle, 115mm wide; perianth segments 49mm long, broadly ovate, blunt, slightly mucronate, spreading, plane or with margins a little incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, less prominently mucronate; corona 55mm long, cylindrical, angled, mouth widely expanded, a little wavy, with rim broadly rolled and minutely crenate. Early to mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0117434)

'Baby Belle' 1 Y-Y

(Walter J.M.Blom) Walter J.M.Blom, 2011
'Little Beauty' × *N. rupicola* hybrid; sdlg no. 231-1
Fl. 13mm wide, facing upwards; perianth segments 20mm long, oblong in outline, blunt at apex, brilliant yellow 7A, slightly reflexed, convex, with margins recurved, smooth, overlapping at base only; corona 23mm long, cylindrical, smooth, vivid yellow 9A, mouth a little expanded, ribbed, lightly frilled, with rim flanged and dentate. Dwarf. Early. Sweetly scented

'Barbara Hunt' 7 Y-GRR

(R.A.Scamp, 1996) R.A.Scamp, 2011

'Dateline' × *N. jonquilla* var. *jonquilla*; sdlg no. 684
Fls up to 3 per stem, 65mm wide; perianth segments 30mm long, roundish, mucronate, yellow, spreading to a little reflexed, plane, smooth and of heavy substance, overlapping one-third to a half; the inner segments narrower, ovate, shouldered at base, less prominently mucronate, with margins incurling; corona 10mm long, cup-shaped, broadly ribbed, red, with green at base, mouth slightly expanded, wavy, with rim crenate. Mid-season to late. Sweetly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0117436)

'Battleford' 4 Y-Y

(R. & E.Havens) R. & E.Havens, 2011

'Baldock' × 'Convergence'; sdlg no. OH7/5
Fl. rounded, 90mm wide; perianth and other petaloid segments deep yellow, in two whorls; the outer whorl 32mm long, roundish, spreading to a little inflexed, concave, smooth to lightly creased, of heavy substance, overlapping half; the inner whorl shorter, deeply inflexed, with margins incurled; corona segments two-thirds the length, of the same width and loosely interspersed among the petaloid segments, pinkish yellow, crumpled, frilled and irregularly lobed. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0117437)

'Beach Babe' 2 W-Y

(David Adams) David Adams, 2011

'O'Hope' × 'Sun Child'; sdlg no. 95/06A
Fl. forming a double triangle, 112mm wide; perianth segments 46mm long, very broadly ovate, blunt, mucronate, white, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments narrower, less prominently mucronate; corona 24mm long, funnel-shaped, constricted at base, angled, bright yellow, mouth straight and wavy, with rim crenate. Mid-season to late

'Beowulf' 2 Y-Y

(K.van der Veek) C.Kuiper, 2011

Fl. facing slightly upwards; perianth segments very

broadly ovate, blunt, prominently mucronate, light greenish yellow 8B, spreading to a little reflexed, with margins incurved, with midrib showing, of heavy substance, overlapping one-third; the inner segments significantly narrower, shouldered at base, spreading, plane; corona disc-shaped, broadly ribbed, vivid yellow 14B, mouth widely expanded, heavily frilled and lobed, lobes overlapping, with rim crenate. Mid-season. Sweetly scented.
Nomenclatural Standard: colour print supplied by KAVB (WSY0117438)

'Berri White' 11a W-W

(Tim Klein) David Adams, 2011

Bell sdlg (11 W-Y) × 'Centrefold'; sdlg no. 99/66A
Fl. forming a double triangle, 108mm wide; perianth segments 46mm long, very broadly ovate, blunt, mucronate, white, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, with margins a little incurved; corona 25mm long, the three segments half the width of the perianth segments and closely overlying them, joined at margins at base, bi-lobed, with lobes overlapping, lightly ribbed, opening yellow, becoming white, a little wavy, separated. Mid-season

'Berri Yellow' 11a Y-Y

(Tim Klein) David Adams, 2011

Campbell sdlg (11 Y-Y) × 'Dazzler'; sdlg no. 00/205A

Fl. rounded, 105mm wide; perianth segments 46mm long, very broadly ovate in outline, rounded at apex, spreading, plane, smooth and of heavy substance, overlapping half; corona 28mm long, the three segments closely overlying the perianth segments. Mid-season

'Beverley Nicholl' 2 Y-Y

(Reg Nicholl, 1982) Reg Nicholl, 2011

'Gold Mine' × 'Golden Aura'; sdlg no. 5/82
Fl. 100mm wide; perianth segments 45mm long, broadly ovate, blunt, vivid yellow 14B, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments a little narrower; corona 32mm long, cylindrical, smooth, orange-yellow

(15A), mouth straight, ribbed and even, with rim entire. Mid-season. Sweetly scented.
Nomenclatural Standard: photographic transparency supplied by registrant (WSY 0117440)

'Bico Star' 1 W-Y

(K.van der Veek) W.van Lierop & Sons, 2011
Fl. 130mm wide; perianth segments 50mm long, very broadly ovate, blunt, slightly mucronate, opening light yellow (4D), becoming greenish white 155A, spreading, plane to concave, smooth and of heavy substance, overlapping half; the inner segments narrower; corona up to 50mm long, funnel-shaped, angled, vivid yellow 12A, mouth flared, lightly ribbed, wavy and a little lobed, with rim entire. Mid-season. Strongly scented.
Nomenclatural Standard: colour print supplied by KAVB (WSY0117441)

'Big Smile' 1 Y-Y

(K.van der Veek) Narveco, 2011
Fl. forming a double triangle, 150mm wide, facing slightly upwards; perianth segments 58mm long, broadly ovate, blunt, prominently mucronate, vivid yellow 9A, slightly twisted, with margins incurling, a little creased, of heavy substance, overlapping one-third to a half; the inner segments narrower, shouldered at base, less prominently mucronate; corona 65mm long, funnel-shaped, lightly ribbed, vivid yellow (9A/12A), mouth broadly flared, frilled and lobed, with rim entire. Dwarf. Mid-season. Sweetly scented.
Nomenclatural Standard: colour print supplied by KAVB (WSY0117442)

'Bright Corsage' 2 Y-O

(K.van der Veek) T.C.Smakman, 2010
Fl. 102mm wide, facing slightly downwards; perianth segments 40mm long, broadly ovate, blunt, slightly mucronate, light yellow (10A/10B), spreading to a little inflexed, plane or with margins incurling, with midrib showing, of membranaceous to heavy substance, overlapping half; corona 34mm long, bowl-shaped, broadly ribbed, strong orange N25C, mouth widely expanded and frilled, with rim split and overlapping in places, crenate. Early to mid-season. Sweetly scented.
Nomenclatural Standard: colour print supplied by KAVB (WSY0117444)

'Bright Sun' 2 W WY-Y

(K.van der Veek) C.G.van den Berg & Son, 2010
sdlg no. 94-43
Fl. forming a double triangle, 100mm wide, facing up; perianth segments 45mm long, very broadly ovate, blunt, mucronate, yellowish white 155C, with brilliant yellow 7A at base, spreading, concave, with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments a little narrower, shouldered at base; corona 40mm long, bowl-shaped, smooth, light yellow 12C, with brilliant yellow 7A at base and deepening to vivid yellow 12A at rim, mouth flared, lightly frilled, irregularly and deeply lobed, with rim crenate. Mid-season. Sweetly scented.
Nomenclatural Standard: colour print supplied by KAVB (WSY0117445)

'Bunnie Bee' 6 Y-Y

(Walter J.M.Blom) Walter J.M.Blom, 2011
N. cyclamineus × 'Gipsy Queen'; sdlg no. 229-4
Perianth segments ovate, blunt, vivid yellow 12A, reflexed, convex, smooth, overlapping half; corona cylindrical, smooth, vivid yellow 14A, mouth a little expanded, ribbed, frilled, with rim flanged and dentate. Dwarf. Early. Sweetly scented

'Butter Silk' 2 Y-Y

(John R.Reed) John R.Reed, 2011
'Camelot' × 'Dream Prince'; sdlg no. 92-22-1

'Calaveras Gold' 7 Y-Y

(Robert Spotts) Robert Spotts, 2011
Sdlg (*N. jonquilla* var. *henriquesii* × *N. fernandesii*) open pollinated; sdlg no. M10-1-30
Fls 2–6 per stem, forming a double triangle, 32mm wide; perianth segments 13mm long, ovate, blunt, mucronate, spreading to slightly reflexed, convex, with margins a little wavy, smooth, overlapping one-third; the inner segments not noticeably mucronate; corona 5mm long, bowl-shaped, smooth, mouth straight, wavy and six-lobed, with rim entire and narrowly flanged. Dwarf. Early.
Nomenclatural Standard: colour print supplied by registrant (WSY0117447)
Etymology: named for a county in the California gold region

‘Cameo Solstice’ 4 Y-R

(P.D.K.Ramsay) P.D.K.Ramsay, 2011
 ‘Rheban Red’ × ‘Kiwi Solstice’; sdlg no. 03:31
 Fl. rounded, 85mm wide; perianth and other
 petaloid segments ovate, spreading, plane, smooth
 and of heavy substance, overlapping; the inner
 segments narrower; corona segments smooth.
 Mid-season.
 Etymology: named for the pollen parent

‘Candy Princess’ 4 W-P

(N.Pijnacker & Son) N.Pijnacker & Son, 2011
 Sport of ‘Accent’
 Fl. 100mm wide, facing up; perianth segments
 42mm long, in two whorls; the outer whorl broadly
 ovate, blunt, mucronate, greenish white 155C,
 spreading, plane or with margins incurved, with
 narrow midrib showing, of heavy substance,
 irregular, overlapping half or more; the inner
 segments narrower; the inner whorl inflexed, folded
 inwards from midrib; corona 25mm long, in several
 whorls, interspersed among the petaloid segments,
 strong yellowish pink 32C, broad, lobed and
 crumpled. The outer whorl may be entire when
 bulbs are young, but is fully double in older bulbs.
 Mid-season. Sunproof. Strongly scented.
 Nomenclatural Standard: colour print supplied by
 KAVB (WSY0117448)

‘Carol Cunningham’ 2 Y-O

(Nial Watson, 1999) Nial Watson, 2010
 ‘Hero’ × ‘Creag Dubh’; sdlg no. 154
 Fl. forming a double triangle, 105mm wide;
 perianth segments 43mm long, ovate in outline,
 rounded at apex, vivid yellow 13A, spreading,
 concave, with margins incurved, smooth and of
 heavy substance, overlapping at base only; the inner
 segments narrower; corona 36mm long, cylindrical,
 smooth, strong orange 25B, mouth flared, ribbed
 and frilled, with rim dentate. Mid-season. Sunproof.
 Sweetly scented

‘Carrot Juice’ 1 O-O

(John R.Reed) John R.Reed, 2011
 Sdlg 78-17-3N (‘Trumpet Call’ × ‘Orange Way’) ×
 sdlg 82-100-4 (‘Zuni’ × ‘Glenfarclas’); sdlg no. 96-18-1

‘Causeway Ringer’ 3 Y-YYR

(Derrick Turbitt, 1998) Derrick Turbitt, 2011
 ‘Timolin’ × ‘Badbury Rings’; sdlg no. 9809
 Fl. rounded, 112mm wide; perianth segments
 50mm long, broadly ovate, rounded at apex,
 mucronate, yellow, slightly reflexed, plane to a little
 incurved, smooth and of heavy substance,
 overlapping a quarter; the inner segments narrower;
 corona 12mm long, disc-shaped, smooth, yellow,
 with a thin band of bright red at rim, mouth flared,
 ribbed and even, with rim crenate. Mid-season.
 Nomenclatural Standard: colour print supplied by
 registrant (WSY0117450)

‘Causeway Winner’ 2 Y-R

(Derrick Turbitt, 2000) Derrick Turbitt, 2011
 ‘Jambo’ × ‘Red Cameo’; sdlg no. 0008
 Fl. forming a double triangle, 108mm wide;
 perianth segments 47mm long, ovate, blunt,
 mucronate, spreading, plane, smooth and of heavy
 substance, overlapping a quarter; the inner segments
 slightly narrower; corona 20mm long, cup-shaped,
 smooth, mouth straight, slightly ribbed, even, with
 rim entire. Mid-season.
 Nomenclatural Standard: colour print supplied by
 registrant (WSY0117451)

‘Champagne Marie’ 1 YYW-WWY

(C.Higgins) C.Higgins, 2011
 ‘Teal’ open pollinated; sdlg no. 01-03
 Fl. rounded, 105mm wide; perianth segments 30mm
 long, yellow, with a band of white at base, spreading;
 corona 30mm long, cylindrical, white, with a narrow
 band of dark yellow at rim, mouth flared. Mid-season.
 Etymology: named for the hybridiser’s mother-in-
 law, Marie Bozeivich. This was one of her
 nicknames, as she loved champagne and would treat
 judges at the Washington Daffodil Society to
 champagne breakfasts

‘Charney’s Favourite’ 3 Y-Y

(Cornelius Van Hage) Cornelius Van Hage, 2011
 sdlg no. 20
 Fl. forming a double triangle; perianth segments
 broadly ovate, blunt, with pale mucro, spreading, plane,
 smooth, overlapping one-third; the inner segments

much narrower, shouldered at base; corona bowl-shaped, smooth, mouth widely expanded, a little wavy, irregularly lobed, with rim entire and broadly flanged

‘Cherry Hall’ 2 W-P

(John Gibson) John Gibson, 2011

‘Claverley’ × sdlg (E.J. 512); sdlg no. 140/16/2000
Fl. 108mm wide; perianth segments 46mm long, broadly ovate, blunt, very slightly mucronate, white, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, slightly truncate, not noticeably mucronate; corona 34mm long, funnel-shaped, smooth, strong yellowish pink 31C, mouth flared, lightly ribbed, wavy, with rim crenate. Mid-season. Sunproof.
Nomenclatural Standard: colour print supplied by registrant (WSY0117452)

‘Chrissie Bremner’ 2 W-YOR

(D.C.MacArthur, 1995) D.C.MacArthur, 2010

‘Pismo Beach’ × un-named 2 W-R; sdlg no. ED0689
Fl. forming a double triangle, 81mm wide; perianth segments 36mm long, ovate, blunt, mucronate, yellowish white 155D, spreading, plane or with margins incurling, smooth, of membranaceous substance, overlapping half; the inner segments narrower, inflexed; corona 24mm long, funnel-shaped, ribbed, light orange 28D, with brilliant yellow 15C at base and red (32C) at rim, mouth straight, frilled and lobed, with rim dentate. Mid-season. Sunproof. Sweetly scented

‘Cinnamon Girl’ 11a Y-Y

(Gordon Coombes) Gordon Coombes, 2011

‘Solar Disc’ × ‘Steffi’; sdlg no. G6-04
Fl. forming a double triangle, 85mm wide; perianth segments 30mm long, very broadly ovate, blunt, clear lemon yellow, with small white mucro, spreading, a little concave, smooth and of heavy substance, overlapping half; the inner segments narrower, a little inflexed; corona 20mm long, split to more than half its length, the six segments each closely overlying a perianth segments, forming an outer and an inner whorl of three and almost as broad as the inner segments, bi-lobed, with lobes split and overlapping, regularly ribbed, a slightly

deeper shade than the perianth segments, a little wavy. Mid-season. Strongly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117454)

‘Classical Music’ 1 Y-O

(R. & E.Havens) R. & E.Havens, 2011

‘Demmo’ × ‘Magic Lantern’; sdlg no. NH26/2
Fl. 90mm wide; perianth segments 35mm long, very broadly ovate, blunt, mucronate, lemon yellow, deepening to butterscotch yellow, spreading, slightly concave, smooth and of heavy substance, overlapping half or more; the inner segments a little narrower; corona 41mm long, cylindrical, smooth, bright yellow, becoming yellow-orange, mouth very narrowly flared and ribbed, wavy, with rim minutely crenate. Early. Resembles ‘Magic Lantern’ but is larger, with a longer trumpet and with deeper colour.
Nomenclatural Standard: colour print supplied by registrant (WSY0117456)

‘Classic Magic’ 2 Y-P

(R. & E.Havens) R. & E.Havens, 2011

‘American Dream’ × ‘Color Magic’; sdlg no. MH7/3
Fl. 100mm wide; perianth segments 40mm long, very broadly ovate, blunt, bright lemon yellow, with slight white mucro, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 35mm long, cylindrical, smooth, pink, brighter at rim, mouth straight, regularly ribbed and neatly frilled, with rim minutely dentate. Mid-season. Sunproof.
Nomenclatural Standard: colour print supplied by registrant (WSY0117455)

Clinton-Tinnin Road Group 10 Y-GYY

(T.E.Snazelle, c.1997) T.E.Snazelle, 2011

N. bulbocodium subsp. *bulbocodium* var. *conspiciuus*

× *N. jonquilla*; sdlg no. 92/3/1E

Fl. facing slightly upwards; perianth segments lanceolate, acute, yellow, with green mucro, spreading, plane, smooth and of membranaceous substance, separated; corona cup-shaped, smooth, mouth expanded and even, with rim entire. Dwarf. Early.
Nomenclatural Standard: colour print supplied by registrant (WSY0117457)

‘Coberside’ 2 Y-P

(R.A.Scamp, 1995) R.A.Scamp, 2011

‘Daydream’ × ‘Dailmanach’; sdlg no. 962

Fl. forming a double triangle, 116mm wide; perianth segments 45mm long, broadly ovate, blunt, prominently mucronate, pale yellow, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, less prominently mucronate; corona 30mm long, funnel-shaped, smooth, pink, narrowly flared, a little wavy and irregularly lobed, with rim crenate. Mid-season to late.

Nomenclatural Standard: colour print supplied by registrant (WSY0117458)

‘College Years’ 3 Y-YYO

(R. & E.Havens) R. & E.Havens, 2011

‘Yale’ × ‘Spring Coronation’; sdlg no. MH12/1

Fl. forming a double triangle, 110mm wide; perianth segments 45mm long, broadly ovate, blunt, mucronate, pale yellow, deepening at maturity, spreading, plane, smooth and of heavy substance, overlapping one-third; corona 12mm long, bowl-shaped, smooth, yellow, with a narrow band of yellow-orange at rim, mouth slightly expanded, narrowly ribbed, a little wavy, with rim crenate. Late. Sunproof.

Nomenclatural Standard: colour print supplied by registrant (WSY0117460)

‘Coloma’ 1 Y-P

(John R.Reed) John R.Reed, 2011

‘Memento’ × ‘Magician’; sdlg no. 93-9-4

‘Come to Good’ 2 W-Y

(Dan du Plessis) R.A.Scamp, 2011

‘Honeybourne’ hybrid; sdlg no. 96-86-15

Fl. 99mm wide; perianth segments 36mm long, very broadly ovate, blunt, slightly mucronate, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 35mm long, funnel-shaped, smooth, mouth broadly flared, lightly frilled, irregularly lobed, with rim notched and crenate. Mid-season to late.

Nomenclatural Standard: colour print supplied by registrant (WSY0117461)

‘Confidential’ 2 Y-Y

(R. & E.Havens) R. & E.Havens, 2011

‘American Classic’ open pollinated; sdlg no. OH022/1

Fl. 80mm wide; perianth segments 32mm long, roundish, mucronate, lemon yellow, spreading, slightly concave, smooth and of heavy substance, overlapping half or more; the inner segments a little narrower, shouldered at base; corona 28mm long, funnel-shaped, smooth, buffish yellow, becoming white late into maturity, mouth straight and wavy, with rim crenate. Late.

Nomenclatural Standard: colour print supplied by registrant (WSY0117462)

‘Copper Mine’ 2 O-O

(John R.Reed) John R.Reed, 2011

‘Cowboy’ × ‘Burning Bush’; sdlg no. 97-104-1

‘Crystal Owl’ 2 W-W

(Colin Crotty) Colin Crotty, 2011

‘Misty Veil’ × ‘River Queen’; sdlg no. 45-03

Fl. forming a double triangle, 123mm wide; perianth segments 50mm long, very broadly ovate, blunt, not noticeably mucronate, spreading, plane, or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, more prominently mucronate; corona 43mm long, cylindrical, smooth, mouth straight and wavy, with rim crenate. Mid-season. Strongly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117463)

‘Culver’ 3 Y-Y

(John R.Reed) John R.Reed, 2011

‘Getaway’ × ‘Haunting’; sdlg no. 99-24-3

‘Dancing Doll’ 6 Y-Y

(Walter J.M.Blom) Walter J.M.Blom, 2011

‘Topolino’ self-pollinated; sdlg no. 228-4

Fl. facing downwards, vivid yellow 12A; perianth segments oblong in outline, blunt at apex, reflexed, convex, smooth, overlapping at base only; corona cylindrical, smooth, mouth flared, ribbed and frilled, with rim dentate. Dwarf. Early. Sweetly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117464)

'Dangerous Dentures' 2 W-Y

(O. David Niswonger) O. David Niswonger, 2011
(‘Inverpollly’ × ‘Early to Rise’) × ‘Circle of Pink’;
sdlg no. 4-08

Fl. 95mm wide, facing slightly upwards; perianth segments 38mm long, broadly ovate, blunt, prominently mucronate, white, spreading, a little concave, smooth, overlapping one-third to a half; the inner segments slightly narrower, a little inflexed, with margins incurved; corona 25mm long, bowl-shaped, lightly ribbed, very pale yellow, mouth expanded and heavily ribbed, with rim dentate. Some parts of the corona protrude above the rim, giving it a jagged appearance. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0117465)

Etymology: the name comes from the look of the rim of the corona

'Dash' 11a Y-P

(R. & E. Havens) R. & E. Havens, 2011

‘Trans American’ × XH126/2 (‘Lemon Lyric’ × ‘Pink Holly’); sdlg no. OH13/1

Fl. forming a double triangle, 110mm wide; perianth segments 45mm long, very broadly ovate, blunt, mucronate, bright yellow, spreading, plane or with margins slightly incurved, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 27mm long, split to base, the six segments each closely overlying a perianth segment, forming an outer and an inner whorl of three, two-thirds the width of the perianth segments, bi-lobed, with lobes overlapping, lightly creased, bright pink, heavily frilled. Late. Sunproof.

Nomenclatural Standard: colour print supplied by registrant (WSY0117466)

'Derek Tangye' 2 Y-O

(R.A. Scamp, 1996) R.A. Scamp, 2011

(‘Saint Keverne’ × ‘Golden Aura’) × ‘Loch Lundie’;
sdlg no. 605

Fl. forming a double triangle, 102mm wide; perianth segments 41mm long, very broadly ovate, blunt, mucronate, rich yellow, spreading, concave, with margins incurving, with midrib showing, of heavy substance, overlapping half or more; the inner

segments narrower and a little inflexed; corona 32mm long, funnel-shaped, smooth, soft orange, mouth flared and wavy, with rim dentate. Mid-season to late. Sunproof.

Nomenclatural Standard: colour print supplied by registrant (WSY0117467)

Etymology: to commemorate the fiftieth anniversary of Derek Tangye's book *Gull on the Roof*, which was published in 1961. Registered on behalf of the Friends of Minack Society

'Dickie Van Hage' 2 W-O

(Cornelius Van Hage) Cornelius Van Hage, 2011

Fl. forming a double triangle; perianth segments broad, oblong in outline, blunt at apex, very slightly mucronate, spreading, plane, a little creased, overlapping one-third; the inner segments significantly narrower, ovate, shouldered at base; corona cylindrical, smooth, mouth straight and wavy, with rim entire

'Doctor Bill' 1 W-Y

(P.D.K. Ramsay) P.D.K. Ramsay, 2011

‘Pops Legacy’ × Hamilton sdlg; sdlg no. 04:26

Fl. forming a double triangle, 110mm wide; perianth segments 48mm long, roundish, mucronate, spreading, with margins incurved, smooth and of heavy substance, overlapping one-third; the inner segments narrower; corona 49mm long, funnel-shaped, smooth, mouth expanded, ribbed and even, with rim flanged and entire. Mid-season.

Etymology: named for Dr Bill Bender, who selected ‘Pops Legacy’

'Door County USA' 4 W-OWW

(Th. van der Holst) Molenaar & Van Ginhoven B.V., 2011

sdlg no. H72

Fl. 105mm wide; perianth and other petaloid segments in several whorls, greenish white 155C: the outer whorl 43mm long, roundish, truncate, mucronate, spreading, concave, with margins incurled, with midrib showing, of membranaceous to heavy substance, overlapping half or more; the inner segments a little narrower; the inner whorls becoming successively shorter, inflexed and deeply

folded; corona segments in several whorls, 22mm long, interspersed among the petaloid segments and clustered at centre, opening light yellow, with yellow-orange at base, moving to light yellow 10B, with yellow-orange (19A) at base and greenish white 155C at rim, becoming greenish white 155C, with yellow-orange 19A at base, the segments becoming successively more lobed, crumpled and inflexed. Mid-season. Sweetly scented. Nomenclatural Standard: colour print supplied by KAVB (WSY0117468)

'Double Star' 4 W-Y

(K.van der Veek) W.van Lierop & Sons, 2011 Fl. 110mm wide, facing slightly upwards; perianth and other petaloid segments in two whorls, white (NN155A); the outer whorl 40mm long, very broadly ovate, blunt, prominently mucronate, spreading, a little concave, smooth and of membranaceous to heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, slightly inflexed, less prominently mucronate; the inner whorl shorter, more strongly inflexed, with margins incurling; corona segments 30mm long, interspersed between the two whorls of petaloid segments and clustered at centre, half the width of the petaloid segments, roundish, vivid yellow 13A, wavy, the innermost segments crumpled. Mid-season. Sweetly scented. Nomenclatural Standard: colour print supplied by KAVB (WSY0117470)

'Downfield' 4 Y-O

(Maurice Kerr, 1997) Maurice Kerr, 2011 'Smokey Bear' × 'Limbo'; sdlg no. MK52 Fl. 110mm wide; perianth and other petaloid segments in three whorls; the outer whorl 50mm long, broadly ovate, blunt, slightly truncate and mucronate, spreading, concave, with margins incurved, with midrib showing, of heavy substance, overlapping one-third to a half; the inner segments narrower and shouldered at base; the middle whorl shorter and narrower than the outer whorl, inflexed and slightly creased; the inner whorl more strongly inflexed, folded inwards from midrib, with margins incurled and wavy; corona segments half the length of the perianth

segments, interspersed among the middle and inner whorls of perianth segments and clustered at centre, broad, with wavy margins. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0117472)

Etymology: named for the house of the raiser

'Downing College' 2 Y-Y

(R.A.Scamp, 1992) R.A.Scamp, 2011

'Saint Keverne' × 'Tiritomba'; sdlg no. 589

Fl. forming a double triangle, 92mm wide; perianth segments 39mm long, broadly ovate, blunt, mucronate, spreading to a little reflexed, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, less prominently mucronate, more nearly spreading; corona 34mm long, funnel-shaped, smooth, mouth narrowly flared, lightly frilled, with rim entire. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0117474)

Etymology: named for Professor T. Walker

(ex-Downing College)

'Eastbrook Snowflake' 3 W-GWW

(John Gibson, 1997) John Gibson, 2011

'Silversmith' × 'Princess Zaide'; sdlg no. B16-92

Fl. 108mm wide; perianth segments 48mm long, very broadly ovate, blunt, truncate, slightly mucronate, spreading, plane, with midrib showing, of heavy substance, overlapping half or more; the inner segments a little narrower; corona 15mm long, disc-shaped, angled and irregularly ribbed, mouth expanded, frilled and irregularly lobed, with rim minutely crenate and deeply notched. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0117476)

'Easy Lover' 2 W-P

(John R.Reed) John R.Reed, 2011

'Millennium Pink' × sdlg 95-255-1 (83-87-4

['Arctic Char' × 'Dear Me'] × 87-10-1 ['Magician' × 'Obsession']); sdlg no. 2000-135-1

'Eddie' 2 W-P

(John R.Reed) John R.Reed, 2011

'Lawless' × 'Lavender Hope'; sdlg no. 97-76-1

'Emerald Heart' 3 W-GWY

(Colin Crotty) Colin Crotty, 2011

Sdlg (2 W-WWY) × 'Mossy Ridge'; sdlg no. 42-06
Fl. 105mm wide; perianth segments 42mm wide, very broadly ovate, blunt, mucronate, white, spreading, plane to a little concave, smooth or with midrib showing, of heavy substance, overlapping one-third; the inner segments significantly narrower, shouldered at base, slightly inflexed; corona 13mm long, disc-shaped, broadly ribbed, opening yellow, with green at base, becoming white, with deep green at base and a narrow band of golden yellow at rim, mouth expanded, ribbed and frilled, with rim dentate. Mid-season. Strongly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0117477)

'Epiphany' 1 Y-Y

(John R.Reed) John R.Reed, 2011

'Lemonaire' × sdlg 92-22-1 ('Camelot' × 'Dream Prince'); sdlg no. 2003-26-1

'Estonia' 1 W-W

(R.van Lierop) W.van Lierop & Sons, 2011

sdlg no. R8

Fl. 155mm wide, facing upwards; perianth segments 60mm long, very broadly ovate, blunt, truncate, slightly mucronate, opening greenish white 155A, becoming greenish white 155C, spreading, plane, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, shouldered at base, a little inflexed; corona 60mm long, funnel-shaped, lightly ribbed, opening pale yellow 20C, becoming greenish white 155C, mouth expanded, wavy and irregularly lobed, with rim crenate and narrowly flanged. Mid-season. Strongly scented. Nomenclatural Standard: colour print supplied by KAVB (WSY0117478)

'Eudora Welty' 7 W-OOW

(R. & E.Havens) R. & E.Havens, 2011

'Fertile Crescent' open pollinated; sdlg no. NH05/1
Fls 3 per stem, 65mm wide; perianth segments 27mm long, broadly oblong in outline, rounded at apex, very slightly mucronate, ivory white, spreading, plane to a little twisted, with margins

slightly incurved, smooth and of heavy substance, overlapping one-third; the inner segments narrower, ovate; corona 15mm long, cup-shaped, angled, pastel orange, with white at rim, becoming white late into maturity, mouth straight, broadly ribbed, wavy, with rim crenate. Late. Sweetly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117479)

Etymology: named for a historic house and garden in Jackson, Mississippi

'Exotic Mystery' 11a Y-IGY

(Brent & Becky's Bulbs) Brent & Becky's Bulbs, 2011

'Parisienne' × *N. triandrus* var. *triandrus*; sdlg no. 56
Fls 2–3 per stem, 85mm wide, facing down; perianth segments 40mm long, ovate, blunt, mucronate, light yellow 12C, reflexed, convex, with midrib showing, of heavy substance, overlapping at base only; the inner segments a little narrower; corona 18mm long, split to base, the six segments opposite to and a little narrower than the perianth segments, brilliant yellow-green 154B, with light yellow 10C at base and light greenish yellow 3D at rim, 3-lobed, neatly ribbed, reflexed, with margins a little wavy. Mid-season. Sweetly scented. Nomenclatural Standard: colour print supplied by KAVB (WSY0117480)
TGA 2010

'Fauld's Favourite' 2 W-WWP

(Cornelius Van Hage) Cornelius Van Hage, 2011

Fl. forming a double triangle; perianth segments broadly ovate, blunt, not noticeably mucronate, white, spreading, plane, a little creased, overlapping one-third to a half; the inner segments narrower, shouldered at base; corona funnel-shaped, smooth, white, with a narrow band of pink at rim, mouth expanded and wavy, with rim entire

'Febus' 1 Y-P

(W.F.Leenen & Sons) Mantel Holland B.V., 2010

sdlg no. N-500

Fl. 120mm wide, facing up; perianth segments 50mm long, rounded, very broad, mucronate, light greenish yellow 4C, paling to apex, spreading to very slightly reflexed, plane to a little concave or with margins slightly incurved, with midrib showing, of heavy

substance, overlapping half or more; the inner segments broadly ovate, shouldered at base, not noticeably mucronate, more nearly plane, a little creased; corona 50mm long, funnel-shaped, six-angled, pink (26C), with orange-pink (24D) at base, mouth a little expanded, lightly ribbed, frilled and lobed, with rim shallowly rolled and minutely dentate to crenate. Mid-season. Sunproof. Sweetly scented. Nomenclatural Standard: colour print supplied by KAVB (WSY0117482)

'Ferris Wheel' 2 Y-O

(R.Huijg) H.G.Huijg & Sons, 2011
'Jules Verne' × 'Wild Carnival'
Fl. 116mm wide; perianth segments 46mm long, very broadly ovate, blunt, slightly mucronate, brilliant greenish yellow 4A, spreading, concave, with margins incurved, with midrib showing, of heavy substance, overlapping one-third to a half; the inner segments significantly narrower, shouldered at base, roundish at apex, less prominently mucronate; corona 35mm long, bowl-shaped, narrowly ribbed, yellow-orange (23A), mouth widely expanded, heavily frilled and lobed, with rim crenate and widely flanged. Sunproof. Strongly scented. Nomenclatural Standard: colour print supplied by KAVB (WSY0117484)

'Festive Gift' 7 Y-Y

(Walter J.M.Blom) Walter J.M.Blom, 2011
Sdlg 4B × *N. rupicola* hybrid (#12A); sdlg no. 184-1
Fl. 42mm wide; perianth segments ovate, blunt, mucronate, brilliant greenish yellow 6B, spreading to slightly reflexed, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, with margins incurved; corona bowl-shaped, ribbed, brilliant greenish yellow 6A, mouth expanded, wavy and lobed, with rim minutely dentate. Dwarf. Mid-season. Strongly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0117486)

'Fettercairn' 1 W-W

(D.C.MacArthur, 1995) D.C.MacArthur, 2010
un-named 1 W-W × un-named 1 W-W; sdlg no. ED17190

Fl. forming a double triangle, 105mm wide, yellowish white 155B; perianth segments 44mm long, very broadly ovate, blunt, convex and with margins incurving, creased, of heavy substance, overlapping half or more; corona 46mm long, cylindrical, smooth, mouth flared, ribbed and wavy, with rim crenate. Late. Sweetly scented

'First Choice' 1 Y-Y

(Brian S.Duncan, 2000) F.Charlton, 2011
'Francolin' × 'Gold Bond'; sdlg no. 2360
Fl. forming a double triangle, 105mm wide, deep golden yellow; perianth segments 41mm long, very broadly ovate in outline, rounded at apex, spreading, a little concave, smooth and of heavy substance, overlapping half; the inner segments only slightly narrower, blunt, more nearly plane; corona 45mm long, cylindrical, smooth, mouth narrowly flared, wavy, with rim entire. Mid-season. Nomenclatural Standard: colour print supplied by hybridiser (WSY0117487)
Etymology: the first named seedling listed by Choice Bulbs

'Floral Treasure' 6 Y-Y

(Walter J.M.Blom) Walter J.M.Blom, 2011
'Cauldron' × *N. cyclamineus*; sdlg no. 265-1
Perianth segments 30mm long, oblong in outline, blunt at apex, vivid yellow 9A, reflexed, convex, with margins recurved, smooth, overlapping half; corona 23mm long, cylindrical, smooth, vivid yellow 14A, mouth expanded, ribbed and frilled, with rim flanged and dentate. Dwarf. Early. Sweetly scented

'Fran-a-Belle' 5 Y-Y

(Kiera Bulbs) C.Higgins, 2011
N. triandus subsp. *triandus* var. *triandus*
× *N. fernandesii* var. *cordubensis*; sdlg no. KB/CR/16/95/Z
Fls 1 to 6 per stem, 20mm wide, facing down, light greenish yellow; perianth segments 10mm long, roundish, reflexed; corona 5mm long, bowl-shaped. Dwarf. Mid-season. Etymology: a nickname of the registrant's wife

'Freya Soden' 2 W-P

(D.C.MacArthur) D.C.MacArthur, 2010

'Pismo Beach' X un-named 2 W-P; sdlg no. ED0398

Fl. forming a double triangle, 95mm wide; perianth segments 41mm long, very broadly ovate, blunt, mucronate, yellowish white 155A, spreading, plane or with margins incurled, creased, of heavy substance, overlapping half or more; the inner segments slightly narrower; corona 24mm long, funnel-shaped, ribbed, moderate yellowish pink 31D, with light yellowish pink 29C at base and pink 31B at rim, mouth flared, frilled and lobed, with rim crenate. Late. Sunproof. Sweetly scented

'Front Page' 4 W-W

(K.van der Veek) W.van Lierop & Sons, 2011

Fl. forming a double triangle, 130mm wide, facing up; perianth and other petaloid segments in two or more whorls, greenish white 155C; the outer whorl 55mm long, broadly ovate, blunt, slightly mucronate, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower; the inner whorl narrower, less prominently mucronate, a little inflexed, with margins incurled; the inner most segments deeply inflexed and folded inwards from midrib; corona segments 40mm long, interspersed among the perianth and other petaloid segments, opening yellow, becoming greenish white 155C, broad, smooth, lobed and wavy. Strongly scented. Nomenclatural Standard: colour print supplied by KAVB (WSY0117489)

'Funchal Carnival' 2 W-YYO

(John Gibson) John Gibson, 2011

'Silverwood' X ('Rainbow' x 'Rockall' open pollinated); sdlg no. 100-31-97

Fl. 105mm wide; perianth segments 46mm long, broadly ovate in outline, rounded at apex, prominently mucronate, white, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments significantly narrower, shouldered at base, slightly truncate, not noticeably mucronate; corona 16mm long, bowl-shaped, smooth, brilliant yellow 12B, with a band of reddish orange (28B) at rim, mouth straight, wavy and

irregularly lobed, with rim crenate and split and overlapping in places. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0117490)

'Fwav' 10 W-W

(Lawrence Trevanion, 2001) Lawrence Trevanion, 2011

'Julia Jane' X *N. cantabricus* subsp. *monophyllus*; sdlg no. 01_62

Fl. star-shaped, 36mm wide, facing up; perianth segments 12mm long, lanceolate, broad, acute, mucronate, spreading, plane, smooth, separated; the inner segments slightly narrower; corona 14mm long, bowl-shaped, smooth, mouth expanded, very lightly ribbed, even, with rim entire. Dwarf. Very early. *N. bulbocodium* scent.

Nomenclatural Standard: colour print supplied by registrant (WSY0117491)

'Gabriel's Horn' 1 W-Y

(John R.Reed) John R.Reed, 2011

'Paringa' X 'Three Oaks'; sdlg no. 2003-19-2

'Gaddle Qua' 10 W-W

(Lawrence Trevanion, 2001) Lawrence Trevanion, 2011

N. cantabricus subsp. *monophyllus* X *N. romieuxii* subsp. *romieuxii* var. *mesatlanticus*; sdlg no. 01_18B

Fl. star-shaped, 40mm wide, facing up; perianth segments 15mm long, lanceolate, broad, acute, spreading, plane, smooth, separated; the inner segments slightly narrower; corona 17mm long, bowl-shaped, narrowly and lightly ribbed, mouth expanded and even, with rim slightly crenate. Dwarf. Autumn to very early. *N. bulbocodium* scent. Nomenclatural Standard: colour print supplied by registrant (WSY0117492)

'Gerrit de Maijer' 2 Y-O

(K.van der Veek) Daffodil 10, 2011

Fl. forming a double triangle, 103mm wide, facing upwards; perianth segments 44mm long, broadly ovate, blunt, very slightly mucronate, brilliant greenish yellow 5B, spreading, concave, with margins a little incurved, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 30mm long, bowl-shaped, smooth, yellow-

orange (N25D), mouth widely expanded, wavy and lobed, narrowly ribbed, with rim flanged and entire. Mid-season. Sunproof. Sweetly scented.

Nomenclatural Standard: colour print supplied by KAVB (WSY0117493)

Etymology: named for Mr Gerrit de Maijer, who did a great job for the public green in the community of Sneek

‘Gold Card’ 1 Y-Y

(Colin Crotty) Colin Crotty, 2011

‘Midas Touch’ × ‘Valley Lode’; sdlg no. 6-03

Fl. forming a double triangle, 105mm wide; perianth segments 42mm long, broadly ovate, blunt, mucronate, golden yellow, spreading, with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, less prominently mucronate; corona 47mm long, cylindrical, angled, a slightly deeper tone than the perianth segments, mouth straight, lightly ribbed and frilled, with rim narrowly flanged and minutely dentate. Mid-season. Strongly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117495)

‘Gold Disc’ 11a Y-Y

(R.van Lierop) W.van Lierop & Sons, 2011

‘Suncollar’ × ‘Las Vegas’; sdlg no. R.Spl.2

Fl. 110mm wide, vivid yellow 9A; perianth segments 50mm long, broadly ovate, blunt, slightly mucronate, spreading to a little concave, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 46mm long, deeply split, the six segments each closely overlying a perianth segment, forming an outer and an inner whorl of three and of the same width as the perianth segments, lobed, with lobes overlapping, smooth, very heavily frilled. Dwarf. Early. Sweetly scented. Nomenclatural Standard: colour print supplied by KAVB (WSY0117496)

‘Gold Trio’ 2 Y-Y

(P.D.K.Ramsay) P.D.K.Ramsay, 2011

92:23A (‘Clear Gold’ × ‘Golden Vale’) × ‘Jim’s Gold’; sdlg no. 07:120

Fl. forming a double triangle, 112mm wide; perianth segments 46mm long, mucronate, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping a quarter; the inner segments shouldered at base; corona 42mm long, funnel-shaped, smooth, mouth flared and even, with rim rolled and entire. Early.

Etymology: bred from three golds

‘Goodness Gracious’ 1 Y-P

(John R.Reed) John R. Reed, 2011

Sdlg (2 Y-P) × ‘Pink Sun’; sdlg no. 2003-32-1

‘Good Success’ 11a W-O

(June Pesterfield) R.A.Scamp, 2011

‘Colorange’ × ‘Menchay’; sdlg no. PES 19/20

Fl. 98mm wide; perianth segments 38mm long, roundish, broad, mucronate, white, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, broadly ovate; corona segments 26mm long, each closely overlying a perianth segment, forming an outer and an inner whorl of three, and of the same width as the perianth segments, deeply split, joined at margins at base, bi- or 3-lobed, with lobes overlapping, deeply ribbed, orange, touched olive-green at base, lightly frilled. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0117498)

‘Grandma’s Gift’ 2 W-Y

(Gordon Coombes) Gordon Coombes, 2011

‘Blanco Sol’ × ‘Valley Sun’; sdlg no. G8-04

Fl. forming a double triangle, 114mm wide; perianth segments 48mm long, broadly ovate, blunt, mucronate, pure white, a little reflexed, plane or with margins slightly incurved, smooth and of heavy substance, overlapping one-third to a half; the inner segments narrower, shouldered at base; corona 40mm long, cylindrical, smooth, bright yellow, mouth narrowly flared, broadly ribbed, even, with rim crenate. Mid-season.

Strongly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117499)

'Greengarden' 2 Y-W

(H.Wijnhout) H.Wijnhout & Sons, 2011

'Mount Hood' × 'Spellbinder'

Fl. forming a double triangle, 105mm wide; perianth segments 50mm long, very broadly ovate, blunt, mucronate, brilliant greenish yellow 5A, spreading to a little inflexed, concave, with margins incurved, smooth and of heavy substance, overlapping half; the inner segments much narrower; corona 38mm long, funnel-shaped, ribbed, opening light greenish yellow 5D, becoming white, mouth a little expanded, wavy and lightly lobed, with rim dentate and broadly flanged. Mid-season. Sweetly scented.

Nomenclatural Standard: colour print supplied by KAVB (WSY0117500)

'Gwen Bell' 11 W-YPP

(D.S.Bell) David Adams, 2011

Fl. forming a double triangle, 98mm wide; perianth segments 40mm long, ovate, mucronate, whitish, spreading, plane, smooth and of membranaceous substance, overlapping half; the inner segments narrower; corona 20mm long, yellow, shading to pink at margins. Mid-season. Sunproof.
Etymology: named by the Nelson AGS in memory of a member

'Harrogate Centenary' 2 Y-O

(R.Beckwith) R.Beckwith, 2011

'Chateau Impney' × 'Desert Storm'; sdlg no. 1-5-97

Fl. rounded, 96mm wide; perianth segments 39mm long, very broad, blunt, vivid yellow 9B, spreading, plane or with margins incurved, with midrib showing, of membranaceous substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 14mm long, cup-shaped, ribbed, orange (23A), mouth flared and wavy, with rim crenate. Tall. Mid-season. Sweetly scented.

Etymology: named to celebrate the 100th Harrogate Flower Show, which took place in 2011

'Helen Murdoch' 1 Y-Y

(D.C.MacArthur, 1997) D.C.MacArthur, 2010

'Arkle' × 'Saint Duthus'; sdlg no. ED10591

Fl. forming a double triangle, 103mm wide, facing up; perianth segments 43mm long, very broad,

blunt, mucronate, brilliant yellow 13C, spreading, convex, with margins incurving, creased, of heavy substance, overlapping one-third; the inner segments slightly narrower; corona 48mm long, cylindrical, ribbed, vivid yellow 14B, mouth flared and frilled, with rim crenate. Late. Sweetly scented

'Helen Nicholl' 2 W-Y

(Reg Nicholl, 1992) Reg Nicholl, 2011

'Berry Gorse' × 'Tudor Minstrel'; sdlg no. 10/92

Fl. forming a double triangle, 110mm wide; perianth segments 48mm long, very broadly ovate, blunt, mucronate, white, spreading, plane to a little concave, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate; corona 42mm long, cup-shaped, smooth, brilliant greenish yellow 5A, mouth expanded, ribbed and lightly frilled, with rim dentate and narrowly flanged. Late. Sweetly scented.

Nomenclatural Standard: photographic transparency supplied by registrant (WSY0117502)

'Herm' 3 W-W

(R.Beckwith) R.Beckwith, 2011

'Silkwood' × 'Warmington'; sdlg no. 1-01-2001

Fl. rounded, 95mm wide; perianth segments 42mm long, very broad, blunt, spreading, plane or with margins incurved, with midrib showing, of membranaceous substance, overlapping half; corona 8mm long, bowl-shaped, ribbed, mouth expanded and frilled, with rim flanged and crenate. Tall. Late. Sweetly scented.

Etymology: named for the Island of Herm

'Hermann' 1 Y-Y

(John R.Reed) John R.Reed, 2011

'Phil's Gift' × 'Dream Prince'; sdlg no. 90-35-3

'High Regard' 3 Y-R

(Colin Crotty) Colin Crotty, 2011

'Barndance' × 'Omeomy'; sdlg no. 36-06

Fl. 110mm wide; perianth segments 46mm long, broadly oblong in outline, blunt at apex, mucronate, bright golden yellow, spreading, concave, smooth and of heavy substance, overlapping one-third; the inner segments much narrower, ovate and shouldered at base;

corona 13mm long, cup-shaped, smooth, deep orange-red, mouth expanded, broadly ribbed and lightly frilled, with rim crenate. Mid-season. Strongly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0117503)

'Inchroly Lass' 3 W-YYO

(D.C.MacArthur, 1999) D.C.MacArthur, 2010
'Viv Lumsden' × un-named 3 W-YYO
Fl. rounded, 91mm wide; perianth segments 41mm long, very broadly ovate in outline, rounded at apex, mucronate, yellowish white 155D, spreading, plane or with margins incurling, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, slightly inflexed; corona 11mm long, bowl-shaped, ribbed, vivid yellow 15B, with strong greenish yellow 153C at base and strong orange 24A at rim, mouth straight and frilled, with rim crenate. Mid-season. Sunproof

'Irish Dream' 3 W-GWW

(John R.Reed) John R.Reed, 2011
'Irish Linen' × sdlg 85-26-1 ('Angel' × 'Misty Glen'); sdlg no. 98-166-1

'Jaw Breaker' 2 W-O

(John R.Reed) John R.Reed, 2011
Sdlg 81-125 ('Poet's Dream' × 'Preamble') × 'Ivory Gold'; sdlg no. 98-162-1

'Jeannie Tangye' 2 W-P

(R.A.Scamp, 1992) R.A.Scamp, 2011
'Phantom' × 'Kirklington'; sdlg no. 500
Fl. 108mm wide, facing downwards; perianth segments 40mm long, very broadly ovate, blunt slightly mucronate, spreading, plane or with margins incurved, with midrib showing, of heavy substance, overlapping half; the inner segments significantly narrower, shouldered at base; corona 30mm long, cup-shaped, angled, mouth widely expanded and narrowly flared, wavy and irregularly lobed, with rim minutely crenate. Mid-season. Sunproof. Nomenclatural Standard: colour print supplied by registrant (WSY0117504)
Etymology: registered on behalf of the Friends of Minack Society

'Jennifer Van Hage' 2 W-P

(Cornelius Van Hage) Cornelius Van Hage, 2011
sdlg no. 11
Perianth segments broadly ovate, blunt, mucronate, white, slightly reflexed, plane, a little creased, overlapping a quarter; the inner segments significantly narrower; corona funnel-shaped, lightly ribbed, orange-pink, mouth flared and lightly frilled, with rim crenate and split and overlapping in places

'John Van Hage' 3 Y-YYO

(Cornelius Van Hage) Cornelius Van Hage, 2011
sdlg no. 22
Perianth segments oblong in outline, blunt at apex, yellow, with pale mucro, spreading, a little concave, smooth, overlapping half; the inner segments narrower, not noticeably mucronate, more nearly plane; corona funnel-shaped, smooth, yellow, with a broad band of red-orange at rim, mouth straight and lightly frilled

'Kaykay' 7 W-Y

(W.R.P.Welch) W.R.P.Welch, 2011
Parentage unknown
Fls 2–5 per stem, rounded, 52mm wide, facing up; perianth segments 21mm long, ovate in outline, rounded at apex, white, spreading, plane, smooth and of heavy substance, overlapping one-third; corona 10mm long, bowl-shaped, ribbed, light buff yellow, mouth wavy, with rim entire. Mid-season. Sweetly scented.
Etymology: for friends of the hybridiser (Kayleigh and Kaysea) who have been friends since they were five years old

'Ken's Cracker' 1 Y-Y

(C.van der Veek) Roger Braithwaite, 2011
Fl. forming a double triangle, 125mm wide, facing slightly downwards; perianth segments 57mm long very broadly ovate, blunt, with pale mucro, spreading, plane, smooth, overlapping one-third to a half; the inner segments narrower, shouldered at base; corona 60mm long, cylindrical, smooth, mouth wavy, flared and lightly ribbed, with rim crenate. Early. Nomenclatural Standard: colour print supplied by registrant (WSY0117579)

'Kiwi Lady' 2 W-GRR

(P.D.K.Ramsay, 2001) P.D.K.Ramsay, 2011
'Cameo Marie' × 'Centrefold'; sdlg no. 02:30A
Fl. rounded, 110mm wide; perianth segments
46mm long, roundish in outline, blunt at apex,
spreading, plane or with margins incurved, smooth
and of heavy substance, overlapping one-third;
corona 44mm long, bowl-shaped, smooth, mouth
expanded and lobed, with rim flanged and crenate.
Mid-season to late. Sunproof.
Etymology: named after a racehorse

'Lake Zurich' 3 W-Y

(John R.Reed) John R.Reed, 2011
'Evesham' × 'Dayton Lake'; sdlg no. 97-8-1

'Larry's Force' 1 W-O

(John R.Reed) John R.Reed, 2011
'Jimmy Noone' × sdlg 93-50-3 ('American
Revolution' × 'Hacienda'); sdlg no. 2001-108-1

'Leaping Water' 11a W-YWW

(R.A.Scamp, 1998) R.A.Scamp, 2011
'Pitchroy' × 'Belcanto'; sdlg no. 97/1
Fl. forming a double triangle, 118mm wide; perianth
segments 45mm long, broadly ovate, blunt, prominently
mucronate, white, spreading, plane or with margins
incurved, smooth and of heavy substance, overlapping a
quarter; the inner segments significantly narrower,
acute at apex, less prominently mucronate; corona
segments 28mm long, split to base, each closely
overlying a perianth segment, forming an outer and an
inner whorl of three and of the same width as the
perianth segments, bi-lobed, with lobes overlapping,
smooth, opening pale yellow, becoming white, with
yellow at base, lightly frilled. Mid-season to late.
Nomenclatural Standard: colour print supplied by
registrant (WSY0117505)

'Lemon Bitone' 1 Y/W-Y

(John R.Reed) John R.Reed, 2011
Parentage unknown; sdlg no. 1993-2011

'Lemon Wood' 1 Y-Y

(R. & E.Havens) R. & E.Havens, 2011
'Inca' open pollinated; sdlg no. PH08/1

Fl. 90mm wide, facing slightly downwards; perianth
segments 36mm long, broadly ovate, blunt,
mucronate, lemon yellow, somewhat reflexed, plane,
smooth and of heavy substance, overlapping half;
the inner segments narrower, less prominently
mucronate; corona 40mm long, cylindrical, smooth,
buffish yellow, becoming white at extreme maturity,
mouth flared, ribbed, lightly frilled, with rim
dentate. Early.

Nomenclatural Standard: colour print supplied by
registrant (WSY0117506)

'Light My Fire' 2 Y-R

(John R.Reed) John R.Reed, 2011
Sdlg 84-144-4 ('Buncloidy' × 'Wildfire') × 'Burning
Bush'; sdlg no. 2000-153-1

'Lindy Van Hage' 2 W-W

(Cornelius Van Hage) Cornelius Van Hage, 2011
sdlg no. 49

Perianth segments very broadly ovate, blunt, not
noticeably mucronate, spreading, plane, smooth,
overlapping one-third; the inner segments very
narrow, shouldered at base, prominently mucronate,
a little inflexed, with margins incurved; corona
funnel-shaped, smooth, mouth flared, broadly
ribbed and slightly wavy, with rim entire

'Little Cuda' 6 Y-Y

(John R.Reed) John R.Reed, 2011
'Heidi' open pollinated; sdlg no. 'Heidi' o.p. #3

'Little Kiwi' 4 W-Y

(David Adams) David Adams, 2011
Evans Q28 (4 W-P) × *N. jonquilla*; sdlg no. 97/28C
Fl. 53mm wide; perianth and other petaloid
segments in two or more whorls, whitish; the outer
whorl 24mm long, broadly ovate, blunt, mucronate,
spreading, plane to a little concave, smooth and of
membranaceous substance, overlapping one-third;
the inner segments narrower; the inner whorls,
narrow, acute, successively more inflexed, with
margins incurved; corona segments 10mm long, of
the same width as the petaloid segments and
interspersed among them, light yellow, smooth, a
little wavy. Dwarf. Late. Strongly and sweetly scented

'Little Pinkie' 8 W-P

(H.Koopowitz) H.Koopowitz, 2011

'Little Ruby' × *N. tortifolius*; sdlg no. 02-139-1

Fls 2–3 per stem, forming a double triangle, 39mm wide; perianth segments 16mm long, ovate, acute, mucronate, white, with a pink flush, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 10mm long, funnel-shaped, smooth, reddish pink, mouth straight and wavy, with rim entire. Dwarf. Mid-season. Sunproof.

Etymology: small and very pink

'Lost in Flora' 2 W-WPP

(O. David Niswonger) O. David Niswonger, 2011

'Milk and Apricots' × 'Circle of Pink'; sdlg no. 36-04

Fl. 89mm wide; perianth segments 38mm long, very broadly ovate, blunt, slightly truncate, mucronate, white, spreading, plane, smooth, overlapping half; the inner segments narrower, a little inflexed; corona 25mm long, bowl-shaped, broadly ribbed, pink, paling to white at base, mouth expanded, lightly frilled and irregularly lobed, with rim flanged and crenate. Mid-season. Sunproof.

Nomenclatural Standard: colour print supplied by registrant (WSY0117507)

Etymology: named for a visit to Jason Delaney in Flora, Illinois

'Lottie's Pink' 1 Y-P

(R.Beckwith) R.Beckwith, 2011

'Memento' × 'Filoli'; sdlg no. 1-21-2000

Fl. forming a double triangle, 96mm wide; perianth segments 35mm long, very broad, blunt, brilliant yellow 12B, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 36mm long, cylindrical, smooth, strong yellowish pink 37B, mouth ribbed and lobed, with rim flanged and crenate. Tall. Mid-season. Sunproof. Sweetly scented.

Etymology: named for the granddaughter of the hybridiser

'Lover Boy' 3 W-Y

(John R.Reed) John R.Reed, 2011

'Green Hills' × sdlg 91-85-1 ('Yum-Yum' × 'Dunley Hall'); sdlg no. 2001-55-1

'Lucy Jordan' 2 W-P

(Colin Crotty, 2000) Colin Crotty, 2011

Sdlg (2 W-P) × 'Berceuse'; sdlg no. 48-00

Fl. 110mm wide; perianth segments 45mm long, very broadly ovate, blunt, mucronate, white, spreading, concave and with margins incurved, smooth or with midrib showing, of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 29mm long, funnel-shaped, angled, bright pink, mouth straight, very lightly ribbed and frilled, with rim crenate. Very late. Sunproof. Strongly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117508)

Etymology: from the song 'The Ballad of Lucy Jordan'

'Lunar Dream' 1 Y-W

(John R.Reed) John R.Reed, 2011

'Lunar Sea' hybrid

'Madeira Elementary Special' 2 W-YPP

(Mary Lou Gripshover, 1998) Second Grade Classes, Madeira Elementary School, 2011

'Fragrant Rose' × 'Culmination'; sdlg no. 91-20

Perianth segments broadly oblong in outline, blunt at apex, prominently mucronate, spreading, plane to a little concave, smooth, overlapping one-third to a half; the inner segments broadly ovate, less prominently mucronate, a little inflexed; corona funnel-shaped, smooth, mouth straight, lightly ribbed, frilled, with rim crenate. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0117509)

Etymology: named for Madeira Elementary School

'Madeira Mustang' 2 Y-Y

(Mary Lou Gripshover) Second Grade Classes, Madeira Elementary School, 2011

Parentage unknown; sdlg no. 98-16

Fl. forming a double triangle, facing slightly upwards; perianth segments broadly ovate, blunt, yellow, with pale mucro, spreading, a little concave, smooth, overlapping one-third; the inner segments narrower, shouldered at base; corona cylindrical, smooth, darker than the perianth segments, mouth broadly flared, lightly frilled, six-lobed, with rim entire. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0117510)

Etymology: named for the school mascot

'Mamasan' 3 W-Y

(John R.Reed) John R.Reed, 2011

Parentage unknown; sdlg no. 1993-10

'Manor Born' 2 Y-Y

(W.Gould, Jr, 1989) W.Gould, Jr, 2011

'Euphony' × 'Rubythroat'; sdlg no. 84-9-A

Fl. forming a double triangle, 120mm wide; perianth segments 50mm long, spreading, plane; corona 40mm long, mouth flared and wavy, with rim crenate. Mid-season

'M'aon Grian' 2 W-Y

(D.C.MacArthur, 1992) D.C.MacArthur, 2010

'Preamble' × 'Branie'; sdlg no. ED6385

Fl. forming a double triangle, 94mm wide; perianth segments 41mm long, ovate, blunt, yellowish white 155C, spreading, plane or with margins incurling, with midrib showing, of heavy substance, overlapping half; the inner segments slightly narrower; corona 32mm long, funnel-shaped, ribbed, brilliant greenish yellow 6C, mouth flared, frilled and lobed, with rim crenate. Mid-season. Sweetly scented.

Etymology: Gaelic for "My only sunshine"

'Marbleglen' 2 W-WYP

(Colin Crotty, 1999) Colin Crotty, 2011

('Precedent' × 'Eclat') × ('Flame Opal' × 'Eclat'); sdlg no. 20-99

Fl. 105mm wide; perianth segments 42mm long, roundish, very broad, blunt, mucronate, white, spreading, plane to a little concave, smooth and of membranaceous substance, overlapping half; the inner segments narrower, shouldered at base, more nearly plane; corona 17mm long, disc-shaped, regularly ribbed, creamy yellow, with a broad band of pink at rim, mouth expanded and six-lobed, with rim a little notched. Mid-season. Strongly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0117511)

'Maria Geertruida' 6 Y-O

(R.van der Salm) R.van der Salm, 2010

'Jetfire' hybrid

Fl. 80mm wide, facing up; perianth segments 33mm long, rounded, very broad, truncate and mucronate, brilliant yellow 7A, reflexed, slightly convex, smooth, of membranaceous to heavy substance, overlapping half or more; the inner segments broadly ovate, blunt, not noticeably mucronate; corona 25mm long, cup-shaped, smooth, yellow-orange (23A), mouth lightly ribbed, wavy, with rim broadly flanged, minutely crenate, split and overlapping in places. Early. Sunproof. Sweetly scented.

Nomenclatural Standard: colour print supplied by KAVB (WSY0117512)

Etymology: named for the wife of the hybridiser

'Marie's Garden' 2 Y-WPP

(R. & E.Havens) R. & E.Havens, 2011

'Acumen' × 'American Dream'; sdlg no. OH4/12

Fl. 95mm wide; perianth segments 37mm long, very broadly ovate, blunt, mucronate, deep lemon yellow, spreading, plane or with margins very slightly incurling, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate; corona 30mm long, cylindrical, smooth, apricot pink, with creamy white at base, mouth very slightly expanded, ribbed, a little frilled, with rim crenate. Mid-season. Sunproof.

Nomenclatural Standard: colour print supplied by registrant (WSY0117514)

'Marshmallow' 4 Y-O

(Brian S.Duncan) Narveco, 2011

Fl. 105mm wide, facing up; perianth and other petaloid segments in two whorls; the outer whorl 40mm long, very broadly ovate, blunt, truncate, light greenish yellow 3C, with pale greenish yellow 2D at base, with prominent pale mucro, reflexed, concave, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; the inner whorl strongly inflexed, folded inwards from midrib, with margins wavy; corona in several whorls, opening pink, becoming light yellow-orange 22B, with brilliant

orange 25C; the outer whorl entire, 45mm long, cup-shaped, smooth, mouth expanded, wavy, irregularly lobed, the lobes overlapping, with rim narrowly flanged and entire; the inner whorls tightly clustered at centre, folded and a little frilled.

Mid-season. Sweetly scented.

Nomenclatural Standard: colour print supplied by KAVB (WSY0117515)

‘Martha Cash’ 8 W-P

(H.Koopowitz & Marilyn Howe) H.Koopowitz & Marilyn Howe, 2011

‘Pink China’ × *N. dubius*; sdlg no. 03-036-24

Fls 2–3 per stem, rounded, 35mm wide; perianth segments 14mm long, very broadly ovate in outline, rounded at apex, white, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 7mm long, cup-shaped, smooth, clean, uniform mid-pink, mouth straight and even, with rim entire. Dwarf. Mid-season. Sunproof.

Etymology: named for the wife of a former United States Consul General to Spain

‘Mary Ann Telfer’ 2 Y-YOO

(D.C.MacArthur, 1997) D.C.MacArthur, 2010

‘Morag MacDonald’ open pollinated; sdlg no. ED40492

Fl. forming a double triangle, 100mm wide; perianth segments 45mm long, very broadly ovate, blunt, mucronate, brilliant yellow 13C, spreading, plane or with margins incurling, with midrib showing, of heavy substance, overlapping half; the inner segments narrower; corona 36mm long, funnel-shaped, ribbed, yellow-orange 17A, with orange-yellow (15A) at base and strong orange 24A at rim, mouth straight, frilled and lobed, with rim crenate. Late. Sunproof. Strongly scented

‘Mary Ann Van Hage’ 2 W-P

(Cornelius Van Hage) Cornelius Van Hage, 2011 sdlg no. 40

Perianth segments very broadly ovate, blunt, mucronate, spreading, plane, smooth, overlapping a quarter to one-third; the inner segments much narrower; corona funnel-shaped, angled, mouth

narrowly flared, frilled, with rim crenate and deeply split and overlapping in places

‘Matchmaker’ 10 W-Y

(Walter J.M.Blom) Walter J.M.Blom, 2011

Sdlg 10-10 × ‘Peppermint’; sdlg no. 957-9

Fl. star-shaped; perianth segments 20mm long, lanceolate, acute, yellowish white (2D), spreading to a little reflexed, with margins wavy, smooth, separated; corona 25mm long, cup-shaped, smooth, brilliant greenish yellow 7C, mouth expanded and even, with rim entire. Dwarf. Early. Sweetly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0117517)

‘Max Hamilton’ 2 Y-Y

(P.D.K.Ramsay) P.D.K.Ramsay, 2011

‘Kowhainui’ × ‘Midas Touch’; sdlg no. 07:29B

Fl. forming a double triangle, 125mm wide; perianth segments 59mm long, ovate, blunt, spreading, plane, smooth and of heavy substance, overlapping; corona 55mm long, funnel-shaped, smooth, mouth straight and even, with rim flanged and entire. Mid-season.

Etymology: name of a friend and former partner in Koanga Daffodils

‘Melodia d’Amore’ 2 YYP-P

(K.van der Veek) C.Kuiper, 2011

sdlg no. 99K1

Fl. 100mm wide; perianth segments 45mm long, broadly oblong in outline, rounded at apex, mucronate, pale greenish yellow 2D, with moderate yellowish pink 31D at base and light greenish yellow 3D at apex, spreading, plane, smooth and of heavy substance, overlapping one-third to a half; the inner segments narrower, shouldered at base, broadly ovate, blunt, less prominently mucronate; corona 40mm long, cylindrical, smooth, strong yellowish pink 31C, with strong orange (26A/B) towards rim, mouth flared, lightly ribbed, wavy and irregularly six-lobed, with rim crenate. Mid-season. Sunproof. Sweetly scented.

Nomenclatural Standard: colour print supplied by KAVB (WSY0117518)

‘Merels Favourite’ 2 W-Y

(K.van der Veek) C.Kruijer & Son, 2010

Fl. forming a double triangle, 120mm wide; perianth segments 50mm long, very broadly ovate, blunt, mucronate, yellowish white 155B, spreading, with margins a little incurved, with midrib showing, of membranaceous to heavy substance, overlapping half; the inner segments significantly narrower, shouldered at base, a little inflexed; corona 40mm long, cylindrical, smooth, vivid yellow 9A, mouth expanded, neatly ribbed, a little wavy, with rim flanged and crenate. Mid-season. Sweetly scented. Nomenclatural Standard: colour print supplied by KAVB (WSY0117520)
TGA 2010

‘Merrilands’ 2 W-P

(David Adams, 2001) David Adams, 2011

‘Ebony’ × ‘Dear Me’; sdlg no. 95/14H

Fl. forming a double triangle, 110mm wide; perianth segments 45mm long, mucronate, slightly off-white, spreading, plane, smooth and of membranaceous substance, overlapping half; the inner segments narrower; corona 41mm long, funnel-shaped, ribbed, pink, mouth flared and frilled, with rim crenate. Early to mid-season. Sunproof

‘Minnie’s Pearl’ 8 W-W

(W.R.P.Welch) W.R.P.Welch, 2011

Autumn Colors Group × *N. papyraceus*

Fls 8–12 per stem, forming a double triangle, 42mm wide, facing up; perianth segments 17mm long, ovate, acute, white, spreading, plane, smooth, overlapping half or more; corona 6mm long, cup-shaped, ribbed, creamy white, mouth flared and even, with rim entire. Tall. Very early. Sweetly scented.

Etymology: named for a friend of the hybridiser

‘Monmouthshire’ 2 Y-Y

(R.A.Scamp, 1986) R.A.Scamp, 2011

‘Saint Keverne’ × ‘Golden Aura’; sdlg no. 139

Fl. 105mm wide; perianth segments 41mm long, broadly ovate, blunt, with light mucro, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments a little narrower, shouldered at base; corona 39mm long, funnel-shaped, smooth,

mouth flared and a little frilled, with rim minutely crenate. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0117522)

Etymology: named at the request of Monmouthshire Council

‘Moon Tiger’ 5 W-W

(Lawrence Trevanion, 2000) Lawrence Trevanion, 2011

‘Hillstar’ × *N. triandrus* subsp. *pallidulus*; sdlg no. 00_02JMR

Fls 3 per stem, 59mm wide, facing down; perianth segments 25mm long, ovate, blunt, mucronate, reflexed, plane, smooth, overlapping one-third to a half; the inner segments narrower; corona 11mm long, cup-shaped, smooth, mouth straight and even, with rim entire. Dwarf. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0117523)

‘Mrs Paige Paterson’ 2 Y-O

(K.van der Veek) Daffodil 10, 2010

‘Sunlover’ × ‘Ice Follies’

Fl. forming a double triangle, 100mm wide; perianth segments 40mm long, broadly ovate, slightly truncate, vivid yellow 9B, with pale mucro, slightly inflexed, with margins a little incurved, with midrib showing, of heavy substance, overlapping one-third; the inner segments narrower, shouldered at base, smooth; corona 25mm long, bowl-shaped, smooth, strong orange N25C, mouth widely expanded, broadly ribbed, wavy and irregularly lobed, with rim minutely crenate. Mid-season. Sweetly scented.

Nomenclatural Standard: colour print supplied by KAVB (WSY0117524)

‘Murphys Delight’ 6 Y-Y

(Walter J.M.Blom) Walter J.M.Blom, 2011

N. cyclamineus × ‘Gipsy Queen’; sdlg no. 229-6

Perianth segments 20mm long, oblong in outline, blunt at apex, vivid yellow 12A, reflexed, convex, with margins recurved, smooth, overlapping half; corona 20mm long, cylindrical, smooth, vivid yellow 14A, mouth expanded, ribbed and frilled, with rim flanged and dentate. Dwarf. Early.

Sweetly scented

‘Muvmuv’ 10 Y-Y

(Lawrence Trevanion, 2001) Lawrence Trevanion, 2011
N. romieuxii subsp. *romieuxii* var. *mesatlanticus* ×
N. cantabricus subsp. *monophyllus*; sdlg no. 01-25B
 Fl. star-shaped, 34mm wide, facing up, pale
 greenish yellow 2D; perianth segments 11mm
 long, lanceolate, mucronate, acute, spreading,
 plane, smooth, separated; the inner segments
 narrower; corona 13mm long, bowl-shaped,
 smooth, mouth expanded, even, rim slightly
 crenate. Dwarf. Scented.
 Nomenclatural Standard: colour print supplied by
 registrant (WSY0117526)

‘My Colleen’ 2 W-P

(John R.Reed) John R.Reed, 2011
 Sdlg 89-28-4 (‘Dear Me’ × ‘Pink Wax’) × sdlg
 84-137-10 (‘Dear Me’ × ‘Magician’); sdlg no.
 98-101-1

‘Neil MacKenzie’ 2 Y-O

(D.C.MacArthur, 1995) D.C.MacArthur, 2010
 ‘King Size’ × un-named 2 Y-O; sdlg no. ED4690
 Fl. forming a double triangle, 118mm wide; perianth
 segments 51mm long, very broadly ovate, blunt,
 mucronate, brilliant greenish yellow 6C, spreading,
 plane or with margins incurving, with midrib
 showing, of heavy substance, overlapping half; the
 inner segments narrower; corona 34mm long,
 funnel-shaped, ribbed, orange (21C), paling to
 (21D) at base and deepening to (21B) at rim, mouth
 straight, wavy and lobed, with rim crenate.
 Mid-season. Sunproof. Sweetly scented

‘North Berwick’ 3 W-W

(R.Beckwith) R.Beckwith, 2011
 ‘Silkwood’ × ‘Nice Day’; sdlg no. 4-9-2001
 Fl. rounded, 98mm wide; perianth segments 41mm
 long, very broad, blunt, spreading, plane or with
 margins incurved, with midrib showing, of
 membranaceous substance, overlapping half or
 more; the inner segments narrower; corona 10mm
 long, bowl-shaped, ribbed, mouth expanded and
 lobed, with rim flanged and crenate. Tall. Mid-
 season. Sweetly scented.
 Etymology: named for the town of the same name

‘Ohakuri’ 2 Y-Y

(Graeme & Faith Miller) Graeme & Faith Miller, 2011
 ‘Tauhoa’ × ‘Impeccable’; sdlg no. 05-07
 Fl. rounded, 120mm wide; perianth segments
 48mm long, very broad, blunt, spreading, concave,
 with margins incurved, smooth and of heavy
 substance, overlapping half or more; the inner
 segments narrower; corona 44mm long, funnel-
 shaped, smooth, mouth flared and wavy, with rim
 rolled and dentate. Early

‘Oh Cindy!’ 2 Y-P

(John R.Reed) John R.Reed, 2011
 Sdlg 83-81-3 (‘Milestone’ × ‘Memento’) × sdlg (2
 Y-P); sdlg no. 2003-36-1

‘Oidle Loidle’ 10 Y-Y

(Lawrence Trevanion, 2001) Lawrence Trevanion, 2011
 96_08B (Nylon Group × *N. bulbocodium* [white])
 × ‘Julia Jane’; sdlg no. 01_09B
 Fl. star-shaped, 40mm wide, facing up; perianth
 segments 14mm long, lanceolate, acute, mucronate,
 brilliant greenish yellow 3B, spreading, plane,
 smooth, separated; the inner segments slightly
 narrower; corona 17mm long, disc-shaped, ribbed,
 pale greenish yellow (4D), mouth expanded, heavily
 frilled, with rim crenate. Dwarf. Autumn to very
 early. *N. bulbocodium* scent.
 Nomenclatural Standard: colour print supplied by
 registrant (WSY0117527)

‘Paloma Blanca’ 1 W-Y

(K.van der Veek) Kapiteyn Speciale Culturen, 2011
 Fl. 125mm wide; perianth segments 50mm long, very
 broadly ovate, blunt, mucronate, greenish white
 155C, spreading to slightly inflexed, plane to a
 little concave, with broad midrib showing, of
 heavy substance, overlapping half; the inner
 segments much narrower, shouldered at base;
 corona 50mm long, funnel-shaped, smooth, light
 greenish yellow 6D, mouth straight, ribbed, frilled
 and lobed, with rim flanged and crenate. Mid-
 season. Strongly scented.
 Nomenclatural Standard: colour print supplied by
 KAVB (WSY0117528)

'Park Château' 1 W-WWY

(K.van der Veek) Kapiteyn Speciale Culturen, 2011
Fl. 124mm wide, facing slightly upwards; perianth segments 43mm long, ovate, blunt, mucronate, opening greenish yellow 150D, becoming white, spreading, twisted, smooth and of heavy substance, overlapping at base only; the inner segments narrower; corona 43mm long, funnel-shaped, angled, opening greenish yellow 150D, becoming white, with a very broad band of vivid yellow 9A at mouth, mouth flared, ribbed, lobed and lightly frilled, with rim entire. Strongly scented.
Nomenclatural Standard: colour print supplied by KAVB (WSY0117530)

'Park Tropical' 7 W-Y

(K.van der Veek) Kapiteyn Speciale Culturen, 2011
Fls 2–3 per stem, forming a double triangle 70mm wide, facing up; perianth segments 30mm long, broadly ovate, blunt, prominently mucronate, white (155A-155C), spreading, plane, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, shouldered at base, acute at apex, less prominently mucronate; corona 30mm long, cup-shaped, angled, vivid greenish yellow 2A, mouth expanded, broadly ribbed, wavy, lightly lobed, with rim narrowly flanged and entire.
Mid-season. Strongly scented.
Nomenclatural Standard: colour print supplied by KAVB (WSY0117532)

'Park Unique' 2 W-P

(K.van der Veek) Kapiteyn Speciale Culturen, 2011
Fl. forming a double triangle, 100mm wide, facing up; perianth segments 40mm long, very broadly ovate, blunt, slightly mucronate, opening light yellow, becoming greenish white 155A, spreading, plane to concave, smooth and of heavy substance, overlapping one-third to a half; the inner segments much narrower, shouldered at base, less prominently mucronate; corona 30mm long, funnel-shaped, short, angled, strong yellowish pink 31C, mouth expanded, smooth, lightly frilled, irregularly lobed, with rim narrowly flanged and minutely crenate.
Mid-season. Sunproof. Strongly scented.
Nomenclatural Standard: colour print supplied by KAVB (WSY0117534)

'Peach Swirl' 4 W-O

(K.van der Veek) W.van Lierop and Sons
sdlg no. KV 29
Fl. 110mm wide, facing upwards; perianth and other petaloid segments in two whorls, pale orange-white (159D); the outer whorl 45mm long, broadly ovate, blunt, slightly mucronate, spreading, with margins incurved, with midrib showing, of heavy substance, overlapping half or more; the inner segments slightly narrower, shouldered at base; the inner whorl much shorter than the outer segments, deeply inflexed, folded inwards from midrib, with margins incurved; corona segments 25mm long, yellow-orange (17B), in two whorls; the outer whorl between the two whorls of perianth segments a little inflexed, slightly folded inwards from midrib, smooth and wavy; the inner whorl clustered at centre, deeply inflexed, heavily frilled and crenate. Mid-season. Sunproof. Sweetly scented.
Nomenclatural Standard: colour print supplied by KAVB (WSY0117536)
TGA 2008

'Peggy Newill' 2 W-WPP

(David Adams, 1994) David Adams, 2011
79/14C ('Easter Moon' × T19) × 'Dear Me'; sdlg no. 85/04C2
Fl. 98mm wide; perianth segments 40mm long, very broadly ovate, blunt, white, spreading, plane, smooth and of heavy substance, overlapping half; the corona 24mm long, funnel-shaped, lightly ribbed, deep pink, with white at base, mouth straight and wavy, with rim crenate, split and overlapping in places. Mid-season. Sunproof.
Etymology: named in memory of a former American Daffodil Society President

'Penselwood' 2 W-YYR

(R.A.Scamp, 1997) R.A.Scamp, 2011
'Royal Marine' × 'Feock'; sdlg no. S66x91
Fl. 100mm wide; perianth segments 43mm long, very broadly ovate in outline, rounded at apex, prominently mucronate, spreading, concave, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, blunt at apex, less prominently mucronate, with margins incurving; corona 15mm long, bowl-shaped, deeply ribbed, mouth expanded, wavy and irregularly lobed, with

lobes overlapping, rim crenate. Late. Slightly scented.
Nomenclatural Standard: colour print supplied by
registrant (WSY0117537)

‘Potomac Gold’ 1 Y-Y

(John R.Reed) John R.Reed, 2011

‘Celtic Gold’ × ‘Dream Prince’; sdlg no. 93-1-62

‘Quadruple’ 4 W-O

(David Adams, 1992) David Adams, 2011

Ramsay sdlg (2 W-YYR) × ‘Gay Kybo’; sdlg no.
85/103D

Fl. 120mm wide; perianth and other petaloid
segments in several whorls, smooth and of heavy
substance; the outer whorls 45mm long, broad,
rounded to blunt at apex, spreading, plane to a little
concave, overlapping half or more; the inner whorls
successively shorter, more inflexed and folded inwards
from midrib; corona segments one-quarter the length
of the perianth segments and interspersed among
them, smooth and slightly lobed. Very late. Sunproof

‘Rachel Esther’ 8 Y-R

(W.R.P.Welch) W.R.P.Welch, 2011

‘Matador’ × (‘Autumn Sol’ × ‘Ballymarlow’ open
pollinated)

Fls 3–6 per stem, rounded, 48mm wide, facing up;
perianth segments 18mm long, roundish, medium
yellow, spreading, plane, wavy, smooth and of heavy
substance, overlapping half or more; the inner
segments narrower; corona 8mm long, bowl-shaped,
ribbed, intense orange-red, mouth expanded, wavy
to frilled, with rim dentate to crenate. Late.

Sunproof. Sweetly scented.

Etymology: named for a friend of the hybridiser

‘Rachel’s Magic Spell’ 4 W-Y

(W.R.P.Welch) W.R.P.Welch, 2011

‘Matador’ × ‘Erlicheer’

Fls 2–5 per stem, rounded, 45mm wide; perianth
segments 19mm long, roundish, white, spreading,
plane or with margins slightly incurled, smooth and
of heavy substance, overlapping half; inner segments
slightly narrower; corona 6mm long, ribbed, light
yellow. Tall. Mid-season. Sweetly scented.

Etymology: named for a friend of the hybridiser

‘Real Deal’ 2 Y-R

(Graeme & Faith Miller, 2001) Graeme & Faith
Miller, 2011

‘Red Ember’ × ‘Nakajima’; sdlg no. 01-45

Fl. forming a double triangle, 116mm wide; perianth
segments 51mm long, ovate in outline, rounded at
apex, spreading, concave, with margins incurved,
smooth and of heavy substance, overlapping half or
more; the inner segments narrower; corona 18mm
long, cup-shaped, ribbed, mouth straight and frilled,
with rim dentate. Mid-season

‘Reverse Distinction’ 1 YYW-W

(R. & E.Havens, 1999) R. & E.Havens, 2011

‘Lemon Sails’ × ‘Sun Gem’; sdlg no. I72/1

Fl. forming a double triangle, 90mm wide; perianth
segments 36mm long, broadly ovate, blunt,
mucronate, very deep lemon yellow, with a band of
white at base, spreading, plane, smooth and of heavy
substance, overlapping half; the inner segments
narrower, shouldered at base; corona 36mm long,
cylindrical, smooth, white, mouth flared, ribbed and
frilled, with rim dentate. Mid-season.

Nomenclatural Standard: colour print supplied by
registrant (WSY0117538)

‘Ring of Fire’ 2 W-YP

(Brian S.Duncan) Kapiteyn Speciale Culturen, 2011
Previously listed as unregistered as 2 W-WWR and
of Dutch origin

Fl. 94mm wide; perianth segments 40mm long, very
broad, roundish, truncate, mucronate, greenish
white 155B, spreading, plane or with margins
slightly incurved, with midrib showing, a little
creased, of membranaceous substance, sometimes a
little irregular, overlapping half; the inner segments
narrower, shouldered at base, blunt at apex, less
prominently mucronate; corona 18mm long,
cup-shaped, angled, opening light yellow 21D, with
a band of strong orange N25A at rim, becoming pale
pink (20C), with yellow at base and a broad band of
darker pink (24A) at rim, mouth straight, much
frilled, with rim crenate, split and overlapping in
places. Mid-season. Sunproof. Strongly scented.
Nomenclatural Standard: colour print supplied by
KAVB (WSY0117539)

'Robert's Favourite' 2 W-WWY

(Cornelius Van Hage) Cornelius Van Hage, 2011
Fl. facing up; perianth segments broadly ovate, blunt, white, spreading, plane, smooth, overlapping half; the inner segments narrower; corona funnel-shaped, white, with a broad band of yellow at rim, mouth expanded and wavy

'Ruby Jane' 2 W-P

(Colin Crotty) Colin Crotty, 2011
'Neon Blaze' × ('Culmination' × 'Quasar'); sdlg no. 38-06
Fl. forming a double triangle, 135mm wide; perianth segments 56mm long, very broadly ovate, blunt, mucronate, white, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 25mm long, cup-shaped, angled, pink, deepening at rim, mouth flared, lightly ribbed and frilled, with rim dentate. Mid-season. Strongly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0117541)

'Rural Charm' 1 Y-Y

(Alistair Davey) Alistair Davey, 2011
'Akala' open pollinated; sdlg no. 16-02
Fl. forming a double triangle, 105mm wide; perianth segments 42mm long, very broadly ovate, blunt, mid-yellow, spreading, concave, with margins incurving, smooth and of membranaceous substance, overlapping; the inner segments shouldered at base, inflexed; corona 45mm long, funnel-shaped, smooth, a slightly deeper shade than the perianth segments, mouth flared and wavy, with rim crenate. Mid-season. Strongly scented

'Rural Rosie' 2 W-WWP

(Alistair Davey, 2000) Alistair Davey, 2011
'Homestead' × 'Precedent'; sdlg no. 200-00
Fl. forming a double triangle, 106mm wide; perianth segments 43mm long, very broadly ovate, blunt, pure white, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping; the inner segments narrower; corona 25mm long, cup-shaped, smooth, white, with a narrow band of bright pink at rim, mouth flared, ribbed and frilled, with rim dentate. Mid-season. Sunproof. Strongly scented

'Salient' 2 YYW-W

(R. & E. Havens, 1999) R. & E. Havens, 2011
'Woodthrush' open pollinated; sdlg no. 1063/2
Fl. star-shaped, 105mm wide; perianth segments 45mm long, lanceolate, acute, pale lemon yellow, with a band of white at base, spreading, with margins a little incurved, smooth and of heavy substance, separated; corona 34mm long, cylindrical, smooth, creamy white, mouth narrowly flared, wavy, with rim minutely dentate. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0117542)

'Sandra's Diamond' 3 W-W

(R.A. Scamp, 1989) R.A. Scamp, 2011
'Cool Crystal' × 'Delos'; sdlg no. 311
Fl. 110mm wide; perianth segments 45mm long, very broadly ovate, blunt, scarcely mucronate, white, a little inflexed, plane, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, slightly truncate, not noticeably mucronate, with margins slightly incurved; corona 15mm long, disc-shaped, regularly ribbed, white, touched green at base, mouth expanded, lightly frilled, with rim crenate. Mid-season to late.
Nomenclatural Standard: colour print supplied by registrant (WSY0117543)

'Santa Anna' 2 W-W

(Colin Crotty) Colin Crotty, 2011
'Blanco Sol' × 'Silver Convention'; sdlg no. 14-03
Fl. forming a double triangle, 110mm wide; perianth segments 45mm long, broadly ovate, blunt, mucronate, pure white, spreading, plane, smooth and of heavy substance, overlapping one-third to a half; the inner segments narrower, shouldered at base, less prominently mucronate; corona 42mm long, funnel-shaped, smooth, creamy white, mouth flared and frilled, with rim minutely dentate. Mid-season. Strongly scented.
Nomenclatural Standard: colour print supplied by registrant (WSY0117544)

'Sara Kinne' 1 W-W

(John R. Reed) John R. Reed, 2011
'Pitchroy' × 'Lady Slim'; sdlg no. 84-130-2

‘Scarborough’ 3 W-W

(R.Beckwith) R.Beckwith, 2011

‘Silkwood’ × ‘Nice Day’; sdlg no. 3-9-2001

Fl. forming a double triangle, 108mm wide; perianth segments 42mm long, ovate, blunt, spreading, plane or with margins incurved, with midrib showing, of membranaceous substance, overlapping one-third; the inner segments narrower; corona 11mm long, cup-shaped, ribbed, mouth flared and wavy, with rim crenate. Tall. Mid-season. Sweetly scented.

Etymology: named for the coastal town

‘Scots Glow’ 2 Y-YRR

(P.D.K.Ramsay) P.D.K.Ramsay, 2011

‘Loch Loyal’ × ‘Kasia’; sdlg no. 02:15

Fl. forming a double triangle, 109mm wide; perianth segments 44mm long, obovate in outline, rounded at apex, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping a quarter; corona 40mm long, cup-shaped, smooth, mouth straight and even, with rim rolled and entire. Mid-season.

Etymology: Loch Loyal is a Scottish lake and this flower glows

‘Scrumptious’ 2 W-P

(John R.Reed) John R.Reed, 2011

‘Diana’s Song’ × ‘Millennium Pink’; sdlg no. 2000-72-3

‘Sheer Delight’ 3 Y-W

(John R.Reed) John R.Reed, 2011

‘Irish Mint’ × sdlg 85-26-1 (‘Angel’ × ‘Misty Glen’); sdlg no. 98-125-3

‘Sherwood Forest’ 2 W-O

(W.van Lierop) M.C.A.Langeveld, 2011

Fl. 120mm wide; perianth segments 50mm long, broad, oblong in outline, rounded at apex, slightly mucronate, opening light yellow 4D, becoming greenish white 155A, spreading, plane or with margins a little incurved, with midrib showing, of heavy substance, overlapping one-third; the inner segments broadly ovate, blunt, less prominently mucronate; corona 35mm long, funnel-shaped,

angled, opening light yellow 17D, with yellow-orange (17A) at rim, becoming yellow-orange (17A), mouth slightly expanded, narrowly ribbed, a little wavy and irregularly lobed, with rim flanged and crenate. Mid-season. Sunproof. Sweetly scented. Nomenclatural Standard: colour print supplied by KAVB (WSY0117545)

‘Shipshewana’ 3 Y-Y

(John R.Reed) John R.Reed, 2011

‘Getaway’ × ‘Haunting’; sdlg no. 99-24-2

‘Sir Slick’ 1 Y-R

(P.D.K.Ramsay) P.D.K.Ramsay, 2011

‘Corbiere’ × ‘Prince Majestic’; sdlg no. 08:56

Fl. forming a double triangle, 112mm wide; perianth segments 50mm long, blunt, spreading, concave, with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments shouldered at base; corona 55mm long, cylindrical, ribbed, mouth flared and wavy, with rim dentate. Mid-season.

Etymology: named for a racehorse, who won over \$3 million

‘Sitting Bull’ 1 Y-R

(John R.Reed) John R.Reed, 2011

‘Uncle Duncan’ × ‘American Revolution’; sdlg no. 2011-54-1

‘Sky Warrior’ 4 Y-P

(R. & E.Havens) R. & E.Havens, 2011

‘Ransom’ × AC3/2 (‘Tropic Isle’ × ‘Riot’); sdlg no. MH10/1

Fl. 102mm wide; perianth and other petaloid segments bright yellow, in two whorls; the outer whorl 40mm long, broadly ovate, blunt, mucronate, spreading, concave, smooth and of heavy substance, overlapping half or more; the inner whorl inflexed, folded deeply inwards from midrib; corona segments half the length of the petaloid segments and interspersed among their inner whorl, bright pink, bi-lobed, heavily frilled. Late. Sunproof.

Nomenclatural Standard: colour print supplied by registrant (WSY0117547)

‘Sophisticated Lady’ 2 W-WYY

(O. David Niswonger, 1993) O. David Niswonger, 2011
Sdlg (Mitsch) × ‘Marque’; sdlg no. 24-93
Fl. 92mm wide; perianth segments 40mm long,
broadly ovate, blunt, slightly reflexed, with margins
incurved, smooth, overlapping half; the inner segments
slightly narrower, shouldered at base; corona 26mm
long, bowl-shaped, smooth, mouth wavy and six-lobed,
rim split and overlapping in places. Mid-season.
Nomenclatural Standard: colour print supplied by
registrant (WSY0117548)

‘Spring Beat’ 7 Y-YYY

(K. van der Veek) Q.J. Vink & Sons, B.V., 2011
Fls 2 per stem, 65mm wide, facing up; perianth
segments 30mm long, ovate, blunt, slightly
mucronate, white (155C), spreading, plane or with
margins incurving, with midrib showing, of heavy
substance, overlapping one-third; the inner segments
narrower; corona 20mm long, short, cylindrical,
angled, light yellow 14D, with pink at rim, mouth
straight, ribbed, wavy, with rim narrowly flanged
and crenate. Mid-season. Sweetly scented.
Nomenclatural Standard: colour print supplied by
KAVB (WSY0117549)

‘Spring Petals’ 6 Y-Y

(Walter J.M. Blom) Walter J.M. Blom, 2011
‘Little Beauty’ × *N. cyclamineus*; sdlg no. 230-12
Perianth segments 20mm long, oblong in outline,
blunt at apex, vivid yellow 9A, reflexed, convex, with
margins recurved, smooth, overlapping one-third;
corona 25mm long, cylindrical, smooth, vivid yellow
12A, mouth expanded, ribbed and frilled, with rim
flanged and dentate. Dwarf. Early. Sweetly scented

‘Spring Waltz’ 6 W-P

(R. & E. Havens) R. & E. Havens, 2011
‘Woodthrush’ open pollinated; sdlg no. MH047/10
Fl. 77mm wide, facing down; perianth segments
33mm long, ovate, blunt, prominently mucronate,
white, reflexed, plane, smooth and of heavy
substance, overlapping half; the inner segments
narrower, less prominently mucronate; corona
34mm long, cylindrical, smooth, creamy pink,
mouth a little expanded, ribbed, lightly frilled, with

rim flanged and crenate. Mid-season. Sunproof.
Nomenclatural Standard: colour print supplied by
registrant (WSY0117551)

‘Star James Watson’ 3 W-WY-Y

(D.C. MacArthur, 1999) D.C. MacArthur, 2010
Parentage unknown; sdlg no. ED51593
Fl. forming a double triangle, 92mm wide; perianth
segments 41mm long, ovate, blunt, mucronate,
yellowish white 155D, with vivid yellow 14A at base,
spreading, concave, smooth and of heavy substance,
overlapping half or more; the inner segments narrower;
corona 11mm long, bowl-shaped, ribbed, strong
orange-yellow 17A, with vivid yellow 14A at base and
vivid yellowish pink 30C at rim, mouth straight and
wavy, with rim crenate. Late. Sunproof. Sweetly scented

‘Stef’ 2 W-YPP

(R. van der Salm) R. van der Salm, 2010
Fl. forming a double triangle, 115mm wide, facing up;
perianth segments 45mm long, broadly ovate, blunt,
prominently mucronate, white (NN155D), spreading,
plane or with margins incurved, smooth and of heavy
substance, overlapping half; the inner segments narrower,
shouldered at base, not noticeably mucronate; corona
20mm long, bowl-shaped, angled, light yellow 18C at
base and deep reddish pink 31B in a broad band at rim,
mouth expanded, narrowly ribbed, frilled, six-lobed, with
rim crenate. Mid-season. Strongly scented.
Nomenclatural Standard: colour print supplied by
KAVB (WSY0117552)
Etymology: named after the grandson of the raiser

‘Sugar Mountain’ 3 W-GYO

(Gordon Coombes) Gordon Coombes, 2011
‘Woodland Beauty’ × (‘Kimmeridge’ × ‘Purbeck’);
sdlg no. G5-04
Fl. 100mm wide; perianth segments 43mm long,
roundish, very broad, slightly truncate and mucronate,
pure white, spreading, concave, smooth and of heavy
substance, overlapping a third; the inner segments
narrower, broadly ovate, shouldered at base, blunt, less
prominently mucronate; corona 10mm long,
bowl-shaped, regularly ribbed, yellow, flushed orange,
with green at base and a broad band of deep orange at
rim, mouth a little expanded, wavy, with rim crenate

and broadly flanged. Mid-season. Strongly scented.
Nomenclatural Standard: colour print supplied by
registrant (WSY0117553)

‘Sunbeam Valley’ 1 W W Y-Y

(John Gibson) John Gibson, 2011

‘Elmbridge’ × ‘Stormy Weather’; sdlg no. 46-10-98
Fl. 108mm wide; perianth segments 45mm long,
very broadly ovate, blunt, slightly mucronate, white,
spreading, plane or with margins slightly incurled,
smooth and of heavy substance, overlapping half;
the inner segments narrower, more nearly plane;
corona 47mm long, funnel-shaped, smooth, brilliant
greenish yellow 5B, mouth broadly flared, lightly
ribbed, wavy, with rim crenate. Mid-season.

Nomenclatural Standard: colour print supplied by
registrant (WSY0117554)

‘Sunny Dot’ 2 W-R

(John R.Reed) John R.Reed, 2011

‘Ken’s Favorite’ × ‘Cool Flame’; sdlg no. 81-119-1

‘Sun Tiger’ 5 Y-Y

(Lawrence Trevanion, 2000) Lawrence Trevanion, 2011
‘Hillstar’ × *N. triandrus* subsp. *pallidulus*; sdlg no.
00_01JMR

Fls at least 3 per stem, 58mm wide, facing down,
brilliant greenish yellow 5B; perianth segments 23mm
long, ovate, blunt, mucronate, reflexed, plane, smooth,
overlapping half; the inner segments narrower; corona
14mm long, cup-shaped, smooth, mouth straight and
even, with rim entire. Dwarf. Mid-season.

Nomenclatural Standard: colour print supplied by
registrant (WSY0117555)

‘Synapse’ 2 Y Y W-P

(R. & E.Havens) R. & E.Havens, 2011

‘Acumen’ × ‘American Dream’; sdlg no. OH4/10
Fl. 95mm wide; perianth segments 35mm long, very
broad, oblong in outline, rounded at apex,
mucronate, luminescent lemon, with white at base,
spreading, plane, smooth and of heavy substance,
overlapping half; the inner segments narrower,
ovate, blunt; corona 29mm long, cylindrical,
smooth, bright peachy pink, mouth flared and
frilled, with rim dentate. Mid-season. Sunproof.

Nomenclatural Standard: colour print supplied by
registrant (WSY0117556)

‘Tara’s Favorite’ 8 W-R

(W.R.P.Welch) W.R.P.Welch, 2011

Unknown (3 W-R) × ‘Bright Spot’

Fls 1–3 per stem, rounded, 80mm wide, facing up;
perianth segments 34mm long, very broad,
roundish, white, spreading, plane, smooth and of
heavy substance, overlapping half or more; the inner
segments narrower; corona 10mm long, bowl-
shaped, ribbed, orange-red, mouth wavy, with rim
notched and crenate. Late. Sweetly scented.

Etymology: named for a friend of the hybridiser

‘Teddy’ 2 W-O

(Jeremy P.E.Wilkes) Jeremy P.E.Wilkes, 2011

‘Filoli’ × ‘Creag Dubh’; sdlg no. 7/02

Fl. forming a double triangle, 70mm wide; perianth
segments 30mm long, broadly oblong in outline, blunt
at apex, mucronate, opening pale yellow, quickly
becoming white, spreading, plane, smooth,
overlapping one-third; the inner segments narrower,
broadly ovate, shouldered at base, with margins a little
incurved; corona 25mm long, funnel-shaped, short,
angled, bright mid-orange, mouth slightly expanded,
even, with rim deeply crenate. Mid-season. Sunproof.

Nomenclatural Standard: colour print supplied by
registrant (WSY0117557)

Etymology: named for the hybridiser’s grandson

‘Thalia Sun’ 5 W-Y

(J.van Woesik) Bloembollenkwekerij van Woesik
VOF, 2011

Sport of ‘Thalia’

Fls 4 per stem, star-shaped; perianth segments ovate,
blunt, prominently mucronate, white (NN155D), a
little reflexed, convex to twisted, with margins
incurving, with midrib showing, of membranaceous
substance, separated; the inner segments narrower,
less prominently mucronate; corona cup-shaped,
angled, light greenish yellow 4B, mouth straight,
narrowly ribbed, wavy and irregularly lobed, with
rim crenate. Mid-season. Strongly scented.

Nomenclatural Standard: colour print supplied by
KAVB (WSY0117558)

‘That’s Life’ 11a W-Y

(C.van der Salm & Son) C.van der Salm & Son, 2010
Fl. 95mm wide, forming a double triangle, facing upwards; perianth segments 40mm long, very broad, blunt, mucronate, yellowish white 155D, slightly reflexed and concave, smooth and of membranaceous substance, overlapping one-third; the inner segments narrower and shouldered at base; corona 30mm long, split to base, the six segments of the same width as the perianth segments and closely overlying them, opening bright yellow, moving to pale yellow, greenish at base and brighter yellow at rim, becoming brilliant greenish yellow 4A, lightly ribbed and frilled, with rim entire and crenate. Late. Strongly scented.

Nomenclatural Standard: colour print supplied by KAVB (WSY0117560)

‘The Cisco Kid’ 2 Y-R

(P.D.K.Ramsay) P.D.K.Ramsay, 2011
‘Copper Sheen’ × ‘Cameo Fire’; sdlg no. 07:39
Fl. forming a double triangle, 112mm wide; perianth segments 50mm long, ovate, mucronate, spreading, plane or with margins incurving, smooth and of heavy substance, overlapping; corona 47mm long, bowl-shaped, smooth, mouth expanded and even, with rim rolled and entire. Mid-season. Etymology: ‘Cowboy’ is a grandparent of this cultivar

‘The Leprechaun’s Touch o’ Gold’ 4 Y-O

(Averett Jones) Averett Jones, 2011
Sport of ‘Butter and Eggs’
Fl. 68mm wide; perianth and other petaloid segments in several whorls; the outer whorls 28mm long, broadly ovate, blunt, with prominent white mucro, spreading, a little twisted, overlapping a quarter; the inner segments becoming shorter and successively more inflexed towards centre; corona segments 24mm long, interspersed among the petaloid segments, curled inwards from midrib and a little wavy. Mid-season. Much looser and less tightly packed than ‘Butter and Eggs’.
Nomenclatural Standard: colour print supplied by registrant (WSY0117561)

‘Tiger Eye’ 2 Y-Y

(Colin Crotty) Colin Crotty, 2011
‘Lehiam’ × ‘Gold Convention’; sdlg no. 7-03
Fl. forming a double triangle, 95mm wide; perianth segments 36mm long, very broadly ovate, blunt, mucronate, bright yellow, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 30mm long, cylindrical, smooth, a slightly deeper shade than the perianth segments, mouth straight and a little wavy, with rim narrowly flanged and minutely crenate. Mid-season. Strongly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0117562)

‘Tom Parry’ 3 Y-O

(Ringhaddy Daffodils, 1998) Mrs K.Burgess, 2011
‘Moon Ranger’ × ‘Badbury Rings’; sdlg no. 190
Fl. forming a double triangle, 98mm wide; perianth segments 41mm long, ovate, blunt, golden yellow, reflexed, plane or with margins incurved, with midrib showing, of heavy substance; the inner segments narrower; corona 13mm long, bowl-shaped, ribbed, deep orange, mouth expanded and frilled, with rim crenate. Early. Etymology: named for the registrant’s father

‘Touch of Pink’ 6 WWG-WYP

(R. & E.Havens) R. & E.Havens, 2011
‘Straight Arrow’ open pollinated; sdlg no. OHO10/1
Fl. 87mm wide, facing down; perianth segments 35mm long, oblong in outline, rounded at apex, white, with green at base, reflexed, plane, smooth and of heavy substance, overlapping one-third; corona 27mm long, cylindrical, smooth, creamy white, becoming pale yellow, with white at base and yellow-pink at rim, mouth narrowly flared, ribbed, lightly frilled, with rim dentate. Early. Sunproof. Nomenclatural Standard: colour print supplied by registrant (WSY0117563)

‘Triple Tiger’ 11a Y-Y

(Lawrence Trevanion, 2000) Lawrence Trevanion, 2011
‘Hillstar’ × ‘Tripartite’; sdlg no. 00_04JMR
Fls 3 per stem, 64mm wide, facing slightly downwards, vivid yellow 9A; perianth segments

25mm long, broadly ovate, blunt, mucronate, spreading, plane or with margins a little incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 11mm long, split to base, the 6 segments each closely overlying a perianth segment, forming an outer and an inner whorl of three, of the same width as the perianth segments, bi-lobed, slightly creased, wavy. Dwarf. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0117564)

‘Tuppenny’ 1 Y-Y

(Walter J.M.Blom) Walter J.M.Blom, 2011
‘Little Beauty’ × *N. rupicola* hybrid; sdlg no. 231-4
Fl. forming a double triangle, facing upwards, vivid yellow 9A; perianth segments 20mm long, oblong in outline, blunt at apex, spreading, plane or with margins wavy, smooth, overlapping half; corona 20mm long, cylindrical, smooth, mouth expanded, ribbed and frilled, with rim flanged and dentate. Dwarf. Early. Sweetly scented

‘Twinflower’ 4 Y-Y

(C.W.M.Pouw) P.L.A.Pouw, 2011
Sport of ‘Momus’
Fl. star-shaped, facing upwards; perianth and other petaloid segments in several whorls, vivid greenish yellow 2A; the outer whorl ovate to oblong, blunt to rounded, spreading, plane or with margins incurved, smooth and of membranaceous substance, overlapping half; the inner whorls becoming successively shorter, folded inwards from midrib and inflexed; corona segments interspersed among the perianth segments and clustered at centre, brilliant yellow 7A, broad, inflexed, deeply frilled. Dwarf. Mid-season. Strongly scented. Nomenclatural Standard: colour print supplied by KAVB (WSY0117565)

‘Twinklebelle’ 2 Y-Y

(Graeme & Faith Miller, 2001) Graeme & Faith Miller, 2011
‘Temple Gold’ × ‘Abona’; sdlg no. 01-09
Fl. forming a double triangle; 108mm wide; perianth segments 42mm long, ovate in outline,

rounded at apex, spreading, concave, with margins incurved, smooth and of heavy substance, overlapping half or more; corona 40mm long, funnel-shaped, smooth, mouth flared, ribbed and frilled, with rim dentate. Early.

Etymology: the pedigree name of the hybridiser’s Labrador

‘Two Too’ 2 Y-Y

(Leone Y.Low, 2000) Leone Y.Low, 2011
‘Little Beauty’ × ‘Alec Gray’; sdlg no. 5-1-L
Fl. star-shaped, 38mm wide; perianth segments oblong to ovate in outline, blunt at apex, pale yellow, spreading, a little concave, with margins incurved, with midrib showing, overlapping a quarter; corona funnel-shaped, smooth, golden yellow, narrowly flared, lightly ribbed and frilled, with rim crenate. Dwarf. Early. Nomenclatural Standard: colour print supplied by registrant (WSY0117566)

‘Unexpected’ 4 Y-P

(Brian S.Duncan) Narveco, 2010
Fl. 105mm wide, facing upwards; perianth and other petaloid segments in two or more whorls, pale greenish yellow 2D, touched white at base and apex; the outer whorl 40mm long, very broad, rounded, mucronate, spreading, becoming reflexed, concave, with midrib showing, a little creased, overlapping half or more; the inner segments narrower, shouldered at base; the inner whorls shorter, deeply concave and inflexed, with margins incurved; corona segments 40mm long, interspersed among the perianth segments, broad, orange (24D), deepening to (24B) towards apex, bi-lobed, crumpled and wavy. Mid-season. Sweetly scented. Nomenclatural Standard: colour print supplied by KAVB (WSY0117567)

‘Valley Blaze’ 2 W-R

(Colin Crotty, 2000) Colin Crotty, 2011
‘Dembele’ × ‘Eclat’; sdlg no. 17-00
Fl. rounded, 102mm wide; perianth segments 45mm long, very broadly ovate, blunt, mucronate, white, spreading, concave, with margins incurved, smooth and of heavy substance, overlapping half; the inner

segments narrower, shouldered at base; corona 19mm long, cup-shaped, broadly ribbed, deep pinkish red, mouth expanded, wavy and irregularly lobed, with rim crenate. Mid-season. Strongly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0117569)

‘Valley Ego’ 2 W-W

(Colin Crotty) Colin Crotty, 2011

‘Homestead’ × ‘River Queen’; sdlg no. 23-03

Fl. forming a double triangle, 118mm wide; perianth segments 48mm long, very broadly ovate, blunt, mucronate, spreading, plane, smooth and of membranaceous substance, overlapping one-third to a half; the inner segments narrower, shouldered at base; corona 35mm long, cylindrical, smooth, mouth a little expanded, ribbed and wavy, with rim dentate. Mid-season. Strongly scented.

Nomenclatural Standard: colour print supplied by KAVB (WSY0117570)

‘Van Stroud’s Favourite’ 2 W-O

(Cornelius Van Hage) Cornelius Van Hage, 2011
sdlg no. 48

Perianth segments roundish, mucronate, spreading, plane to a little concave, with midrib showing, overlapping half; the inner segments narrower; corona bowl-shaped, angled, mouth broadly flared, a little wavy, with rim crenate

‘Viktoria von dem Bussche’ 4 W-YOO

(New Generation Daffodils) Fluwel, 2011

‘Actaea’ hybrid

Fl. 105mm wide; perianth and other petaloid segments in two or more whorls, white (NN155D), touched brilliant greenish yellow 5B at base; the outer whorl 45mm long, very broadly ovate, blunt, spreading to a little inflexed, concave, with margins a little incurled, with narrow midrib showing, of heavy substance, overlapping a quarter; the inner segments significantly narrower; the inner whorls broadly ovate, inflexed, with margins deeply incurling; corona segments 15mm long, clustered tightly at centre, orange-red (30A), with brilliant greenish yellow 5B at base, heavily frilled. Mid-season. Sunproof. Strongly scented.

Nomenclatural Standard: colour print supplied by KAVB (WSY0117571)

Etymology: named on 9 September 2010 by Freifrau Viktoria von dem Bussche, Schloss Ippenburg, Germany

‘Warmerdam’s Memory’ 3 W-O

(Cornelius Van Hage) Cornelius Van Hage, 2011
sdlg no. X30

Fl. facing slightly upwards; perianth segments roundish, very broad, mucronate, spreading, concave, with margins incurved, smooth, overlapping half or more; the inner segments very broadly ovate, slightly inflexed; corona funnel-shaped, smooth, mouth flared, narrowly ribbed, wavy and three-lobed, with rim crenate

‘Washington’s Harewood’ 1 W-W

(John R.Reed) John R.Reed, 2011

‘Pitchroy’ × ‘Lady Slim’; sdlg no. 84-130-1

‘Wayland’ 3 W-WWY

(R.A.Scamp, 1997) R.A.Scamp, 2011

‘Cool Crystal’ × ‘Snowcrest’; sdlg no. 808

Fl. forming a double triangle, 105mm wide; perianth segments 45mm long, roundish in outline, blunt at apex, mucronate, white, inflexed, concave, with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, not noticeably mucronate; corona 9mm long, disc-shaped, thickly ribbed, opening pale yellow, becoming white, with a broad band of pale yellow at rim, mouth a little expanded, heavily frilled, irregularly lobed, with rim crenate. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0117573)

‘Welsh Warrior’ 1 Y-Y

(R.A.Scamp, 1991) The Richard Hunt Foundation, 2011

‘Carrickbeg’ × (‘Malvern City’ × ‘Ristin’); sdlg no. 1107

Fl. forming a double triangle, 110mm wide, golden yellow; perianth segments 45mm long, broadly ovate, blunt, mucronate, spreading, plane, smooth and of heavy substance, overlapping half; the inner

segments narrower, shouldered at base, not noticeably mucronate; corona 48mm long, funnel-shaped, smooth, mouth flared, regularly ribbed, irregularly lobed, with rim crenate.

Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0117574)

Etymology: named for the Richard Hunt Foundation (a charity in aid of injured Service personnel)

‘Westminster Pink’ 2 W-P

(John R.Reed) John R.Reed, 2011

Parentage unknown; sdg no. 93-20-1

‘White Collar’ 1 W-YYW

(John R.Reed) John R.Reed, 2011

‘Three Oaks’ × ‘Irish Affair’; sdg no. 98-26-10

‘Whitlark’s’ 2 W-YOO

(John Gibson) John Gibson, 2011

(‘Rockall’ × sdg [Postles 1-45-83]) × sdg (Postles 108-90); sdg no. 128/14/98

Fl. 105mm wide; perianth segments 42mm long, broadly ovate, blunt, mucronate, white, spreading, with margins slightly incurved, smooth and of heavy substance, overlapping half; the inner segments slightly narrower, more nearly plane, less prominently mucronate; corona 16mm long, bowl-shaped, thickly ribbed, orange (28A), with a narrow band of brilliant yellow 7A at base, mouth straight and frilled, with rim notched. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0117575)

‘Willey Van Hage’ 2 Y-Y

(Cornelius Van Hage) Cornelius Van Hage, 2011
sdg no. 38

Perianth segments broadly ovate, blunt, mucronate, spreading, plane, smooth, overlapping one-third; the inner segments narrower, shouldered at base; corona funnel-shaped, smooth, mouth narrowly flared, wavy, with rim entire

‘Winter Wren’ 1 YYW-Y

(R. & E.Havens) R. & E.Havens, 2011

‘American Classic’ open pollinated; sdg no. OHO22/2

Fl. rounded, 77mm wide, lemon yellow; perianth segments 30mm long, roundish, spreading, plane, smooth and of heavy substance, overlapping half or more; corona 32mm long, cylindrical, smooth, mouth straight, more or less even, with rim entire. Late. Nomenclatural Standard: colour print supplied by registrant (WSY0117577)

‘World Cup’ 2 Y-YYO

(Colin Crotty, 1998) Colin Crotty, 2011

‘Egmont Charm’ × ‘Sun Child’; sdg no. 58-98

Fl. 100mm wide; perianth segments 40mm long, roundish, very broad, mucronate, pale lemon yellow, spreading, concave, smooth and of membranaceous substance, overlapping half; the inner segments narrower, broadly ovate, blunt, less prominently mucronate; corona 16mm long, disc-shaped, angled, yellow, with a narrow band of orange at rim, mouth expanded, ribbed, frilled and lobed, with rim a little notched. Mid-season. Sunproof. Strongly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0117580)

‘Zafira’ 2 W-YWP

(K.van der Veek) Kapiteyn Speciale Culturen, 2011

Fl. 87mm wide; perianth segments 35mm long, very broadly ovate, blunt, truncate, mucronate, greenish white 155C, spreading, a little concave, with midrib showing, of heavy substance, overlapping half or more; the inner segments slightly narrower, shouldered at base, plane; corona 25mm long, cup-shaped, angled, opening yellow-orange (20D), with brilliant orange 25C at rim, becoming white, with yellow at base and a broad band of orange-pink at rim, mouth straight, heavily frilled, with rim crenate, narrowly flanged, split and overlapping in places. Mid-season. Sunproof. Strongly scented. Nomenclatural Standard: colour print supplied by KAVB (WSY0117581)

ADDITIONS AND AMENDMENTS TO THE INTERNATIONAL DAFFODIL REGISTER AND CLASSIFIED LIST (2008) AND SUPPLEMENTS 1, 2 & 3

The compilers are grateful to those who have drawn attention to omissions from the *International Daffodil Register* and its Supplements, pointed out errors, suggested changes or supplied new information.

Amendments to cultivar names, divisions, colour codes, parentages, originators and registrants will usually be published in an annual Supplement. Amendments to descriptions will usually only be published in a new edition of the Register. However, all amendments will be published on the internet, in a regular updating of the Register posted on the RHS website at www.rhs.org.uk/Plants/Plant-science/Plant-registration/Daffodils

SUPPLEMENTS

Additions to the First Supplement (2007–2008)

'Andrew's Choice'	Add: AGM 2009
'Dinnerplate'	Add: AGM 2010

Amendments to the Second Supplement (2008–2009)

'Glenlee Station'	Alter originator to: Ethel Doyle
'Cameo Glen'	Alter colour code to: W-GWR
'Evelyn Roberts'	Add Nomenclatural Standard: WSY0112110
'Jacob Maurer'	Add Nomenclatural Standard: WSY0112107
'Margaret Herbert'	Add Nomenclatural Standard: WSY0112108
'Pat Brown'	Add Nomenclatural Standard: WSY0112103

Amendments to the Third Supplement (2009–2010)

'Polmenor'	Alter seed parent to: 'Premiere'
'Sint Victor'	Add: AGM 2011

INTERNATIONAL DAFFODIL REGISTER (2008)

Additions to the Register

'Creams' 8 W-Y	Syn. of 'Early Pearl'
'Egypt'	(pre-1892) Pollen parent of 'Golden Bell'. Strongly resembles 'Countess of Annesley'
'Lanarth'	?P.D. Williams, pre-1907. Add note: Listed in 1907 and attributed to P.D. Williams in the Classified List, 1910. In 1916 it was deemed to have been either "lost to cultivation or surpassed by modern varieties"
'Staaten-Generaal' 8 W-Y	Syn. of 'Staaten Generaal'

Amendments to the Register

NB Notes of variability do not alter the classification (see p. 2, Note 1)

'American Dream'	Add: Pannill Award 2011
'Angelito'	Add: AGM 2006
'Angel's Breath'	Add: AGM 2011

'Autumn Delight'	Alter seedling number to: 97-51/7
'Bandalier'	Alter seedling number to: B153
'Barrett Browning'	Add: Wister Award 2011
'Bell Rock'	Add: AGM 2011
'Brooke Ager'	Add: AGM 2006
'Changing Day'	Alter colour code to: Y-R
'Classic Gold'	Add: AGM 2009
'Crater' (Chapman)	Alter colour code to: Y-O
'Early Pearl'	Add synonym: 'Creams'
'Easter Sunrise'	Alter division to: 2
'Egypt' 1 Y-Y	Remove: Strongly resembles 'Countess of Annesley'
'Elka'	Add: AGM 2011
'Evening Grosbeak'	Alter colour code to: YYW-O
'Gerbrandt Kieft'	Alter name to 'Gerbrand Kieft'
'Golden Ducat'	Alter First Flowering Date to: pre-1946. Alter publication note to: Received Dutch award in 1946
'Gold Medal'	Add: AGM 2010
'Hanbury'	Add: PC 2011
'Jacob Maurer'	Add Nomenclatural Standard: (WSY0112107)
'Jenny Out'	Add: AGM 2001
'Kojack'	Alter name to: 'Kojak'
'Lanarth' 7 Y-O	Add note: ?The same as the flower named 'Lanarth' that was listed in 1907, later attributed to P.D. Williams, but in 1916 deemed to have been either "lost to cultivation or surpassed by modern varieties".
'Margaret Herbert'	Add Nomenclatural Standard: (WSY0112108)
'Marie Curie Diamond'	Add: AGM 2001
'Mon Plaisir'	Alter Originator to: van Zonneveld
'Montaz'	Add colour code: W-W. Alter seed parent to: <i>N. cantabricus</i> subsp. <i>monophyllus</i>
'My Story'	Add: AGM 2009
'Naiaid'	Add colour code: W-Y
'Orange Globe'	Alter Originator to: van Zonneveld
'Oxford Gold'	Add: AGM 2011
'Paeon'	Add: PC 2011
'Paris Dream'	All stock destroyed. This cultivar is considered extinct
'Pat Brown'	Add Nomenclatural Standard: (WSY0112103)
'Patricia Craig'	Alter Originator to: van Zonneveld
'Patrick Hackett'	Add: AGM 2009
'Pink Fantasy'	Alter colour code to: YYW-Y
'Quantum Leap'	Alter colour code to: O-R
'Queen Beatrix'	Add: AGM 2009
<i>N. recurvifolius</i>	In List of Botanical Names alter reference to: <i>Catalogue of Plants</i> :43 (1823)
'Rovenius'	Alter Originator to: J.A. van der Zwet & Son
'Sabrosa'	Add: AGM 2009
'Small Talk'	Add: AGM 2009
'Snowdrop'	Alter seed parent to: <i>N. moschatus</i>

'South Bend Memorial'	Alter parentage to: 'Gold Convention' × 'Goldfinger'
'Spoirot'	Add: AM 2011. Add AGM 2011
'Staaten Generaal'	Alter First Flowering Date to: pre-1827; alter publication note to: Krelage list 1827; add synonym: 'Staaten-Generaal'
'Strines'	Add: AGM 2010
'Twinkling Yellow'	Alter AGM date to: 2008
'Wimbledon County Girl'	Add: AGM 2009
'Yellow Pearl'	Add: AGM 2011
'Yellow River'	Add: AGM 2010

Additions to the List of Originators and Registrants


Smakman, T.C.	Anna Paulowna, the Netherlands
Bloembollenkwekerij van Woesik VOF	see van Woesik, J.
Burgess, Mrs K.	Malahide, Co. Dublin, Ireland
Charlton, Frank	Cleadon, South Tyneside, England
Daffodil 10	Burgerbrug, the Netherlands
Davey, Alistair	Timaru, New Zealand
Doyle, Ethel	New Zealand
Huijg, H.G. & Son	Breezand, the Netherlands
Huijg, R.	Breezand, the Netherlands
James, B.C.	Spalding, Lincolnshire, England
Jones, Averett	Keysville, Virginia, USA
Kerr, Maurice	Crumlin, Co. Antrim, N. Ireland
Knijer, C. & Son	Schagerbrug, the Netherlands
Langeveld, M.C.A. & Sons	Breezand, the Netherlands
Mantel Holland B.V.	Venhuizen, the Netherlands
Molenaar & Van Ginhoven B.V.	Voorhout, the Netherlands
Pijnacker, N. & Sons	Den Helder, the Netherlands
Pouw, C.W.M.	Rijpwetering, the Netherlands
Second Grade Classes, Madeira Elementary School	Madeira, Ohio, USA
The Richard Hunt Foundation	Abergavenny, Gwent, Wales
van Lierop, Ron	Anna Paulowna, the Netherlands
van Woesik, J.	Breezand, the Netherlands
Vink, Q.J. & Son	Sint Maartensvlotbrug, the Netherlands

Amendments to the List of Originators and Registrants

Gould, William, Jr	Add new address: Winston-Salem, South Carolina, USA
James, E.	Add: New Zealand
Sutherland, Agnes	Remove from list
Tarry, George W.	d. 2010
Tilghman, Joanna L.	d. 2010
van Zonneveld	Alter to: van Zonneveld

Illustrations of descriptive terms

FLOWER



star-shaped



double triangle



rounded

PERIANTH SEGMENTS



reflexed



inflexed



spreading



plane



concave



twisted



ovate



*very broadly
ovate*



oblong



obovate



*shouldered
at base*



spatulate



acute



blunt



mucronate



truncate

CORONA - from the side



cylinder



funnel



cup



bowl



disc

- section



smooth




angled




ribbed

CORONA MOUTH - from the side



straight



flared

- section



even



wavy



frilled



lobed

CORONA RIM - from the side



flanged



rolled

- section



entire



dentate



crenate

ISBN 978-1-907057-29-8



9 781907 057298