

THE INTERNATIONAL DAHLIA REGISTER (1969)

FIFTEENTH SUPPLEMENT

The following list contains the names of *Dahlia* cultivars registered between 1 January 2003 and 31 December 2003. It is issued as the *Fifteenth Supplement* to the *International Dahlia Register* (published in 1969 as a *Tentative Classified List and International Register of Dahlia Names*).

Raisers and introducers of new plants are urged to ensure that all their plants have been registered and are reminded that registration should take place before a plant is released or its name is mentioned in print. Registration concerns all named cultivars. Registration forms can be obtained from the International Dahlia Registrar, Royal Horticultural Society's Garden, Wisley, Woking, Surrey GU23 6QB, England.

In this list the cultivar name is preceded by an indication of the group to which the plant belongs, as defined in the 1969 Register, but which is repeated below. The line below begins with the parentage, when known, in parenthesis. The names of the raiser, introducer (where applicable) and registrant follow, together with the relevant dates (R = raiser, H = hybridizer, G = grown to first flower by, N = named by, I = introducer, REG = registrant). Where a date is given without a name (e.g. I & REG: 2003) it can be assumed that the individual or firm involved is that immediately preceding it, e.g. R: Y Konishi, I & REG: 2003, in which Mr Y Konishi raised the plant and then introduced it and registered the name in 2003. Details of flower diameter and stem height are included, where supplied by the registrant.

In this Supplement the International Cultivar Registration Authority has incorporated some of the large number of acceptable names which, for one reason or another, have never formally been sent for registration. These are given as e.g. REG: International Cultivar Registration Authority, 2003. This catching up process will continue in succeeding Supplements.

Nomenclatural standards

This Supplement records the designation of nomenclatural standards for some of the newly registered cultivars. Nomenclatural standards are a way to fix the application of a new name by reference to a particular example of a plant. They may take the form of herbarium specimens, but can also be paintings or a photographic record, where this is more appropriate. All the nomenclatural standards designated here are held in the Herbarium, RHS Garden, Wisley.

Note* An asterisk after the name of a variety defines that such variety has not thus far been registered with the International Cultivar Registration Authority.

GROUP CLASSIFICATION AND FORMATION

Group 1 - Single-flowered Dahlias

Single dahlias have blooms with a single outer ring of florets, which may overlap, the centre forming a disc.

Group 2 - Anemone-flowered Dahlias

Anemone-flowered dahlias have blooms with one or more outer rings of generally flattened ray florets surrounding a dense group of tubular florets, which are longer than the disc florets in Single dahlias, and showing no disc.

Group 3 - Colletterette Dahlias

Colletterette dahlias have blooms with a single outer ring of generally flat ray florets, which may overlap, with a ring of small florets (the Collar), the centre forming a disc.

Group 4 - Waterlily Dahlias

Waterlily dahlias have fully double blooms characterised by broad and generally sparse ray florets, which are straight or slightly involute along their length giving the flower a shallow appearance. The depth should be less than half the diameter of the bloom.

Group 5 - Decorative Dahlias

Decorative dahlias have fully double blooms showing no disc. The ray florets are generally broad, and flat and may be involute for no more than 75% of their length (longitudinal axis), or slightly twisted and usually bluntly pointed.

Group 6 - Ball Dahlias

Ball dahlias have fully double blooms, ball shaped or slightly flattened. The ray florets are blunt or rounded at the tips, with margins spirally arranged and involute for at least 75% of the length of the florets.

Group 7 - Pompon Dahlias

Pompon dahlias have blooms fully double spherical blooms of miniature size, with florets involute for the whole of their length (longitudinal axis).

Group 8 - Cactus Dahlias

Cactus dahlias have fully double blooms, the ray florets are usually pointed, the majority narrow and revolute for 50% or more of their length (longitudinal axis) and either straight or incurving.

Group 9 - Semi-Cactus Dahlias

Semi-Cactus dahlias have fully double blooms, the ray florets are usually pointed, and revolute for more than 25% of their length and less than 50% of their length (longitudinal axis), broad at base and either straight or incurving.

Group 10 -Miscellaneous Dahlias

Any dahlias which do not fall into one of the foregoing Groups e.g. Orchid-flowered, Peony-flowered dahlias, etc.

Group 11 – Fimbriated Dahlias

Fimbriated dahlias have blooms where ray florets should be evenly split or notched into two or more divisions, uniformly throughout the bloom to create a fringed overall effect. The petals may be flat, involute, revolute, straight, incurving or twisted.

Lilliput Dahlias

A low growing type of dahlia usually no more than 0.3m in height having single, semi-double or double florets attaining 26mm (1 inch) or so in diameter. Especially suitable for borders or display in containers on patios etc. Sometimes referred to as 'baby' or 'top-mix' types of dahlia.

GROUPS AND SIZES

Certain Groups have been sub-divided and these, with their relative sizes, are as follows:

Waterlily Dahlias (Group 4), Decorative Dahlias (Group 5), Cactus Dahlias (Group 8), Semi-Cactus Dahlias (Group 9) and Fimbriated Dahlias (Group 11)

- A** Giant-flowered - usually over 250mm (10in) in diameter
- B** Large-flowered - usually between 200mm (8in) and 250mm (10in) in diameter
- C** Medium-flowered - usually between 150mm (6in) and 200mm (8in) in diameter
- D** Small-flowered - usually between 100mm (4in) and 150mm (6in) in diameter
- E** Miniature-flowered - not usually exceeding 100mm (4in) in diameter

Ball Dahlias (Group 6)

- A** Small Ball dahlias - usually between 100mm (4in) and 150mm (6in) in diameter
- B** Miniature Ball dahlias - usually between 50mm (2in) and 100mm (4in) in diameter

Pompon Dahlias (Group 7)

Pompon dahlias - not exceeding 50mm (2in) in diameter

The use of “Dw.B” after the classification of a cultivar indicates that these are dwarf bedding dahlias, not usually exceeding 600mm (24in) in height.

5(c) ‘Alf’s Mascot’

(Sport from ‘Mascot Maya’) First propagated (1998), N (2000), I (2002) & REG (2003): A. Rogers. Fls 200 mm wide, white. Stem 1.5m. Nomenclatural standard: colour slide supplied by registrant (WSY 0043614). Note that ‘Alf’s Mascot’ is sometimes regarded as synonymous with ‘White Charlie Two’: registered 2001 – 13th Supplement.

5(d) ‘Amante’

(Parentage unknown) H (2000) & G (2001): W. Gryson N (2002), I (2003) & REG (2003): Lindhout Ornata. Fls 150mm wide, outer florets purple to red, inner florets purple. Stem 1m. Nomenclatural standard: colour print provided by registrant (WSY 0044648).

5(e) ‘Amgard Coronet’

(Parentage unknown) H (1982), G (1983), N (1983), I (1985) & REG (2003): D.J. Bates. Fls 100mm wide, pink on yellow base. Stem 1m.

5(b) 'Amgard Delicate'

(Parentage unknown) H (1990), G (1991), N (1993), I (1994) & REG (2003): D.J. Bates. Fls 225mm wide, pink. Stem 1m.

5(d) 'Amgard Rosie'

(Parentage unknown) H (1991), G (1992), N (1993), I (1995) & REG (2003): D.J. Bates. Fls 150mm wide, pink. Stem 1.1m.

3 'Amgard Sahara'

(Parentage unknown) H (1996), G (1997), N (1999), I (2002) & REG (2003): D.J. Bates. Fls 100mm wide, bronze. Stem 0.75m.

5(d) 'Arnside Rose Fallows'

('Kenora Lisa'* × un-named seedling) H (1999), G (2000), N (2003) & REG (2003): G. Fallows I (2004): J.R.G. Dahlias. Fls 150mm wide, outer florets pink, inner florets pink with yellow flush. Stem 1.3m. Nomenclatural standard: colour print supplied by registrant (WSY 0038502).

5(a) 'Asama-kôgen'

('Kazusa-mangetsu'* × 'Sakura-jôô') H (1999), G (2000), N (2002), I (2003) & REG (2003): Y. Konishi. Fls 280mm wide, outer florets apricot orange edged with red thread, inner florets apricot orange blending to yellow edged with red thread. Stem 1.5m. Syn. 'Asama-kohgen'.

5(a) 'Asama-kohgen'

Syn. of 'Asama-kôgen'.

5(c) 'Bela'

(Parentage unknown) H (1982), G (1983), N (1984) & REG (2003): Swami Vinayananda. Fls bright apricot. Stem 1.35m.

5(c) 'Bhikkus Mother'

(Parentage unknown) H (1969), G (1971), N (1971) & REG (2003): Swami Vinayananda. Fls orange to tan with white tips: bi-colour. Stems 1.05m.

9(c) 'Bellezza'

(Parentage unknown) H (2000) & G (2001): W. Gryson N (2003), I (2004) & REG (2003): Lindhout Ornata. Fls 160mm wide, outer florets lilac, inner florets white. Stem 1.1m.

5(a) 'Bhikkus Vivek'

(Parentage unknown) H (1969), G (1971), N (1971) & REG (2003): Swami Vinayananda. Fls over 250mm wide, vermilion. Stem 1.2m.

5(b) 'Bholaram'

(Parentage unknown) H (1969), G (1971), N (1971) & REG (2003): Swami Vinayananda. Fls yellow. Stem 1.2m.

5(c) 'Break Out'

(Sport from 'Otto's Thrill') First propagated (1999), G (2000), N (2002), I (2002) & REG (2003): R.I.M. Bisschops. Fls 160mm wide, brilliant greenish yellow (1A) stripes on pale yellow-green (4D) ground with a light purplish pink (62C) glow. Stem 0.9m.

5(c) 'Brother Simplicius'

(Parentage unknown) H (1980), G (1981), N (1981) & REG (2003): Swami Vinayananda. Fls salmon orange with small yellow centre. Stem 1.35m.

5(a) 'Café au Lait'

(Parentage unknown) H (1966), G (1967), N (1967) & I (1968): Firma D. Bruidesgom REG (2003): H.A. van Eeuwijk & Zn. Fls 270mm wide, pale orange-yellow (159C). Stem 1.2m.

9(d) 'Carel Kraayenhof'

(Parentage unknown) H (1997), G (1998), N (1998), I (2001) & REG (2003): R.J. Muntjewerff. Fls 130mm wide, outer florets brilliant greenish yellow (2B) with a strong reddish orange (42B) blush, inner florets vivid greenish yellow (2A) with a vivid red (44A) blush. Stem 1.4m.

4(d) 'Charlie Dimmock'

('Sympathy' × 'Taratahi Ruby') H (2001), G (2002), N (2003), I (2004) & REG (2003): K.E. Stock. Fls 140mm wide, apricot on pale yellow ground. Stem 1.57m. Nomenclatural standard: colour slide supplied by registrant (WSY 0043897).

10 'Cheeky Glow'

(Parentage unknown) H (1999), G (2000), N (2002) & REG (2003): A. van Haaster. Fls 75mm wide, outer florets strong reddish purple (72B) on yellowish white (155B) ground and inner florets strong reddish purple (72C) on brilliant greenish yellow (3B) ground. Stem 0.35m.

5(a) 'Choh-hi'

Syn. of 'Chô-hi'.

5(a) 'Chô-hi'

('Kazusa-mangetsu'* × 'Zorro') H (1999), G (2000), N (2002), I (2003) & REG (2003): Y. Konishi. Fls 265mm wide, brilliant red with creamy reverse with occasional cream tip to florets. Stem 1.5m. Syn. 'Choh-hi'. Nomenclatural standard: colour slide supplied by registrant (WSY 0041811).

4(c) 'Claire Louise Kitchener'

('Vicky Crutchfield' × un-named seedling) H (1996), G (1997), N (2000), I (2002) & REG (2003): I.J. Kitchener. Fls 160mm wide, pink. Stem 1.5m. Nomenclatural standard: colour print supplied by registrant (WSY 0037509).

5(c) 'Combat'

(Parentage unknown) H (2001): W. Gryson G (2002), N (2003), I (2003) & REG (2003): Lindhout Ornata. Fls 170mm wide, outer florets red, inner florets white. Stem 1.1m.

5(d) 'Competition'

(Parentage unknown) H (1999) & G (2000): E. van Dongen N (2002) & REG (2003): J.W. van Saase. Fls 130mm wide, vivid red (45A) shading to moderate purplish pink (66D). Stem 1m.

11(b) 'Cyril Higgs'

(Derived from seed supplied by Mr C.O. Higgs in South Africa) G (1998), N

(2000), I (2000) & REG (2003): Mrs E. Fenton. Fls 200-250mm wide, red. Stem 1.3m.

9(d) 'Darlica'

(Parentage unknown) H (2000) & G (2001): W. Gryson N (2002), I (2003) & REG (2003): Lindhout Ornata. Fls 150mm wide, outer florets lilac shading to cream, inner florets cream to yellow. Stem 1.2m.

5(a) 'Dian Fossey'

('Jyotsna' × un-named seedling) H (1982), G (1983), N (1983) & REG (2003): Swami Vinayananda. Fls over 250mm wide, deep bright red. Stem 1.05m.

5(e) 'Diana Georgina'

('Moor Place' × 'Hallmark') H (2001), G (2002), N (2003), I (2003) & REG (2003): J.P. Woods. Fls 100mm wide, lavender and white bicolour. Stem 1.04m. Nomenclatural standard: colour print supplied by registrant (WSY 0043704).

9(c) 'Diorella'

(Parentage unknown) H (2000) & G (2001): W. Gryson N (2003), I (2003) & REG (2003): Lindhout Ornata. Fls 160mm wide, dark red. Stem 1m.

8(c) 'Dr B.P. Pal'

(Parentage unknown) H (1982), G (1983), N (1983) & REG (2003): Swami Vinayananda. Fls orange with yellow centre: bicolour. Stem 1.05m.

9(c) 'Donnica'

(Parentage unknown) H (2000) & G (2001): W. Gryson N (2002), I (2003) & REG (2003): Lindhout Ornata. Fls 180mm wide, lilac to salmon blends. Stem 1.5m.

5(d) 'Eileen Joyce'

('Carolina Moon' × 'Helga') H (2000), G (2001), N (2003), I & REG (2003): C.W. Welch. Fls 100mm wide, strong red (46A). Stem 0.96m. Nomenclatural standard: colour print supplied by registrant (WSY 0041901).

9(c) 'Esmara'

(Parentage unknown) H (2000) & G (2001): W. Gryson N (2002), I (2003) & REG (2003): Lindhout Ornata. Fls 170mm wide, yellow. Stem 0.8m.

3 'Fleur Mountjoy'

(Parentage unknown) H (2000), G (2001), N (2002), I (2002) & REG (2003): I.J. Kitchener. Fls 130mm wide, white. Stem 0.7m. Nomenclatural standard: colour print supplied by registrant (WSY 0037508).

5(e) 'Fluorescent Glow'

(Parentage unknown) H (1999), G (2000), N (2002) & REG (2003): A. van Haaster. Fls 75mm wide, outer florets moderate purplish red (58A), inner florets light orange yellow (16B) shading to strong red (45D) and strong purplish red (54A) at top. Stem 0.35m.

10 'Frivolous Glow'

(Parentage unknown) H (1999), G (2000), N (2002) & REG (2003): A. van Haaster. Fls 65mm wide, outer florets strong purplish red (60B), inner florets deep red (60A). Stem 0.35m

5(c) 'Gateshead Angel'

(Parentage unknown) H (2000), G (2001), N (2002), I (2003) & REG (2003): B. & B. Hall. Fls 200mm wide, bronze. Stem 1.62m. Nomenclatural standard: colour print supplied by registrants (WSY 0043709).

5(c) 'Gateshead Peach'

(Parentage unknown) H (2000), G (2001), N (2002), I (2003) & REG (2003): B. & B. Hall. Fls 180mm wide, peach. Stem 1.35-1.5m. Nomenclatural standard: colour print supplied by registrants (WSY 0043708).

5(c) 'Globetrotter'

(Parentage unknown) H (2001) & N (2002): H. Plochaet G (2002), I (2003) & REG (2003): Lindhout Ornata. Fls 180mm wide, outer florets salmon, inner florets yellow. Stem 1.4m.

9(c) 'Gudule'

(Parentage unknown) H (2001): H. Plochaet G (2002), N (2002), I (2003) & REG (2003): Lindhout Ornata. Fls 150mm wide, salmon. Stem 1.2m.

5(d) 'Gwennan'

(Parentage unknown) H (2000) & G (2001): W. Gryson N (2002), I (2003) & REG (2003): Lindhout Ornata. Fls 150mm wide, outer florets lilac pink, inner florets light pink. Stem 1.2m.

5(e) 'Heroic Glow'

(Parentage unknown) H (1999), G (2000), N (2002) & REG (2003): A. van Haaster. Fls 70mm wide, outer florets vivid reddish purple (74A), inner florets vivid red (57A) shading to vivid reddish purple (74A) on strong reddish orange (34C) ground. Stem 0.3m.

9(d) 'Icarus'

(Parentage unknown) H (2001) & N (2002): H. Plochaet G (2002), I (2003) & REG (2003): Lindhout Ornata. Fls 120mm wide, outer florets bronze salmon, inner florets salmon and white. Stem 0.9m.

5(d) 'Isadora'

(Parentage unknown) H (2000) & G (2001): W. Gryson N (2002), I (2003) & REG (2003): Lindhout Ornata. Fls 150mm wide, outer florets red, inner florets yellow. Stem 1m.

9(c) 'Jaimy'

(Parentage unknown) H (2000) & G (2001): W. Gryson N (2003), I (2003) & REG (2003): Lindhout Ornata. Fls 180mm wide, yellow. Stem 1.1m.

3 'Janet Howell'

(Parentage unknown) H (2000), G (2001), N (2002), I (2002) & REG (2003): I.J. Kitchener. Fls 140mm wide, outer florets blood red with yellow tips, inner florets yellow with red centre. Stem 0.8m. Nomenclatural standard: colour print supplied by registrant (WSY 0037507).

3 'Jo Lister'

('Laura Ann Owen'* × un-named seedling) H (1999), G (2000), N (2002), I (2002) & REG (2003): I.J. Kitchener. Fls 140mm wide, outer florets deep red,

inner florets white with a slight trace of red towards base. Stem 0.9m.
Nomenclatural standard: colour print supplied by registrant (WSY 0037506).

4(c) 'Judy Tregidden'

(Parentage unknown) H (1996), G (1997), N (2000), I (2003) & REG (2003): I.J. Kitchener. Fls 160mm wide, orange. Stem 1.5m. Nomenclatural standard: colour print supplied by registrant (WSY 0037505).

6(a) 'Jyotish S'

(Sport from 'Duston Stone') First propagated (1997), N (1998) & REG (2003): Swami Vinayananda. Fls light scarlet and light yellow blends. Stem 1.05m.

8(d) 'Jyotsna'

('Cheerio' × un-named seedling) H (1981), G (1982), N (1983) & REG (2003): Swami Vinayananda. Fls purple-red with small white tips: bicolour. Stem 0.9m.

5(b) 'Kan-u'

('Kazusa-mangetsu'* × 'Zorro') H (1999), G (2000), N (2002), I (2003) & REG (2003): Y. Konishi. Fls 250mm wide, dark reddish purple. Stem 1.3m. Standard: colour slide supplied by registrant (WSY 0041808).

8(d) 'Karma Bon Bini'

('Bridge View Aloha' × un-named seedling) H (1998), G (1999), N (2000), I (2001) & REG (2003): Fa Gebr Verwer. Fls 100mm wide, brilliant greenish yellow (5A) ground blending to vivid red (44A) with vivid red (45A) at top of florets. Stem 1m.

5(d) 'Karma Ventura'

(Parentage unknown) H (1998), G (1999), N (2000), I (2001) & REG (2003): Fa Gebr Verwer. Fls 135mm wide, light greenish yellow (4B). Stem 0.8m.

5(d) 'Karma Yin Yang'

(Parentage unknown) H (1997), G (1998), N (2001), I (2003) & REG (2003): Fa Gebr Verwer. Fls 110mm wide, outer florets deep red (53A), inner florets one third deep red (53A) and top two thirds yellowish white (155D). Stems 0.8-1m.

3 'Kate Mountjoy'

('Bridal Bouquet'* × un-named seedling) H (1999), G (2000), N (2001), I (2002) & REG (2003): I.J. Kitchener. Fls 135mm wide, outer florets white with blush of mauve/pink, inner florets white with picotee edging. Stem 0.75m.
Nomenclatural standard: colour print supplied by registrant (WSY 0037504).

3 'Kayleigh Spiller'

(Parentage unknown) H (1999), G (2000), N (2001), I (2002) & REG (2003): I.J. Kitchener. Fls 140mm wide, outer florets red with yellow tips, inner florets yellow with faint red markings. Stem 1.2m. Nomenclatural standard: colour print supplied by registrant (WSY 0037503).

9(d) 'Kelly'

(Parentage unknown) H (2000) & G (2001): W. Gryson N (2002), I (2003) & REG (2003): Lindhout Ornata. Fls 140mm wide, bronze. Stem 1m.

5(d) 'Kevin Welch'

('Evelyn' × 'Dusky Lilac') H (1999), G (2000), N (2003), I (2003) & REG (2003): C.W. Welch. Fls 115mm wide, yellowish white (155C) with slight light greenish yellow (4C) to base of florets. Stem 0.91m. Nomenclatural standard: colour print supplied by registrant (WSY 0043613).

8(d) 'Kimm'

(Parentage unknown) H (2000) & G (2001): H. Plochaet N (2002), I (2003) & REG (2003): Lindhout Ornata. Fls 150mm wide, yellow. Stem 1m.

5(d) 'Lenny's Dream'

(Parentage unknown) H (2000) & G (2001): L.J.P. van der Vlugt N, I & REG (2003): L.J.P. van der Vlugt and P.H.M. van der Vlugt. Fls 105mm wide, vivid purplish red (57D) with longitudinal yellowish white (155D) stripes. Stem 0.8m.

I 'Lilac Pathfinder'

(Parentage unknown) H (2001), G (2002) & N (2003): J.R. Gott I (2005) & REG (2003): J.R.G. Dahlias. Fls 80mm wide, lilac. Stem 1m. Purple-tinted leaves a feature of this variety. Nomenclatural standard: colour print supplied by registrant (WSY 0043791).

9(c) 'Limoncello'

(Parentage unknown) H (2000) & G (2001): W. Gryson N (2002), I (2003) & REG (2003): Lindhout Ornata. Fls 180mm wide, cream to yellow. Stem 1m.

5(c) 'Lisa's Champion'

(Parentage unknown) H (2000), G (2001), N (2003) & REG (2003): Mrs J.B.H. Kamp-Preuter. Fls 170mm wide, outer florets with vivid purplish red (57D) small stripes on light greenish yellow (3D) background, inner florets with vivid purplish red (57D) and yellowish white (155D) stripes. Stem 1.3m.

8(d) 'Lisonette'

(Parentage unknown) H (2000) & G (2001): W. Gryson N (2002), I (2003) & REG (2003): Lindhout Ornata. Fls 150mm wide, red outer florets, yellow inner florets. Stem 0.9m.

5(d) 'Manx Majestic'

('David Digweed' × 'Sorrento Flush') H (2000), G (2001), N (2003), I (2003) & REG (2003): J.P. Woods. Fls 150mm wide, yellow. Stem 1.23m. Nomenclatural standard: colour print supplied by registrant (WSY 0043705).

5(d) 'Manx Marauder'

(Un-named seedling × 'Hillcrest Kismet') H (2000), G (2001), N (2003), I (2003) & REG (2003): J.P. Woods. Fls 160-170mm wide, outer florets cerise, inner florets orange. Stem 1.2m. Nomenclatural standard: colour print supplied by registrant (WSY 0043698).

5(d) 'Manx Master'

('Sorrento Flush' × 'Ruskin Diane') H (2000), G (2001), N (2003), I (2003) & REG (2003): J.P. Woods. Fls 140mm wide, outer florets light pink, inner florets white. Stem 1.18m. Nomenclatural standard: colour print supplied by registrant (WSY 0043706).

5(d) 'Manx Melanie'

('David Digweed'* × 'Ruskin Diane') H (2000), G (2001), N (2003), I (2003) & REG (2003): J.P. Woods. Fls 130mm wide, outer florets dark bronze, inner florets yellow. Stem 1.27m. Nomenclatural standard: colour print supplied by registrant (WSY 0043707).

5(d) 'Manx Morning'

('Ruskin Diane' × 'Sorrento Flush') H (2000), G (2001), N (2003), I (2003) & REG (2003): J.P. Woods. Fls 150mm wide, yellow. Stem 1.12m. Nomenclatural standard: colour print supplied by registrant (WSY 0043703).

9(c) 'Marekin'

(Parentage unknown) H (2001) & G (2002): H. Plochaet N (2002), I (2003) & REG (2003): Lindhout Ornata. Fls 170mm wide, outer florets light red, inner florets red. Stem 1.1m.

9(c) 'Marona'

(Parentage unknown) H (2001): H. Plochaet G (2002), N (2002), I (2003) & REG (2003): Lindhout Ornata. Fls 190mm wide, salmon. Stem 1.3m.

4(d) 'Maureen Kitchener'

(Parentage unknown) H (1999), G (2000), N (2001), I (2002) & REG (2003): I.J. Kitchener. Fls 150mm wide, raspberry-red with yellow tips. Stem 1.4m. Nomenclatural standard: colour print supplied by registrant (WSY 0037502).

5(d) 'Melody Dora'

(Parentage unknown) H (1998) & G (1999): J. van Ruiten N (2000) & REG (2003): Fa Gebr Verwer. Fls 150mm wide, vivid greenish yellow (2A) with a strong reddish orange (42B) glow and edging to top of florets. Stem 0.75m distinctively dark-coloured, with little green.

5(e) 'Melting Glow'

(Parentage unknown) H (1999), G (2000), N (2002) & REG (2003): A. van Haaster. Fls 55mm wide, outer florets strong purplish red (58B) on light greenish yellow (1C) ground, inner florets with light orange yellow (22B) and deep pink (48A) shading on brilliant greenish yellow (1B) ground. Stem 0.35m.

5(c) 'Moonlady'

(Parentage unknown) H (1999) & G (2000): H.G. Bal N (2001), I (2002) & REG (2003): Lindhout Ornata. Fls 160mm wide, outer florets deep yellow, inner florets yellow. Stem 1.3m.

8(c) 'Namiki-michi'

('Wagshal's Goldkrone' × 'Iva Jean') H (1997), G (1998), N (2001) & REG (2003): Y. Konishi. Fls 180mm wide, salmon orange with white tips. Stem 1.4m. Nomenclatural standard: colour slide supplied by registrant (WSY 0041809).

10 (Mignon) 'Nathalie van Eeuwijk'

('Petit Byoux'* × 'Fire Bird'*) H (1996), G (1997) & N (1997): G.C. van Eeuwijk I (1998) & REG (2003): Fa. H.A. van Eeuwijk. Fls 90mm wide, outer florets deep purplish red (59B)/deep red (60A), inner florets dark red (187A/187B) and vivid reddish purple (74B) tips. Stem 0.5m.

5(c) 'New Age'

(Parentage unknown) H (2001) & N (2002): W. Gryson G (2002), I (2003) & REG (2003): Lindhout Ornata. Fls 180mm wide, outer florets dark pink, inner florets pink. Stem 1.2m.

5(d) 'Onesta'

(Parentage unknown) H (unknown) REG (2003): J.J. Warmerdam. Fls 105mm wide, outer florets deep purplish pink (67C), inner florets strong purplish red (67A) on vivid yellow (9A) ground. Stem 0.7m.

10 'Orange Pathfinder'

(Parentage unknown) H (2001), G (2002) & N (2003): J.R. Gott I (2005) & REG (2003): J.R.G. Dahlias. Fls 90mm wide, outer florets light orange, inner florets deep orange. Stem 1m. Purple-tinted leaves a feature of the variety. Nomenclatural standard: colour print supplied by registrant (WSY 0043790).

9(c) 'Parita'

(Parentage unknown) H (2001): H. Plochaet G (2002), N (2002), I (2003) & REG (2003): Lindhout Ornata. Fls 170mm wide, outer florets bronze, inner florets light bronze. Stem 1.2m.

5(e) 'Passionate Glow'

(Parentage unknown) H (2000), G (2001), N (2002), I (2003) & REG (2003): A. van Haaster. Fls 70mm wide, inner florets vivid purplish red (57C) with moderate purplish pink (66D) at top, shading to vivid purplish red (57B) and deep purplish pink (66C) on outer florets. Stem 0.35m with deep green and strong anthocyanin colouring.

5(c) 'Paul Burrell'

(Possibly 'B.J. Beauty' × un-named seedling) H (2000), G (2001), N (2003) & REG (2003): R.A. Marks. Fls 150mm wide, pale lemon. Stem 1m. Nomenclatural standard: colour print supplied by registrant (WSY 0038606).

9(d) 'Paul Magson'

('Mary Magson' × un-named seedling) H (1998), G (1999), N (1999), I (2004) & REG (2003): W.E. Mark. Fls 149mm wide, white. Stem 1m.

5(a) 'Penhill Deon Maritz'

('Pennsgift' × un-named seedling) H (1996), G (1997), N (2003) & REG (2003): W. Maritz I (2004): J.T. Dahlias. Fls 260mm wide, pink. Stem 1.6m. Nomenclatural standard: colour print supplied by registrant (WSY 0044459).

5(b) 'Penhill Milly Marjory'

('Hamari Bride' × 'Gold Standard') H (1984), G (1985), N (2003) & REG (2003): W. Maritz I (2004): J.T. Dahlias. Fls 240mm wide, yellow.

9(a) 'Penhill Summer'

('Joyce' × 'C Jewel') H (1994), G (1995), N (1995) & REG (2003): W. Maritz I (2004): J.T. Dahlias. Fls 280mm wide, orange. Nomenclatural standard: colour print supplied by registrant (WSY 0044458).

10 'Polar Glow'

(Parentage unknown) H (1999), G (2000), N (2002) & REG (2003): A. van

Haaster. Fls 60mm wide, outer florets yellowish white (155B) on pale greenish yellow (1D) ground; inner florets greenish white (155C) on brilliant greenish yellow (1A) ground. Stem 0.35m.

5(a) 'Prabodh'

(Sport from 'Swamiji') First propagated (1990), N (1991) & REG (2003): Swami Vinayananda. Fls over 250mm wide, red with minute yellow tips: bicolour. Stem 1.35m.

I 'Purple Pathfinder'

(Parentage unknown) H (2001), G (2002) & N (2003): J.R. Gott I (2005) & REG (2003): J.R.G. Dahlias. Fls 80mm wide, purple. Stem 1m. Purple-tinted leaves are a feature of this variety. Nomenclatural standard: colour print supplied by registrant (WSY 0043788).

5(d) 'Rafaello'

(Parentage unknown) H (1999) & G (2000): E. van Dongen N (2002) & REG (2003): J.W. van Saase. Fls 110mm wide, outer florets strong red (46A), inner florets with vivid red (45A) and light yellowish pink (37D) stripes on pale greenish yellow (1D) ground. Stem 1.1m.

I 'Red Pathfinder'

(Parentage unknown) H (2001), G (2002) & N (2003): J.R. Gott I (2005) & REG (2003): J.R.G. Dahlias. Fls 80mm wide, red. Stem 1m. Purple-tinted leaves are a feature of this variety. Nomenclatural standard: colour print supplied by registrant (WSY 0043789).

5(c) 'Renate Tozio'

('Arc de Triomphe' × 'Glorie van Heemstede') H (1996), G (1997), N (1997) & I (1998): C. Geerlings REG (2003): Fa H.A. van Eeuwijk & Zn. Fls 170mm wide, outer florets light greenish yellow (3C) with strong purplish pink (37A) blends, inner florets brilliant greenish yellow (3A) with vivid reddish orange (34A) tips and base. Stem 1.05m.

9(c) 'Rob's Symbol'

(Sport from 'Salmon Symbol*') First propagated (2001), N (2001), I (2002) & REG (2003): R.G.W. Foster. Fls 200mm wide, outer florets primrose, inner florets primrose with peach flush. Stem 1.35m.

5(e) 'Rockcliffe'

('Mistill Delight' × un-named seedling) H (1989), G (1990), N (1990) & REG (2003): T.E. Thompson. Fls 100mm wide, outer florets white, inner florets white with lavender flush. Stem 0.9m.

6(b) 'Rockcliffe Orange'

('Jomanda' × un-named seedling) H (1999), G (2000), N (2002) & REG (2003): T.E. Thompson. Fls 100mm wide, orange. Stem 0.9m.

I0 'Royal Glow'

(Parentage unknown) H (1999), G (2000), N (2002) & REG (2003): A. van Haaster. Fls 65mm wide, outer florets deep red (53A) with pale yellow green (193A) stripes, inner florets strong reddish orange (42B) with a brilliant greenish yellow (4A) ground. Stem 0.25m.

5(b) 'Sandhya'

(Parentage unknown) H (1980), G (1981), N (1981) & REG (2003): Swami Vinayananda. Fls bright vermillion. Stem 1.2m.

5(d) 'Sarada Devi'

(Parentage unknown) H (1969), G (1971), N (1971) & REG (2003): Swami Vinayananda. Fls white. Stem 0.9m.

9(c) 'Scarabee'

(Parentage unknown) H (2000) & G (2001): H. Plochaet N (2002), I (2003) & REG (2003): Lindhout Ornata. Fls 160mm wide, red. Stem 1.1m.

10 'Secret Glow'

(Parentage unknown) H (1999), G (2000), N (2002) & REG (2003): A. van Haaster. Fls 70mm wide, outer florets yellowish white (155D) with deep purplish pink (66C) apices and a light greenish yellow (1C) base, inner florets yellowish white (155D) with deep purplish pink (66C) tips. Stem 0.3m.

9(c) 'Shirlaine'

(Parentage unknown) H (2000) & G (2001): W. Gryson N (2002), I (2003) & REG (2003): Lindhout Ornata. Fls 160mm wide, cream to salmon blends. Stem 1.1m.

5(a) 'Shri Ramakrishna'

(Sport from 'Croydon Dawn'*) First propagated (1968), N (1969) & REG (2003): Swami Vinayananda. Fls over 250mm wide, light yellow with light red streaks. Stem 1.05m.

5(c) 'Silvane'

(Parentage unknown) H (2001): H. Plochaet G (2002), N (2002), I (2003) & REG (2003): Lindhout Ornata. Fls 180mm wide, yellow. Stem 1.1m.

5(c) 'Solane'

(Parentage unknown) H (2000) & G (2001): W. Gryson N (2002), I (2003) & REG (2003): Lindhout Ornata. Fls 160mm wide, bronze to yellow blends. Stem 1.2m.

9(c) 'Staleen Condesa'

('Ruskin Charlotte' × un-named seedling) H (1999), G (2000) & N (2000): F. Hoey I (2003): Surrey Dahlias REG (2003): D.G. Kent. Fls 200mm wide, pink. Stem 1.2m.

5(d) 'Stevie D'

(Parentage unknown) Raiser unknown but variety believed to have originated in USA N (1995): D. Hewlett, I (2003) & REG (2003): Aylett Nurseries Ltd. Fls 120mm wide, outer florets vivid reddish orange (44B), inner florets vivid red (45A) with white tips. Stem 1.35m.

3 'Sue Mountjoy'

('Laura Ann Owen'*) × un-named seedling) H (1999), G (2000), N (2001), I (2002) & REG (2003): I.J. Kitchener. Fls 140mm wide, outer florets deep velvet red, inner florets salmon pink. Stem 2m. Nomenclatural standard: colour print supplied by registrant (WSY 0037501).

5(e) 'Sunny Glow'

(Parentage unknown) H (1999), G (2000), N (2002) & REG (2003): A. van Haaster. Fls 60mm wide, brilliant greenish yellow (1B). Stem 0.3m.

9(d) 'Sushanti'

(Parentage unknown) H (1984), G (1985), N (1986) & REG (2003): Swami Vinayananda. Fls ochre. Stem 1.05m.

5(b) 'Swami Brahmananda'

(Sport from 'Blackout') First propagated (1979), N (1980) & REG (2003): Swami Vinayananda. Fls blackish red with pink streaks and stripes. Variegated. Stem 1.05m.

5(d) 'Swami Lokeswarananda'

(Parentage unknown) H (1969), G (1971), N (1971) & REG (2003): Swami Vinayananda. Fls red with white tips: bicolour. Stem 1.35m.

5(d) 'Swami Madhavananda'

('Dorothy Stanton' × seedling of 'Dorothy Stanton') H (1980), G (1981), N (1981) & REG (2003): Swami Vinayananda. Fls purple-maroon with broad milky white tips: bicolour. Stem 1.05m.

5(a) 'Swamiji'

(Sport from 'Bhikkus Mother') First propagated (1988), N (1989) & REG (2003): Swami Vinayananda. Fls over 250mm wide, orange-red with white tips: bicolour. Stem 1.05m.

5(c) 'Taishoh-rouman'

Syn. of 'Taishô-roman'.

5(c) 'Taishô-roman'

('Kazusa-roman' × 'Ferncliff Illusion') H (2000), G (2001), N (2002), I (2003) & REG (2003): Y. Konishi. Fls 180mm wide, pure white base with deep reddish purple tips. Syn. 'Taishoh-rouman'. Nomenclatural standard: colour slide supplied by registrant (WSY 0041812).

6(a) 'The Cheshire Cat'

('Cornel' × un-named seedling) H (1999), G (2000), N (2002) & REG (2003): T.E Thompson. Fls 150mm wide, dark mauve to purple. Stem 1.05m.

9(c) 'Top Sun'

(Parentage unknown) H (2000) & G (2001): W. Gryson N (2002), I (2003) & REG (2003): Lindhout Ornata. Fls 150mm wide, outer florets orange, inner florets yellow. Stem 1.2m.

5(c) 'Tren Grove Millennium'

(Parentage unknown) H (1997), G (1998) & N (1998): G.R. Woolcock I (2001): G.R. Woolcock & Taylor's Dahlias REG (2003): International Cultivar Registration Authority. Fls 180/200mm wide, pale lemon. Stem 1.2m.

10 'Vancouver'

(Sport from 'Akita') First propagated (1998) & N (1999): S. van Wijk I (2001) & REG (2003): R. Th. M. van Saase. Fls 150mm wide, outer florets pale greenish

yellow (1D) blending to dark red (59A) on deep purple (71A) background, inner florets dark red (187A/B) shading to deep purplish red (61A) on yellowish white (155D) ground and with deep purplish red (71A) tips. Stem 0.7m.

8(e) ‘Weston Sunup’

(Parentage unknown) H (1997), G (1998), N (2001), I (2003) & REG (2003): T.E. McLelland. Fls 100mm wide, bronze. Stem 0.9m. Nomenclatural standard: colour slide supplied by registrant (WSY 0037405).

5(d) ‘White Onesta’

(Sport from ‘Onesta’) First propagated (1996), G (1997), N (2000), I (2000) & REG (2003): J.J. Waremerdam. Fls 115mm wide, pale green (155A) on brilliant greenish yellow (4A) ground with pale pink (49D) glow towards top of florets. Stem 0.9m.

5(e) ‘Willowfield Kieron’

(Parentage unknown) H (1995), G (1996), N (2000) & REG (2003): G.A. Powley I (2003): Mr & Mrs R. Porter. Fls 100mm wide, orange blends. Stem 1.75m.

5(e) ‘Willowfield Mary’

(Parentage unknown) H (1998), G (1999), N (2002) & REG (2003): G.A. Powley I (2003): Mr & Mrs R. Porter. Fls 100mm wide, outer florets lemon yellow, inner florets salmon. Stem 0.75m.

5(d) ‘Yellow Ellen Houston’

(Sport from ‘Ellen Houston’*) First propagated (1999), G (2000), N (2001), I (2002) & REG (2003): L.M. van der Lans. Fls 100mm wide, yellow. Stem 0.5m.

5(a) ‘Yume-yama-zakura’

(‘Kazusa-mangetsu’* × ‘Sakura-jôô’) H (1999), G (2000), N (2003), I (2003) & REG (2003): Y. Konishi. Fls 270mm wide, outer florets pale lavender-pink with white tips, inner florets pale lavender-pink blending to white; a deep pink thread edging to each petal. Stem 1.4m. Nomenclatural standard: colour slide supplied by registrant (WSY 0041810).

ADDENDUM TO 8TH SUPPLEMENT

‘Hillcrest Regal’

Nomenclatural standard: herbarium specimen (WSY 0034940).

ADDENDUM TO 11TH SUPPLEMENT

‘Teesbrooke Audrey’

Nomenclatural standard: herbarium specimen (WSY 0034937).

ADDENDUM TO 13TH SUPPLEMENT

10 ‘Blue Bayou’

Registered 1st March 2001. Now amended per requirements of European Plant Breeders Rights Authority – September 2003 – to *Dahlia* ‘Bayou’ (Group 10).

INTERNATIONAL REGISTER

The original Classified List and Supplements have been published as hereunder:-

Title	Date	No of Registrations
Tentative Classified List & International Register (published 1969)	Covering registrations to the year 1969	14,000 odd
1 st Supplement	Covering registrations for the years 1969–1986 inclusive	1679
2 nd Supplement	1987	41
3 rd Supplement	1988	44
4 th Supplement	1989-1990	178
5 th Supplement	1991-1992	156
6 th Supplement	1993-1994	100
7 th Supplement	1995	209
8 th Supplement	1996	140
9 th Supplement	1997	104
10 th Supplement	1998	208
11 th Supplement	1999	118
12 th Supplement	2000	125
13 th Supplement	2001	100
14 th Supplement	2002	126

LIST OF RAISERS, INTRODUCERS & REGISTRANTS

AYLETT NURSERIES LTD	London Colney, St Albans, Hertfordshire, England
BATES, D.J.	Knowle, Solihull, West Midlands, England
BISSCHOPS, R.I.M.	Voorhout, The Netherlands
BRUIDEGOM, Firma D.	Baarn, The Netherlands
DONGEN, E. van	Zwaanshoek, The Netherlands
EEUWIJK, G.C. van	c/o Fa. H.A. van Eeuwijk & Zn, Lisserbroek, The Netherlands
EEUWIJK & Zn, Fa. H.A. van	Lisserbroek, The Netherlands
FALLOWS, G.	Arnside, Cumbria, England
FENTON, Mrs E.	Waikanae, Kapiti Coast, New Zealand
FOSTER, R.G.W.	Kesgrave, Ipswich, Suffolk, England
GEERLINGS, C.	c/o Geerlings Dahlias, Heemstede, The Netherlands
GEERLINGS DAHLIAS	Heemstede, The Netherlands
GOTT, J.R.	Milnthorpe, Cumbria, England
GRYSON, W.	Lombeek, Brussels, Belgium
HAASTER, J. Ans van	c/o Dahlia Veredeling, Hillegom, The Netherlands
HALL, B. & B.	Gateshead, Tyne & Wear, England
HEWLETT, D.*	Hayes, Middlesex, England
HIGGO, C.O.	Howard Place, Republic of South Africa
HOEY, F.	Donore, Drogheda, Co. Meath, Ireland
INTERNATIONAL CULTIVAR REGISTRATION AUTHORITY	Royal Horticultural Society's Garden, Wisley, Woking, Surrey GU23 6QB, England
J.R.G. DAHLIAS	Milnthorpe, Cumbria, England
J.T. DAHLIAS	Greenfield, Wisconsin, USA
KAMP-PREUTER, Mrs J.B.H.	Almelo, The Netherlands
KENT, D.G.	Ash Vale, Aldershot, Hampshire, England
KITCHENER, I.J.	Tiverton, Devon, England
KONISHI, Y.	Chuo-ku, Chiba-shi, Japan
LANS, L.M. van der	Lisserbroek, The Netherlands
LINDHOUT ORNATA	Noordwijk, The Netherlands
MARITZ, W.H.	Penhill, Republic of South Africa
MARK, W.E.	South Woodham Ferrers, Chelmsford, Essex, England
MARKS, R.A.	Stoke Mandeville, Aylesbury, Buckinghamshire, England
McLELLAND, T.E.	Bulkington, Bedworth, Warwickshire, England
PLOCHAET, H.	Boechout, Belgium
PORTER, Mr & Mrs R.	Halstead, Essex, England
POWLEY, G.A.	Onehouse, Stowmarket, Suffolk, England
ROGERS, A.	Keighley, West Yorkshire, England
RUITEN, J. van	Sassenheim, The Netherlands
SAASE, R. Th. M. van	Vogelenzang, The Netherlands

SAASE, J.W. van
STOCK, K.E.
SURREY DAHLIAS

SWAMI VINAYANANDA

TAYLOR'S DAHLIAS
THOMPSON, T.E.
VERWER, Fa Gebr
VLUGT, L.J.P. and P.M.H. van der
WARMERDAM, J.J.
WELCH, C.W.
WIJK, S. van
WOODS, J.P.
WOOLCOCK, G.R.

Vogelenzang, The Netherlands
Bournemouth, Dorset, England
Ash Vale, Aldershot, Hampshire,
England
Belur Math, Howrah, West Bengal,
India
Sale, Cheshire, England
Rockcliffe, Flint, Wales
Lisse, The Netherlands
Hillegom, The Netherlands
Zwaanshoek, The Netherlands
Carbrooke, Thetford, Norfolk, England
Zwaanshoek, The Netherlands
Onchan, Isle of Man
Colchester, Essex, England

*We regret that those marked with an asterisk are now deceased
