


presented the Wisley estate to the RHS in 1903.



FEBRUARY 2006

### Editorial

It is not without a certain trepidation that anyone should embark on the publication of a new serial or journal in this age of electronic publication and a plethora of scientific publications for a seemingly ever-narrower audience.

The inception of *Hanburyana* as a serial dedicated to horticultural taxonomy aims to fill a gap that has existed following the cessation of *Baileya* in the early 1990s. It also fills a need for the RHS with the discontinuation of the *Extracts of the Proceedings of the RHS* in 2004. The *Extracts* were the place of publication of the descriptions of plants that have received Awards (which forms the largest contribution to the present volume covering a 15 month period) and the list of standards deposited in the herbarium at Wisley (**WSY**). But another objective of the serial is to provide an outlet for more detailed accounts of nomenclatural decisions taken by the RHS's Advisory Panel on Nomenclature and Taxonomy (APONAT) that appear in the *RHS Plant Finder* and in the Society's horticultural databases. It is also hoped that future issues will contain contributions from the Society's International Cultivar Registrars, where they would find it helpful to publish nomenclatural notes for their groups.

The wider aim of the serial is to provide a forum for debate on the *International Code of Nomenclature of Cultivated Plants*, and a place of publication for proposals to amend the Code. In the present issue there is Chris Whitehouse's paper on Article 19.18. Last, but by no means least, the serial will publish papers on the taxonomy of cultivated plants, mainly the shorter kind of contribution where there is a need to tidy up a problem that does not require a full account or revision.

Although all the contributors in the present issue are members of RHS staff, I would like to encourage anyone from outside of the RHS to send in possible papers for publication in future volumes of *Hanburyana*. It is planned to publish once a year at the outset but more frequently if the number and quality of contributions allow. We will also be making PDF versions of the papers available for download from the RHS website.

1

That this publication has seen the light of day is the result of the hard work and commitment of the contributors, the support of the RHS's Science & Horticultural Advisory Committee and Dr Simon Thornton Wood (Assistant Director, Science & Learning). I would also like to thank Dr Chris Brickell and Dr Alan Leslie who have reviewed papers for this issue and especially Richard Sanford (RHS) who has designed the front cover and painstakingly proof-read the papers. Charlotte Brooks (RHS, Lindley Library) kindly provided the photograph of Sir Thomas Hanbury.

Dr John David Head of Botany

2

## Inherent problems with Article 19.18 of the new Cultivated Plant Code

C.M. WHITEHOUSE Botany Department, RHS Garden, Wisley

Two of the primary purposes of the *International Code of Nomenclature for Cultivated Plants* (ICNCP) are to make the names of cultivated plants easier to understand and more stable over time. Article 19.18 is a new article, introduced in the most recent edition of the ICNCP (Brickell *et al.*, 2004). It states that, "the epithet of a cultivar name is not to duplicate the final epithet in Latin form of the correct name under the ICBN of the taxonomic unit at the rank of species or below to which it is assigned: the cultivar name must be given a distinctive epithet as determined by Art. 19.8, where applicable." The article was intended to clarify the application of names, but it is not clear how it will affect the stability of the names involved.

Article 19.18 was proposed originally because of the confusion surrounding the hybrid *Salvia* × *superba* and its sterile clone *S*. × *superba* 'Superba'. Indeed, the article most frequently affects such cases, when the original clone of a cross with a hybrid binomial is given a name and the cultivar epithet is a reiteration of the binomial epithet. Preferably, this can be avoided by the choice of a totally unrelated cultivar epithet, such as in *Viburnum* × *bodnantense* 'Dawn' (Stearn, 1950). However, when a plant has been known for some time under just the hybrid binomial name, authors have often considered it preferable to use the binomial epithet as part of the cultivar name to maintain familiar usage, such as in Stearn's *Epimedium* × *versicolor* 'Versicolor' (Stearn, 2002). According to the new article this is now invalid and it is necessary to use the next available name, which in this case is *E*. × *versicolor* 'Discolor'.

A search was conducted in the RHS horticultural database (BG-Base) for records where the botanical epithet matched the cultivar epithet. A list of names recovered and their currently accepted alternatives is given in Table 1. As can be seen, 15 out of the 23 names involve a hybrid binomial.

Name with matching	Currently accepted	Alternative
botanical and cultivar	name	acceptable names
epithets		
Anemone × lipsiensis		Anemone 'Lipsiensis'
'Lipsiensis'		_
Aucuba japonica f.		Aucuba japonica
longifolia 'Longifolia'		'Longifolia'
Bauhinia × blakeana	Bauhinia purpurea	Bauhinia × blakeana
'Blakeana'	× variegata	'Sir Henry Blake',
	'Blakeana'	Bauhinia 'Blakeana'
Catharanthus roseus		Catharanthus
'Roseus'		'Roseus'
Coprosma × kirkii 'Kirkii'		Coprosma 'Kirkii'
Corokia × virgata 'Virgata'		Corokia 'Virgata'
Crocus pictus 'Pictus'	Crocus vernus subsp.	Crocus 'Pictus'
_	vernus	
Deutzia × rosea 'Rosea'		Deutzia 'Rosea'
Epimedium × versicolor		Epimedium
'Versicolor'		× versicolor
		'Discolor'
Epimedium × youngianum		Epimedium
'Youngianum'		'Youngianum'
Erica × stuartii 'Stuartii'	Erica × stuartii	Erica 'Stuartii'
	'Charles Stuart'	
Erica carnea 'Carnea'		Erica 'Carnea'
<i>Hebe</i> × <i>carnea</i> 'Carnea'	Hebe 'Carnea'	
Juniperus × pfitzeriana	Juniperus	Juniperus
'Pfitzeriana'	× pfitzeriana	'Pfitzeriana'
	'William Pfitzer'	
Magnolia	Magnolia salicifolia	Magnolia
×kewensis 'Kewensis'	'Kewensis'	× kewensis 'Kew
		Clone', Magnolia
		'Kewensis'
Magnolia × proctoriana		Magnolia
'Proctoriana'		'Proctoriana',
		Magnolia salicifolia
		'Proctoriana'
Magnolia sprengeri var.		Magnolia sprengeri
diva 'Diva'		'Diva'

Table 1: List of all cases in the RHS Horticultural Database of matching botanical and cultivar epithets with their possible alternatives

4

Mentha × piperita		Mentha 'Piperita'
'Piperita'		
Phalaris arundinacea var.		Phalaris arundinacea
picta 'Picta'		'Picta'
Philadelphus × lemoinei		Philadelphus
'Lemoinei'		'Lemoinei'
Phyllostachys sulphurea	Phyllostachys	Phyllostachys
'Sulphurea'	<i>sulphurea</i> f.	'Sulphurea'
	sulphurea	
Polypodium cambricum		Polypodium australe
'Cambricum'		'Cambricum',
		Polypodium
		'Cambricum'
<i>Rosa × odorata</i> 'Odorata'		$Rosa \times odorata$
		'Hume's Blush',
		Rosa 'Odorata'
Salvia × superba 'Superba'		Salvia 'Superba'
Viburnum × burkwoodii		Viburnum
'Burkwoodii'		'Burkwoodii'

The confusion caused in the application of names with duplicated specific and cultivar epithets is exemplified by *Aucuba japonica* f. *longifolia* 'Longifolia'. In 1993, the RHS gave the Award of Garden Merit (AGM) to the forma *longifolia*, but at that time did not recognise the distinct selection of this form introduced by Veitch in 1862 called 'Longifolia'. The Hillier Manual (Hillier & Coombes, 2002) recognises 'Longifolia' as a distinct female selection and interprets this clone as the only one of f. *longifolia* attributed with an AGM. However, it is not clear which "longifolia", the forma or the original clone, the relevant RHS plant committee were actually considering when they gave the award. As can be seen, in this case the application of article 19.18 would have helped avoid confusion. The different interpretations of the epithet "longifolia" and its associated AGM would not have occurred if the cultivar epithet for Veitch's female selection had been different from that of the forma.

However, a problem with the application of the article was highlighted by a recent paper on the hybrid origins of *Bauhinia*  $\times$  *blakeana* (Lau *et al.*, 2005). This research not only provided compelling evidence for the hybrid origin of the taxon, but also revealed a lack of genetic variation between different plants of the hybrid. It was therefore suggested that all plants of

this cross had arisen from a single plant and the authors went on to suggest that it was better described as a cultivar. Instead of choosing an original name for the clone, they reused the hybrid binomial epithet and thus gave it the name 'Blakeana'. Their taxonomic disposition caused them to regard it as inappropriate to use a hybrid binomial in the taxon name because it was not self-perpetuating in the wild, and so they styled the cultivar as *B. purpurea* × *variegata* 'Blakeana'. Styling the name like this, on the face of it, is not invalid according to article 19.18.

To most horticulturists, the use of hybrid binomials is preferable. It keeps the names concise, while retaining information about the parentage. Hybrid binomials are utilised by, and created for, the horticultural world far more than the botanical world that only deals with plants of wild origin. But in the example above, *Bauhinia* × *blakeana* 'Blakeana' is invalid, and so a new name has been proposed: B. × blakeana 'Sir Henry Blake' (Whitehouse submitted). This solution is not a problem if everyone accepts B.  $\times$  blakeana as a taxonomic unit. But rules of nomenclature do not enforce taxonomic opinion, and the original authors' B. purpurea  $\times$ *variegata* 'Blakeana' is an equally valid name. Two perfectly valid cultivar epithets therefore exist depending upon the way the hybrid nature of the cultivar is expressed in the name. This makes the cultivar epithet very unstable. The situation is compounded when the words of article 19.2 are considered: "the minimum requirement is for a cultivar epithet to accompany the name of the genus". This could lead to the conclusion that the correct format for shortening B. × *blakeana* 'Sir Henry Blake' would be B. 'Blakeana', as the cultivar epithet 'Blakeana' is no longer invalid once the hybrid binomial epithet is removed from the name.

This example may seem rather irrelevant to horticulturists, who would probably use the hybrid binomial. However, there are other examples in the list above where taxonomies might not be so generally agreed upon. Such an example can be found with certain *Magnolia* cultivars. Currently, it is thought better to regard *M*. 'Kewensis' as a selection of *M*. *salicifolia* (Spongberg, 1998), but others might consider, or even prove, that it is a hybrid, in which case the name would change to *M*. × *kewensis* 'Kew Clone' (Callaway, 1994). Under article 19.2, *M*. 'Kewensis' and *M*. 'Kew Clone' apply to exactly the same entity. In contrast, *M*. 'Proctoriana' has been suggested to be a selection of *M*. *salicifolia* (Spongberg, 1998), in which case the epithet would be a perfectly valid name. However, current

6

opinion favours its classification as a hybrid binomial M. × *proctoriana* (Gardiner, 2000). If the original clone is then to be recognised it needs a new cultivar epithet.

In botanical nomenclature, we must accept that different taxonomies will produce different names. For example, when two genera are merged, it is not uncommon for the same specific epithet to occur in both genera. In such cases, the more recently published epithet requires a new name when transferred and the connection with the original epithet is lost. A recent example is to be found in the genus *Albuca*, which some botanists now consider best included within a broad circumscription of *Ornithogalum* (Manning *et al.*, 2004). *Albuca spiralis* cannot be recombined directly, as the name *O. spirale* already exists for a different species. A new name, *O. circinatum*, was therefore created: thus a different epithet has to be used for the same entity depending upon the generic concepts of *Albuca* and *Ornithogalum* employed. But to gardeners, who in general are less concerned about the taxonomy connected with a particular cultivar, having two permissible cultivar epithets for a single clone appears absurd.

At the moment the ICNCP is unclear on how one should interpret this rule. Abandoning the rule or making it just a recommendation would perpetuate the confusion of the epithets, as in Aucuba japonica 'Longifolia'. Tightening the wording of the article would appear to be a sensible option, but how to achieve this without enforcing a particular taxonomy on people is not evident. For example, use of the hybrid binomial *Hebe*  $\times$  *carnea* is considered unhelpful, as it appears to only apply to a single clone of doubtful parentage (Hutchins & Davies 1997). H. 'Carnea' is a much more useful interpretation, but is at risk of being invalidated by the hybrid binomial being taken up (e.g. Metcalf, 2001) which then forces a change of the cultivar epithet. To avoid this a system of rejecting cultivar epithets, similar to that operating in the ICBN, could be instigated. This way an epithet could be permanently abandoned in favour of one that will not conflict no matter which taxonomy is supported. As each case would be examined on its merits, only those names that are likely to have alternative taxonomies would need to be considered as worthy of changing.

#### REFERENCES

- Brickell, C.D., Baum, B.R., Hetterscheid, W.L.A., Leslie, A.C., McNeill, J., Trehane, P., Vrugtman, F. & Wiersema, J.H. (eds) (2004). International Code of Nomenclature for Cultivated Plants, Seventh Edition. Acta Horticulturae 647: 1–123, i-xxi.
- Callaway, D.J. (1994). The World of Magnolias. Oregon: Timber Press.
- Gardiner, J. (2000). *Magnolias: A Gardener's Guide*. Oregon: Timber Press.
- Hillier, J. & Coombes, A. (2002). *The Hillier Manual of Trees and Shrubs*. Newton Abbot, UK: David & Charles.
- Hutchins, G. & Davies, P. (1997). *Hebes Here and There. A Monograph* on the Genus Hebe. UK: Hutchins & Davies.
- Lau, C.P.Y., Ramsden, L. & Saunders, R.M.K. (2005). Hybrid origin of "Bauhinia blakeana" (Leguminosae: Caesalpinioideae), inferred using morphological, reproductive, and molecular data. American Journal of Botany 92: 525–533.
- Manning, J., Goldblatt, P. & Fay, M. (2004). A revised generic synopsis of *Hyacinthaceae* in sub-Saharan Africa, based on molecular evidence, including new combinations and the new tribe *Pseudoprospereae*. *Edinburgh Journal of Botany* 60: 533–568.
- **Metcalf, L.J.** (2001). *International Register of Hebe Cultivars*. New Zealand: Royal New Zealand Institute of Horticulture.
- Spongberg, S.A. (1998). Magnoliaceae hardy in cooler temperate regions. In: Hunt (ed.), Magnolias and their Allies. Sherborne, UK: David Hunt.
- **Stearn, W.T.** (1950). × *Viburnum bodnantense* (*Caprifoliaceae*). *Botanical Magazine*, n. s., **167**, t. 113.
- Stearn, W.T. (2002). *The Genus Epimedium*. A Botanical Magazine Monograph. Oregon: Timber Press.
- Whitehouse, C.M. (Submitted). Problems with the new code and the case of *Bauhinia* ×*blakeana*. *The Plantsman*.

## Hybrids in *Haemanthus* and *Scadoxus* (*Amaryllidaceae*)

J.C. DAVID

Botany Department, RHS Garden, Wisley.

Up until the work of Friis & Nordal (1976), species now assigned to these two genera were all included in *Haemanthus* L., although the genus was divided into four sections by Salisbury (1866). The two genera are readily separated morphologically as one has distinctly fleshy leaves arising distichously from a bulb (*Haemanthus*), while the other has thin leaves with a distinct midrib, arising more as a rosette, from a rhizome (*Scadoxus* Raf.). Both are African although *Haemanthus* is predominantly South African, occurring in the drier areas, mostly in the winter rainfall regions. *Haemanthus* was the subject of a comprehensive monograph (Snijman, 1984) and an article by Graham Duncan (Duncan, 2005).

Representatives of these genera are rarely encountered in cultivation and are probably more the preserve of the serious collector than the general gardener and consequently their hybrids are even less frequently seen. Indeed Snijman (1984) observes that few garden hybrids have been recorded, citing that of H. albiflos and H. coccineus published by Hannibal (1948) and reporting two unpublished crosses (H. albiflos  $\times$  H. sanguineus and *H. humilis* subsp. *hirsutus* × *H. sanguineus*). However, the first reported hybrid is H. × clarkei W. Wats., an earlier crossing of H. albiflos and H. coccineus (Watson, 1894), raised in the UK by Col. Trevor Clarke, who presented a plant to the Royal Botanic Gardens, Kew. This cross was repeated by Hildebrand (1905), who gave the parents as H. tigrinus and H. albiflos. The former is now regarded as a synonym of H. coccineus (Friis & Nordal, 1976). Laplace (1928) describes a hybrid between H. albiflos var. pubescens and H. coccineus which, although the former parent is nomenclaturally synonymous with H. pubescens L.f., is likely to be identical to H. albiflos var. pubescens sensu Baker, which is now treated as a synonym of H. albiflos (Snijman, 1984). The cross made by Hannibal (1948) was given as being between H. albiflos var. burchelii and H. coccineus. However, Snijman (1984) does not regard the variety as distinct from H. albiflos. It is apparent, therefore, that this cross has been made on a number of occasions, using parents that may differ slightly, and

may well have been repeated by others who have not published their findings.

One other recorded hybrid is between *H. virescens* and *H. albiflos* (*Gartenflora* **56**: 493, fig. 61, 1907), raised at the Freiburg Botanic Garden. The hybrid was not named and, since the former parent is now treated as a synonym of *H. albiflos*, the hybrid does not technically exist and would, at most, be considered a cultivar.

On the basis of published information, these are the only known hybrids in Haemanthus s.str., although the RHS Plant Finder (2004-2005) lists the cultivar Haemanthus 'König Albert'. The nursery offering this plant reports it as the cross H. albiflos  $\times$  H. coccineus which, as has been established above, is in fact  $H \times clarkei$ . The identity of the plant offered is not known for sure but it is described as having 'large dense pink heads'. The hybrid given the name 'König Albert', or sometimes 'King Albert', is the product of crossing two species of Scadoxus: S. multiflorus subsp. katherinae (Bak.) Friis & Nordal and S. puniceus (L.) Friis & Nordal. In the past these were treated as species of *Haemanthus* and it is under these names that the hybrid is reported by Wittmack (1900). The hybrid was raised by Johannes Nicolai in Coswig-Dresden in Germany and flowered for the first time in 1899 (Gartenflora 48: 424, 1899) when it was reported with a black and white illustration. Wittmack (1900) provided a detailed comparison of the two parents with the hybrid, as well as a full colour plate (t. 1472). The pollen parent in this cross was S. multiflorus subsp. katherinae.

A similar hybrid was raised by C.G. van Tubergen in Haarlem, who stated the parents to be *H. katherinae* and *H. magnificus*, the latter being the pollen parent. *Haemanthus magnificus* is a synonym of *Scadoxus puniceus* (Friis & Nordal, 1976) and so, although differing in appearance, this is the same cross as  $H. \times hybridus$  Wittm. Van Tubergen named this cross *H*. 'Andromeda' (Anon., 1912). It is also recorded that he backcrossed *H*. 'Andromeda' with *H. Katherinae* and the name *H*. 'Flora' was given to the progeny, however this does not appear in any of Tubergen's catalogues. *Haemanthus* 'Andromeda' was given an Award of Merit when shown by Reginald Cory in 1912 (*J. Roy. Hort. Soc.* **38**: clvii, 1912).

Another hybridizer of *Haemanthus* s.lat. was Linden, who ran a nursery near Brussels famous for its orchids. Linden obtained and hybridized

tropical Haemanthus (now Scadoxus) plants from the Belgian Congo (Zaire). Many species names were provided (de Wildeman, 1903) based on this material, such as H. diadema Linden ex de Wild., H. eetveldeanus de Wild. & Th. Dur., H. fascinator Linden ex de Wild. and H. lindenii N.E. Br. Of these, *H. eetveldeanus* was known to have a variety (cultivar) 'Queen Victoria' (Tribune Hort. 1: 138, pl. 9, 1906). These species are now regarded as synonyms of Scadoxus cinnabarinus (Decne) Friis & Nordal, which is known to be a variable species. Linden exhibited these and hybrids derived from them in shows both in Belgium and in the UK. Hybrids include H. × helleputteanus F. Lambeau, Tribune Hort. 1908: 254, (*H. eetveldeanus*  $\times$  *H. diadema*) and *H.*  $\times$  *lambeauanus* Anon., *Revue* Hort. Belge Etrangère 1909: 96, (H.  $\times$  helleputteanus  $\times$  "H. amabilis"<sup>1</sup>). Also recorded is the hybrid H. × moortelianus M. Laur., Bull. Agric. Congo Belge 4: 762 (1913). It is highly likely that these hybrids were lost during the First World War, as there is no report of them after 1914. Attempts to trace these names through nursery catalogues have failed as no Linden catalogues have been found for this period either in the RHS Lindley Library or in Belgium. Indeed it seems that the last catalogue was issued in 1901, in the Horticole Coloniale, entitled 'Catalogue spécial illustré des Plantes Nouvelles du Congo et d'autres pays pour 1901'. While the new Haemanthus introductions are referred to, no hybrids are mentioned (Nicole Schuermans-Ceulemans, pers. comm.).

NOMENCLATURE

Haemanthus × clarkei W. Wats., *Gard. Chron.* 16: 498, 1894. Lectotype.: K000366098 'Hybrid between *H. albiflos* and a variety of *H. coccineus*, from Col. Trevor Clarke, Welton Place, Daventry, 29.viii.1891' (K)

Scadoxus × hybridus (Wittm.) J.C. David *comb. nov.* Basionym: *Haemanthus × hybridus* Wittm., *Gartenflora* **49**: 113, 1900.

Cultivar: S. × hybridus 'König Albert' Wittm. (1900).

<sup>&</sup>lt;sup>1</sup> Haemanthus "amabilis" is mentioned in connection with the variety 'Queen Victoria' (Hort. Belge 1906: 96, 124) and the hybrid of H. "amabilis"  $\times$  H. 'Queen Victoria' (Hort. Belge 1906: 171), "hybride ... très joli, qui reçoivent tout des certificats de mérite, agrémentés d'acclamation et d'unanimité". However, it seems most likely that this name is given in error for H. mirabilis, see H. eetveldeanus 'Queen Victoria'

Syn.: *Haemanthus* 'König Albert' [orth. var. 'King Albert'] Standard: Ic. t. 1472, Wittmack, *Gartenflora* (1900). Description: Leaves distinctly petiolate (c. 4-5 cm long), blade 17cm long, smooth with an indistinct midrib. Perianth tube 13-15 mm long; perianth segments 25-28 mm long, 1-2 mm wide. Specimen: *H*. × 'King Albert', comm. W.E. Ledger, 2.ix.1909 (K).

Cultivar:  $S. \times hybridus$  'Andromeda' van Tubergen, Wholesale Catalogue of Flowerroots Grown for Sale 1904: 40. Ic.: *The Garden* **1912**: 437, 1912. Description: Leaves distinctly petiolate (c. 11 cm long), blade up to 21.5 cm long and 8.5 cm at the broadest part, midrib distinct. Perianth tube 13-15 mm long, perianth segments 23-25 mm long and 2-3 mm broad. Specimen: *H.* × 'Andromeda', comm. W.E. Ledger, 2.ix.1909 (K). Flowers are described as light orange-scarlet, showy, larger-flowered and more free-flowering than 'König Albert'. However, Laplace (1928) describes the flowers as 'd'un beau coloris rose saumoné, disposées en ombelle globuleuse'.

#### Unknown affinity:

Cultivar: *H*. 'Königin Alexandra' Anon., *Gard. Chron.* **29**: 209, 1901. Description: A loose umbel with wide and short segments, colour fleshpink. AM (RHS Floral Committee)

#### **ACKNOWLEDGEMENTS**

Jonathan Hutchinson (RHS, Rosemoor & collector of *Haemanthus*); librarians at RHS Wisley. Anne Ronse (Meise) and Nicole Schuermans-Ceulemans (Netherlands).

#### REFERENCES

Anon. (1901). [Report from the] Royal Horticultural Society. Gardeners' Chronicle 29: 208–210.

Anon. (1912). A hybrid Haemanthus. The Garden 1912: 438.

Duncan, G. (2005). *Haemanthus* and their cultivation. *The Plantsman* n.s. 4: 220–226.

- Friis, I. & Nordal, I. (1976). Studies in the genus *Haemanthus* (*Amaryllidaceae*). IV. Division of the genus into *Haemanthus* s.str. and *Scadoxus* with notes on *Haemanthus* s.str. *Norway Journal of Botany* 23: 63–77.
- Hannibal, L.S. (1948). An Haemanthus hybrid. Herbertia 15: 76-78.
- Hildebrand, F. (1905). Ueber Bastarde zwischen *Haemanthus tigrinus* und *Haemanthus albiflos. Gartenflora* 54 : 566–570.
- Laplace, F. (1928). Les Haemanthus. *Revue Horticole*, nouvelle série, **21**: 221–225.
- Salisbury, R.A. (1866). The genera of plants. London: John van Voorst.
- Snijman, D. (1984). A revision of the genus Haemanthus L. Journal of South African Botany, Suppl. Vol. 12: 1–139.
- Watson, W. (1894). Gardeners' Chronicle 16: 498.
- Wildeman, M.E. de (1903). Les espèces du genre Haemanthus L. (sousgenre Nerissa Salisb.). Annales de la Société Scientifique de Bruxelles 27: 37.
- Wittmack, L. (1900). *Haemanthus hybridus* "König Albert" (*H. puniceus* × *H. Katherinae*). *Gartenflora* **49**: 113–119.

# New combinations in *Actaea*, *Justicia*, *Persicaria* and *Androsace*

JANET J CUBEY Botany Department, RHS Garden, Wisley

RHS botanists check, on a near daily basis, names of cultivated plants from a variety of sources. During our annual consolidated editing work for the *RHS Plant Finder*, we check on average 4000–5000 names that are submitted as new to the book. However, "new" names also come to us from the accessions within the four RHS gardens and the plants that are exhibited at RHS Shows, to name but two other sources.

While we are checking these names, we sometimes find a taxon for which, following our acceptance of a treatment that places it, for example, in another genus, we are unable to find a valid combination. Therefore, in the first of what may well become a regular article in *Hanburyana*, I am taking this opportunity to publish new combinations for some of these taxa.

#### Actaea L.

Compton *et al.* (1998) reduced *Cimicifuga* Wernisch. to synonymy with *Actaea* L. The following combinations are therefore required:

#### *Actaea elata* (Nutt.) Prantl var. *alpestris* (H.W. Lee & C.W. Park) Cubey comb. nov.

Basionym: *Cimicifuga elata* Nutt. var. *alpestris* H.W. Lee & C.W. Park, *Novon* **14**(2): 182 (2004).

Actaea austrokoreana (H.W. Lee & C.W. Park) Cubey comb. nov. Basionym: *Cimicifuga austrokoreana* H.W. Lee & C.W. Park, *Novon* 14(2): 180 (2004).

#### Justicia L.

Graham (1988) in the treatment of *Justicia*, which was followed by Brummitt (1992), considered *Duvernoia* E. Mey. ex Nees to be a synonym of the former genus. The following species seems not to have been recombined:

#### Justicia aconitiflora (A. Meeuse) Cubey comb. nov.

Basionym: Duvernoia aconitiflora A. Meeuse, Flowering Plants of Africa **31**: t.1216 (1956).

#### Persicaria (L.) Mill.

The segregation of *Persicaria* from *Polygonum* L. proposed by Ronse De Craene and Akeroyd (1988) has been accepted by Wilson (1990) and Brummitt (1992) and consequently some further transfers are provided below:

#### Persicaria coriacea (Sam.) Cubey comb. nov.

Basionym: *Polygonum coriaceum* Sam., in Handel-Mazzetti, *Symbolae Sinicae* **7**: 174 (1929).

#### Persicaria dshawachischwilii (Kharkev.) Cubey comb. nov.

Basionym: *Polygonum dshawachischwilii* Kharkev., *Novitates Systematicae Plantarum Vascularium* **1966**: 84 (1966).

#### Persicaria emodi (Meisn.) Cubey comb. nov.

Basionym: *Polygonum emodi* Meisn., in Wallich, *Plantae Asiaticae Rariores* **3**: 51, 54 t. 287 (1832)

#### *Persicaria macrophylla* (D. Don) Cubey comb. nov. Basionym: *Polygonum macrophyllum* D. Don, *Prodromus Florae Nepalensis*: 70 (1825).

*Persicaria regeliana* (Kom.) Cubey comb. nov. Basionym: *Polygonum regelianum* Kom., *Flora URSS* **5**:683 (1936).

#### *Persicaria tenuicaulis* (Bisset & S. Moore) Cubey comb. nov. Basionym: *Polygonum tenuicaule* Bisset & S. Moore, *Journal of*

*Botany* **16**:135 (1878).

#### Androsace L.

In the account by Wendelbo (1961), followed by Brummitt (1992), *Douglasia* Lindl. was considered to be a synonym of *Androsace* L. Smith &

Lowe (1997) noted that new names were required for two species but did not formally propose the combinations. This is rectified here:

## Androsace beringensis (S. Kelso , Jurtzev & D.F. Murray) Cubey comb. nov.

Androsace beringensis (S. Kelso, Jurtzev & D.F. Murray) G.F. Smith & D. Lowe [as 'sine auct.'], The Genus Androsace: 48 (1997), nom. inval. Art. 33.3, 34.1.

Basionym: *Douglasia beringensis* S. Kelso, Jurtzev & D.F. Murray, *Novon* **4**(4): 381 (1994).

#### Androsace idahoensis (D.M. Hend.) Cubey comb. nov.

*Androsace idahoensis* (D.M. Hend.) G.F. Smith & D. Lowe [as '*sine auct.*'], *The Genus Androsace*: 94 (1997), nom. inval. Art. 33.3, 34.1. Basionym: *Douglasia idahoensis* D.M. Hend., *Brittonia* **33** (1): 52 (1981).

REFERENCES

- Brummitt, R.K. (1992). Vascular Plant Families and Genera. Kew, UK: Royal Botanic Gardens, Kew.
- Compton, J.A., Culham, A. & Jury, S.L. (1998). Reclassification of Actaea to Include Cimicifuga and Souliea (Ranunculaceae): Phylogeny Inferred from Morphology, nrDNA ITS, and cpDNA trnL-F Sequence Variation. Taxon 47: 593–634.
- Graham, V.A.W. (1998). Delimitation and infra-generic classification of *Justicia (Acanthaceae). Kew Bulletin* **43**(4): 551–624.
- Smith, G. & Lowe, D. (1997). The Genus Androsace. Pershore, UK: AGS Publications Ltd.
- Ronse De Craene, L.-P. & Akeroyd, J.R. (1988). Generic limits in *Polygonum* and related genera (*Polygonaceae*) on the basis of floral characters. *Botanical Journal of the Linnean Society* **98**: 321–371.
- Wendelbo, P. (1961). Studies in *Primulaceae* III. On the Genera Related to Primula with Special Reference to their Pollen Morphology. *Arbok for Universitetet i Bergen Mat.-Naturv.* 19: 1–31.
- Wilson, K.L. (1990). Some widespread species of *Persicaria* (*Polygonaceae*) and their allies. *Kew Bulletin* **45**(4): 621–636.

### **New Cultivar Descriptions**

SUSAN GRAYER Botany Department, RHS Garden, Wisley

The following plants were thought to be promising when they were seen by the relevant RHS Plant Committees. Their names and descriptions are published here with the permission of the raiser and selector.

References such as 82B refer to colours in the RHS Colour Chart.

#### Delphinium 'Ruby Tuesday'

(*D*. 'Lucia Sahin'  $\times$  un-named seedling). Spikes *c*. 0.6m. Flowers semidouble, *c*. 75mm in diameter, purple (82B), margins bright purple (87B); eyes white with creamy hairs; lower surface with a green apical marking with white surround; spurs 25mm, pale mauve; pedicels *c*.120mm.

Raised by Mr John Barrington, Somerset, who exhibited it to the Joint Delphinium Committee on May 24, 2004. It was referred for further assessment for the Award of Garden Merit and will therefore be included in the 2006 *Delphinium* Trial at RHS Wisley. It is hoped that it will become available to the public in 2007.

Nomenclatural Standard Specimen [WSY0046421] and photographic slide [WSY0051672] in the RHS Herbarium (WSY).

#### Rosmarinus officinalis L. 'Bolham Blue'

Habit pleasing, undulating ground cover to 1.2m. Leaves glossy, yellowgreen (146A), lower surface very pale grey-green (190D). Calyx dark purple tinged with green. Flowers blue-purple (94A), blotched with dark purple (93A) and a paler centre.

Found and selected by Mrs Lena Hickson, Bolham, Devon, who exhibited it to the Woody Plant Committee (then known as Floral Committee B) on their Rosemary Study Day, April 11, 2000.

Nomenclatural Standard Specimen [WSY0038562] in the RHS Herbarium (WSY).

### Plants given Exhibition Awards 2003-2005

JANET J CUBEY Botany Department, RHS Garden, Wisley

The following list of 318 awards has been compiled from the plant award descriptions written by Plant Committee Secretaries, or in the case of the Orchid Committee by Johan and Clare Hermans, for the period from Summer 2003 until the end of August 2005.

Plant award descriptions were formerly published in the *RHS Extracts from the Proceedings*. Changing to this publication has given us an ideal opportunity to add extra information, to point to sources of further information, and to include images and herbarium specimens where appropriate. Anyone wishing to visit the Herbarium at Wisley, to view the herbarium specimens or photographic slides should contact the Keeper of the Herbarium, Dr Christopher Whitehouse. Where more than one specimen or image exists for a plant, only one reference barcode has been given here. Paintings are commissioned for many orchids that are given awards and these can be consulted by contacting the Lindley Library.

References such as 65B refer to colours in the RHS Colour Chart (Fourth edition, 2001)<sup>1</sup>. For enquiries regarding these awards, please email plantcommittees@rhs.org.uk or telephone 0845 260 9000. These will then be forwarded to the appropriate Plant Committee Secretary or member of staff.

#### Aechmea romeroi

Botanical Certificate. Exhibited by the Royal Botanic Gardens, Kew, Surrey on March 15, 2005. Further information in *The Plantsman* n.s. **4**(4): 237.

#### Aloinopsis spathulata

Certificate of Preliminary Commendation. Exhibited by Dr G Evison, Abingdon, Oxfordshire on August 24, 2004. It was noted that it was unusual to see such a large plant, over 300mm in diameter, in cultivation.

<sup>&</sup>lt;sup>1</sup> Available from RHS Enterprises mail order (mailorder@rhs.org.uk or telephone 01483 211 320)

#### Alrawia bellii

Botanical Certificate. Exhibited by the Royal Botanic Gardens, Kew, Surrey on February 15, 2005. Further information in *The Alpine Gardener* **73**(4): 457-458.

#### Amorphophallus konjac

Award of Merit. Exhibited by the Royal Botanic Gardens, Kew, Surrey on April 6, 2004.

Rhizomatous perennial producing a spathe approximately 500mm tall, glabrous, overlapping towards the base to produce an open tube; maroon (186B) mottled with dark green (135B). Peduncle stout, glabrous (65C mottled with 137A). Spadix much exceeding spathe, up to 600mm in length; of a darker purple shade than the spathe and with a dusty appearance. A relative of the larger *A. titanum*, this species is grown in Asia for its edible tubers. A plant of the rainforests, it produces its foul-smelling (first night only) inflorescence before the single palmate leaf appears. It is pollinated by carrion flies and sweat bees. Specimen [WSY0046150] in the RHS Herbarium (**WSY**).

#### Androcymbium rechingeri

Botanical Certificate. Exhibited by the Royal Botanic Gardens, Kew, Surrey on November 25, 2003. Further information in *The Alpine Gardener* **72**(4): 441-2.

#### Anemone sylvestris

Certificate of Preliminary Commendation. Exhibited by Prof. A J Richards, Hexham, Northumberland on May 15, 2004.

Herbaceous perennial. Basal leaves, to at least *c*.  $20 \times 40$ mm, 3-lobed to base, the lateral lobes deeply lobed, lobes toothed, terminal lobe obtrullate, lobed to just under halfway, with several short, mammiform teeth, mid green, with numerous appressed to slightly spreading, short, white, eglandular hairs; petioles to 90mm long. Stems *c*. 200mm, densely hairy, with a whorl of three long-stalked, leaf-like bracts in lower half (with narrower lobes than basal leaves). Flowers solitary, *c*. 40mm wide; petals 5, broadly elliptic, *c*.  $20 \times 13$ mm, shallowly emarginate to erose at apex, densely white hairy externally, buds light greenish-yellow (1C), flushed light purple (75A) at base, opening white with light purple (75A) flushing at base externally; conspicuous central mass of yellow stamens. Further information in *The Alpine Gardener* **72**(4): 431-432.

#### Angraecum compactum 'Tideswell'

Botanical Certificate. Exhibited by Mr J Hermans, Enfield, Middlesex on May 23, 2005. Description and colour picture in *The Orchid Review* **113**: 238-239.

#### Anguloa cliftonii 'Saint Helier'

Award of Merit. Exhibited by the Eric Young Orchid Foundation, Jersey on June 25, 2005. Description and colour picture in *The Orchid Review* **113**: 297.

#### Anguloa Victoire grex 'Trinity'

Award of Merit. Exhibited by the Eric Young Orchid Foundation, Jersey on June 25, 2005. Description and colour picture in *The Orchid Review* **113**: 297.

#### Anthurium 'Allura'

Award of Merit. Exhibited by Mrs C Veerasamy, Beau Bassin, Mauritius on May 23, 2005.

Flower stalk >300mm long. Spathe narrowly ovate,  $100 \times 50$ mm with a long tapering tip and no basal lobes, smooth and glossy, notable for being held erect, pale pink (65B-D). Spadix *c*. 55mm in length, held at a 45° angle to the spathe, forward-pointing, deep to mid pink (63) fading from deep (63A/B) at the apex to paler (63D) at the base. Foliage not seen. This cultivar was bred on Mauritius. Specimen [WSY0072083] and photographic slide [WSY0072084] in the RHS Herbarium (**WSY**).

#### Anthurium 'Camomille'

Award of Merit. Exhibited by Mrs C Veerasamy, Beau Bassin, Mauritius on May 23, 2005.

Flower stalk >450mm long. Spathe cordate  $160 \times 160$ mm, giving the appearance of being perfoliate around the spadix, with large overlapping lobes, bullate, glossy, white (155D) predominant from the mucronate apex for two thirds of the length, gradually grading to a fresh, bright, green (144A-C). Spadix *c*. 80mm in length, yellowish-white at the base (158A) fading darkening to orange-yellow (14B) in the middle and changing to yellow-green (150A) at the apex. The proportions, balance and strength of the colours in both the spathe and the spadix alter as the flower ages; green is more dominant in a younger flower. Foliage not seen. This cultivar was bred on Mauritius. Specimen [WSY0072085] in the RHS Herbarium (**WSY**).

#### Anthurium 'Tulip Somoné'

Award of Merit. Exhibited by Mrs C Veerasamy, Beau Bassin, Mauritius on May 23, 2005.

Flower stalk >200mm long. Spathe broad ovate,  $c. 70 \times 50$ mm, with small basal lobes, glossy, deep dusky pink-red (50A), paler on the reverse. Spadix c. 50mm long, creamy yellow to white (159A/B) for most of the length, with a green (145A/B) tip. Foliage not seen. This cultivar was bred on Mauritius. Specimen [WSY0072121] and photographic slide [WSY0072122] in the RHS Herbarium (WSY).

#### Arisaema amurense

Certificate of Preliminary Commendation. Exhibited by Mr & Mrs D Rankin, Lasswade, Midlothian on May 7, 2005.

Cormous perennial to 280mm. Pseudostem to 20mm long, cataphylls 2. Leaves 1-2 pedate, petiole to 220mm. Mature leaves with 5 obovate leaflets, largest  $110 \times 60$ mm wide. Peduncle to 120mm, spathe 90mm, green- (144B) and white-striped, spathe-limb horizontal with simple acuminate tip. Spadix green 145B, cylindrical, up to 65mm. Further information in *The Alpine Gardener* **73**(4): 447-448. Specimen [WSY0072093] in the RHS Herbarium (WSY).

#### Arisaema auriculatum

Botanical Certificate. Exhibited by Mr & Mrs D Rankin, Lasswade, Midlothian on April 23, 2005. Further information in *The Alpine Gardener* **73**(4): 460-461.

#### Arisaema ciliatum var. liubaense

Certificate of Preliminary Commendation. Exhibited by Mrs D Clement, Wolverhampton on June 18, 2005.

Tuberous perennial. Leaves to 300mm, petiole to 170mm, sheathing in the bottom half, lamina with 6-11 long-acuminate, narrowly elliptic leaflets to 130mm. Peduncle to 480mm, fleshy with greyish bloom. Spathe tube  $80 \times 15$ mm, purplishbrown (closest to 200B) with longitudinal greenish stripes (194B), the tip formed into a very narrow tail to 240mm long. Spadix clearly exerted, mottled brown. Further information and colour picture in *The Alpine Gardener* **73**(4): 453-455. Photographic slide [WSY0073625] in the RHS Herbarium (WSY).

#### Asarum delavayi

Award of Merit. Exhibited by Mrs C M Coller, Norwich, Norfolk on April 6, 2004.

Rhizomatous perennial. Leaves rather crowded, petioles to 125mm, blade to  $c. 15 \times 10$ mm, sagittate, apex acute-acuminate, adaxial surface sparsely pubescent on veins, no blotching evident on specimen. Petals absent, calyx campanulate  $c. 50 \times 60$ mm, sepals connate beyond attachment to ovary, tube subcylindrical, constricted at throat; lobes ovate, to 30-40mm long, banded murky green on margins, maroon in centre and white towards the mouth where the texture becomes papillose. Further information and colour picture in *The Alpine Gardener* **72**(4): 396-398. Specimen [WSY0046536] in the RHS Herbarium (WSY).

#### Asarum fudsinoi

Botanical Certificate. Exhibited by the Royal Botanic Gardens, Kew, Surrey on February 17, 2004. Described in *The Alpine Gardener* **72**(4): 443-5.

#### Ascocenda Crownfox Butterball grex 'Sunshine'

Award of Merit. Exhibited by RF Orchids, Florida, USA on May 24, 2004. Description and colour picture in *The Orchid Review* **112**: 268-271.

#### Aster novae-angliae 'Lye End Beauty'

Award of Merit. Exhibited by Mr G W Goddard, Chingford, London on October 7, 2003.

Height 1.8m gives a prolonged season of colour. The individual flowers are of good form and are relatively unaffected by rain, unlike other *A. novae-angliae*. Strong stiff woody stems, leaves lanceolate, amplexicaul, very clean, dark green, rugose, short soft upright hairs on upper surface, with short ciliate hairs on margins. Flower heads 40mm diameter in a crowded panicle 300mm wide. Ray florets, 15mm long, 1mm wide, pale plum (78B), slightly paler reverse. Disc 10mm, yellow when immature becoming a dark purple. Yellow anthers. Disc florets yellow with purple tips. Phyllaries many, narrow, reflexed dark purple, glandular hairy. Specimen [WSY0046015] and photographic slide [WSY0036562] in the RHS Herbarium (WSY).

#### Azorella ameghinoi

Certificate of Preliminary Commendation. Exhibited by Dr M Sheader, Bitterne, Hampshire on May 21, 2005.

Cushion-forming perennial to  $10 \times 80$ mm as seen. Stems much-branched forming a low convex mound. Leaves carried in rosettes, linear oblanceolate to  $12 \times 2.5$ mm, dark green with prominent silver scales, petiole sheathing at the base with long, papery hairs. Flowers borne in few-flowered umbels subtended by papery bracts. Calyx tubular, lobes 5, minute. Petals 5, ovate to 1mm long, yellowish-green (closest to 144A), anthers slightly exerted. Further information in *The Alpine Gardener* **73**(4): 452-453. Photographic slide [WSY0073698] in the RHS Herbarium (**WSY**).

#### Banksia praemorsa

Certificate of Preliminary Commendation. Exhibited by Tresco Abbey Garden, Isles of Scilly, on January 18, 2005.

#### Banksia spinulosa var. collina

First Class Certificate. Exhibited by Tresco Abbey Garden, Isles of Scilly, on January 18, 2005.

Evergreen shrub. Leaves linear to narrowly obovate,  $80 \times 7$  mm; margins slightly rolled under and with fine recurved teeth; mid-vein recessed; underside white with adpressed hairs. Almost sessile cones held vertically along the branches, to 180mm tall and 75mm wide. Spikes densely flowered, pale golden yellow (23B/C) with rich maroon (187C) styles. Pairs of flowers are subtended by a stiff wedge-shaped bract and two bracteoles covered with soft brown hairs. The perianth splits into 4 slender reflexed lobes, releasing the stiff glabrous style. Pollen presenter, slightly enlarged, rounded to club-shaped. This variety was first introduced to cultivation in the UK in 1822. This plant in Tresco Abbey Garden was grown from seed from Kings Park in Perth (Western Australia). The seed was sown in the early 1980s and the plant first flowered in 1995. It now forms a shrub up to 3m tall that flowers at all times of year. Further information in *The Plantsman* n.s. **4**(4): 237.

#### Beclardia macrostachya 'Tideswell'

Botanical Certificate. Exhibited by Mr J Hermans, Enfield, Middlesex on December 16, 2003. Description and colour picture in *The Orchid Review* **112**: 74-76.

#### Benthamiella longifolia

Certificate of Preliminary Commendation. Exhibited by Captain P J Erskine, Petersfield, Hampshire on April 6, 2004.

Cushion-forming perennial, *c*. 150mm diameter. Leaves *c*. 15mm long, carried in whorls on shoots to 50mm, linear, pointed, entire, almost hairless. Flowers shorter than foliage but clearly visible, to *c*.15mm long, narrowly tubular, flaring at right angles to form a minutely ruffled yellowish-green rim. Further information and colour picture in *The Alpine Gardener* **72**(4): 417-419. Specimen [WSY0046544] in the RHS Herbarium (**WSY**).

#### Benthamiella patagonica

Certificate of Preliminary Commendation. Exhibited by Captain P J Erskine, Petersfield, Hampshire on April 17, 2004.

Rounded, fairly tight cushion,  $40 \times 140$ mm as exhibited. Leaves more or less linear, *c*. 7-9 × 1-1.5mm, mid green, with spreading to reflexed, marginal, white, eglandular hairs and an obtuse, thickened, white tip. Flowers solitary. Calyx *c*. 5mm long, deeply divided, lobes with thickened apices, white below, teeth green towards apex. Corolla erect, *c*. 11mm long, conspicuously waisted; lobes very broadly ovate, *c*. 1mm long, light greenish-yellow (3C), with conspicuous vivid yellow (15B) anthers in mouth of tube. Further information in *The Alpine Gardener* **72**(4): 424. Specimen [WSY0046542] and photographic slide [WSY0047036] in the RHS Herbarium (WSY).

#### × Brassocattleya Pastoral grex 'Rosée'

Award of Merit. Exhibited by Vacherot & Lecoufle, St Léger, France on November 1, 2003. Description in *The Orchid Review* **112**: 10-11.

#### × Brassolaeliocattleya Chyong Guu Swan grex 'Orchis-Floriculturing'

Award of Merit. Exhibited by Orchis Floriculturing, Taiwan on March 13, 2005.

The plant exhibited had three scented flowers on a spike 115mm tall; bract green, 125mm long. Overall flower size was 150mm long, 135mm wide; ovary green 90mm long. The petals were crystalline white with a contrasting bright purple frilled lip with central yellow throat with purple striations. Dorsal sepal 85mm long, 25mm wide at widest, sepal 85mm long, 33mm wide at widest; petal 85mm long, 85mm wide. Lip 85mm long, 72mm wide; column white, 25mm long.

#### Bruguiera gymnorhiza

Botanical Certificate. Exhibited by the Royal Botanic Gardens, Kew, Surrey on April 6, 2004.

It was believed to be the first time this orange mangrove had flowered and set seed under glass. In the wild it occurs in brackish estuaries. The large elongated seeds germinate whilst still hanging on the tree, from where they fall and stick into the mud and grow into a tangled mass, gradually extending the shoreline. It needs to be grown in swamp conditions with a deep root run. The plant at Kew is currently a large shrub/small tree about 6m tall. Specimen [WSY0046139] and colour photograph [WSY0045513] in the RHS Herbarium (WSY).

#### Bulbophyllum grandiflorum 'Burnham'

Award of Merit. Exhibited by the Eric Young Orchid Foundation, Jersey on November 1, 2003. Description and colour picture in The Orchid Review 112: 10-13.

#### Calanthe Saint Brelade grex 'Trinity'

Certificate of Preliminary Commendation. Exhibited by the Eric Young Orchid Foundation, Jersey on November 1, 2003. Description and colour picture in The Orchid Review 112: 10-12.

#### Campanula autraniana

Award of Merit. Exhibited by Mr A R Furness, Hexham, Northumberland on June 18, 2005. For description see RHS Extracts from the Proceedings (2002). Further information and colour picture in *The Alpine Gardener* 73(4): 416. Specimen [WSY0072090] and photographic slide [WSY0073628] in the RHS Herbarium (WSY).

#### Campanula 'Cantata'

Certificate of Preliminary Commendation. Exhibited by Mr G Nicholls, Bath, Avon on June 19, 2004.

Herbaceous perennial,  $110 \times 200$ mm as exhibited. Stems 100mm, slender, leafy, hairless. Leaves towards base of stem spathulate, those towards apex narrowly elliptic, to  $17 \times 6$ mm, with 2-3 pairs of very shallow teeth, obtuse. Flowers c. 4/stem, held on erect pedicels c. 20mm long. Calvx c. 10mm long, teeth linear. loosely spreading. Corolla narrowly campanulate, 20 × 10mm, light violet (91A), hairy on lobes internally, facing out at anthesis (drooping in bud). Further information and colour picture in The Alpine Gardener 72(4): 437-8. Specimen [WSY0048216] and photographic slide [WSY0048217] in the RHS Herbarium (WSY).

#### Campanula myrtifolia 'Helmi'

Certificate of Preliminary Commendation. Exhibited by Dr & Mrs M Sheader, Bitterne, Hampshire, on June 18, 2005.

Perennial forming a neat cushion, 40 × 270mm as seen. Stems slender, muchbranched, erect, sparsely covered with short, patent, eglandular hairs. Leaves small to  $10 \times 5$ mm, ovate-elliptic, sessile or minutely stalked, mid green, strigulose.

Flowers to 5mm diameter, ovary top-shaped, calyx 5-lobed, sepals narrowly triangular separated to the base, strigulose. Corolla white, becoming pale blue on drying, tubular to 12mm long, lobed for the last third, lobes triangular, blunt-tipped, becoming reflexed; stamens 5, anthers 3mm, yellow; style included. Further information and colour picture in *The Alpine Gardener* **73**(4): 456-457.

#### Campanula thessala

Award of Merit. Exhibited by Mr & Mrs L Martin, Pevensey, East Sussex on June 18, 2005. For description see *RHS Extracts from the Proceedings* **124**: 110 (2000). Further information and colour picture in *The Alpine Gardener* **73**(4): 416-417. Specimen [WSY0072088] and photographic slide [WSY0073627] in the RHS Herbarium (WSY).

#### Catasetum incurvum 'Chantal'

Botanical Certificate. Exhibited by Mr M Hopkinson, Radcliffe-on-Trent, Nottinghamshire on October 2, 2004. Description and colour picture in *The Orchid Review* **113**: 57-8.

#### Cattleya intermedia (Ovata Group) 'Crownfox Jewel'

Award of Merit. Exhibited by RF Orchids, Homestead, Florida, USA on May 24, 2004. Description and colour picture in *The Orchid Review* **112**: 269-271.

#### Celmisia traversii

Certificate of Preliminary Commendation. Exhibited by Mr A R Furness, Hexham, Northumberland on September 20, 2003.

Leaves in a basal rosette, up to  $160 \times 43$ mm, blade elliptic, entire, obtuse at apex, gradually narrowed to a broadly winged petiole *c*. <sup>1</sup>/<sub>3</sub> length of blade, which has several shallow longitudinal pleats; upper surface pale green (189B), with apressed white hairs along midvein, the margins with a conspicuous rim of greyed orange (N167B) woolly indumentum; lower surface very densely woolly hairy, the hairs in lower stratum of indumentum pale yellowish, the upper layers greyed orange (N167B-C); lower side of petiole and main vein purple (N77C). Further information and colour picture in *The Alpine Gardener* **72**(4): 405-406. Specimen [WSY0046012] and photographic slide [WSY0048231] in the RHS Herbarium (**WSY**).

#### Chrysanthemum 'Action'

Certificate of Preliminary Commendation on September 17, 2003, Award of Merit on September 14, 2004. Submitted by Cleangro Ltd, Chichester, West Sussex. Charm: reflexed; bronze. Photographic slide [WSY0038735] in the RHS Herbarium (WSY).

#### Chrysanthemum 'Action Yellow'

Award of Merit. Submitted by Cleangro Ltd, Chichester, West Sussex on September 14, 2004. Charm: reflexed; yellow. Photographic slide [WSY0062287] in the RHS Herbarium (WSY).

#### Chrysanthemum 'Angela Cosimini'

Certificate of Preliminary Commendation. Exhibited by Mr P N Fraser, Blyth on September 17, 2004. Early-flowering outdoor intermediate: medium-flowered; light purple (69C).

#### Chrysanthemum 'Ashbrook'

Certificate of Preliminary Commendation. Exhibited by Mr F Charlton, Sunderland on September 10, 2004. Early-flowering outdoor intermediate: medium-flowered.

#### Chrysanthemum 'Axima White'

Certificate of Preliminary Commendation. Submitted by FlorElite Plants and Seeds, Thirsk, North Yorkshire on September 17, 2003.

#### Chrysanthemum 'Bob King'

Certificate of Preliminary Commendation. Exhibited by Mr R Jones, Clapham, Bedfordshire on September 17, 2004. Early-flowering outdoor intermediate: largeflowered; white (155B).

#### Chrysanthemum 'Braque'

Award of Merit. Submitted by Yoder Toddington, Littlehampton, West Sussex on September 30, 2003. Charm. Height to 450mm. Free-flowering, erect, compact sprays. Photographic slide [WSY0046593] in the RHS Herbarium (WSY).

#### Chrysanthemum 'Brierton Paul'

Certificate of Preliminary Commendation. Exhibited by Mr H Lawson, Hartlepool on November 15, 2003. Indoor single: medium-flowered; yellow.

#### Chrysanthemum 'Brierton Violet'

Certificate of Preliminary Commendation. Exhibited by Mr H Lawson, Hartlepool, Cleveland on October 30, 2003. October-flowering single: medium-flowered; cream (155D).

#### Chrysanthemum 'Bronze Boulevard'

Award of Merit. Submitted by Cleangro Ltd, Chichester, West Sussex on September 30, 2003. Photographic slide [WSY0038737] in the RHS Herbarium (**WSY**).

#### Chrysanthemum 'Boulevard Yellow'

Certificate of Preliminary Commendation. Submitted by Cleangro Ltd, Chichester, West Sussex on September 14, 2004. Charm: reflexed; yellow.

#### Chrysanthemum 'Burntwood Belle'

Certificate of Preliminary Commendation. Exhibited by Mr J Nevill, Burntwood, Staffordshire on November 4, 2004. Indoor incurved: large-flowered; white (155A).

#### Chrysanthemum 'Candy Floss'

Certificate of Preliminary Commendation. Exhibited by Mr R Coles, Raunds, Northamptonshire on November 19, 2004. Indoor single: medium-flowered; light pink (62C).

#### Chrysanthemum 'Caukeel Copper'

Certificate of Preliminary Commendation. Exhibited by Southway Nurseries on August 23, 2005. Early-flowering Outdoor Spray: reflexed; light bronze (163C).

#### Chrysanthemum 'Chicane'

Certificate of Preliminary Commendation. Submitted by Cleangro Ltd, Chichester, West Sussex on September 17, 2003. Charm. Photographic slide [WSY0038738] in the RHS Herbarium (**WSY**).

#### Chrysanthemum 'Conjuror'

Certificate of Preliminary Commendation. Submitted by Cleangro Ltd, Chichester, West Sussex on September 14, 2004. Photographic slide [WSY0064750] in the RHS Herbarium (WSY).

#### Chrysanthemum 'Coral Reef'

Certificate of Preliminary Commendation. Exhibited by Mr A Munday, Plymouth on November 4, 2004. Indoor, quill; bronze (167A).

#### Chrysanthemum Debonair ('Yodebo')

Certificate of Preliminary Commendation. Submitted by Yoder Toddington, Littlehampton, West Sussex on September 17, 2003. Charm: reflexed.

#### Chrysanthemum 'Dennis Cappleman'

Certificate of Preliminary Commendation. Exhibited by Mr H Lawson, Hartlepool on September 10, 2004. Early-flowering outdoor reflexed: medium-flowered; yellow.

#### Chrysanthemum 'Elegance'

Award of Merit. Submitted by H Walker on December 10, 2003. Indoor spray: reflexed; white. Photographic slide [WSY0056381] in the RHS Herbarium (WSY).

#### Chrysanthemum 'Felix Wade'

Certificate of Preliminary Commendation. Exhibited by Mr W B Wade, Leeds on October 30, 2003. October-flowering intermediate: large-flowered; light pink (76D).

#### Chrysanthemum 'Festive Ursula'

Certificate of Preliminary Commendation. Submitted by Yoder Toddington, Littlehampton, on September 14, 2004. Charm.

#### Chrysanthemum 'Foxtrot'

Award of Merit. Submitted by Cleangro Ltd, Chichester, West Sussex on September 14, 2004.

#### Chrysanthemum 'Gala Crimson'

Certificate of Preliminary Commendation. Submitted by Cleangro Ltd, Chichester, West Sussex on September 14, 2004.

#### Chrysanthemum 'Gladys'

Certificate of Preliminary Commendation. Exhibited by RHS Garden Wisley, on November 6, 2003. Indoor, Charm. Photographic slide [WSY0046448] in the RHS Herbarium (WSY).

#### Chrysanthemum Golden Marilyn ('Golden Yomarilyn')

Award of Merit. Submitted by Yoder Toddington, Littlehampton, West Sussex on September 30, 2003.

Charm. Vigorous, bushy plant to 380mm. Free-flowering in compact, erect sprays; thin stalks to 115mm. Double flowers to 57.5mm. Short blunt florets, deeper than yellow (12A), reverse yellow (12C). 50% flowering on 17/09/03. Photographic slide [WSY0046467] in the RHS Herbarium (**WSY**).

#### Chrysanthemum 'Grand Pink'

Certificate of Preliminary Commendation. Submitted by Yoder Toddington, Littlehampton, West Sussex on November 6, 2003. Indoor spray: single; pink. Photographic slide [WSY0046476] in the RHS Herbarium (**WSY**).

#### Chrysanthemum 'Harry Revill'

Certificate of Preliminary Commendation. Exhibited by Mr H Lawson, Hartlepool on September 10, 2004. October-flowering intermediate: medium-flowered; white.

#### Chrysanthemum 'Holbein'

Award of Merit. Submitted by Yoder Toddington, Littlehampton, West Sussex on September 30, 2003.

Charm. Height to 280mm. Free-flowering, in erect compact sprays, thin stalks to 40mm. Semi-double flowers to 35mm. Florets short, medium width, overlapping, blunt, flat, red-purple (70B), paler reverse. Disc yellow (13A). 50% flowering on 20/09/04. Photographic slide [WSY0046592] in the RHS Herbarium (**WSY**).

#### Chrysanthemum 'Iberia White'

Certificate of Preliminary Commendation. Submitted by FlorElite Plants and Seeds Ltd on November 6, 2003. Photographic slide [WSY0046444] in the RHS Herbarium (**WSY**).

#### Chrysanthemum 'Jessica Emily'

Certificate of Preliminary Commendation. Exhibited by Mr D Horn, Fleet, Hampshire on September 17, 2003. Early-flowering outdoor spray: single; pink. Specimen [WSY0043663] and photographic slide [WSY0043664] in the RHS Herbarium (**WSY**).

#### Chrysanthemum 'Joyce Fountain'

Award of Merit. Exhibited by Mr F Charlton, Sunderland on September 17, 2004. Early-flowering outdoor reflexed: large-flowered; red (60B).

#### Chrysanthemum 'Kenney Buglass'

Certificate of Preliminary Commendation. Exhibited by Mr H Lawson, Hartlepool on September 17, 2004. Early-flowering outdoor intermediate: medium-flowered; pink.

#### Chrysanthemum 'Lautrec'

Award of Merit on September 17, 2003 and First Class Certificate on September 14, 2004. Submitted by Yoder Toddington, Littlehampton, West Sussex.

Plant height 270mm, vigorous, compact and bushy. Free-flowering, inflorescences erect, in compact sprays. Thick stalks, 80-100mm. Single flower, width 60mm. Ray florets, long and medium to narrow, 28mm × 7mm, in whorls, blunt, overlapping, flat. Inner and outer florets red-purple (70B), reverse pale purple (near to 75C), deepening at margin to red-purple (70B). Disc 20mm, Yellow (12A). 50% flowering on 30/08/02. Photographic slide [WSY0046469] in the RHS Herbarium (**WSY**).

#### Chrysanthemum 'Lilian Shoesmith'

Certificate of Preliminary Commendation. Submitted by H Walker on November 6, 2003. Indoor intermediate: medium-flowered; light bronze. Photographic slide [WSY0046483] in the RHS Herbarium (**WSY**).

#### Chrysanthemum 'Lowry'

Award of Merit. Submitted by Yoder Toddington, Littlehampton, West Sussex on September 30, 2003. Photographic slide [WSY0046591] in the RHS Herbarium (WSY).

#### *Chrysanthemum* Lynn ('Yolynn')

Certificate of Preliminary Commendation on September 30, 2003 and Award of Merit on October 8, 2003. Submitted by Yoder Toddington, Littlehampton, West Sussex.

Charm: reflexed. Plant 400mm high, bearing flower stems 250mm long. Flowers 50mm diameter; outer florets pale purple (75B), inner florets red-purple (70A), reverse as inner. Flowering from 20 September 1999. A short growing 'bush type' chrysanthemum: an excellent plant for the front of the border or patio tub. Photographic slide [WSY0046455] in the RHS Herbarium (**WSY**).

#### Chrysanthemum 'Majorette'

Award of Merit. Submitted by Cleangro Ltd, Chichester, West Sussex on September 30, 2003. Photographic slide [WSY0046597] in the RHS Herbarium (**WSY**).

#### Chrysanthemum 'Margaret Dixon'

Certificate of Preliminary Commendation. Exhibited by Mr D Horn, Fleet, Hampshire on September 17, 2003. Early-flowering outdoor spray: anemone; dark pink. Photographic slide [WSY0046459] in the RHS Herbarium (**WSY**).

#### Chrysanthemum 'Marilyn'

Certificate of Preliminary Commendation. Submitted by Yoder Toddington, Littlehampton, West Sussex on September 14, 2004. Charm.

#### Chrysanthemum 'Mary's Miracle'

Certificate of Preliminary Commendation. Exhibited by Mr J Nevill, Burntwood, Staffordshire on September 10, 2004. Early-flowering outdoor reflexed: large-flowered; pink.

#### Chrysanthemum 'Masonic Sunset'

Certificate of Preliminary Commendation. Exhibited by Mr H Lawson, Hartlepool on October 30, 2003. Indoor single: large-flowered; light bronze (171D).

#### Chrysanthemum 'Mermaid Yellow'

Award of Merit. Submitted by Cleangro Ltd, Chichester, West Sussex on September 30, 2003.

Compact, vigorous plant to 290mm. Free-flowering, erect, compact sprays. Thin stalks to 70mm. Double flowers to 59mm. Florets  $28 \times 7$ mm, long, medium width, overlapping, pointed and flat, yellow (7B), reverse yellow (8C to D). 50% flowering 22/9/03. Photographic slide [WSY0046370] in the RHS Herbarium (**WSY**).

#### Chrysanthemum 'Muriel Odell'

Certificate of Preliminary Commendation. Exhibited by Mr R Coles, Raunds, Northamptonshire on November 4, 2004. Indoor single: medium-flowered; cream (4D).

#### Chrysanthemum 'Muxton Sable'

Certificate of Preliminary Commendation. Exhibited by Mr W Farr on November 15, 2003. Indoor, spider; light bronze.

30

#### Chrysanthemum 'My Patricia'

Certificate of Preliminary Commendation. Exhibited by Southway Nurseries, Cottingham, East Yorkshire on September 17, 2004. Early-flowering outdoor spray: reflexed; light salmon (27C).

#### Chrysanthemum 'Myss Marion'

Certificate of Preliminary Commendation. Exhibited by Southway Nurseries, Cottingham, East Yorkshire on September 10, 2004. Early-flowering outdoor spray: reflexed; cream.

#### Chrysanthemum 'Myss Saffron'

Certificate of Preliminary Commendation. Exhibited by Southway Nurseries, Cottingham, East Yorkshire on September 10, 2004. Early-flowering outdoor spray: reflexed; yellow.

#### Chrysanthemum 'Ostra Yellow'

Certificate of Preliminary Commendation. Submitted by FlorElite Plants and Seeds Ltd on November 6, 2003. Photographic slide [WSY0046446] in the RHS Herbarium (WSY).

#### Chrysanthemum 'Padre Lilac'

Certificate of Preliminary Commendation. Submitted by FlorElite Plants and Seeds, Thirsk, North Yorkshire on September 30, 2003.

#### Chrysanthemum 'Padre Orange'

Certificate of Preliminary Commendation. Submitted by FlorElite Plants and Seeds, Thirsk, North Yorkshire on September 30, 2003.

#### Chrysanthemum 'Pam'

Certificate of Preliminary Commendation. Exhibited by Mr D Horn, Fleet, Hampshire on September 17, 2003. Early-flowering outdoor intermediate: mediumflowered; white. Photographic slide [WSY0046460] in the RHS Herbarium (WSY).

#### Chrysanthemum 'Peach Cassandra'

Award of Merit. Submitted by Collinwood nurseries on December 10, 2003. Indoor intermediate: medium-flowered; light bronze. Photographic slide [WSY0056383] in the RHS Herbarium (**WSY**).

#### Chrysanthemum 'Pitstop'

Award of Merit. Submitted by Cleangro Ltd, Chichester, West Sussex on September 30, 2003. Charm. Photographic slide [WSY0046590] in the RHS Herbarium (WSY).

#### Chrysanthemum 'Polar Gem'

Certificate of Preliminary Commendation. Submitted by H Walker on November 6, 2003. Indoor incurved: large-flowered; white. Photographic slide [WSY0046482] in the RHS Herbarium (**WSY**).

#### Chrysanthemum 'Popcorn'

First Class Certificate. Submitted by Cleangro Ltd, Chichester, West Sussex on September 30, 2003.

Charm: single. Vigorous, compact plant, spherical habit to 440mm. Free-flowering, erect, compact sprays. Thin stalks to 60mm. Flower to 40mm, short, narrow florets, overlapping, blunt, flat, yellow (9A), reverse yellow (8A), disc 11mm, yellow (13A). 50% flowering 25/9/03. Photographic slide [WSY0046596] in the RHS Herbarium (WSY).

#### Chrysanthemum 'Princess Anne Pink'

Certificate of Preliminary Commendation. Submitted by Collinwood nurseries on November 6, 2003. Indoor reflexed: medium-flowered; pink. Photographic slide [WSY0046485] in the RHS Herbarium (WSY).

#### Chrysanthemum 'Purple Inspiration'

Certificate of Preliminary Commendation. Exhibited by Mr R Coles, Raunds, Northamptonshire on November 19, 2004. Indoor single: medium-flowered; purple (71B).

#### Chrysanthemum 'Raymond Seymour'

Certificate of Preliminary Commendation. Exhibited by Mr H Lawson, Hartlepool on September 10, 2004. Early-flowering outdoor incurved: medium-flowered; light bronze.

#### Chrysanthemum 'Rembrandt'

Award of Merit. Submitted by Yoder Toddington, Littlehampton, West Sussex on September 14, 2004. Photographic slide [WSY0064753] in the RHS Herbarium (WSY).

#### Chrysanthemum 'Renoir'

Award of Merit. Submitted by Yoder Toddington, Littlehampton, West Sussex on September 30, 2003. Photographic slide [WSY0046595] in the RHS Herbarium (WSY).

#### Chrysanthemum 'Rio Yellow'

Award of Merit. Submitted by Cleangro Ltd, Chichester, West Sussex on September 30, 2003. Photographic slide [WSY0046589] in the RHS Herbarium (**WSY**).

#### Chrysanthemum Rose Pink Debonair ('Rosepink Yodebo')

Award of Merit. Submitted by Yoder Toddington, Littlehampton, West Sussex on September 14, 2004. Charm: reflexed.

#### Chrysanthemum 'Sheila Harris'

Certificate of Preliminary Commendation. Exhibited by Mr G Freestone, Nuneaton, Warwickshire on November 4, 2004. Indoor incurved: medium-flowered; bronze (164C).

#### Chrysanthemum 'Southway Summit'

Certificate of Preliminary Commendation. Exhibited by Southway Nurseries, Cottingham, East Yorkshire on September 10, 2004. Early-flowering outdoor spray: single; light bronze.

#### Chrysanthemum 'Staffordshire Yeoman'

Certificate of Preliminary Commendation. Exhibited by Mr J Nevill, Burntwood, Staffordshire on October 30, 2003. Indoor medium (exhibition); light yellow (8B).

#### Chrysanthemum 'Starburst'

Certificate of Preliminary Commendation. Exhibited by Mr W R Fulton, Woodley, Berkshire on November 9, 2004. Indoor single: medium-flowered; light salmon.

#### Chrysanthemum 'Stubbins Glory'

Certificate of Preliminary Commendation. Exhibited by Miss A Brook, Wetherby, West Yorkshire on November 19, 2004. Indoor single: medium-flowered; light purple (59D).

#### Chrysanthemum 'Sunny Ursula'

Certificate of Preliminary Commendation. Submitted by Yoder Toddington, Littlehampton, West Sussex on September 14, 2004. Charm.

#### Chrysanthemum 'Syllabub'

Award of Merit. Submitted by Cleangro Ltd, Chichester, West Sussex on September 17, 2003.

Vigorous, compact cushion 'mum' to 395mm. Free-flowering, erect, compact sprays. Thin stalks. Single flowers to 54mm. Ray florets long and medium width, overlapping, blunt and spooned, red-purple (deeper than 71C), reverse paler (N74D). Disc 15mm, yellow 13B. 50% flowering 17/9/03. Photographic slide [WSY0046470] in the RHS Herbarium (**WSY**).

#### Chrysanthemum 'Tightrope'

Award of Merit. Submitted by Cleangro Ltd, Chichester, West Sussex on September 17, 2003.

Vigorous, compact, plant to 320mm, neat spherical habit. Free-flowering, erect compact sprays. Thin stalks to 110mm. Single flowers, 35-40mm diameter. Florets  $20 \times 5$ mm, short, medium width, overlapping, blunt and flat, ray florets white, reverse white with a slight yellow tint. Disc 14mm, yellow-orange (17C). 50% flowering 19/9/03. Photographic slide [WSY0046471] in the RHS Herbarium (WSY).

#### Chrysanthemum 'Tinseltown'

Award of Merit. Submitted by Cleangro Ltd, Chichester, West Sussex on October 8, 2003.

Plant to 300mm, vigorous, compact, neat habit. Free-flowering, erect in compact sprays. Stalks thin, to 70mm long. Flower heads to 48mm, single. Florets  $17 \times 4$ mm, short and narrow, overlapping, pointed, flat. Outer florets near red-purple (60C), disc 14mm, near yellow (13A). Photographic slide [WSY0046453] in the RHS Herbarium (WSY).

#### Chrysanthemum 'Trident'

Certificate of Preliminary Commendation. Exhibited by Mr J Nevill, Burntwood, Staffordshire on November 19, 2004. Indoor medium (exhibition); light bronze (16C).

#### Chrysanthemum 'Ursula'

Certificate of Preliminary Commendation. Submitted by Yoder Toddington, Littlehampton, West Sussex on September 14, 2004. Charm.

#### Chrysanthemum 'Vibrant'

Certificate of Preliminary Commendation. Submitted by H Walker on December 10, 2003. Indoor spray: reflexed; yellow.

#### Chrysanthemum Vicki ('Yovicki')

Award of Merit. Submitted by Yoder Toddington, Littlehampton, West Sussex on October 8, 2003. Photographic slide [WSY0046457] in the RHS Herbarium (**WSY**).

#### Chrysanthemum 'White Fresco'

Award of Merit. Submitted by Yoder Toddington, Littlehampton, West Sussex on November 6, 2003. Indoor spray; white. Photographic slide [WSY0046478] in the RHS Herbarium (**WSY**).

#### Chrysanthemum 'Yellow Celebrity'

Certificate of Preliminary Commendation. Submitted by Cleangro Ltd, Chichester, West Sussex on September 17, 2003. Photographic slide [WSY0038704] in the RHS Herbarium (WSY).

#### Chrysanthemum 'Yellow Pitstop'

Award of Merit. Submitted by Cleangro Ltd, Chichester, West Sussex on September 30, 2003. Charm.

#### **Clematis longicauda**

Award of Merit. Exhibited by the Royal Botanic Gardens, Kew on April 12, 2005. Further information in *The Plantsman* n.s. 4(4):239. Specimen [WSY0066129] and photographic slide [WSY0066130] in the RHS Herbarium (WSY).

#### Conophytum pellucidum 'Argent'

Certificate of Preliminary Commendation. Exhibited by Dr & Mrs T Smale on August 24, 2004.

This is a single clone that was selected, by Messrs Smale & Hammer, for its velvety brown leaves, which retain their colour through the winter, and its pure white flowers (*C. pellucidum* generally has flowers with a yellow centre).

#### Conophytum pellucidum 'Makin's Plum'

Certificate of Preliminary Commendation. Exhibited by Dr & Mrs T Smale on August 24, 2004. The discovery of a single red-bodied plant in the wild by Mr B Makin has led to this stable seed strain.

#### Corydalis henrikii

Certificate of Preliminary Commendation. Exhibited by the Royal Botanic Gardens, Kew, Surrey on January 18, 2005.

Tuberous, perennial herb, stems around 120mm long at anthesis, usually with two branches, glabrous, striate, somewhat angular. Leaves rather greyish-green (closest to 138B), glabrous, petiole to 25mm, 3 or 4 times ternately divided, leaflets deeply cleft into minutely mucronate lobes each up to  $4\text{mm} \times 1.5\text{mm}$ . Flowers borne in racemes of up to 15 flowers. Bracts to 8mm, sessile to minutely stalked, flabellate and divided into usually more or less equal segments. Pedicels thread-like to 25mm. Corolla pale purplish-pink (76A) fading to pale pink (76C) and white as it broadens. Spur to 20mm long, curved, slender, tapering. Upper and lower petals expanded to around 5mm, upper petal bi-lobed, lower petal emarginate. Inner petals to about 10mm long, white, with dark red tip (71A). Further information and colour picture in *The Alpine Gardener* **73**(4): 424-426. Specimen [WSY0075396] in the RHS Herbarium (WSY).

#### Corydalis 'Kingfisher'

Award of Merit. Exhibited by Dr & Mrs K Lever, Colwyn Bay on April 2, 2005.

Perennial herb, stems ascending to 120mm at anthesis, glabrous, striate, yellowishgreen. Basal leaves glabrous, glaucous green,  $c. 45 \times 35$ mm, bi-ternate, the divisions strongly and unevenly lobed, the lobes minutely apiculate. Flowers borne in fewflowered racemes. Bracts large, leaf-like and deeply lobed, becoming progressively

shorter, narrower and less lobed towards the apex of the raceme. Pedicels slender *c*. 15mm. Corolla *c*. 24mm long, deep blue (100B). Spur stout, straight, abruptly curved at the tip. Upper petals hooded, lower petals slightly longer, becoming reflexed. Inner petals creamy white with a dark tip. Further information in *The Plantsman* n.s. **4**(4): 240-1 and in *The Alpine Gardener* **73**(4): 408-410. Specimen [WSY0066119] in the RHS Herbarium (WSY).

## Corydalis sewerzowii

Award of Merit. Exhibited by Mr I L Betteridge, Ashby-de-la-Zouch on February 26, 2005.

Tuberous perennial herb, stems ascending to 140mm at anthesis, unbranched, glabrous, striate, somewhat angular, yellowish-green. Cauline leaves, alternate, grey-green, bloomed on the under-surface, entire, sessile, ovate to broad elliptic, 18  $\times$  11mm, with a small, pointed, purple tip. Flowers borne in few-flowered racemes. Bracts large, similar to cauline leaves, exceeding the pedicels. Pedicels slender to 8mm. Corolla large to 38mm, bright yellow (14B or 14C) flushed with brown on the spur. Spur stout, incurved and obtuse. Upper and lower petals more or less same length, the upper hooded, the lower becoming strongly reflexed. Inner petals to *c*. 10mm with a dark red tip. Further information and colour picture in *The Alpine Gardener* **73**(4): 408-410. Specimen [WSY0062796] and photographic slide [WSY0073709] in the RHS Herbarium (**WSY**).

### Crocus gilanicus

Certificate of Preliminary Commendation. Exhibited by Mr A M Edwards, Dorking, Surrey on October 16, 2004.

Cormous perennial, 60mm at anthesis, hysteranthous. Flowers solitary, perianth tubular below; perianth segments 6, more or less equal, to  $30 \times 8$ mm, narrowly elliptic, very shortly and bluntly acuminate, lavender (92B) becoming creamy at the base; throat cream, glabrous; tube  $28 \times 2$ mm, creamy-white; filaments to 5mm long, glabrous; anthers 7mm long, yellow; style 20mm, exceeding the anthers. Further information and colour picture in *The Alpine Gardener* **73**(4): 423-424. Specimen [WSY0047245] and photographic slide [WSY0047246] in the RHS Herbarium (WSY).

## Crocus minimus 'Bavella'

Award of Merit. Exhibited by Mr A M Edwards, Dorking, Surrey on March 20, 2004. Described in *RHS Extracts from the Proceedings*, **124**: 111 (2000). Further information in *The Alpine Gardener* **72**(4): 395-396. Specimen [WSY0046511] and photographic slide [WSY0046584] in the RHS Herbarium (WSY).

### Crocus serotinus subsp. salzmannii f. albus 'El Torcal'

First Class Certificate. Exhibited by Mr R Rolfe, West Bridgford, Nottinghamshire on October 16, 2004.

36

Cormous perennial, 120mm at anthesis, synanthous. Leaves several, glabrous,  $110 \times 1.5$ mm, dark green with greyish-green line along midvein. Flowers solitary, perianth tubular below with 6 equal segments to  $40 \times 15$ mm, elliptic-obovate, shortly blunt-acuminate, white, veins faintly pigmented; throat pubescent; tube to 70mm, white; bract hyaline, greenish-white to 35mm; filaments 7mm long, cream; anthers to 19mm long, yellow; style orange-red, thread-like, branched, almost equalling the anthers. Further information and colour picture in *The Alpine Gardener* **73**(4): 403-404. Specimen [WSY0048066] and photographic slide [WSY0048067] in the RHS Herbarium (WSY).

# × Cycnodes Jumbo Micky grex 'Chantal'

Award of Merit. Exhibited by Mr M Hopkinson, Radcliffe-on-Trent, Nottinghamshire on October 2, 2004. Description and colour picture in *The Orchid Review* **113**: 57. Specimen [WSY0061187] in the RHS Herbarium (WSY).

## × Cycnodes Wine Delight grex 'Jem'

First Class Certificate. Exhibited by Mr M Hopkinson, Radcliffe-on-Trent, Nottinghamshire on November 1, 2003. Description and colour picture in *The Orchid Review* **112**: 8-10.

## Cymbidium Avalanches grex 'Jersey'

Award of Merit. Exhibited by the Eric Young Orchid Foundation, Jersey on February 17, 2004. Description in *The Orchid Review* **112**: 139.

# Cymbidium Avranches grex 'Saint Helier'

Award of Merit. Raised and exhibited by the Eric Young Orchid Foundation, Jersey on March 22, 2005. Description and colour picture in *The Orchid Review* **113**: 179-80. Specimen [WSY0073439] and photographic slide [WSY0073440] in the RHS Herbarium (**WSY**).

### Cymbidium Avranches grex 'Victoria Village'

Award of Merit. Exhibited by the Eric Young Orchid Foundation, Jersey on April 27, 2004. Description and colour picture in *The Orchid Review* **112**: 265-6.

# Cymbidium Coupe Point grex 'Trinity'

Award of Merit. Exhibited by the Eric Young Orchid Foundation, Jersey on January 20, 2004. Description and colour picture in *The Orchid Review* **112**: 137-8.

#### Cymbidium Mourier Point grex 'Victoria Village'

Award of Merit. Raised and exhibited by the Eric Young Orchid Foundation, Jersey on March 13, 2005.

The cut spike exhibited had twelve open yellow-green flowers with good substance; petals and sepals had faint red striations merging to red blotch at base. Overall flower size 140mm long, 150mm wide. Dorsal sepal 70mm long, 52mm wide, sepal 70mm long, 48mm wide; petal 75mm long, 47mm wide. Lip edged white speckled

deep red, callus yellow, 60mm long, 48mm wide, 45mm deep; column red-white, spotted red below, 42mm long; ovary green 62mm long.

## Cymbidium Orchid Answers Yowie grex 'Chichester'

Award of Merit. Exhibited by Orchid Answers, Chichester, West Sussex on January 20, 2004. Description in *The Orchid Review* **112**: 138.

## Cymbidium Victor Hugo grex 'Havre Des Pas'

Award of Merit. Raised and exhibited by the Eric Young Orchid Foundation, Jersey on February 15, 2005. Description and colour picture in *The Orchid Review* **113**: 179.

# Cynorkis gigas 'Tideswell'

Award of Merit and Botanical Certificate. Exhibited by Mr J Hermans, Enfield, Middlesex on August 27, 2005. Description and colour picture in *The Orchid Review* **113**: 355.

#### Cypripedium parviflorum var. pubescens

Award of Merit. Exhibited by Dr C Lafong, Glenrothes, Fife on May 15, 2004.

Rhizomatous perennial with stems to 220mm. Leaves more or less alternate, 4/stem, sheathing at the base, pleated, downy-hairy (like the stems); the one leaf-like bract lanceolate,  $50 \times 15$ mm, acute. Flowers solitary; dorsal sepal *c*. 30 to 5mm, ventral sepal *c*.  $30 \times 10$ mm, both slightly twisted, pubescent at base; petals 2, spreading, linear-lanceolate, up to  $50 \times 5$ mm, twisted, pubescent at base; sepals and petals greyish-red (176A); labellum *c*. 33mm long, deeply pouched, with a small, ovate aperture 8mm wide with crenulate, rolled back margins, vivid yellow (12A), with red spots and streaks inside. Further information in *The Alpine Gardener* **72**(4): 400-1. Specimen [WSY0047767] in the RHS Herbarium (**WSY**).

## Cyrtanthus falcatus

Certificate of Preliminary Commendation. Exhibited by Mr A M Edwards, Dorking, Surrey on April 12, 2005.

Bulbous perennial. Leaves c.  $290 \times 33$ mm at anthesis, falcate, blunt-tipped, grooved but without obvious midrib, glabrous. Stem to c. 380mm, erect, abruptly curved at apex like the handle of an umbrella, thick, succulent and glabrous, pale at base becoming purple and brown further up. Flowers held in a pendulous umbel. Bracts papery, triangular, c.  $30 \times 15$ mm. Pedicels thick, fleshy, greenish-purple. Perianth trumpet-shaped, c.  $60 \times 12$ mm, fleshy. Exterior of tube orangey with paler and darker markings giving an overall impression of salmon-peach (31B), interior white striped red with a dark purple ring at the point where the lobes are met; lobes triangular c.  $7 \times 9$ mm, greenish. Ovary large, fleshy, green; stigma small, style slender; filaments inserted at base of lobes, anthers bright yellow. Further information and colour picture in *The Alpine Gardener* **73**(4): 444-446. Specimen [WSY0073449] and photographic slide [WSY0073450] in the RHS Herbarium (WSY).

## Dactylorhiza Madonna grex 'Sweetcorn'

Certificate of Preliminary Commendation. Exhibited by Dr C Lafong, Glenrothes, Fife, on May 7, 2005.

Rhizomatous perennial to 380mm tall. Stems single with up to 8 alternate leaves per stem. Leaves ovate to lanceolate with 3 strong parallel veins. Raceme dense to 100mm with 40-50 flowers. Flowers *c*. 15mm wide, lateral sepals  $8 \times 3$ mm and central petal 9mm long, lip 3-lobed, yellow (4D), spotted purple (59A). Further information in *The Alpine Gardener* **73**(4): 448-449.

# Dahlia 'Brian's Dream'

Award of Merit. Submitted by Mr B King, Blaby, Leicestershire on August 25 2004. Miniature Decorative. Inflorescence 95mm in diameter, florets cream (155D) at base, merging to pink (75C) at tips.

## Dahlia 'Kelsea Carla'

Award of Merit. Submitted by Mr D Walker, Borehamwood, Hertfordshire on August 25 2004. Small Semi-cactus. Inflorescence 130mm in diameter, florets pink (70C) with yellow (12A) blends particularly towards the centre.

# Dahlia 'Marston Lilac'

Award of Merit. Submitted by Mr F B Taylor, Taylor's Dahlias, Sale, Cheshire on October 2, 2003. Miniature decorative, flower diameter 80mm, flower colour bright purple-pink (closest to 74A).

# Dahlia 'Mary's Jomanda'

Award of Merit. Submitted by Mr D Houghton, Askam-in-Furness, Cumbria on October 2, 2003. Miniature Ball. Flower diameter 95mm, petals brilliant pink (67B), lower petals turning paler (63D), streaked with brilliant pink (67B). Photographic slide [WSY0064732] in the RHS Herbarium (**WSY**).

# Dahlia 'Pacific Revival'

Award of Merit. Submitted by Mr J Wheatley, Bristol, Avon on September 22, 2004. Pompon. Inflorescence 40mm in diameter, inner florets pale pink (73D) with an arrow-shaped purple marking (72B); outer florets fading to white.

## Dahlia 'Pearson's Benn'

Award of Merit. Submitted by Mr G Carey, Blackwood, Gwent on August 25, 2004. Small Semi-cactus. Inflorescence 140mm in diameter, florets red (45B).

# Dahlia 'Primrose Diane'

Award of Merit. Submitted by Mr D Walker, Borehamwood, Hertfordshire on August 25, 2004. Small Decorative. Inflorescence 120mm in diameter, florets yellow (1B).

## Dahlia 'Rhonda Suzanne'

Award of Merit. Submitted by Mr D Kent, Surrey Dahlias, Ashvale, Surrey on August 16, 2005. Pompon-flowered. Inflorescence 40mm in diameter, florets deep pink (closest to 72A) at the apex becoming very pale pink, yellow at the base, reverse white.

## Dahlia 'Trengrove Millennium'

Award of Merit. Submitted by Winchester Growers Ltd, Penzance, Cornwall on September 9, 2004. Miniature Decorative. Inflorescence 155mm in diameter, florets yellow (4B).

## Dahlia 'Wanda's Antares'

Award of Merit. Submitted by Mr L R Wright, Orsett, Essex on September 9, 2004. Large-flowered Decorative. Inflorescence 240mm in diameter, florets red (42A), darker in the centre (45A) with white blends.

# Dahlia 'Weston Tea Time'

Award of Merit. Submitted by Mr R Ainslie, Pitlessie, Fife on August 30, 2005. Miniature Cactus. Inflorescence 110mm in diameter, florets apricot (48A) merging to yellow (5B) at the base.

## Daphne cneorum var. pygmaea 'Alba'

Certificate of Preliminary Commendation. Exhibited by Mr C Lafong, Glenrothes, Fife on May 7, 2005.

Dwarf shrub to  $80\text{mm} \times 300\text{mm}$  as seen. Prostrate, branching. Leaves alternate lanceolate  $18 \times 6\text{mm}$ . Flowers fragrant, white (155D) 8-10mm long  $\times 10\text{mm}$  across in terminal cluster of 6-12 flowers. Further information and colour picture in *The Alpine Gardener* **73**(4): 449-450. Specimen [WSY0072094] in the RHS Herbarium (WSY).

## Daphne × hendersonii 'Kath Dryden'

Award of Merit. Exhibited by Mrs K N Dryden, Sawbridgeworth, Hertfordshire on April 12, 2005.

Compact evergreen shrub. Shoots angled, red-brown; some appressed, white, eglandular hairs evident especially round the nodes. Leaves densely clustered, alternate, narrowly oblanceolate, to  $16 \times 3$ mm, obtuse at apex, lacking a stalk but tapered to the base, dark green and somewhat glossy on upper surface, paler on underside except at margins and along the midrib. Flowers in terminal clusters of *c*. 5. Hypanthium narrowly tubular,  $9 \times 2$ mm, purplish-red (61A) but densely

40

covered in appressed white hairs; lobes broadly elliptic to suborbicular, deep pink (68A) marked deep purplish-red (61A) near to the lobe auricles and on the reverse. Further information and colour picture in *The Alpine Gardener* **73**(4): 413-414. Specimen [WSY0066135] in the RHS Herbarium (WSY).

## Daphne × hendersonii 'Solferino'

Award of Merit. Exhibited by Mr A R White, Blackthorn Nursery, Alresford, Hampshire on April 17, 2004.

Evergreen shrub,  $80 \times 140$ mm as exhibited. Shoots angled, reddish-brown; with numerous, appressed or loosely spreading, white, eglandular hairs. Leaves alternate, oblanceolate,  $12-18 \times 4.0-4.5$ mm, obtuse and mucronate at apex, not stalked but tapered to the base, margins recurved, hairless, moderate olive green (137A), more clustered towards apex of shoots. Flowers in terminal clusters of *c*. 6. Hypanthium narrowly tubular,  $10 \times 2$ mm, densely covered in appressed or loosely spreading, white hairs; sepals narrowly to broadly elliptic, *c*. 4mm long, obtuse, strong purplish-pink (63C) in bud, fading to very pale purple (69C) on opening. Further information and colour picture in *The Alpine Gardener* **72**(4): 397-398. Specimen [WSY0046538] and photographic slide [WSY0070119] in the RHS Herbarium (WSY).

### Daphne gemmata

Certificate of Preliminary Commendation. Exhibited by Mrs K N Dryden, Sawbridgeworth, Hertfordshire on April 12, 2005.

Spreading evergreen shrub, 450mm high as seen. Leaves green, glabrous, obovate to elliptic-cuneate, minutely mucronate with a short slender petiole, to  $30 \times 10$ mm. Stems with covering of short, white, soft, eglandular hairs. Flowers without fragrance, borne in dense terminal clusters. Hypanthium narrowly tubular to  $10 \times 1.5$ mm, greenish-yellow, diffusing to the lobes; lobes  $4 \times 3$ mm, inrolled at the edges forming a hood, golden-yellow (12A). Further information and colour picture in *The Alpine Gardener* **73**(4): 443-444. Specimen [WSY0066136] in the RHS Herbarium (WSY).

# Daphne petraea 'Cima Tombea'

Certificate of Preliminary Commendation. Exhibited by Mr I Robertson, Shaftesbury, Dorset on April 17, 2004.

Evergreen shrub,  $50 \times 180$ mm as exhibited. Shoots angled, dark reddish-brown, with sparse, appressed or loosely spreading, white, eglandular hairs. Leaves alternate, narrowly obovate to oblanceolate,  $5-9 \times 2.0-2.5$ mm, obtuse and sometimes bluntly apiculate, margins flat, hairless, tapered below to a short purple petiole *c*.1mm long, dark bluish-green (133A). Flowers in small terminal heads (of *c*.3 flowers). Hypanthium narrowly tubular, *c*. 10 × 2.0-2.5mm, densely covered in short, white, often wavy, spreading to appressed hairs; sepals broadly ovate, *c*. 3mm

long, strong purplish-red (71D). Further information and colour picture in *The Alpine Gardener* **72**(4): 419-20. Specimen [WSY0046528] and photographic slide [WSY0070120] in the RHS Herbarium (**WSY**).

### Daubenya aurea var. coccinea

Certificate of Preliminary Commendation. Exhibited by the Royal Botanic Gardens, Kew, Surrey on February 15, 2005.

Bulbous perennial. Leaves two, strap-shaped, tapering at either end, acute,  $100 \times 45$ mm, dark green, glabrous, veins channelled. Flowers borne on a compact corymb subtended by two ranks of obovate bracts, pale yellow (4C) flushed with red at the tips, the outer *c*.  $30 \times 20$ mm, the inner smaller. Peduncle not visible. Pedicels stout to 5mm. Flowers bright red (closest to 43A), those on the outside 2-lipped, lower lip with three lobes the central of which is largest, to  $40 \times 15$ mm; upper lip three-lobed, each lobe linear, to  $4 \times 1.5$ mm. Inner flowers almost regular with linear perianth segments to 3mm. Stamens prominent; filaments to 5mm, anthers oblong to 3mm, bright yellow (13A). Further information and colour picture in *The Alpine Gardener* **73**(4): 428-430. Photographic slide [WSY0075394] in the RHS Herbarium (WSY).

## Dendrobium chrysocrepis 'Herrenhausen'

Botanical Certificate. Exhibited by Herrenhausen Garden, Hanover, Germany on June 25, 2005. Description and colour picture in *The Orchid Review* **113**: 297-8.

# Dianthus 'Anders Victoria Turner'

Certificate of Preliminary Commendation. Raised by Mr A Derrick, Kingston-upon-Hull, Yorkshire and exhibited by Mr B Gamble, Welton, East Yorkshire on July 12, 2005. Garden pink: purplish-pink ground with deep purplish-red flecks.

## Dianthus brevicaulis

Certificate of Preliminary Commendation. Exhibited by Mr A R Furness, Hexham, Northumberland on May 15, 2004.

Perennial forming a domed clump,  $60 \times 190$ mm as exhibited. Leaves linearlanceolate, blade *c*.  $11 \times 1$ mm, acute at apex, with a conspicuous midvein and submarginal veins below, margins with numerous, very small, short, spreading teeth; leaf broadens considerably below to clasp the stem. Flowering stems *c*. 35mm tall, with several pairs of leaves. Epicalyx segments 4, up to 12mm long, abruptly contracted into a long acuminate apex, lower parts with a broad hyaline margin. Calyx *c*. 15mm long, green, teeth with hyaline margins and pale veins. Flowers *c*. 15mm wide, deep purplish-pink (72D), margins shortly and irregularly toothed, upper surface sparsely hairy. Further information and colour picture in *The Alpine Gardener* **72**(4): 432-3. Specimen [WSY0046531] and photographic slide [WSY0047042] in the RHS Herbarium (**WSY**).

## **Dianthus** 'Camilla West'

Award of Merit. Exhibited by Mr Woodfield, Stratford-upon-Avon, Warwickshire on July 17, 2004. Perpetual-flowering carnation: pale pink.

## **Dianthus** 'Chesswood Phil Dalby'

Award of Merit. Exhibited by raised by Mr D Cottam, Colne, Lancashire on July 12, 2005. Border carnation: white ground, edged pink.

## **Dianthus** 'Clifford Princess'

Certificate of Preliminary Commendation. Exhibited by Mr Woodfield, Stratfordupon-Avon, Warwickshire on May 24, 2004. Perpetual-flowering carnation: crimson.

# Dianthus 'Eleanor Parker'

Certificate of Preliminary Commendation. Exhibited by Mr B Burrow, Lancaster on April 17, 2004.

Perennial forming a tight clump,  $20 \times 90$ mm as exhibited. Flowers *c*.  $15 \times 10$ mm, rounded, solitary. Epicalyx segments up to 8mm long, elliptic, abruptly narrowed to an acuminate apex, upper margins hyaline and tinged purple. Calyx *c*. 11mm long, with conspicuous longitudinal veins, teeth shortly ciliate, green flushed purple above. Petals sugar-pink, slightly darker in bud, margins entire. Further information and colour picture in *The Alpine Gardener* **72**(4): 424-425. Specimen [WSY0046539] and photographic slide [WSY0047044] in the RHS Herbarium (WSY).

# Dianthus 'Olive Tolley'

Certificate of Preliminary Commendation. Exhibited by Mr Woodfield, Stratfordupon-Avon, Warwickshire on July 17, 2004. Perpetual-flowering carnation: salmonpink.

# Dianthus 'Sutton Brierley Grace'

Award of Merit. Raised by Mr M Newby, Sutton-in-Ashfield and exhibited by Mr A Derrick, Kingston-upon-Hull, Yorkshire on July 12, 2005. Garden pink: pink ground, with a crimson eye. Photographic slide [WSY0051732] in the RHS Herbarium (**WSY**).

# Dianthus 'Sutton Olivia Newby'

Award of Merit. Raised and exhibited by Mr M Newby, Sutton-in-Ashfield on June 21, 2005. Garden pink: white self.

# Dicentra 'King of Hearts'

Award of Merit. Exhibited by Mr C Lafong, Glenrothes, Fife on May 7, 2005.

Plant to 250mm, clump forming. Leaves bipinnatifid to 120mm, leaflets opposite then alternate with each leaflet deeply toothed. 6-16 flowers in each raceme. Flowers

15mm across  $\times$  25mm long, pink (63B) with calyx and petal tip (59A) in racemes up to 250mm tall. Further information in *The Plantsman* n.s. **4**(4): 241 and in *The Alpine Gardener* **73**(4): 414. Specimen [WSY0072096] in the RHS Herbarium (WSY).

# Dionysia bazoftica

Certificate of Preliminary Commendation. Exhibited by Mr & Mrs P Ranson, Chippenham, Wiltshire on March 13, 2004.

Cushion-forming perennial,  $20 \times 70$ mm as exhibited. Leaves in loose basal rosettes, 8-9 × 2.5mm, blade more or less elliptic, obtuse at apex, sinuate dentate, tapering gradually to a long broad petiole, with thick lateral veins and numerous, long, white, flexuous, eglandular hairs, some shorter, gland-tipped hairs and some denser, white, cobwebby hairs on young growth, moderate yellowish-green (138A). Scape 1-flowered. Corolla *c.* 18 × 10mm, with a long very slender tube abruptly expanded around the anthers just below the spreading lobes, tube tinged violet at base, greenish-yellow at apex, lobes violet (N87D), with some white, cobwebby hairs externally. Further information and colour picture in *The Alpine Gardener* **72**(4): 410-411. Specimen [WSY0046517] and photographic slide [WSY0047037] in the RHS Herbarium (**WSY**).

## Dionysia 'Bernd Wetzel'

Certificate of Preliminary Commendation. Exhibited by Mr & Mrs P Ranson, Chippenham, Wiltshire on February 26, 2005.

Cushion-forming perennial,  $25 \times 50$ mm as exhibited. Leaves mid-green in dense basal rosettes to *c*. 8mm across, obovate, *c*.  $4 \times 2$ mm, toothed in the upper half with blunt triangular teeth, both surfaces with bristly, white, stellate hairs. Scape threadlike, 7mm longer than leaves, 1-flowered. Corolla *c*.  $5 \times 3$ mm with a short tube; lobes and tube uniform yellow (7B). Further information and colour picture in *The Alpine Gardener* **73**(4): 430-432. Specimen [WSY0062795] and photographic slide [WSY0073708] in the RHS Herbarium (**WSY**).

#### Dionysia 'Ewesley Gamma'

Award of Merit. Exhibited by Mr & Mrs P Ranson, Chippenham, Wiltshire on February 26, 2005.

Cushion-forming perennial,  $26 \times 50$ mm as exhibited. Leaves mid-green in dense basal rosettes, to *c*. 10mm across, oblong to oblanceolate, *c*.  $9 \times 3$ mm, slightly tapered to an obtuse apex, entire, the margins fringed with numerous, uniformly short, gland-tipped hairs, veins dark, prominent. Scape *c*. 5mm, longer than leaves, 1-flowered, with a whorl of erect, narrowly ovate bracteoles to 4mm. Calyx divided almost to the base into narrow segments *c*. 6mm long, light green, glandular-hairy on the margins. Corolla *c*. 12mm across, tube long and narrow, dark violet becoming greenish-yellow towards apex with short hairs. Lobes notched, light purple (76B). Further information and colour picture in *The Alpine Gardener* **73**(4): 406-407. Specimen [WSY0062794] and photographic slide [WSY0073711] in the RHS Herbarium (**WSY**).

## Dionysia 'Göteborg'

Certificate of Preliminary Commendation. Exhibited by Mr & Mrs P Ranson, Chippenham, Wiltshire on February 26, 2005.

Cushion-forming perennial,  $40 \times 200$ mm as exhibited. Leaves mid-green in lax basal rosettes to 15mm across, oblong, entire, blunt-pointed with scattered, very short hairs. Scape short, hidden by leaves. Corolla purple (78C) with a white eye, *c*. 10mm across, sparsely hairy; tube long, slender, expanding around the style towards the apex and contracted again beneath the lobes; lobes notched. Further information and colour picture in *The Alpine Gardener* **73**(4): 432-433. Specimen [WSY0062793] and photographic slide [WSY0073707] in the RHS Herbarium (WSY).

#### Dionysia iranica

Certificate of Preliminary Commendation. Exhibited by Mr B Burrow, Lancaster on March 13, 2004.

Cushion-forming perennial,  $20 \times 80$ mm as exhibited. Leaves in dense basal rosettes, broadly elliptic to slightly obovate, *c*.  $9 \times 3$ mm, obtuse at apex, entire, with scattered, very short, erect hairs and very slender lateral veins. Scapes 1-flowered. Corolla *c*.  $19 \times 7$ mm, with a long tube only slightly expanded around anthers at apex right below the spreading lobes, tube uniformly yellow and with numerous, short reflexed hairs, lobes brilliant greenish-yellow (6A). Further information and colour picture in *The Alpine Gardener* **72**(4): 411-413. Specimen [WSY0046514] and photographic slide [WSY0047028] in the RHS Herbarium (**WSY**).

## Dionysia 'Manuela'

Certificate of Preliminary Commendation. Exhibited by Mr & Mrs P Ranson, Chippenham, Wiltshire on March 13, 2004.

Cushion-forming perennial,  $20 \times 110$ mm as exhibited. Leaves in dense rosettes, oblong, *c*.  $6 \times 2$ mm, slightly tapered to an obtuse apex, with the apical margins recurved, entire or very shortly sinuate dentate at apex, with numerous, short, often gland-tipped, spreading hairs. Scape *c*. 5mm, 2-flowered, with a whorl of erect, narrowly ovate bracteoles almost hiding the calyces which are divided almost to base into narrow segments *c*. 3.5mm long, green, with very dense white cobwebby hairs around the margins. Corolla *c*.  $13 \times 4$ mm, with a long slender tube, greenish-yellow towards apex, expanding around the anthers towards the apex and contracted again beneath the lobes, sparsely hairy, lobes light purple (84B). Further information and colour picture in *The Alpine Gardener* **72**(4): 409-410. Specimen

[WSY0046523] and photographic slide [WSY0047038] in the RHS Herbarium (WSY).

### × Doritaenopsis Minho Princess grex 'Stanwell'

Award of Merit. Exhibited by Mr P White, Banbury, Oxfordshire on June 25, 2005. Description and colour picture in *The Orchid Review* **113**: 295.

# × Doritaenopsis Ruey Lih Beauty grex 'Stanwell'

Award of Merit. Exhibited by Mr P White, Banbury, Oxfordshire on June 25, 2005. Description and colour picture in *The Orchid Review* **113**: 296.

# Erigeron chrysopsidis var. brevifolius

Certificate of Preliminary Commendation. Exhibited by Mr A R Furness, Hexham, Northumberland on May 15, 2004.

Perennial forming a neat clump,  $20 \times 120$ mm as exhibited. Stems branched below, with numerous linear to very narrowly spathulate leaves loosely crowded towards base, up to *c*.  $20 \times 1.5$ mm, with numerous, white, erecto-patent, eglandular hairs. Flower stems exceeding leaves by *c*. 20mm. Involucral bracts narrowly lanceolate, *c*. 5mm long, appressed, acuminate, dark green, with pale green hyaline margins, densely hairy. Capitulum *c*. 15mm wide, with ray florets *c*. 5mm long, brilliant yellow (13B). Further information and colour picture in *The Alpine Gardener* **72**(4): 433-434. Specimen [WSY0046530] and photographic slide [WSY0047043] in the RHS Herbarium (**WSY**).

## Euadenia eminens

Botanical Certificate. Exhibited by the Royal Botanic Gardens, Kew, Surrey on March 9, 2004.

Evergreen shrub to 2m in height, in flower from January to May. Leaves trifoliate, petiole <250mm, leaflets <160 × 70mm, side leaflets elliptic-obovate, terminal leaflet obovate; all leaflets with prominent veins. Inflorescence terminal with more than 30 flowers per inflorescence, opening inwards. Flower stalk up to 40mm, having extended and become pendent as the flower opens; flowers face outwards at maturity and are yellow-green (150B/C). Specimen [WSY0047769] and photographic slide [WSY0052027] in the RHS Herbarium (**WSY**).

# Eucomis 'Pink Gin'

Award of Merit. Exhibited by Avon Bulbs, Mid Lambrook, Somerset on September 14, 2004.

Height up to 1m in full sun. Grown in full sun, cut from open ground in Somerset, clay-rich soil. It was suggested the cultivar was a hybrid between purple-flowered/leaved *E. comosa* and *E. pallidiflora* having flowers with long pedicels; these hybrids have immense hybrid vigour and generally stand up well. Distinct and commendable colour. Flowering stem 550mm (including inflorescence), 20mm in

diameter, robust, slightly twisting becoming quite ridged in inflorescence, very pale green becoming strongly flushed purple toward and within inflorescence. Inflorescence 450mm long, 80mm wide at base, 90mm at top, club-shaped, cylindrical. Coma of bracts (*c*. 25), 60mm in diameter, mid green (144A flushed 146B), lanceolate, 40mm long, 15mm wide. Pedicel 40mm long, 2mm in diameter, stiff, grey-brown (199A) flushed bright pinkish-purple (78B). Perianth 15mm diam., 6 ovate lobes, grey pinkish-purple (156C) flushed green on reverse, lobes tipped with pale yellow, ovary, stigma and filaments prominent, dark purple (187B), anthers yellow. Perianth at anthesis has white centre with purple (78B) lobes, darker tone on reverse. Bracts small 10mm long 3mm wide, lanceolate, purple (187B). Specimen [WSY0048062] and photographic slide [WSY0048063] in the RHS Herbarium (**WSY**).

## Eucomis vandermerwei

Certificate of Preliminary Commendation. Exhibited by Avon Bulbs Ltd, Somerset on September 14, 2004.

Bulbous perennial with several spreading, thick, hairless, narrowly lanceolate leaves, c. 200 × 26mm, margins entire but with narrow strongly wavy edges, slightly greyish-green and variably blotched dull purple (the blotching mostly in the form of coalescing spots which are smaller and redder on the underside of the thick main vein towards the base). Scapes solitary, terete, short, the whole inflorescence c. 125mm tall. Flowers borne in a dense cylindrical raceme, overtopped by a cluster of leafy, narrowly ovate bracts, c.  $25 \times 7$ mm, blotched like the leaves. Bracts subtending flowers lanceolate, smaller ( $14 \times 3.5$ mm), tinged purplish. Flowers shortly pedicellate, corolla narrowly campanulate, c.  $12 \times 16$ mm, divided almost to base into 6 strap-shaped, obtuse segments c. 2.5mm broad, each with a minutely papillate apex, dark red (59A). Stamens erect, filaments greenish, expanded towards base where they are united in a shallow ring. Ovary and style banded green and purplish-green. Further information in *The Alpine Gardener* **73**(4): 419-420. Specimen [WSY0066161] in the RHS Herbarium (**WSY**).

## Euphorbia amygdaloides 'Craigieburn'

Certificate of Preliminary Commendation. Exhibited by Mr R Webb, Droitwich, Worcestershire on February 17, 2004. Specimen [WSY0046537] in the RHS Herbarium (WSY).

#### Euphorbia pugniformis

Botanical Certificate. Exhibited by Dr & Mrs M Sheader, Bitterne, Hampshire on April 17, 2004. Further information and colour picture in *The Alpine Gardener* **72**(4): 447-448. Photographic slide [WSY0050826] in the RHS Herbarium (WSY).

## Fritillaria alfredae subsp. glaucoviridis

Certificate of Preliminary Commendation. Exhibited by Mr A M Edwards, Dorking, Surrey on March 20, 2004.

Bulbous perennial with stems 100-210mm. Leaves alternate, 60-90mm long, glaucous; basal very broadly elliptic, stem leaves lanceolate. Flowers narrowly campanulate, with slightly spreading tips,  $25 \times 15$ mm, greyish yellow-green (148C) outside, brilliant yellow-green (149C) inside. Further information and colour picture in *The Alpine Gardener* **72**(4): 416-417. Photographic slide [WSY0047047] in the RHS Herbarium (WSY).

## Fritillaria camschatcensis f. flavescens

Award of Merit. Exhibited by Mr A R Furness, Hexham, Northumberland on May 21, 2005.

Bulbous perennial to 300mm at anthesis. Basal leaves absent, most stems with two whorls of 5 stem leaves,  $60-70 \times 12-13$ mm, sessile, ovate-lanceolate, blunt-tipped shiny green, paler on the underside. Flowers usually 3 per stem forming a loose raceme. Pedicels to 6mm subtended by a single sessile, ovate-lanceolate bract to  $40 \times 10$ mm. Flowers campanulate, nodding to horizontal, *c*.  $35 \times 35$ mm. Perianth segments six, obovate to oblanceolate, yellow-green (151A) inside and out. Filaments and style sharing the colour of the perianth, pollen pale. Further information and colour picture in *The Alpine Gardener* **73**(4): 414-415. Specimen [WSY0072092] and photographic slide [WSY0073700] in the RHS Herbarium (**WSY**).

# Fritillaria 'Canmore Park'

Certificate of Preliminary Commendation. Exhibited by Mr R Maxwell, Kemnay, Aberdeenshire on April 17, 2004.

Hairless, bulbous perennial. Stems to 260mm, with 1-2 flowers. Leaves scattered up the stem, all linear, middle and lower leaves alternate, up to  $140 \times 17$ mm, three uppermost leaves in a whorl below the flower, narrower,  $90 \times 8$ mm. Perianth pendent,  $40 \times 25$ mm, with a pronounced shoulder and more or less straight sides, tips not flared. Perianth segments oblanceolate to obovate, rounded at apex, 12-15mm wide, outside dark red (187A), lightly tessellated, inside green with purple markings; nectaries green, ovate, located in the shoulder of the flower; stigma trifid; pollen cream. Further information in *The Alpine Gardener* **72**(4): 426. Specimen [WSY0046082] in the RHS Herbarium (WSY).

## Fritillaria japonica var. koidzumiana

Award of Merit. Exhibited by the Royal Botanic Gardens, Kew, Surrey on February 17, 2004.

Bulb with a slender, solitary stem to *c*. 120mm, nodding at apex, reddish below, green above. Basal leaves with a reddish petiole *c*. 30mm long and broadly elliptic blades up to 70mm long, green with paler mottling. Stem leaves several, lanceolate to narrowly lanceolate, glossy green. Flowers terminal, solitary, pendent, campanulate with squared shoulders, *c*.  $20 \times 20$ mm; perianth segments oblong,

c.  $22 \times 8$ -11mm, broadly obtuse at apex, inner shortly fringed; ground colour offwhite with the outside slightly mottled/chequered pale green and purplish-pink (with darker spots on the angles of the shoulders), more or less unmarked at tips, inside heavily marked dark reddish-purple at base, the markings reduced in mid segment and absent from apices except around rim; nectary furrow extending down central  $\frac{2}{3}$ of each segment, yellowish at apex, green below, fringed. Further information in *The Alpine Gardener* **72**(4): 390-391. Specimen [WSY0046088] and photographic slide [WSY0047005] in the RHS Herbarium (**WSY**).

## Fritillaria kotschyana 'Craigton Max'

Certificate of Preliminary Commendation. Exhibited by Mr F Hunt, Dundee, Angus on March 20, 2004.

Bulbous perennial. Stem solitary, to 250mm. Leaves 5-7, alternate, oblanceolate, up to  $125 \times 40$ mm, with 3-7 longitudinal veins, glossy green; uppermost leaf lanceolate,  $37 \times 7$ mm. Flowers solitary, broadly campanulate, with a distinct 'shoulder' and strongly recurved tips,  $60 \times 30$ mm. Perianth segments in two whorls of 3,  $50 \times 17$ mm, outer light yellow-green (145B) with a narrow dark red (183A) tessellated edge, inner with a green central stripe and a 5mm wide tessellated edge; nectaries ovate, black (situated in shoulder of the flower); stamens 6, pollen cream; style trifid. Further information and colour picture in *The Alpine Gardener* **72**(4): 414-415. Specimen [WSY0046534] in the RHS Herbarium (**WSY**).

#### Fritillaria michailovskyi 'Gold Bells'

Certificate of Preliminary Commendation. Exhibited by Mr F Hunt, Dundee, Angus on March 26, 2005.

Bulbous perennial to 110mm. Stem leaves 5-6, alternate, lanceolate, blunt-tipped, pale glaucous green to  $70 \times 18$ mm. Bract single,  $50 \times 11$ mm. Flowers 1-2 per stem,  $25 \times 25$ mm, broadly pendent with a distinct shoulder. Perianth broadly campanulate, flared, yellow-green (151D); segments 25mm × 9 mm, separate in distal two thirds. Nectaries lanceolate, pale green, 13mm long. Style trifid, pollen yellow. Further information and colour picture in *The Alpine Gardener* **73**(4): 436-437. Specimen [WSY0066120] in the RHS Herbarium (WSY).

#### Gaillardia 'Saint Clements'

Certificate of Preliminary Commendation. Exhibited by Mrs R Hardy, Whitchurch, Hampshire on September 14, 2004.

Erect habit to 600mm. Good cut flower. Long flowering season, re-blooming continuously. Stem leaves to 80mm long, alternate, lanceolate, sessile, clasping stem, densely pubescent. Flowerhead 70mm diameter, capitula 30mm diam. Disc florets centre pale orange (24A), outer florets tipped dark red (45B). Ray florets up to 20 arranged spirally in 2 rows, 30mm long 28mm wide, broad 3-lobed, orange

(28B) with orange yellow (17A) tips. Phyllaries 10mm long, fine lanceolate, hairy, in 2 to 3 rows, pale green. Specimen [WSY0046507] in the RHS Herbarium (WSY).

#### Galanthus 'Kildare'

Certificate of Preliminary Commendation. Exhibited by Dr R Mackenzie, Shilton, Oxfordshire on February 15, 2005.

Bulbous perennial. Leaves narrowly oblanceolate *c*.  $150 \times 12$ mm at anthesis, rather deep green (closest to 137B), somewhat paler on underside and with bloom on both surfaces. Margins minutely recurved at base, tip small, white, blunt and unhooded. Scape to 130mm. Further information and colour picture in *The Alpine Gardener* **73**(4): 426-427. Specimen [WSY0062799] and photographic slide [WSY0062800] in the RHS Herbarium (**WSY**).

## Galanthus nivalis (Sandersii Group) 'Janet Aspland'

Certificate of Preliminary Commendation. Exhibited by Mr V A Aspland, Stourbridge, West Midlands on February 26, 2005.

Bulbous perennial. Leaves linear-lanceolate becoming falcate,  $c. 60 \times 4$ mm at anthesis, upper surface mid-green (closest to 138A), somewhat paler on the underside and with bloom on both surfaces. Margins with a minute silver line, tip prominent, white, blunt and unhooded. Scape c. 55mm, yellowish-green, straight. Spathe c. 40mm, pale green, yellow at the base, slightly exceeded by the pedicel, with a white, hooded tip. Pedicels straight, bending at apex, pale green at the base becoming yellow. Flowers single, solitary, ovaries top-shaped to suborbicular (7  $\times$ 6mm), yellow (13C), rounded at base, rather sharply contracted at apex. Outer segments pure white, narrowly boat-shaped, c.  $25 \times 9$ mm with a distinct claw (c. 2.5mm wide at base), margins decurved, apex hooded; inner segments forming an obconical 'tube', each segment 12 × 9mm, outside marked with deep yellow (3C), V-shaped apical mark diffusing into yellow streaks especially on veins; apical notch wide and fairly deep; inside of inner segments with central veins marked vellow from base to apex, becoming V-shaped around the notch. Further information and colour picture in The Alpine Gardener 73(4): 433-435. Photographic slide [WSY0073706] in the RHS Herbarium (WSY).

## Galanthus plicatus 'Sophie North'

Award of Merit. Exhibited by Dr E Stevens, Dunblane, Perthshire on February 21, 2004.

Leaves oblong,  $100 \times 25$ mm at anthesis, deep green with a glaucous bloom and narrowly plicate margins. Scapes somewhat triangular in section, 120mm tall. Spathe and pedicel 45mm long, erect. Flowers solitary, single. Outer perianth segments  $30 \times 20$ mm, white (155D); inner segments  $15 \times 10$ mm, with strong yellow-green (143B) markings extending from base to apex on a white ground, strongly notched at apex: the mark a narrow apical V-shape with a broad band running almost to the base of the segment, waisted just above where it joints the V-marking. Further information in *The Alpine Gardener* **72**(4): 391. Specimen [WSY0046513] in the RHS Herbarium (WSY).

#### Galanthus rizehensis Baytop 34474

Certificate of Preliminary Commendation. Exhibited by Dr R Mackenzie, Shilton, Oxfordshire on February 15, 2005.

Bulbous perennial. Leaves somewhat glaucous green, bloomed,  $170 \times 20$ mm, margins subrevolute to revolute. Scapes to 150mm, somewhat slender. Spathe *c*. 40mm long, rather straight, clearly exceeding the pedicel, colour matching the scape, slightly bloomed towards tips, tips pale, very small. Pedicels straight, recurved at apex. Flowers single, solitary, ovaries top-shaped ( $8 \times 5$ mm), rather pale, rounded at base, slightly contracted at apex. Outer segments broadly boat-shaped,  $22 \times 12$ mm with a distinct claw (*c*. 2.5mm wide at base), margins rather weakly decurved, apex hooded, pure white, inner segments forming an obconical 'tube', each segment  $11 \times 6$ mm, very slightly flared at apex, outside with thick, shallow, deep green, V-shaped apical mark on a white ground; apical notch narrow and fairly shallow; inside of inner segments with green veins from base to apex. Further information and colour picture in *The Alpine Gardener* **73**(4):427-428.

## Galanthus 'Spindlestone Surprise'

First Class Certificate. Exhibited by Dr R Mackenzie, Shilton, Oxfordshire on February 17, 2004. Described in *The Alpine Gardener* **72**(4): 386. Photographic slide [WSY0050822] in the RHS Herbarium (**WSY**).

## Gasteria nitida var. armstrongii

Award of Merit. Exhibited by Mr T Morris, Hinckley, Leicestershire on August 24, 2004. It was noted that this individual plant was probably more than 30 years old and that this variety was equally well suited to both windowsill and greenhouse cultivation.

## Gentiana 'Compact Gem'

First Class Certificate. Exhibited by Mr I Leslie, Mynydd Llandygai, Gwynedd on October 16, 2004.

Herbaceous perennial. Stems pale, ascending. Leaves opposite, to  $25 \times 2mm$ , lanceolate, sessile, acute, subglabrous, connate for 3mm. Flowers terminal, solitary; calyx in 5 sections from base, equal, linear with a prominent dark, midvein; corolla to  $45 \times 25mm$ , sessile, obconic to funnelform, 5-lobed; corolla lobes to 6mm wide, triangular, mucronate and dark blue (99B-D) marked with a central streak of yellowgreen, spotted blue and with a blue vein along the middle; plicae terminating in sharp point to 2mm; stamens inserted on corolla lobes; filaments to 8mm, winged at base; anthers 2mm, yellow; style 10mm; stigma 3mm, linear. Further information and colour picture in *The Alpine Gardener* **73**(4): 402-403. Specimen

[WSY0048068] and photographic slide [WSY0048069] in the RHS Herbarium (WSY).

## Gladiolus imbricatus

Certificate of Preliminary Commendation. Exhibited by Prof. A J Richards, Hexham, Northumberland on June 19, 2004.

Hairless, cormous perennial. Stems 400mm tall. Leaves linear-lanceolate, *c*. 8mm broad, with raised longitudinal veins. Flowers *c*. 7, in fairly dense, one-sided spike; each flower subtended by two bracts (broad at base but narrowed to a long linear apex), up to 36mm long, suffused purple. Flowers  $30 \times 10$ mm; tube strongly curved at base, segments conspicuously clawed, purple-violet (N80A), with base of petals purple (N79A) and inside of lower petal violet-blue (91C); anthers shorter than filaments. Further information and colour picture in *The Alpine Gardener* **72**(4): 436-7. Specimen [WSY0048222] and photographic slide [WSY0048223] in the RHS Herbarium (**WSY**).

## Grammatophyllum elegans 'Berggarten'

Botanical Certificate. Exhibited by Herrenhausen Garden, Hanover, Germany on June 25, 2005. Description and colour picture in *The Orchid Review* **113**: 298-9.

# Guzmania lingulata

Certificate of Preliminary Commendation. Exhibited by the Royal Botanic Gardens, Kew, Surrey on April 12, 2005. Specimen [WSY0066115] and photographic slide [WSY0066116] in the RHS Herbarium (**WSY**).

# Haworthia magnifica var. splendens

Certificate of Preliminary Commendation. Exhibited by Dr & Mrs T Smale on August 24, 2004. Although initially discovered in the 1920s, this variety did not get into general cultivation until the 1990s when it was rediscovered in South Africa and named.

#### Hedera pastuchovii 'Ann Ala'

Award of Merit. Exhibited by Fibrex Nurseries, Stratford-upon-Avon, Warwickshire on November 12, 2004.

This plant represents the first introduction into cultivation of the Caucasian species of ivy, *H. pastuchovii*. It was collected in the Caspian Forest area of Iran in December 1972 by C R Lancaster (A & L 26) from a population of the very variable species and named for Ann Ala whose husband was working as a surgeon in Iran. It differs from the species in the very elongated unlobed leaves. A hardy, climbing, evergreen plant with widely spaced internodes. Leaves leathery, dark green with paler veins above, narrowly ovate, base cuneate to shallow cordate, apex long tapered,  $40-100 \times 20-45$ mm, petiole reddish-brown 10-30mm long. Further

information in *The Plantsman* n.s. **4**(4): 240. Specimen [WSY0050808] and photographic slide [WSY0050809] in the RHS Herbarium (**WSY**).

#### Hermannia coccocarpa

Certificate of Preliminary Commendation. Exhibited by Dr & Mrs M Sheader, Bitterne, Hampshire on April 17, 2004.

Prostrate plant,  $60 \times 250$ mm as exhibited, the whole plant with numerous, very short, gland-tipped hairs. Upper leaves alternate, elliptic, *c*.  $20 \times 7$ mm, with several deep, wavy-edged lobes, truncate at base, short-stalked and subtended by 2 broadly ovate, connate, acuminate stipules. Peduncles borne opposite the upper leaves, 1-2 flowered, *c*. 30mm long, reddish, with a pair of connate bracteoles. Flowers nodding. Calyx broadly campanulate, *c*.  $6 \times 8$ mm, divided to just over ½-way with long acuminate teeth, green, with darker veining. Corolla *c*.  $9-10 \times 10-11$  mm, broadly campanulate, white, edges flushed blue (N109A) with darker blue marks towards base of corolla; buds white, flushed light violet (91A). Further information and colour picture in *The Alpine Gardener* **72**(4): 422-423. Specimen [WSY0046540] and photographic slide [WSY0047045] in the RHS Herbarium (**WSY**).

#### Heuchera 'White Spires'

Certificate of Preliminary Commendation. Exhibited by Mrs R Hardy, Whitchurch, Hampshire on May 24, 2004.

Foliage green to 200mm height, flower height 600mm, white-green, elegantly spaced on spike, complements foliage well. Good as cut flower. Introduced in 1997. Specimen [WSY0046626] and photographic slide [WSY0046627] in the RHS Herbarium (WSY).

### Hyacinthella dalmatica

Certificate of Preliminary Commendation. Exhibited by the Royal Botanic Gardens, Kew, Surrey on March 15, 2005.

Hairless, bulbous perennial. Leaves 2-3, c.  $55 \times 6$ mm, canaliculate with raised veins on the underside forming ridges, dark green flushed red at the base, curved, abruptly constricted at the apex forming a blunt, hooded point. Stems greenish-yellow 45mm with a terminal spike to c. 15mm. Flowers urceolate c. 3.5mm × 2mm on slender pedicels to 2mm, dark blue (105B) on the lobes, suffusing into pale blue (106B) on the tube. Further information in *The Alpine Gardener* **73**(4): 436. Specimen [WSY0062791] in the RHS Herbarium (WSY).

## Illicium simonsii

Certificate of Preliminary Commendation. Exhibited by the Royal Botanic Gardens, Kew, Surrey on March 4, 2004. Specimen [WSY0046508] in the RHS Herbarium (WSY).

## Iris 'Apricot Drops'

Award of Merit. Exhibited by Mrs O Wells, Maidstone, Kent on May 18, 2004.

Miniature tall bearded. Spreading, vigorous plant, erect, glaucous foliage  $540 \times 20$ mm. Straight, erect stems to 660mm, each bearing up to 4 medium, well proportioned flowers. Standards  $60 \times 39$ mm, cupped, arching, oblong, wrinkled, pale apricot, near to yellow-orange (19B) with yellow wash particularly round the lower margin, delicate pink wash around midrib. Haft almost translucent with pale maroon veining. Drooping, spathulate, creped falls,  $63 \times 40$ mm, greyed orange (165C), tinged with pink towards centre. Haft veined with grey orange (164B), interspersed with orange white (159C). Erect style branches, close on haft, yellow-orange (15D), pink-tinged. Large, elongated, pointed crest, yellow-orange (15C), paling to yellow (12D) around midrib. Inconspicuous beard, deep orange-yellow at base, paling to pale yellow at tip. Flowering 8 May to 4 June. Specimen [WSY0051619] and photographic slide [WSY0056333] in the RHS Herbarium (WSY).

# Iris × autosyndetica

Certificate of Preliminary Commendation. Exhibited by Mrs T A Blanco White, London on April 12, 2005.

## Iris 'Lancer'

Award of Merit. Exhibited by Mr B Baughen, Orpington, Kent on May 11, 2004. Arilbred. Further information in *The Plantsman* n.s. **4**(4): 238.

## Iris 'Nico'

Botanical Certificate. Exhibited by the Royal Botanic Gardens, Kew, Surrey on January 20, 2004. Described in *The Alpine Gardener* **72**(4): 442-3.

## Iris rosenbachiana 'Tovil-Dara'

Award of Merit. Exhibited by Mr B Walker, Solihull, West Midlands on February 26, 2005.

Bulbous perennial with stems to 170mm. Leaves four, little expanded to 90mm at anthesis, glabrous (138B), lanceolate, somewhat falcate with slightly thickened margins. Stem short, not visible. Tube *c*. 70mm, purple (79C). Standards descending, small, obovate-cuneate, frilled and undulating at the margins, violet-purple (83C). Style crests upright, broadly obovate, frilled and undulate in the last third, notched, violet-purple (83A) becoming paler in the centre. Falls, obovate-cuneate, sharply reflexed in the last third, violet (85B) edged with purple (79B) with a dark violet-purple tip and with a central, linear, yellow (13B) marking. Further information in *The Alpine Gardener* **73**(4): 407-408. Specimen [WSY0073710] in the RHS Herbarium (**WSY**).

#### Iris unguicularis 'Bob Thompson'

Award of Merit. Exhibited by Lady Skelmersdale, Broadleigh Gardens, Taunton, Somerset on January 31, 2004.

Perianth tube longer than 120mm (full length not seen). Standards  $65-70 \times 23-26$  mm, spathulate, erect or slightly arching, violet (87A-88A) with darker veining (89A); haft brownish-violet (183A-187A) along the midvein, shading to or mottled reddish on the edges. Falls  $63-75 \times 24-26$ mm, spathulate, horizontal to flaring, the blade coloured slightly darker than the standards (87A-89A), with a yellow signal (12A-14A) edged by white, haft white with dark purple (81A) veining and a central line of greenish-yellow (150A), shading into the signal. Style branches deeply two-lobed, the lobes  $15-20 \times 2-3$ mm, slightly fringed at the apex, pale violet (88C) and becoming paler towards the base (81C). Photographic slide [WSY0047773] in the RHS Herbarium (**WSY**).

#### Kennedia nigricans

Botanical Certificate. Exhibited by the Royal Botanic Gardens, Kew, Surrey on March 9, 2004.

Scrambling evergreen climber usually in flower from February to May. Leaves trifoliate with terminal leaflet 4-5 times larger than others; dark green (137C) and slightly glaucous beneath. Flowers in pairs, almost black, (considerably darker than N92A) with yellow green markings (150B-C). Style and filaments white flushed with pale pink, the pink increasing in intensity towards the tip. Photographic slide [WSY0052030] in the RHS Herbarium (**WSY**).

#### Kunzea baxteri

First Class Certificate. Exhibited by Tresco Abbey Garden, Isles of Scilly on January 18, 2005.

Evergreen shrub. Grey-green oblong leaves, to  $20 \times 2.5$  mm, with a fine margin of short white hairs, radiating from a pale brown stem with slightly flaking bark. Brilliant scarlet callistemon-like red flowers (45A/B), becoming duller (45C/D) with age, in dense spikes to 55mm in width and length near ends of branches. Anthers pale yellow at the tip of the red filaments. A native of the south coast of Western Australia, this shrub can grow up to 3m in both height and width. The plants in Tresco Abbey Garden are currently small shrubs less than 1.5m high with a bushy, compact habit. They prefer to grow on rocky cliffs where there is not much soil and, although superficially similar, are not as hardy as *Callistemon*. Further information in *The Plantsman* n.s. **4**(4): 236.

## Lachenalia contaminata

Award of Merit. Exhibited by the Royal Botanic Gardens, Kew, Surrey on May 24, 2004.

Hairless bulbous perennial with numerous, linear basal leaves  $c. 30 \times 8$ mm, tapered from base to apex, channelled in cross-section, dull green above, glossy below. Stems simple, erect or slightly geniculate at base, thick,  $250 \times 5$ mm, pale green densely spotted purple and with some parts tinged reddish. Inflorescence a dense, cylindrical spike,  $c. 90 \times 25$ mm. Each flower subtended by a toothed, pale green, white-rimmed bract which is broader than long. Pedicels c. 2mm long, erect, white. Perianth campanulate,  $c. 10 \times 14$ mm, with lobes spreading above, outer lobes  $c. 7 \times 3.5$ mm, inner lobes  $c. 9 \times 4$ mm, both essentially white but outer tinged green and red-purple towards apex (especially outside), inner similarly coloured but marking narrower. Filaments white. Style long, undivided, white. Flowers with a marzipan-like scent. Further information and colour picture in *The Alpine Gardener* **72**(4): 401-403. Specimen [WSY0047757] and photographic slide [WSY0048213] in the RHS Herbarium (**WSY**).

## Lepanthes caprimulgus 'Clare'

Botanical Certificate. Exhibited by Mr J Hermans, Enfield, Middlesex on April 27, 2004. Description and colour picture in *The Orchid Review* **112**: 265-266.

#### Lepanthes telipogoniflora

Botanical Certificate. Exhibited by Mr E Eyre, Retford, Nottinghamshire on September 14, 2004. Description and colour picture in *The Orchid Review* **113**: 56.

## Leucocoryne narcissoides

Botanical Certificate. Exhibited by the Royal Botanic Gardens, Kew, Surrey on April 6, 2004. Further information in *The Alpine Gardener* **72**(4): 446-447. Specimen [WSY0046510] in the RHS Herbarium (**WSY**).

#### Lewisia leeana 'Alba'

Certificate of Preliminary Commendation. Exhibited by Mr C Lafong, Glenrothes, Fife on May 15, 2004.

Perennial, 350mm wide as exhibited, with rosettes of 30-40, succulent, linear leaves, each  $70 \times 5$ mm, occasionally with 1 or more short linear lobes at base. Stems up to 200mm, with irregular whorls of short leaves ( $20 \times 3$ mm); inflorescence muchbranched, each branch with up to 4 flowers. Sepals 2, more or less D-shaped, with a deep fringe of teeth each tipped with a red gland. Flowers 13mm wide, with 7-8, white (155D) petals; anthers pink/purple. Further information and colour picture in *The Alpine Gardener* **72**(4): 427-428. Specimen [WSY0047766] in the RHS Herbarium (**WSY**).

# Lycaste fimbriata 'Inge'

Award of Merit. Exhibited by Elsner Orchideen, Wettringen, Germany on March 13, 2005.

56

This species comes from Central America. The plant exhibited had nineteen pale green flowers on 150mm tall stems; bract green 50mm long. Overall flower size 80mm long, 60mm wide. Dorsal sepal 60mm long, 25mm wide, sepal 60mm long, 25mm wide; petal 50mm long, 17mm wide. Lip yellow with central paler callosity, 20mm long, 20mm wide; column white 20mm long; ovary 40mm long.

#### Malesherbia sibayensis

Certificate of Preliminary Commendation. Exhibited by RHS Garden Wisley, Woking, Surrey on October 16, 2004.

Spreading perennial. Stems sprawling to 300mm long bearing many side shoots 30-50mm in length. Leaves more or less sessile, obovate to spathulate, undulatesinuate in the top half, grey-green (191C), tomentose; unexpanded growth silver, velutinous. Flowers solitary on lateral hollow forming a tube  $18 \times 5$ mm, widening at the mouth, pinkish; perianth segments 4 outer, 4 inner, similar in appearance, borne on rim of receptacle,  $8 \times 3$ mm, notched, red (39B), becoming cream at the base; anthers 3mm long, yellow; styles 3, slender, exserted; stigma small, brown. Further information in *The Alpine Gardener* **73**(4): 420-421. Specimen [WSY0048072] and photographic slide [WSY0048073] in the RHS Herbarium (**WSY**).

#### Malus 'Harry Baker'

Certificate of Preliminary Commendation. Exhibited by Mr T E Read, Loddon, Norfolk on September 16, 2003. Specimen [WSY0043715] in the RHS Herbarium (WSY).

#### Masdevallia manoloi 'Eva May'

Botanical Certificate. Exhibited by Mr E Eyre, Retford, Nottinghamshire on January 18, 2005. Description and colour picture in *The Orchid Review* **113**: 118-119.

#### Masdevallia Purple Condor grex 'Eva May'

Award of Merit. Exhibited by Mr E Eyre, Retford, Nottinghamshire on March 13, 2005.

The plant exhibited had five flower spikes with three open flowers. Deep coloration and a good shape made this a very desirable improvement in *Masdevallia* breeding. The erect stems were 100mm tall, bract green 15mm long. Overall flower size 155mm long, 85mm wide tail to tail. The flowers were deep burgundy red, tails tapering to yellow. Dorsal sepal 80mm long, 14mm at its widest, sepal 80mm long, 15mm at widest; petal white 2mm long, 1mm wide. Lip red, hinged, 2mm wide, 2mm long; ovary green, 12mm long.

## Miltonia Les Landes grex 'Trinity'

Award of Merit. Raised and exhibited the Eric Young Orchid Foundation, Jersey on March 22, 2005. Description and colour picture in *The Orchid Review* **113**: 180.

# Monodora myristica

Certificate of Preliminary Commendation. Exhibited by the Royal Botanic Gardens, Kew, Surrey on April 12, 2005. Specimen [WSY0066132] in the RHS Herbarium (WSY).

## Muscari armeniacum 'Gul'

Certificate of Preliminary Commendation. Exhibited by Dr & Mrs R Wallace, Carmarthen, Dyfed on March 20, 2004.

Bulbous perennial. Leaves 140-190mm long. Stems purple at base, green towards apex, 140mm tall with a terminal spike 30mm long. Flowers urceolate, lowest deep purplish-pink (67C) at apex, the colour suffusing into tube, apical flowers white. Specimen [WSY0046527] and photographic slide [WSY0046578] in the RHS Herbarium (WSY).

## Myosotis albosericea

Certificate of Preliminary Commendation. Exhibited by Mr F Hunt, Dundee, Angus on May 15, 2004.

Tufted perennial, making a loose, silvery cushion of basal leaf rosettes (to 60mm high). Leaves narrowly spathulate,  $35 \times 5$ mm, covered in dense, silver, appressed hairs. Stems to 140mm, with up to 6 spathulate to broadly linear stem leaves. Flowers in a scorpioid cyme of up to 20 paired flowers. Calyx 5mm long, with 5 sharply pointed teeth. Corolla tube 8mm long, limb light greenish-yellow (3C). Further information and colour picture in *The Alpine Gardener* **72**(4): 429-430. Specimen [WSY0047765] in the RHS Herbarium (WSY).

## Narcissus 'Betty Mae'

Certificate of Preliminary Commendation. Exhibited by Mrs J Wyllie, Dunblane, Perthshire on February 21, 2004.

Cyclamineus; yellow. Leaves  $175 \times 9$ mm, erect to somewhat spreading, green. Scapes 165mm tall, compressed. Pedicels 11mm long. Spathe 25mm long. Flowers solitary, star-shaped, held slightly drooping, 41mm wide; perianth tube 8mm long, green. Perianth segments  $19 \times 8$ mm, twisted and slightly reflexed, brilliant yellow (7A); corona 19mm long, 11mm wide at base, 17mm wide at the flared, frilled mouth, brilliant yellow (7A); style exceeding stamens, held at the mouth of the corona. Further information and colour picture in *The Alpine Gardener* **73**(4): 417-419. Specimen [WSY0045321] and photographic slide [WSY0060832] (Colour print with the International Daffodil Registrar) in the RHS Herbarium (**WSY**).

### Narcissus 'Brooke Ager'

Award of Merit. Exhibited by Mr B Duncan, Omagh, County Tyrone, Northern Ireland on April 6, 2004.

Large-cupped; white perianth segments and pink corona. Flower rounded, 73mm wide; perianth segments very broadly ovate in outline, blunt or rounded at apex, mucronate, white, with a slight suffusion of pink, spreading, slightly concave, or with margins incurling, with broad midrib showing, overlapping half; the inner segments less prominently mucronate; corona cup-shaped, ribbed, deep rose pink (32A), mouth straight, lobed, even, with rim crenate. Dwarf. Mid-season.

## Narcissus 'Carnearny'

Certificate of Preliminary Commendation. Submitted by the Northern Ireland Daffodil Group, Hillsborough, County Down on April 24, 2004.

Small-cupped; white perianth segments and yellow corona. Flower 102mm wide; perianth segments very broadly ovate, rounded at apex or somewhat truncate, only very slightly mucronate, yellowish-white 155B, somewhat reflexed, smooth, concave at apex, overlapping half or more; the inner segments narrower, more nearly spreading, sometimes creased at midrib; corona disc-shaped, vivid yellow 9A, with faint orange at rim at first, rim obscurely crenate. Tall. Late. Photographic slide [WSY0047341] (colour drawing with the International Daffodil Registrar) in the RHS Herbarium (**WSY**).

#### Narcissus 'Dorchester'

First Class Certificate. Exhibited by Mr B Duncan, Omagh, County Tyrone, Northern Ireland on April 12, 2005.

Double; white perianth segments and pink corona. Flower rounded; perianth and other petaloid segments in several whorls, white; the two outer whorls of about equal length, regularly superimposed, very broadly ovate, spreading or slightly inflexed, overlapping half or more; those at centre irregularly arranged, broad, strongly inflexed, with margins tightly incurled; corona segments short, clean pink, tightly frilled, clustered among the centre petaloid segments and more loosely arranged between the outer whorls. Early to mid-season. 2n=28. Further information in *The Plantsman* n.s. **4**(4): 239.

#### Narcissus 'Freedom Stars'

Award of Merit. Submitted by the Northern Ireland Daffodil Group, Hillsborough, County Down on April 24, 2004.

Split-corona: collar; white perianth segments and white corona with a yellow base. Flowers 3-5 per stem, 60-70mm wide, facing slightly downwards; perianth segments broadly ovate, pure white, a little reflexed, smooth, deeply overlapping; the inner segments more nearly spreading; corona deeply split, the 6 segments closely overlying the corona, ribbed, white, shading to light greenish-yellow (3C) at base, lobed and frilled. Photographic slide [WSY0047353] (colour print with the International Daffodil Registrar) in the RHS Herbarium (**WSY**).

# Narcissus 'Garden News'

Award of Merit. Submitted by the Northern Ireland Daffodil Group, Hillsborough, County Down on April 24, 2004.

Small-cupped; yellow perianth segments and orange-red corona. Flower forming a double triangle, 115mm wide; perianth segments very broadly ovate, obscurely truncate, with slight white mucro, vivid yellow (9A), spreading, somewhat concave, with margins incurling at apex, smooth, regular, overlapping half; the inner segments a little more narrowly ovate; corona short broad funnel-shaped, ribbed, orange-red (30C), mouth straight, split in places and overlapping, frilled, with rim minutely crenate. Photographic slide [WSY0060693] (colour print with the International Daffodil Registrar) in the RHS Herbarium (**WSY**).

### Narcissus 'Greenpark'

Certificate of Preliminary Commendation. Exhibited by Mr B Duncan, Omagh, County Tyrone, Northern Ireland on May 23, 2005.

Poeticus; white perianth segments and green corona with an orange rim. Flowers 75mm wide; perianth segments very broadly ovate or somewhat roundish, slightly truncate, mucronate, white, with a narrow suffusion of yellow-green at base, spreading or somewhat reflexed, concave, with margins incurling, overlapping half; the inner segments more usually spreading; corona shallow bowl-shaped, narrow, lightly ribbed, dark emerald-green, sometimes with yellow-green above, with yellow-orange at rim, frilled. Very late. Scented.

### Narcissus jacetanus

Award of Merit. Exhibited by Mr & Mrs H Taylor, Dundee, Angus on February 21, 2004.

Leaves  $120 \times 9$ mm, erect, with a slight twist, glaucous, the inner surface with finely marked channels. Scapes 105mm tall, suberect, striate. Pedicels 9mm long. Spathe 14mm long. Flowers solitary, 39mm wide, held slightly erect; perianth tube 14mm long, green shading to yellow at outer edge; perianth lobes  $19 \times 10$ mm, slightly reflexed, brilliant greenish-yellow (6A); corona  $18 \times 20$ mm, toothed and lobed, brilliant greenish-yellow (6A); style exceeding stamens and held well within the corona. Further information and colour picture in *The Alpine Gardener* **72**(4): 391-392. Specimen [WSY0046524] in the RHS Herbarium (**WSY**).

#### Narcissus × koshinomurae

Certificate of Preliminary Commendation. Exhibited by Mr F Hunt, Dundee, Angus on March 20, 2004.

Bulbous perennial. Leaves 2-5/bulb, spreading, up to  $350 \times 3$ mm, channelled in cross-section, glossy green. Scape to 300mm, laterally compressed, with 1-3 flowers. Pedicels to 35mm long, green. Spathe 35mm long, papery. Ovary 5 × 3mm, green. Perianth 30mm wide; tube 15mm long, green; segments ovate,  $17 \times 10$ mm,

60

spreading, plane, with a mucronate tip, white (155A); corona cup-shaped,  $7 \times 9$ mm, wavy, pale greenish-yellow (10D); stamens 6, in two whorls, with golden pollen; style blunt-tipped. Further information in *The Alpine Gardener* **72**(4): 414. Specimen [WSY0046535] in the RHS Herbarium (WSY).

# Narcissus 'Mitzy'

Certificate of Preliminary Commendation. Exhibited by Mr A J Leven, Dunblane on February 19, 2005.

Cyclamineus; white. Leaves 2-4 per bulb,  $130 \times 4$ mm, keeled, spreading. Scape a flattened ovoid with 2 opposite ribs, 160mm tall. Pedicel 11mm long, spathe 27 × 8mm scarious, ovate with mucronate tip. Ovary top-shaped, 5mm long. Flowers solitary, star-shaped, held slightly erect. Perianth lobes pale yellow (4D),  $25 \times 7$ mm, reflexed and mucronate. Corona yellow (5C),  $26 \times 8$ mm, cylindrical and ribbed, the mouth flared to 12mm and frilled, the rim flanged and dentate. Perianth tube 5mm long. Style simple, held within the corona, anthers 6, adpressed to style, pollen yellow. Further information in *The Alpine Gardener* **73**(4): 430. Specimen [WSY0062792] in the RHS Herbarium (WSY).

# Narcissus 'Pentire'

Award of Merit. Exhibited by Mr R A Scamp, Quality Daffodils, Falmouth, Cornwall on April 6, 2004.

Split-corona: collar; yellow perianth segments and red corona. Flower 81mm wide; perianth segments very broadly ovate or somewhat oblong, squarish at apex, vivid yellow (12A), with whitish mucro, spreading or more or less reflexed, overlapping half; the inner segments narrower, square-shouldered at base; corona split to base, the 6 segments half the length and a third the width of the perianth segments, and closely overlying them, orange-red (25A), ribbed, deeply and irregularly lobed or sometimes more obviously bi-lobed. Mid-season.

## Narcissus 'Port Noo'

Award of Merit. Submitted by the Northern Ireland Daffodil Group, Hillsborough, County Down on April 24, 2004.

Small-cupped; white-yellow. Flower 85mm wide, rounded; perianth segments very broad, truncate, only slightly mucronate, reflexed, concave, smooth, overlapping half or more; the inner segments roundish, more nearly spreading; corona shallow bowl-shaped, ribbed, brilliant greenish-yellow (4A), touched with white, mouth with six deeply overlapping lobes, frilled. Photographic slide [WSY0047384] (colour print with the International Daffodil Registrar) in the RHS Herbarium (**WSY**).

#### Narcissus 'Ridgecrest'

Certificate of Preliminary Commendation. Submitted by the Northern Ireland Daffodil Group, Hillsborough, County Down on April 24, 2004.

Small-cupped; white perianth segments and yellow corona, orange at rim. Flower rounded, 98mm wide; perianth segments very broadly ovate, blunt, spreading, with midrib showing, concave, overlapping half; the inner segments a little inflexed; corona shallow bowl-shaped, ribbed, brilliant yellow 7A, with a mottled band of orange and deeper yellow at rim, frilled. Mid-season. Photographic slide [WSY0047388] (colour print with the International Daffodil Registrar) in the RHS Herbarium (**WSY**).

## Narcissus viridiflorus hybrids

Botanical Certificate to a collection of unnamed hybrids for their novelty, exhibited by C M van Hage and W F Leenen & Sons, The Van Hage Garden Company, Ware, Hertfordshire on April 26, 2005.

## Narcissus 'Young Blood'

Award of Merit. Submitted by Northern Ireland Daffodil Group, Hillsborough, County Down on April 24, 2004.

Large-cupped; white perianth segments and red corona. Flower 115mm wide; perianth segments broadly ovate, blunt or somewhat truncate, white, with a touch of bright yellow at base, spreading, a little concave, overlapping half; the inner segments more narrowly ovate, square-shouldered at base, slightly inflexed; corona bowl-shaped, ribbed, orange-red (28B), with mouth 6-lobed and wavy, rim crenate. Photographic slide [WSY0047409] (colour print with the International Daffodil Registrar) in the RHS Herbarium (WSY).

#### Nepeta phyllochlamys

Botanical Certificate. Exhibited by the Royal Botanic Gardens, Kew, Surrey on May 24, 2004. Further information and colour picture in *The Alpine Gardener* **72**(4): 448-450. Photographic slide [WSY0050834] in the RHS Herbarium (**WSY**).

## Nototriche macleanii

Certificate of Preliminary Commendation. Exhibited by Dr M Sheader, Bitterne, Hampshire on May 21, 2005.

Cushion-forming perennial to  $40 \times 160$ mm as seen. Rootstock much branched. Leaves spathulate, silvery hairy, to  $37 \times 14$ mm; lamina to  $10 \times 20$ mm deeply divided into 5, divisions with 2 lobes, lobes with occasional teeth, petiole winged from half to two thirds of length, wings culminating in linear strongly horizontal stipules to 7mm. Flowers to *c*. 35mm diameter, open, erect, borne singly above foliage. Calyx divided almost to the base, lobes somewhat irregular, fringed by soft white hairs. Petals 5, broad strap-shaped, *c*.  $30 \times 10$ mm, notched at the apex, pink violet (85B) fading to white at the base. Filament tube to 25mm, pollen bright yellow. Further information and colour picture in *The Alpine Gardener* **73**(4): 450-452. Specimen [WSY0072091] and photographic slide [WSY0073699] in the RHS Herbarium (**WSY**).

62

## Odontioda Tesson Mill grex 'Saint Helier'

Award of Merit. Raised and exhibited by the Eric Young Orchid Foundation, Jersey on November 25, 2003. Description and colour picture in *The Orchid Review* **122**: 73.

## **Omphalodes** lojkae

Award of Merit. Exhibited by the Royal Botanic Gardens, Kew, Surrey on May 24, 2004. Described in *RHS Extracts from the Proceedings* **126**: 158-159 (2002). Photographic slide [WSY0050833] in the RHS Herbarium (**WSY**).

## **Orchis provincialis**

Certificate of Preliminary Commendation. Exhibited by Mr C Hardwick, Wolverhampton on April 17, 2004.

Hairless perennial with stems to 130mm. Leaves broadly linear, up to  $85 \times 15$ mm, strong yellow-green (144A) and with dark, oval blotches, tip acute and not hooded. Flowers 25-28mm long, the three outer segments more or less erect, *c*. 12mm long, lateral segments pointing forward, 8-10mm long, labellum 10-13 × 14-18mm, shallowly three-lobed, spur *c*. 12mm long, broadly obtuse at its upturned apex; flowers light greenish-yellow (4C) with strong purplish-red (58B) spots on centre line of labellum. Further information and colour picture in *The Alpine Gardener* **72**(4): 421-422. Specimen [WSY0046541] and photographic slide [WSY0047046] in the RHS Herbarium (WSY).

## Ornithogalum lanceolatum

Award of Merit. Exhibited by RHS Garden Wisley, Woking, Surrey on February 17, 2004.

Bulb with 3-4 leaves. Leaves narrowly to broadly oblong lanceolate, up to  $100 \times 21$ mm (broadest towards base), uniformly glossy dark green above, hooded at tip, hairless, held almost erect. Scapes very short so that the tight corymbs of up to 12 flowers are held at the base of the foliage. Pedicels up to *c*. 20mm long, white, each subtended by a narrowly lanceolate bract which may either be all green or white towards base. Perianth segments opening flat or slightly recurved, narrowly ovate to narrowly elliptic,  $16-22 \times 6-7$ mm, usually obtuse and sometimes slightly hooded at apex, outer segments minutely papillate at apex, white above, with a broad pale green line from base to apex on lower surface; filaments erect, white, narrowed above; anthers white, pollen pale yellow, style erect, white; ovary strongly lobed, yellowish-green. Further information in *The Alpine Gardener* **72**(4): 389-390. Specimen [WSY0047772] and photographic slide [WSY0048209] in the RHS Herbarium (WSY).

## Ornithogalum sibthorpii

Certificate of Preliminary Commendation. Exhibited by Mr I Christie, Kirriemuir, Angus on February 21, 2004.

Dwarf bulb. Leaves lying flat on the ground, 3mm wide, greyish yellow-green (191A) with a longitudinal white stripe on upper surface. Scapes 30mm, carrying starry, up-facing flowers in a flat corymb. Flowers 30mm wide; perianth segments 6, *c*.20mm long, spreading, blunt-tipped, white (155D) with fine green striations on the upper surface and a broad, strong yellow-green (143C) stripe on the lower surface. Specimen [WSY0046522] and photographic slide [WSY] in the RHS Herbarium (WSY).

## Ourisia × bitternensis 'Cliftonville Ling'

Certificate of Preliminary Commendation. Exhibited by Dr & Mrs M Sheader, Bitterne, Hampshire on June 19, 2004.

Plant  $30 \times 130$ mm as exhibited. Stems densely leafy, with short, gland-tipped hairs. Leaves ovate, obtuse, up to  $5 \times 2.5$ mm. Flowers clustered towards apex of stems. Pedicels *c*. 4mm long, shorter than bracts. Calyx 5mm long, divided to base into oblong or obovate, obtuse or shortly mucronate glandular hairy lobes. Corollas *c*. 18-19mm wide, with a slightly waisted tube *c*. 12mm long, limb red-purple (N74A), with a white eye. Further information and colour picture in *The Alpine Gardener* **72**(4): 438-441. Specimen [WSY0048214] and photographic slide [WSY0048215] in the RHS Herbarium (**WSY**).

## Ourisia × bitternensis 'Cliftonville Pink'

Certificate of Preliminary Commendation. Exhibited by Dr & Mrs M Sheader, Bitterne, Hampshire on June 19, 2004.

Plant 70 × 140mm as exhibited. Stems densely leafy, with short, gland-tipped hairs. Leaves ovate, to at least  $4.5 \times 2.5$ mm. Flowers clustered towards apex of stem. Pedicels *c*. 3mm long, shorter than bracts. Calyx *c*. 5.5mm long, divided to base into oblong or narrowly obovate, obtuse, glandular hairy lobes. Corollas to *c*. 16mm wide, with a slightly waisted tube *c*. 12mm long, limb moderate purplish-red (186B) with a brilliant yellow-green (150C) eye. Further information in *The Alpine Gardener* **72**(4): 438-441. Specimen [WSY0048220] and photographic slide [WSY0048221] in the RHS Herbarium (**WSY**).

## Paphiopedilum Angel Hair grex 'Roche d'Or'

First Class Certificate. Exhibited by the Eric Young Orchid Foundation, Jersey on January 18, 2005. Description and colour picture in *The Orchid Review* **113**: 118-119. Specimen [WSY0061172] and photographic slide [WSY0061173] in the RHS Herbarium (**WSY**).

## Paphiopedilum armeniacum 'Marguerite'

Award of Merit. Exhibited by Laurence Hobbs Orchid Ltd, Crawley Down, West Sussex on March 13, 2005.

The cultivar 'Marguerite', of this Chinese species, was thought to be larger than many other cultivars and with a good rounded shape. The plant exhibited had one

64

bright canary yellow flower on a 240mm tall green-spotted red spike. The overall flower size was 105mm long, 105mm wide; bract 22mm. Dorsal sepal 50mm long, 30mm wide, synsepal 40mm long, 25mm wide; petal 58mm long, 40mm wide. Pouch 45mm long, 42mm wide, 45mm deep; staminode yellow spotted red, 25mm wide.

#### Paphiopedilum delanatii f. albinum 'Gillian'

Award of Merit. Exhibited by Mr D Mathers, Richmond, Surrey on March 13, 2005.

This plant was a seedling from Taiwan and the species originates from Vietnam. It was thought to be a true albino as there was no pigmentation visible. The stunning white flowers contrasted with the brightly mottled leaves. This interesting form was described by Braem, Baker & Baker in 1998. The plant exhibited had two 210mm tall spikes with two crystalline white flowers and one bud. Overall flower size 75mm long, 82mm wide. Dorsal sepal 40mm long, 28mm wide, synsepal 35mm long, 32mm wide; petal 42mm long, 40mm wide. Pouch 25mm long, 30mm wide, 35mm deep, staminode white with central yellow-green staminode, 18mm wide; ovary green hairy 60mm long.

# Paphiopedilum henryanum 'Gaytarn'

Award of Merit. Exhibited by Mr J Gay, Wakefield, West Yorkshire on November 1, 2003. Description and colour picture in *The Orchid Review* **112**: 9-10.

## Paphiopedilum Lady Rothschild grex 'Victoria Village'

Award of Merit. Raised and exhibited by the Eric Young Orchid Foundation, Jersey on September 14, 2004. Description and colour picture in *The Orchid Review* **113**: 56. Specimen [WSY0061179] and photographic slide [WSY0061180] in the RHS Herbarium (**WSY**).

# Paphiopedilum L'Etacq grex 'Gorey Castle'

Award of Merit. Raised and exhibited by the Eric Young Orchid Foundation, Jersey on October 2, 2004. Description and colour picture in *The Orchid Review* **113**: 57. Specimen [WSY0061186] in the RHS Herbarium (WSY).

# Paphiopedilum Saint Swithin grex 'La Hougue Bie'

Award of Merit. Raised and exhibited by the Eric Young Orchid Foundation, Jersey on May 23, 2005. Description and colour picture in *The Orchid Review* **113**: 238-9.

# Pennisetum glaucum 'Purple Majesty'

Certificate of Preliminary Commendation. Exhibited by Mr S Bradley, Guildford, Surrey on May 24, 2004. Raised by Dr D Andrews of University of Nebraska (retired) in 1980, introduced into UK in 2004. Specimen [WSY0051546] in the RHS Herbarium (WSY).

# Petrocosmea minor

Certificate of Preliminary Commendation. Exhibited by Mrs K N Dryden, Sawbridgeworth, Hertfordshire on October 16, 2004.

Stemless perennial herb. Leaves basal, sub-orbicular to obovate, dark green (137B), somewhat succulent; petiole and margins of lamina shaggy pubescent, abaxically white-hairy with conspicuous lateral veins. Flowers purple (89D), borne in 1-3 flowered cymes on a peduncle to 50mm; calyx in 5 sections from base, sepals equal, narrowly triangular, pubescent; corolla zygomorphic, tube shorter than limb, limb to 20mm, 2-lipped, adaxial lip indistinctly 2-lobed; stamens 2, adnate to abaxial side of corolla tube. Ovary conical to broadly ovoid. Further information and colour picture in *The Alpine Gardener* **73**(4): 422-423. Specimen [WSY0048070] and photographic slide [WSY0048071] in the RHS Herbarium (**WSY**).

#### Petunia patagonica

Botanical Certificate. Exhibited by Dr M Sheader, Bitterne, Hampshire on May 21, 2005. Further information and colour picture in *The Alpine Gardener* **73**(4): 461-463. Specimen [WSY0073697] in the RHS Herbarium (WSY).

## Phragmipedium Bouley Bay grex 'Jersey'

Award of Merit. Exhibited by the Eric Young Orchid Foundation, Jersey on January 20, 2004. Description and colour picture in *The Orchid Review* **112**: 136-137.

## Phragmipedium caudata 'Sasha'

Award of Merit. Exhibited by Laurence Hobbs Orchid Ltd, Crawley Down, West Sussex on June 26, 2004.

The plant exhibited was one of the redder colour forms. The species comes from Central South America and was first described by Lindley in 1840. The plant exhibited had two erect spikes 350mm and 310mm tall with three open flowers and one bud. Overall flower size 710mm long to tips of tails, 60mm wide, bract green 60mm long. Dorsal sepal white-green, stripped green, 160mm long, 30mm wide, synsepal white-green, stripped green, 120mm long, 50mm wide. Petal twisted pink, tapering, 7mm wide at widest, 580mm long to tips of tails, pouch pale cream-red, inside cream spotted deep burgundy red, 75mm long, 30mm wide, 45mm deep, staminode yellow-green, red hairy margin, 15mm wide, ovary green, 150mm long.

# Phragmipedium China Dragon grex 'Jersey'

First Class Certificate. Exhibited by the Eric Young Orchid Foundation, Jersey on April 27, 2004. Description and colour picture in *The Orchid Review* **112**: 264-266.

# Phragmipedium Jason Fischer grex 'Corbière'

Award of Merit. Exhibited by the Eric Young Orchid Foundation, Jersey on September 16, 2003.

Hanburyana 1, February 20	2006
---------------------------	------

The cross was originally registered by Orchids Ltd, USA in 1996. The parents are *P*. Memoria Dick Clements grex and *P. besseae*. This cultivar was thought to have a good shape and colour. The cut flower spike exhibited had one deep scarlet flower, one flower opening and one bud; overall flower size 110mm wide, 82mm long, bract green, 72mm long. Dorsal sepal 22mm wide, 42mm long; synsepal 22mm wide, 35mm long; petal 31mm wide, 52mm long. Pouch orange-red becoming yellow on the inner edge, 21mm wide, 34mm long, 25mm deep; staminode red, 14mm wide.

## Primula allionii 'Lepus'

Certificate of Preliminary Commendation. Exhibited by Mr R Rolfe, West Bridgford, Nottinghamshire on February 26, 2005.

Herbaceous perennial with a basal rosette of leaves, each elliptic-obovate,

c.  $20 \times 10$ mm, obtuse at apex, with small, blunt, irregular teeth, upper surface covered with short, white, adpressed hairs, longer and glandular at the margins. Calyx to 5mm with short, white glandular pubescence, lobes acute, triangular, to 1.5mm. Corolla to 15mm wide with a narrow, pale tube to 12mm long; obovate-orbicular, obcordate, deep violet (closest to 81B) with a white eye surrounding the pale throat. Further information and colour picture in *The Alpine Gardener* **73**(4): 435-436. Photographic slide [WSY0073705] in the RHS Herbarium (WSY).

#### Primula bracteata subsp. dubernardiana

Certificate of Preliminary Commendation. Exhibited by Mr A R Furness, Hexham, Northumberland on April 2, 2005.

Herbaceous perennial to  $30 \text{mm} \times 100 \text{mm}$  as seen. Leaves grey-green, mealy, spathulate, much narrowed at the base, jaggedly toothed, to 25mm long. Flowers borne singly on upright pedicels to 9mm. Calyx separated to about half way into 5 triangular segments; corolla white faintly tinged violet (85D) with a bright yellow eye. Limb *c*. 15mm across, petal-lobes ovate, narrowly notched to about one third into two rounded segments. Further information and colour picture in *The Alpine Gardener* **73**(4): 439-441. Photographic slide [WSY0073702] in the RHS Herbarium (WSY).

# Primula 'Broadwell Milkmaid'

Award of Merit. Exhibited by Mr P Nicholls, Shoreham-by-Sea, West Sussex on March 20, 2004. Described in *RHS Extracts from the Proceedings* **124**: 119. Further information and colour picture in *The Alpine Gardener* **72**(4): 395. Specimen [WSY0046516] and photographic slide [WSY0046580] in the RHS Herbarium (WSY).

#### Primula fedtschenkoi

Botanical Certificate. Exhibited by Mr E Webster, Loughborough, Leicestershire on February 26, 2005. Further information and colour picture in *The Alpine Gardener* **73**(4): 458-459. Photographic slide [WSY0073704] in the RHS Herbarium (WSY).

## Primula hirsuta 'Lismore Snow'

Award of Merit. Exhibited by Mr A R Furness, Hexham, Northumberland on April 2, 2005.

Herbaceous perennial to 70mm × 180mm as seen. Leaves obovate to suborbicular tapering to broad, winged petiole. Lamina with coarse, blunt teeth, glossy green, paler on underside. Peduncle yellowish-green with minute pubescence. Flowers arranged in umbels; bracts to 4mm, papery; pedicels slender, to 5mm; calyx separated to about half way into 5 triangular segments; corolla white, tube to 9mm, limb *c*. 20mm across, petal-lobes ovate, broadly notched into two rounded segments. Further information and colour picture in *The Alpine Gardener* **73**(4): 441-442. Specimen [WSY0066118] in the RHS Herbarium (WSY).

### Primula kweichouensis

Botanical Certificate. Exhibited by Mrs A Yorston, Hoddesdon, Hertfordshire on April 2, 2005. Further information in *The Alpine Gardener* **73**(4): 459-460. Photographic slide [WSY0073701] in the RHS Herbarium (**WSY**).

### Primula obtusifolia

Certificate of Preliminary Commendation. Exhibited by Mr & Mrs M Taylor, Dundee, Angus on April 17, 2004.

Herbaceous perennial with a basal rosette of *c*. 12 leaves, each broadly spathulate, up to  $170 \times 40$ mm, obtuse at apex, gradually tapered below, margins with short, patent, abruptly pointed teeth, strongly white farinose below, lightly farinose above. Scape to 190mm, with 2 whorls of flowers, with *c*. 10 flowers in each whorl. Bracts linear, up to 25mm long, farinose. Pedicels to 35mm long. Calyx 10mm long, divided to  $\frac{3}{3}$ , basal part campanulate, lobes narrowly triangular, strongly white farinose internally. Corolla 28mm wide, with a long, slender tube to 18mm long; lobes broadly elliptic, emarginate, strong purple (82B), with a white eye surrounding the moderate violet (86A) throat. Thrum-eyed, with purple pollen. Further information and colour picture in *The Alpine Gardener* **72**(4): 425-426. Specimen [WSY0046084] in the RHS Herbarium (**WSY**).

#### Primula takedana

Certificate of Preliminary Commendation. Exhibited by Mr & Mrs C Bainbridge, Easter Howgate, Midlothian on May 15, 2004.

Herbaceous, rosette-forming perennial. Leaves shallowly and palmately 5-lobed, each lobe with 2-4, shallow teeth, dark green, sparsely hairy above, more hairy beneath especially along the veins and margins; petioles to 100mm long, reddish, with long, erect hairs. Scapes to 180mm, with 1-3 flowers. Bracts linear, 5mm long. Pedicels to 25mm long. Calyx 6mm long, green. Flowers with a funnel-shaped tube 8mm long, lobes 6, white; pin-eyed; pollen yellow. Further information in *The* 

*Alpine Gardener* **72**(4): 428-429. Specimen [WSY0047764] in the RHS Herbarium (WSY).

## × Propetalum Bumble Bee grex 'Beverston Castle'

Certificate of Preliminary Commendation. Exhibited by R Stevens, Tetbury, Gloucestershire on October 2, 2004. Description and colour picture in *The Orchid Review* **113**: 58-59.

# Protea laurifolia 'Rose Mink'

Certificate of Preliminary Commendation. Exhibited by Tresco Abbey Garden, Tresco on January 18, 2005.

# Protea lepidocarpodendron

Award of Merit. Exhibited by Tresco Abbey Garden, Tresco on January 18, 2005.

Tall, upright, evergreen shrub of erect habit. Leaves narrowly oblong, stalkless to  $150 \times 15$ mm, leathery and with a prominent mid-vein. Flowerheads terminal, oblong,  $100 \times 45$ mm, always appearing "closed". Involucral bracts pale pink (a blend of 186D, N187D and paler than 182D). Outer involucral bracts ovate with pointed tips. Inner bracts oblong to spathulate with tips curved inwards, tips dark purple (N186B) and very hairy. Hairs mostly dark purple (N196B/N79A) but with white hairs at the extreme tip. Style straight, hairy at the base; pollen presenter with a minutely hooked tip; awn creamy white with dense hairs. The plant in Tresco Abbey Garden is 3-4m tall and first flowered in 1984. Further information in *The Plantsman* n.s. **4**(4): 236.

# Protea 'Pink Ice'

Certificate of Preliminary Commendation. Exhibited by Tresco Abbey Garden, Tresco on January 18, 2005.

#### Puschkinia scilloides

Award of Merit. Exhibited by Dr T Smale, Epsom, Surrey on March 20, 2004.

Hairless, bulbous perennial. Leaves oblong-elliptic,  $80 \times 13$ mm, abruptly contracted at apex to a bluntly pointed, hooded apex. Stems 50-80mm tall, with a short raceme of *c*. 5 outward-facing flowers. Lowest pedicels 12mm long, subtended by a minute (*c*. 1mm long), pale brown bract. Flowers 20mm wide; perianth segments  $14 \times 4$ -5mm, oblong-elliptic, slightly saccate at base and joined for basal 2mm, retuse at apex, white with lines of light blue (101C) up centre of each petal the colour suffused out from midvein and around the centre of the flower. Further information in *The Alpine Gardener* **72**(4): 394-395. Specimen [WSY0046512] and photographic slide [WSY0046582] in the RHS Herbarium (**WSY**).

## Ramosmania rodriguesii

Award of Merit. Exhibited by the Royal Botanic Gardens, Kew, Surrey on April 6, 2004.

Leaves opposite, oblong-elliptic, very variable but up to 160mm long and 60mm wide and with a prominent central midvein that is tinged with red (41B/C); petioles short (<7mm) and internodes 28-70mm. Bark flaking; stems glabrous and slightly flattened. Flowers in cymes, white (155C), axillary with <9 flowers per cluster and peduncles up to 15mm; corolla tube  $<20 \times 3$ mm, internally velutinous and with five spreading lobes, giving a star-like effect, each lobe  $<28 \times 8$ mm and slightly convex. Stamens 5, <10mm long anthers with longitudinal splits, slightly exserted, filaments attached to the tube just below the mouth. Stigma very variable in length, but shorter than the position of the stamens. The café marron is a highly decorative plant that can flower continuously for many months, with flowers all along the branches. It is also a critically endangered Rodrigues endemic that had been thought to be lost, but a single specimen was then discovered in the early 1980s. Cuttings were flown to Kew in a joint conservation project with IUCN and the Mauritian Forestry Commission. After propagation problems cuttings were eventually rooted with some being repatriated to Rodrigues. More recently the self-incompatability mechanisms have been successfully bypassed and viable seeds have been produced. Specimen [WSY0048207] in the RHS Herbarium (WSY).

## Renanthera citrina 'Sue Lane'

Botanical Certificate. Exhibited by Ms S Lane, Cullompton, Devon on October 2, 2004. Description and colour picture in *The Orchid Review* **113**: 57-59.

### Rhodiola trollii

Certificate of Preliminary Commendation. Exhibited by Mr & Mrs L Martin, Pevensey, East Sussex on June 18, 2005.

Succulent perennial to  $30 \times 290$ mm as seen. Stems numerous, fleshy, glabrous, lowgrowing forming a fairly tight clump. Leaves alternate, tightly clustered at end of stem, small, to  $4 \times 2$ mm, obovate-elliptic, glabrous, sessile. Inflorescence a fewflowered cyme, peduncle and pedicels with a few bract-like leaves. Flowers star-like to 15mm diameter. Calyx divided to the base in 5, sepals narrowly ovate. Petals ovate-lanceolate, blunt-tipped, papery, white. Filaments thread-like, anthers small and brown. Further information and colour picture in *The Alpine Gardener* **73**(4): 455-456 (as *Sedum trollii*). Specimen [WSY0072087] and photographic slide [WSY0073624] in the RHS Herbarium (**WSY**).

#### Rhododendron 'Ambrose Bristow'

Award of Merit. Exhibited by Mr M Robinson, Forest Row, East Sussex on April 18, 2004.

Truss *c*. 180mm diameter of *c*. 15 flowers. Corolla ventricose-campanulate,  $60 \times 40$ mm, yellowish-white (155A-154D), dorsal nectaries maroon red (59A) giving impression of small eye inside base of corolla; tube 30-35mm; lobes 7-8, 15 × 20mm. Stamens 11-16, included, 20-45mm; filaments white, slightly white pubescent at base; anthers dark brown. Style *c*. 45mm long; stigma red; ovary green

70

with dense white pubescence. Calyx insignificant. Pedicel 25-40mm. Leaves elliptic, blade *c*.  $170 \times 80$ mm, matt green above, compacted thin silvery indumentum beneath. Specimen [WSY0046884] and photographic slide [WSY0046882] in the RHS Herbarium (**WSY**).

## Rhododendron 'Crème Brûlée'

Award of Merit. Exhibited by Millais Nurseries, Churt, Surrey on May 23, 2005.

Truss 180mm wide of *c*. 15 flowers. Corolla widely funnel-shaped,  $110 \times 30$ mm, white (155B), flushed yellow (4D) towards centre and base of petals, the central dorsal petal and proximal sides of adjacent petals with ochre (162A) speckles in lines radiating from the base. Petals 55 × 40mm, joined halfway from tip to base. Stamens 10, 25-40mm, filaments white (155C), glabrous except for a a few scattered hairs at the base, anthers dark brown. Style 50mm, yellow green (150C). Stigma capitate, red-purple (71A). Ovary cylindrical 5 × 4mm, 10-locular with axile placentation, mid-green (137A), slightly pubescent. Pedicel *c*. 50mm, yellow-green (150B) flushed orange-red (40B). Leaves leathery, elliptical, entire, acute, to 160 × 50mm, dark green (137A/B) and dull on upper side, paler (143C) below mottled dark brown (165A). Central mid-rib pale yellow-green (150A), prominent on underside, slightly impressed on upper side. Young shoots shiny green (143C). Further information in *The Plantsman* n.s. **4**(4): 240. Specimen [WSY0066122] and photographic slide [WSY0070092] in the RHS Herbarium (**WSY**).

#### Rhododendron 'David Rockefeller'

Certificate of Preliminary Commendation. Exhibited by Mr E de Rothschild, Exbury Gardens, Hampshire on May 23, 2005.

Rounded truss of 12-15 fragrant flowers, 100mm in diameter. Corolla tubular-funnel shaped,  $60 \times 35$ mm, with 6 wavy-edged lobes, *c*.  $35-40 \times 25$ mm, brilliant yellow (outer 15A, inner 15A/17B), flushed orange-yellow (23A) on central dorsal petal. Petals joined halfway from tip to base, with central groove on each face, corolla tube pubescent outside, sparsely so inside. Stamens 5, exserted, 50mm, pubescent towards base, with yellow-orange (17C) filaments grading to white or greenish-white at base, anthers orange. Style *c*. 60mm, same colour as filaments, stigma capitate, green. Ovary mid-green (139C), pilose with translucent glandular hairs. Pedicel *c*. 15mm with translucent glandular hairs. Young leaves elliptic, to  $55 \times 25$ mm, green (144A) flushed bronze (166B), shortly pubescent above and on veins below. Veins paler, *c*. 16 pairs. Petiole 1-2mm. Young stems reddish-brown (166B), shortly pubescent. Specimen [WSY0073456] and photographic slide [WSY0072076] in the RHS Herbarium (**WSY**).

## Rhododendron Dragonfly Group

Award of Merit. Exhibited by Mr E de Rothschild, Exbury Gardens, Hampshire on July 15, 2005.

Rounded truss of c. 10 slightly fragrant flowers, 160mm in diameter. Bud-scales aristate, 35 × 15mm. Corolla tubular-campanulate, 75 × 70mm, 6-7-lobed. Petals glabrous, c.  $70 \times 20-25$  mm, lower three quarters joined, pink (63C/63D), flushed darker outside (63C) and at base inside (63A) and with darker veins and slight speckling (63A) to upper half of dorsal petal. Petal margins turning violet (90C) on drying. Stamens 12-14, 45-55mm, with brown anthers and white filaments, and at the base a slight pink tint and sparse, short, translucent hairs. Style shortly glandular hairy, coloured pale yellow-green (150D), c. 50mm, curving towards dorsal petal. Stigma capitate. Ovary pale green (142C), 8-locular, pilose with translucent glandular hairs. Pedicel c. 30mm, with sticky, glandular hairs near calyx. Sepals 6-8, connate, 1-3mm, longest on dorsal side, acute, red-purple (60A), with sparse short hairs on the margins and lower surface. Leaves thinly leathery, oblanceolate, obtuse, with mucronulate tip and rounded base, dark green (147A) above, paler (143D) below and with loose, greyed-orange (169C) indumentum below. Mid-rib prominent below, impressed above, vellow-green (145C), with c. 12 pairs of veins on either side, slightly raised below. Petiole yellow-green (144A/145A), c. 25mm. Young shoots yellow-green (144A). Specimen [WSY0070221] in the RHS Herbarium (WSY).

#### Rhododendron 'Fantastica'

Award of Merit. Exhibited by Mr E de Rothschild, Exbury Gardens, Hampshire on May 24, 2004.

Truss 150mm across of *c*. 18 flowers. Corolla campanulate,  $40 \times 50$ mm, white with deep pink (63B) flushing on external surface and internally at lobe margins, giving a picotee appearance, scattered greenish-brown spots on inside of upper lobe; tube 20mm; lobes 5, *c*.  $24 \times 27$ mm. Stamens 10, 10-20mm, included; filaments pale pink, white pubescent at base; anthers pale brown. Style *c*. 30mm, pink, stigma red; ovary densely white tomentose. Calyx insignificant. Pedicel 40-50mm with scurfy pubescence. Leaves elliptic 90-140  $\times$  35-50mm, underside with loose fawn indumentum. Specimen [WSY0047768] and photographic slide [WSY0048211] in the RHS Herbarium (**WSY**).

## Rhododendron Intrepid Group

Award of Merit. Exhibited by Mr  $\hat{E}$  de Rothschild, Exbury Gardens, Hampshire on July 15, 2005.

Rounded truss of *c*. 17 flowers, 150mm in diameter. Bud-scales to  $35 \times 20$ mm, sticky. Corolla tubular-funnel-shaped,  $70 \times 55$ mm, 5-lobed. Petals with basal nectary, waxy, rather thick, *c*.  $55 \times 30$ mm, lower two thirds connate, coloured scarlet (45A/46B). Specimen [WSY0070225] and photographic slide [WSY0070258] in the RHS Herbarium (**WSY**).

## Rhododendron 'Princess Margaret of Windsor'

Award of Merit. Exhibited by Mr  $\tilde{E}$  de Rothschild, Exbury Gardens, Hampshire on May 23, 2005.

Rounded truss of 12-15 fragrant flowers, 100mm in diameter. Corolla tubular-funnel shaped,  $60 \times 35$ mm, with 6 wavy-edged lobes, *c*.  $35-40 \times 25$ mm, brilliant yellow (outer 15A, inner 15A/17B), flushed orange-yellow (23A) on central dorsal petal. Petals joined half way from tip to base, with central groove on each face, corolla tube pubescent outside, sparsely so inside. Stamens 5, exserted, 50mm, pubescent towards base, with yellow-orange (17C) filaments grading to white or greenish-white at base, anthers orange. Style *c*. 60mm, same colour as filaments, stigma capitate, green. Ovary mid-green (139C), pilose with translucent glandular hairs. Pedicel *c*. 15mm with translucent glandular hairs. Young leaves elliptic, to  $55 \times 25$ mm, green (144A) flushed bronze (166B), shortly pubescent above and on veins below. Veins paler, *c*. 16 pairs. Petiole 1-2mm. Young stems reddish-brown (166B), shortly pubescent. Specimen [WSY0066160] in the RHS Herbarium (WSY).

#### Rhododendron 'Ted Millais'

First Class Certificate. Exhibited by RHS Garden Wisley on April 18, 2004.

Truss 90mm across of *c*. 16 flowers, generally consisting of 3-4 sub-trusses of 3-4 flowers each. Corolla broadly funnel-shaped,  $30 \times 45$ mm, purple (78A) with flare of brownish-red spots in throat, extending to base of upper lobe; tube 15-20mm; lobes 5, *c*. 15-18mm. Stamens 10, 20-35mm; filaments purple (78A), white pubescent at base; anthers pale brown. Style red-purple (71D), 35mm, stigma brown; ovary green, glabrous, scaly. Calyx insignificant. Pedicel 10-20mm. Leaves narrowly elliptic, blade *c*. 80 × 35mm, dark green above, dense covering of dark brown scales beneath. Specimen [WSY0047597] in the RHS Herbarium (**WSY**).

#### Rhododendron 'Wisley Pearl'

Award of Merit. Exhibited by RHS Garden Wisley on May 4, 2004.

Truss 120mm wide of 8-10 flowers. Corolla broadly campanulate,  $35 \times 70$ mm, white, flushed pink (55B), especially on both surfaces of lobes and externally on mid veins, flare of diffuse green spots; tube 25mm; lobes 5,  $20 \times 30$ mm, deeply notched; buds deep pink (67A). Stamens 9-10, included, 15-30mm; filaments white, pubescent at base; anthers pale brown. Style 40mm, white, stigma and style apex flushed deep pink; ovary green with dense white pubescence. Calyx insignificant. Pedicel 25-40mm with glandular white pubescence. Leaves elliptic, blade *c*. 120 × 30mm, undersurface with dense fawn indumentum. Specimen [WSY0051468] and photographic slide [WSY0051466] in the RHS Herbarium (**WSY**).

## Rhodohypoxis baurii 'Badger'

Certificate of Preliminary Commendation. Exhibited by D Mountfort, Egginton, Derbyshire on May 15, 2004.

Leaves linear lanceolate,  $48 \times 6$ mm, acuminate at apex, with numerous, spreading or appressed, white hairs of very variable length. Pedicels *c*. 40mm long, similarly hairy. Perianth *c*. 30mm wide, purplish-pink (N66C), streaked white down centre of each lobe, the outer lobes broadly elliptic, *c*. 9.5mm wide, white hairy externally, bluntly acute at apex, inner lobes elliptic, 8mm wide. Further information and colour picture in *The Alpine Gardener* **72**(4): 430-431. Specimen [WSY0046529] and photographic slide [WSY0047039] in the RHS Herbarium (**WSY**).

#### Rhodohypoxis 'Great Scot'

Award of Merit. Exhibited by D Mountfort, Egginton, Derbyshire on May 15, 2004.

Leaves linear-lanceolate,  $30-40 \times 5$ mm, acute at apex, with numerous, spreading or appressed white hairs of very variable length. Pedicels *c*. 35mm long, similarly hairy. Perianth 15-20mm wide, strong purplish-red (64B), the outer lobes broadly elliptic, 7mm wide, densely white hairy externally, obtuse at apex, inner lobes elliptic, *c*. 5mm broad, not hairy, obtuse at apex. Further information and colour picture in *The Alpine Gardener* **72**(4): 399-400. Specimen [WSY0046533] and photographic slide [WSY0047041] in the RHS Herbarium (**WSY**).

#### Richteria leontopodium

Certificate of Preliminary Commendation. Exhibited by Mr B Davidson, Gatehouse of Fleet, Galloway on April 23, 2005.

Tufted perennial to 100mm tall, the whole plant silver-grey woolly. Leaves alternate, up to 6 per stem, bipinnatifid with up to 12 alternate segments; leaflets 8 per segment blunt tipped and covered on upper and lower surface with fine white woolly hairs (191B). Flowers borne singly to 40mm across, ray florets white (155D); disk yellow (7A), stem and calyx white woolly hairy. Further information and colour picture in *The Alpine Gardener* **73**(4): 446-447. Specimen [WSY0072097] in the RHS Herbarium (**WSY**).

## Rosenia humilis

Certificate of Preliminary Commendation. Exhibited by Dr & Mrs M Sheader, Bitterne, Hampshire on April 17, 2004.

Perennial  $110 \times 140$ mm as exhibited. Leaves linear, up to  $13 \times 1$ mm, ascending in habit, acuminate at apex, with rows of glistening glands in leaf surface. Capitulum  $20 \times 13$ mm; involucre obconical, with several imbricate rows of hairless, papery bracts, outermost *c*. 4mm long, obtuse, pale yellow-green, innermost *c*. 15mm long, with a broadened, pale brown, acute apex, ligules *c*. 6mm long, vivid yellow (9A), erect. Further information and colour picture in *The Alpine Gardener* **72**(4):

74

420-421. Specimen [WSY0046543] and photographic slide [WSY0047030] in the RHS Herbarium (**WSY**).

#### Saxifraga portosanctana

Certificate of Preliminary Commendation. Exhibited by the Royal Botanic Gardens, Kew, Surrey on May 23, 2005.

Plant forming an open cushion *c*.  $300 \times 600$ mm at anthesis. Stems much branched, wiry, glabrous, becoming woody. Leaf lamina to  $20 \times 20$ mm, cuneate, rhomboid to deltoid, ternately lobed, cut into several narrowly triangular segments at the apex, coriaceous, fleshy, glabrous. Flowers to *c*. 15mm diameter borne in leafy, rather diffuse axillary cymes; sepals linear-lanceolate, glabrous, dark green; petals *c*.  $10 \times 3$ mm, white. Further information in *The Alpine Gardener* **73**(4): 453. Specimen [WSY0066124] in the RHS Herbarium (WSY).

#### Scilla aristidis

Certificate of Preliminary Commendation. Exhibited by Mr R Cobb, Wollaton, Nottinghamshire on January 20, 2004.

Bulb without a tunic, producing two, erect, glossy green, oblanceolate, hairless leaves, up to  $70 \times 15$ mm at anthesis, broadly acute to obtuse at apex, apiculate. Scape *c*. 40mm tall, with a more or less one-sided raceme (*c*. 35mm long) held at about same level as or just exceeding the leaves. Pedicels subtended by 2 very narrowly triangular, white bracts; lower pedicels arching out so flowers are held outwards, upper more or less erect so flowers face upwards. Flowers *c*. 18mm wide, lowest opening flat or with slightly recurved perianth segments; segments oblong-elliptic, *c*. 9 × 2.5mm; filaments white, flattened, attached towards base of segments; anthers deep blue; ovary deep blue with a short slightly paler, erect style. Specimen [WSY0047771] in the RHS Herbarium (**WSY**).

#### Scilla greilhuberi

Award of Merit. Exhibited by the Royal Botanic Gardens, Kew, Surrey on March 15, 2005.

Hairless, bulbous perennial. Leaves linear-lanceolate, to  $c. 300 \times 8$ mm, keeled, somewhat fleshy, abruptly contracted at apex to a blunt, hooded point. Stems c. 240mm tall, erect, succulent, pale green becoming lilac-tinged toward the tapering apex, round in cross-section becoming strongly triangular above the lowest flower. Inflorescence a widely spaced raceme of c. 9 flowers each subtended by a prominent bract to  $8 \times 3$ mm. Pedicels pale purple, slender, to 16mm, held horizontally, dipping at the apex so the flowers become pendulous. Perianth segments 6, similar,  $8 \times 3$ mm, tapering to an acute point, joined for basal 2mm, sharply recurved, light purple (94D) but darker at tips and on mid rib giving overall impression of 96B. Ovary, style and filaments light purple (94D), anthers notably dark (95A). Further information and colour picture in *The Alpine Gardener* **73**(4): 410-412. Specimen

[WSY0066157] and photographic slide [WSY0066158] in the RHS Herbarium (WSY).

#### Scilla madeirensis

First Class Certificate. Exhibited by the Royal Botanic Gardens, Kew, Surrey on November 12, 2004. This plant was described in *RHS Extracts from the Proceedings* **116**: 140-141 (1992). Further information and colour picture in *The Alpine Gardener* **73**(4): 404-405. Photographic slide [WSY0050846] in the RHS Herbarium (WSY).

## Sebaea thomasii

First Class Certificate. Exhibited by Mr C Lafong, Glenrothes, Fife on April 17, 2004.

Plant forming a flat cushion  $60 \times 300$ mm as exhibited. Stems *c*. 60mm, with *c*. 8 decussate pairs of broadly ovate leaves,  $10 \times 8$ mm, cuspidate at apex, hairless except for a ring of very short, thick hairs around the node. Flowers solitary, terminal (or with another undeveloped bud to one side), carried on strongly angled pedicels *c*. 2.5mm long. Calyx 10mm long, with long, erect, narrow, acuminate lobes, joined towards the base. Corolla to 30mm wide, with a long (to 18mm), narrow, slender tube and spreading, elliptic lobes  $10-11 \times 4-5$ mm; lobes brilliant yellow (7A). Anthers 5, with mid brown pollen; style simple, yellow; both anthers and style held deep within the tube. Further information and colour picture in *The Alpine Gardener* **72**(4): 386-8. Specimen [WSY0046081] in the RHS Herbarium (**WSY**).

#### Silene pusilla

Award of Merit. Exhibited by Mr & Mrs L Martin, Pevensey, East Sussex on June 19, 2004.

Slender perennial. Plant exhibited  $120 \times 300$  mm. Stems much branched. Leaves opposite, linear, to *c*.  $35 \times 1.5$  mm, ciliate at base, obtuse at apex, gradually reducing in size up the stems. Inflorescence a spreading dichasium. Upper parts of stems, pedicels and calyx with numerous, short, gland-tipped hairs. Calyx obconical, 5mm long, divided to *c*.  $\frac{1}{2}$ -way by obtuse teeth with broad hyaline margins. Petals *c*. 8mm long, deeply emarginate and each lobe with one blunt lateral tooth, white. Further information and colour picture in *The Alpine Gardener* **72**(4): 403-404. Specimen [WSY0048218] and photographic slide [WSY0048219] in the RHS Herbarium (WSY).

#### Silene viscariopsis

Certificate of Preliminary Commendation. Exhibited by the Royal Botanic Gardens, Kew, Surrey on May 24, 2004.

Clump-forming, evergreen, biennial to perennial. Stems slender, erect, *c*. 200mm tall, with swollen nodes, viscid above. Basal leaves linear,  $35 \times 2mm$ , grey-green, ciliate below and covered, like the remainder of the plant in short, dense, eglandular hairs. Inflorescence a panicle, with long, slender, spreading, 1-3 flowered branches.

Calyx shortly obovate, 6mm long, tapered at base, contracted at apex, whitish ground with 10 conspicuous, longitudinal, purple veins. Flowers *c*. 12mm wide. Petals 12mm long, deeply bilobed with a long claw, magenta, with long exserted stamens; filaments magenta; anthers tinged blue. Styles 3, white, tinged magenta. Further information and colour picture in *The Alpine Gardener* **72**(4): 434-436. Specimen [WSY0048205] and photographic slide [WSY0048206] in the RHS Herbarium (WSY).

### Stanhopea Plemont grex 'Elizabeth Castle'

Award of Merit. Raised and exhibited by the Eric Young Orchid Foundation, Jersey on April 30, 2005. Description and colour picture in *The Orchid Review* **113**: 238.

#### Sternbergia greuteriana

Certificate of Preliminary Commendation. Exhibited by Mr A M Edwards, Dorking, Surrey on October 5, 2004.

Bulbous perennial. Leaves several, spreading, linear, up to  $80 \times 3.5$ mm at anthesis, bright green, with only the faintest grey line down the midvein, hyaline margin minutely crenate, apex obtuse, glabrous. Stems to *c*. 60mm, becoming more or less horizontal, strongly angled. Spathe 32mm long, tubular below, papery. Ovary ellipsoid,  $8 \times 3.5$ mm. Perianth to  $43 \times 45-50$ mm, tubular below, divided above into 6 spreading to somewhat recurved, narrowly elliptic, obtuse segments, the outer 7.5mm wide, the inner 5mm wide, vivid yellow (14B); stamens 6, filaments pale yellow; style and anthers vivid yellow. Specimen [WSY0050811] and photographic slide [WSY0050812] in the RHS Herbarium (**WSY**).

## Streptocarpus 'Gwen'

Award of Merit. Raised and exhibited by Dibleys Nurseries, Ruthin, Denbighshire on May 24, 2004.

Pot plant with flowering stems to 250mm tall. Leaves basal, oblong-lanceolate with a rounded apex, hirsute; mid green (137A/B), paler below (slightly paler than 138B). Flower stems hairy, up to 10 flowers per stem with a sequencial flowering. Corolla white (155C) to 35mm in height and width; tube gradually flaring, 25mm long, yellow (2B/C) flash internally, externally covered with glandular hairs, mostly clear, but some pale violet; upper 2 corolla lobes white with a faint violet tinge at their margin; lower 3 corolla lobes white, thickly veined blue-violet (N89A) with paler hues in between. Calyx 5-lobed, lanceolate to 8mm long and hirsute. A sport of *S*. 'Bethan'. Specimen [WSY0051527] and photographic slide [WSY0051526] in the RHS Herbarium (**WSY**).

## Streptocarpus 'Nia'

Award of Merit. Raised and exhibited by Dibleys Nurseries, Ruthin, Denbighshire on May 24, 2004.

Pot plant with hirsute, dark green (147A/B) flowering stems to 250mm tall. Leaves basal, oval-oblong, hirsute, mid green (137A/B), paler below (slightly paler than 138B). Up to 6 flowers per stem open at any one time. Corolla 5-lobed pink to 38mm tall and 34mm wide; tube gradually flaring, externally glandular hairy and white darkening to pale pink towards the lobes; lobes pink (68B) at margin gradually fading to blush pink (69C/D) towards the centre; lower 3 corolla lobes flushed with yellow (2C) towards the throat. Calyx 5-lobed, lanceolate to 9mm long. A sport of *S*. 'Party Doll'. Specimen [WSY0051536] and photographic slide [WSY0051535] in the RHS Herbarium (**WSY**).

## Trillium nivale

Award of Merit. Exhibited by the Royal Botanic Gardens, Kew, Surrey on March 9, 2004.

Hairless, herbaceous perennial. Stems *c*. 50mm (above ground), white suffused and mottled reddish. Leaves in a whorl of three at the apex of the stem; petioles *c*. 7mm long held almost erect, blades spreading, broadly elliptic, *c*.  $45 \times 35$ mm, truncate at base, obtuse at apex, dull green and with very indistinct purplish mottling near the edges. Pedicels *c*. 22mm long, greenish-white heavily suffused/mottled reddish, holding the flower between erect and patent. Sepals oblong-lanceolate,  $24 \times 8$ mm, recurved at apex, green. Petals 3, broadly elliptic, *c*.  $34 \times 23$ mm, obtuse at apex, pure white at first, acquiring a slight pink tinge with age, partially reflexed; filaments white, erect; pollen yellow; ovary green, with 3 styles held just below tips of anthers, filaments white above, greenish at base. Further information and colour picture in *The Alpine Gardener* **72**(4): 392-394. Specimen [WSY0046518] and photographic slide [WSY0046520] in the RHS Herbarium (**WSY**).

## Trillium 'Purple Haze'

Certificate of Preliminary Commendation. Exhibited by Mrs K N Dryden, Sawbridgeworth, Hertfordshire on April 12, 2005.

Hairless, herbaceous perennial. Stems to *c*. 450mm. Leaves in a whorl of 3 at the apex of the stem, each rhomboid and acuminate with 3 deeply inset, longitudinal veins, bright glossy green, without blotching. Sepals 3, elliptic-ovate, acute, somewhat keeled and hooded, *c*.  $25 \times 15$ mm. Petals 3, broadly ovate, shortly acuminate,  $40 \times 35$ mm with prominent longitudinal veins, white blotched with pink-purple markings (78B), darker (77A) at the base and tip of the petals, the colour distributed as though administered with a dry sponge. Ovary deep red, with 3 stigmas held just below tips of anthers; filaments short, red, anthers *c*. 7mm, pollen beige. Further information and colour picture in *The Alpine Gardener* **73**(4): 442-443.

#### Tulipa aucheriana

First Class Certificate. Exhibited by the Royal Botanic Gardens, Kew, Surrey on April 12, 2005.

#### Tulipa humilis 'Alanya'

Award of Merit. Exhibited by the Royal Botanic Gardens, Kew, Surrey on April 6, 2004.

## Tulipa orthopoda

Botanical Certificate and Certificate of Preliminary Commendation. Exhibited by the Royal Botanic Gardens, Kew, Surrey on January 18, 2005. Further information in *The Plantsman* n.s. **4**(4): 237-238. Photographic slide [WSY0052754] in the RHS Herbarium (**WSY**).

## Tulipa 'World's Favourite'

First Class Certificate. Exhibited by Wendy Akers, Wrenthorpe, North Yorkshire on April 26, 2005. Further information in *The Plantsman* n.s. 4(4): 238.

## Uebelmannia pectinifera

Certificate of Preliminary Commendation. Exhibited by Mr & Mrs T Mace, Anstey, West Sussex on August 24, 2004.

Introduced from Brazil in 1964, this slow-growing plant is probably the most attractive of the genus. It has a very dark green body with white to creamy-yellow wool down the ridges at the base of the areoles, which are very dark red to almost black. Although easily cultivated it was noted that it does require a higher temperature, around 10°C, than other cacti during the winter months.

## Vanda Paki grex 'Esther Motes'

Award of Merit. Exhibited by Mr C Carter, Romsey, Hampshire on June 26, 2004.

This cultivar was awarded a Preliminary Certificate in 2002 (see *The Orchid Review* **110**: 330-332). This more mature plant had more flowers and its superior award quality was confirmed. The plant exhibited had two pendulous spikes 240mm long both with fourteen open flowers. Overall flower size 52mm long, 60mm wide. Dorsal sepal 25mm long, 12mm wide; sepal 28mm long, 10mm wide at widest. Petal 25mm long, 8mm at widest, lip contrasting bright red streaked white, 20mm long, 9mm wide, column 7mm long.

## Vanda Pat Delight grex 'Pink Tango'

Award of Merit. Exhibited by Mr M Tibbs, Hermanus, South Africa on May 24, 2004. Description and colour picture in *The Orchid Review* **112**: 271-272.

#### Vascostylis Prapawan grex 'Tanzanite'

Award of Merit. Exhibited by RF Orchids, Homestead, Florida, USA on May 24, 2004. Description and colour picture in *The Orchid Review* **112**: 269-271.

## Zygoneria Adelaide Meadows grex 'Chailey Majestic'

Certificate of Preliminary Commendation. Exhibited by McBean's Orchids, Cooksbridge, Lewes, East Sussex on April 6, 2004.

The cut spike exhibited had three open flowers, overall flower size 72mm long, 73mm wide; bract green 25mm long. The flowers had an attractive cinnamon-clove scent. Petals and sepals with deep red blotches on pale green background. Dorsal sepal 25mm long, 20mm wide, sepal 35mm long, 20mm wide; petal 32mm long, 21mm wide. Lip contrasting deep purple, velvet textured effect, mauve callus, 42mm long, 45mm wide; column purple 15mm long; ovary green 35mm long.

# Zygopetalum Kosciusko grex 'Sophie'

Certificate of Preliminary Commendation. Exhibited by McBean's Orchids, Cooksbridge, Lewes, East Sussex on November 25, 2003. Description and colour picture in *The Orchid Review* **112**: 72-73.

# Nomenclatural standards deposited in the Royal Horticultural Society's Herbarium, Wisley (WSY) April 2004 – October 2005

Compiled by SUSAN GRAYER Botany Department, RHS Garden, Wisley

The International Code of Nomenclature for Cultivated Plants (Brickell et al., 2004) states that, 'A nomenclatural standard is an herbarium specimen or its equivalent to which the name of a cultivar or group is permanently attached.' Material is sent for deposit in the Royal Horticultural Society's herbarium (**WSY**) and, in accordance with Division V, Clause 7 of the *ICNCP*, by listing them in this publication they are officially designated nomenclatural standards. This list is a continuation of the lists previously published in *Extracts from the Proceedings of the RHS*. The most recent list was published in Vol. **128**: 144–147 (2004).

The list that follows gives the plant name, the date it was collected or registered together with the form the standard takes (i.e. herbarium specimen – flowering [fl], fruiting [fr], vegetative [v]; illustration – painting [p], photographic transparency [tr], colour photograph [pg] and image [i], to cover digital prints and published photographs) and the unique accession number. An '†' indicates an invalid cultivar name according to the *ICNCP*.

*Aquilegia* 'Florida' (State Series), 27 Mar 2002, (fl), WSY0044881 *Aquilegia* 'Louisiana' (State Series), 23 Mar 2002, (fl), WSY0044887

Arum maculatum L. Tar Spot Group, 15 Apr 2004, (v), WSY0046050

Aster amellus L. 'Viola', 30 Oct 1928, (p), WSY0009868

Betula utilis D. Don var. jacquemontii (Spach) Winkl. 'Grayswood Ghost', Nov 1985, (v), WSY0060791

Briza media L. 'Russells', 22 Sep 2005, (v), WSY0070500

Camellia × williamsii W.W. Sm. 'Caerhays', 10 Feb 2005, (fl), WSY0058336 Camellia × williamsii W.W. Sm. 'Charles Michael', 10 Feb 2005, (fl), WSY0058329

Camellia × williamsii W.W. Sm. 'John Pickthorn', 28 Jan 2005, (fl), WSY0058328

Camellia × williamsii W.W. Sm. 'Mary Jobson', 28 Jan 2005, (fl), WSY0058343

Camellia × williamsii W.W. Sm. 'Mary Larcom', 10 Feb 2005, (fl), WSY0058332

Camellia × williamsii W.W. Sm. 'Muskoka', 28 Jan 2005, (fl), WSY0058338

Camellia × williamsii W.W. Sm. 'Rosemary Williams', 10 Feb 2005, (fl), WSY0058337 Camellia × williamsii W.W. Sm. 'Saint Michael', 10 Feb 2005, (fl), WSY0058334 Campanula persicifolia L. 'Wortham Belle', 17 Jun 2004, (fl), WSY0051774 Caryopteris × clandonensis A.Simmonds ex Rehder 'Heavenly Baby', Sep 1998, (fl). WSY0043895 Caryopteris × clandonensis A.Simmonds ex Rehder 'Inoveris', Sep 1998, (fl), WSY0043848 Caryopteris incana (Thunb. ex Houtt.) Miq. 'Jason', 28 Sep 2001, (fl), WSY0032297 Catharanthus roseus (L.) G. Don (Albus Group) 'Albus', 10 Dec 1993, (fl), WSY0045507 Catharanthus roseus (L.) G. Don (Albus Group) 'Pretty in Soft Pink', 10 Dec 1993, (fl). WSY0045505 Catharanthus roseus (L.) G. Don (Ocellatus Group) 'Morning Mist', 17 May 1994, (fl), WSY0045502 Catharanthus roseus (L.) G. Don (Ocellatus Group) 'Ocellatus', 10 Dec 1993, (fl), WSY0045508 Catharanthus roseus (L.) G. Don (Ocellatus Group) 'Parasol', 10 Dec 1993, (fl), WSY0045498 Catharanthus roseus (L.) G. Don (Ocellatus Group) 'Peppermint Cooler', 10 Dec 1993, (fl), WSY0045500 Catharanthus roseus (L.) G. Don (Roseus Group) 'Pink Turkey', 10 Dec 1993, (fl), WSY0045501 Catharanthus roseus (L.) G. Don (Roseus Group) 'Pretty in Rose', 10 Dec 1993, (fl), WSY0045503 Catharanthus roseus (L.) G. Don (Roseus Group) 'Roseus', 10 Dec 1993, (fl), WSY0045509 Catharanthus 'Twinkling Anja', 3 Feb 1994, (fl), WSY0045497 Chionodoxa 'Bluetail', 7 Apr 2001, (fl), WSY0051773 Chrysanthemum 'Margaret Dixon', 17 Sep 2003, (fl), WSY0043768 Chrysanthemum 'Mary Sweeney', 31 Aug 2004, (fl), WSY0051771 Chrysanthemum 'Pam', 17 Sep 2003, (tr), WSY0043770 Chrysanthemum 'Upton Rose', 31 Aug 2004, (fl), WSY0051769 Chrysanthemum 'White Talbot Maid', 18 Sep 2003, (tr), WSY0043771 Chrysanthemum 'Woodwaye Debbie', 7 Nov 2003, (fl), WSY0043800 Clematis Hyde Hall ('Evipo009'), 3 Jun 2004, (fl), WSY0051768 Crocosmia 'Late Lucifer', 26 Jul 2004, (fl), WSY0068822 Crocosmia masoniorum (Bol.) N.E. Br. 'Dixter Flame', 4 Aug 2005, (fl), WSY0070223 Dahlia 'Adrienne Simms', 7 Nov 2002, (pg), WSY0034930 Dahlia 'Amante', 6 Mar 2003, (pg), WSY0044648 Dahlia 'American Gold', 9 Dec 2004, (pg), WSY0052470

82

Dahlia 'Arnside Rose Fallows', 1999, (pg), WSY0038502 Dahlia 'Baronesse', 11 Nov 2004, (pg), WSY0051713 Dahlia 'Bellezza', 2003, (pg), WSY0044650 Dahlia 'Bishop of Llandaff', 20 Aug 2004, (fl), WSY0070218 Dahlia 'Boom Boom Red', 30 Dec 2004, (pg), WSY0052472 Dahlia 'Brian's Dream', 30 Dec 2004, (pg), WSY0052254 Dahlia 'Brooklyn', 30 Dec 2004, (pg), WSY0052469 Dahlia 'Brunello', 22 Oct 2003, (pg), WSY0052467 Dahlia 'Charlie Dimmock', 19 Sep 2003, (tr), WSY0043897 Dahlia 'Claire Louise Kitchener', 2 Jan 2003, (i), WSY0037509 Dahlia 'Combat', 2003, (pg), WSY0044651 Dahlia 'Cornel Brons', 30 Dec 2004, (pg), WSY0052468 Dahlia 'Danka', 9 Dec 2004, (pg), WSY0052473 Dahlia 'Dark Spirit', 14 Mar 2002, (pg), WSY0032284 Dahlia 'Darlica', 2003, (pg), WSY0044649 *Dahlia* 'Demi Schneider', 8 Oct 2004, (pg), WSY0051722 *Dahlia* 'Diana Georgina', 2003, (pg), WSY0043704 Dahlia 'Donnica', 3 Apr 2003, (pg), WSY0044659 Dahlia 'Edith Jones', 14 Oct 2004, (pg), WSY0051724 Dahlia 'Eileen Joyce', 3 Jul 2003, (i), WSY0041901 Dahlia 'Emily Güth', 29 Jan 2004, (pg), WSY0044639 Dahlia 'Esmara', 2003, (pg), WSY0044658 Dahlia 'Fernanda', 6 Jan 2005, (pg), WSY0052257 Dahlia 'Fireflame', 3 Oct 2002, (pg), WSY0034999 Dahlia 'Fisherman', 28 Oct 2004, (pg), WSY0051725 Dahlia 'Fleur Mountjoy', 2 Jan 2003, (i), WSY0037508 Dahlia 'Floorinoor', 11 Nov 2004, (pg), WSY0051714 Dahlia 'Gateshead Angel', 2003, (i), WSY0043709 Dahlia 'Gateshead Civic', 19 Sep 2001, (i), WSY0035145 Dahlia 'Gateshead Peach', 2003, (i), WSY0043708 Dahlia 'Gateshead Quays', 8 Aug 2002, (pg), WSY0035264 Dahlia 'Geerlings' Carmen', 5 Mar 2004, (pg), WSY0045283 Dahlia 'Geerlings' Jubilee', 29 Jan 2004, (pg), WSY0044640 Dahlia 'Geerlings' Pimpernel', 29 Jan 2004, (pg), WSY0044641 Dahlia 'Geerlings' Scarletta', 4 Mar 2004, (pg), WSY0045284 Dahlia 'Geerlings' Sensation', 29 Jan 2004, (pg), WSY0044638 Dahlia 'Geerlings' Sorbet', 29 Jan 2004, (pg), WSY0044637 Dahlia 'Gerda Govers', 2 Sep 2004, (pg), WSY0051727 Dahlia 'Gryson's Naomi', 14 Mar 2002, (pg), WSY0032277 Dahlia 'Gryson's White', 14 Mar 2002, (pg), WSY0032285 Dahlia 'Gudule', 2003, (pg), WSY0044653 Dahlia 'Gwennan', 2003, (pg), WSY0044652 Dahlia 'Highwood', 22 Oct 2004, (pg), WSY0052466

Dahlia 'Horst Athalie', 21 Sep 2000, (tr), WSY0025944 Dahlia 'Icarus', 2003, (pg), WSY0044654 Dahlia 'Ina Slot', 2 Sep 2004, (pg), WSY0051728 Dahlia 'Isadora', 2003, (pg), WSY0044655 Dahlia 'Jacquie Hurst', 8 Oct 2004, (pg), WSY0051723 Dahlia 'Jaimy', 2003, (pg), WSY0044656 Dahlia 'Janet Howell', 2 Jan 2003, (i), WSY0037507 Dahlia 'Jenny Smith', 14 Oct 2004, (pg), WSY0051721 Dahlia 'Jo Lister', 2 Jan 2003, (i), WSY0037506 Dahlia 'Just in Time', 30 Dec 2004, (pg), WSY0052253 Dahlia 'Kate Mountjoy', 2 Jan 2003, (i), WSY0037504 Dahlia 'Kayleigh Spiller', 2 Jan 2003, (i), WSY0037503 Dahlia 'Kelly', 2003, (pg), WSY0044657 Dahlia 'Kevin Welch', 25 Sep 2003, (i), WSY0043613 Dahlia 'Kimm', 3 Apr 2003, (pg), WSY0044672 Dahlia 'Laarne's Miracle', 14 Mar 2002, (pg), WSY0032280 Dahlia 'Lakeland Autumn', 6 Jan 2005, (pg), WSY0052256 Dahlia 'Lakeland Sunset', 6 Jan 2005, (pg), WSY0052255 Dahlia 'Lilac Bull', 2 Dec 2004, (i), WSY0053321 Dahlia 'Lilac Pathfinder', 20 Nov 2003, (i), WSY0043791 Dahlia 'Limoncello', 2003, (pg), WSY0044671 Dahlia 'Lindsay', 29 Jan 2004, (i), WSY0044636 Dahlia 'Lisonette', 2003, (pg), WSY0044670 Dahlia 'Manx Majestic', 2003, (pg), WSY0043705 Dahlia 'Manx Marauder', 2003, (pg), WSY0043698 Dahlia 'Manx Master', 2003, (pg), WSY0043706 Dahlia 'Manx Melanie', 2003, (pg), WSY0043707 Dahlia 'Manx Morning', 2003, (pg), WSY0043703 Dahlia 'Marekin', 2003, (pg), WSY0044660 Dahlia 'Marona', 14 Jan 2003, (pg), WSY0044661 Dahlia 'Martina Stec', 29 Jan 2004, (pg), WSY0044631 Dahlia 'Maureen Kitchener', 2 Jan 2003, (i), WSY0037502 Dahlia 'Maxime', 14 Mar 2002, (pg), WSY0032286 Dahlia 'Miss Belgium', 1941, (p), WSY0016972 Dahlia 'Miss Sophie', 29 Jan 2004, (pg), WSY0044632 Dahlia 'Momona Jack', 14 Mar 2002, (i), WSY0032288 Dahlia 'Moonlady', 6 Mar 2003, (pg), WSY0044662 Dahlia 'Nees', 28 Oct 2004, (pg), WSY0051729 Dahlia 'New Age', 2003, (pg), WSY0044663 Dahlia 'New Orange', 9 Dec 2004, (pg), WSY0052477 Dahlia 'Night Rider', 9 Dec 2004, (pg), WSY0052476 Dahlia 'Obsession', 14 Mar 2002, (pg), WSY0032287 Dahlia 'Orange Pathfinder', 20 Nov 2003, (i), WSY0043790

#### 84

Dahlia 'P.G. Wodehouse', 29 Jan 2004, (pg), WSY0044634 Dahlia 'Paloma', 17 Dec 2004, (pg), WSY0052479 Dahlia 'Parita', 2003, (pg), WSY0044664 Dahlia 'Paul Burrell', 13 Feb 2003, (pg), WSY0038606 Dahlia 'Penhill Milly Marjory', 7 Jan 2005, (pg), WSY0053321 Dahlia 'Penhill Nigel Thompson', 17 Aug 2002, (pg), WSY0035093 Dahlia 'Penhill Sam Maritz', 5 Sep 2002, (pg), WSY0035092 Dahlia 'Pink Attraction', 7 Jul 2005, (i), WSY0070122 Dahlia 'Pink Floyd', 9 Dec 2004, (pg), WSY0052478 Dahlia 'Pink Panther', 30 Dec 2004, (pg), WSY0052485 Dahlia 'Pride of Heemstede', 29 Jan 2004, (pg), WSY0044633 Dahlia 'Pridenos', 30 Dec 2004, (pg), WSY0052480 Dahlia 'Princess Amalia', 5 Feb 2004, (pg), WSY0044699 Dahlia 'Purple Pathfinder', 20 Nov 2003, (i), WSY0043788 Dahlia 'Que Sera', 7 Jul 2005, (i), WSY0070121 Dahlia 'Rebecca's World', 14 Mar 2002, (pg), WSY0032278 Dahlia 'Red Pathfinder', 20 Nov 2003, (i), WSY0043789 Dahlia 'Rensina Reynders', 22 Sep 2004, (pg), WSY0051726 Dahlia 'Rialto', 30 Dec 2004, (pg), WSY0052481 Dahlia 'Rossendale Lottie', 18 Nov 2004, (pg), WSY0051715 Dahlia 'Rossendale Natasha', 18 Nov 2004, (pg), WSY0051716 Dahlia 'Royal Sea', 30 Dec 2004, (pg), WSY0052486 Dahlia 'Sabine van Beijeren', 14 Mar 2002, (pg), WSY0032283 Dahlia 'Sabrina', 14 Mar 2002, (pg), WSY0032279 Dahlia 'Salamanda', 22 Jan 2004, (pg), WSY0044701 Dahlia 'Sascha', 5 Feb 2004, (pg), WSY0044698 Dahlia 'Scarabee', 2003, (pg), WSY0044665 Dahlia 'Shirlaine', 2003, (pg), WSY0044666 Dahlia 'Siberia', 30 Dec 2004, (pg), WSY0052482 Dahlia 'Silvane', 2003, (pg), WSY0044667 Dahlia 'Solane', 2003, (pg), WSY0044668 Dahlia 'Stolze von Europa', 2 Dec 2004, (i), WSY0053322 Dahlia 'Striped Vulcan', 5 Feb 2004, (pg), WSY0044700 Dahlia 'Sue Mountjoy', 2 Jan 2003, (i), WSY0037501 Dahlia 'Summer Gold', 5 Feb 2004, (pg), WSY0044697 Dahlia 'Sunnybank Jean', 14 Oct 2004, (pg), WSY0051720 Dahlia 'Tamzin Outhwaite', 2 Dec 2004, (pg), WSY0051717 Dahlia 'Top Sun', 2003, (pg), WSY0044669 Dahlia 'Treby Jacqui', 21 Oct 2004, (pg), WSY0051718 Dahlia 'Treby Samuel', 21 Oct 2004, (pg), WSY0051719 Dahlia 'Twyning's After Eight', 26 Aug 2004, (fl), WSY0051763 Dahlia 'Twyning's Candy', 5 Jul 2004, (fl), WSY0051755 Dahlia 'Twyning's Pink Fish', 19 May 2004, (fl), WSY0051756

Dahlia 'Vanilla', 17 Dec 2004, (pg), WSY0052484 Dahlia 'Velvet Shine', 14 Mar 2002, (pg), WSY0032282 Dahlia 'Wereld-Erfgoed Beemster', 15 Jul 2004, (pg), WSY0047602 Dahlia 'Weston Dove', 31 Jan 2002, (tr), WSY0031917 Dahlia 'Weston Flamingo', 31 Jan 2002, (tr), WSY0031916 Dahlia 'Weston Miss', 31 Jan 2002, (tr), WSY0031915 Dahlia 'Weston Sunup', 23 Jan 2003, (tr), WSY0037405 Dahlia 'White Nettie', 7 Jul 2005, (i), WSY0070118 Dahlia 'Woodside Finale', 7 Oct 2004, (pg), WSY0051730 Dahlia 'Zanobia', 14 Mar 2002, (pg), WSY0032281 Daphne × hendersonii Hodgkin ex C.D. Brickell & B. Mathew 'Solferino', 17 Apr 2004, (fl), WSY0046538 Daphne petraea Leyb. 'Cima Tombea', 17 Apr 2004, (fl), WSY0046528 Daucus carota L. 'Ballydowling Lace', 1 Aug 2003, (fl), WSY0043746 Delphinium (Belladonna Group) 'Delft Blue', 7 Dec 2004, (pg), WSY0052487 Delphinium grandiflorum L. 'Summer Blues' (Summer Series), 12 Oct 2005, (i), WSY0070313 Delphinium grandiflorum L. 'Summer Stars' (Summer Series), 2005, (i), WSY0070205 Delphinium 'Mulberry Crush', 7 Jan 2003, (tr), WSY0037492 Delphinium 'Summerfield Marjorie', 5 Nov 2003, (i), WSY0043881 Delphinium 'Summerfield Victoria', 2003, (i), WSY0043878 Deutzia 'Iris Alford', 11 May 2004, (fl), WSY0046161 Dianthus 'Albion White-Lion', 7 Oct 2004, (pg), WSY0051733 Dianthus 'Avon Dassett', 31 Aug 2005, (tr), WSY0070233 Dianthus 'Belmont Patricia', 2002, (i), WSY0043894 Dianthus 'Betty Tucker', 28 Nov 1988, (pg), WSY0060719 Dianthus 'Carbrooke Village', 16 Oct 2003, (i), WSY0044465 Dianthus 'Chesswood Anne Merritt', 8 Jan 2003, (tr), WSY0037481 Dianthus 'Chesswood Beryl James', 8 Dec 2003, (pg), WSY0043893 Dianthus 'Chesswood Doreen's Choice', 8 Jan 2003, (tr), WSY0037479 Dianthus 'Chesswood Dorothy Cottam', 15 Jan 2003, (pg), WSY0037482 Dianthus 'Chesswood Jodie Louise', 15 Jan 2003, (tr), WSY0037483 Dianthus 'Chesswood Sadie Alexandra', 8 Jan 2003, (tr), WSY0037480 Dianthus 'Claire Brade', 2 Jul 2004, (fl), WSY0047303 Dianthus 'Crimson Flame', 23 Sep 2003, (i), WSY0041760 Dianthus 'Culcheth Gem', 24 Jul 2003, (pg), WSY0041909 Dianthus 'Culcheth Splash', 24 Jul 2003, (pg), WSY0041907 Dianthus 'Culcheth Star', 24 Jul 2003, (tr), WSY0041905 Dianthus 'Culcheth White Ballerina', 24 Jul 2003, (pg), WSY0041902 Dianthus 'Eleanor's Old Irish', 2 Jun 2005, (tr), WSY0070085 Dianthus 'Emily Brade', 2 Jul 2004, (fl), WSY0047305

*Dianthus* 'Gail Tilsley', 28 Nov 1988, (pg), WSY0060718

Dianthus 'Highland Mist', 8 Oct 2004, (pg), WSY0051744 Dianthus 'Joshua Heelas', 12 Feb 2003, (i), WSY0038607 Dianthus 'Judy Ann', 11 Apr 2003, (fl), WSY0040143 Dianthus 'Laura-May Parr', 12 Feb 2003, (i), WSY0038608 Dianthus 'Moor Corbeth', 28 Oct 2003, (pg), WSY0044460 Dianthus 'Moor Edora', 28 Oct 2003, (pg), WSY0044462 Dianthus 'Moor Hazel-Eye', 28 Oct 2003, (pg), WSY0044461 Dianthus 'Moor Sue', 28 Oct 2003, (pg), WSY0044463 Dianthus 'Norfolk Maid', 16 Oct 2003, (i), WSY0044464 Dianthus 'Pat Archer', 28 Nov 1988, (pg), WSY0060721 Dianthus 'Spinfield Fireball', 2 Jul 2004, (fl), WSY0047306 Dianthus 'Spinfield Party Dress', 9 Jul 2004, (fl), WSY0051801 Dianthus 'Spinfield Strawberry Crush', 5 Jul 2004, (fl), WSY0051796 Dianthus 'Spinfield Warrior', 2 Jul 2004, (fl), WSY0047304 Dianthus 'Suffolk Countess', 25 Jun 2003, (fl), WSY0044684 Dianthus 'Suffolk Festival', 25 Jun 2003, (fl), WSY0044683 Dianthus 'Suffolk Hussar', 25 Jun 2003, (fl), WSY0044682 Dianthus 'Summerfield Adam', 23 Feb 2005, (pg), WSY0060678 Dianthus 'Summerfield Amy Francesca', 23 Feb 2005, (pg), WSY0060677 Dianthus 'Summerfield Blaze', 23 Feb 2005, (pg), WSY0060679 Dianthus 'Summerfield Debbie', 23 Feb 2005, (pg), WSY0060680 Dianthus 'Summerfield Emma Louise', 23 Feb 2005, (pg), WSY0060681 Dianthus 'Summerfield Rebecca', 23 Feb 2005, (pg), WSY0060682 Dianthus 'Sutton Brierley Grace', 20 Oct 2004, (i), WSY0051732 Dianthus 'Sutton Harold Newby', 19 Oct 2004, (i), WSY0051742 Dianthus 'Sutton Libby May', 19 Oct 2004, (i), WSY0051738 Dianthus 'Sutton Lorens Amour', 19 Oct 2004, (i), WSY0051737 Dianthus 'Sutton Maggie May', 19 Oct 2004, (i), WSY0051736 Dianthus 'Sutton Molly Truswell', 19 Oct 2004, (i), WSY0051740 Dianthus 'Sutton Old English', 20 Oct 2004, (i), WSY0051741 Dianthus 'Sutton Pamela Flett Supreme', 20 Oct 2004, (i), WSY0051731 Dianthus 'Sutton Petite Marina', 20 Oct 2004, (i), WSY0051743 Dianthus 'Sutton Sarah Tilley', 19 Oct 2004, (i), WSY0051735 Dianthus 'Sutton Scarlet O'Hara', 19 Oct 2004, (i), WSY0051734 Dianthus 'Sutton Secret Love', 19 Oct 2004, (i), WSY0051739 Dianthus 'Valerie Ann', 2 Jul 2004, (fl), WSY0047302 Dianthus 'Vera Duckworth', 1998, (pg), WSY0060725 Eryngium pandanifolium Cham. & Schldl. 'Physic Purple', 4 Oct 1994, (fl), WSY0045266 Euonymus hamiltonianus Wall, 'Red Elf', 9 Oct 1979, (fr), WSY0063348 Euonymus hamiltonianus Wall. subsp. sieboldianus (Blume) Hara 'Coral Charm', 3 Nov 1981, (fl), WSY0060817

Euphorbia amygdaloides L. 'Brithembottom', 31 Mar 2004, (fl), WSY0045579

Fuchsia 'Gina Bowman', 1 Sep 2004, (fl), WSY0051493 Fuchsia 'Jan Murray', 23 Aug 2005, (fl), WSY0070259 Fuchsia 'Margaret Bird', 25 Aug 2005, (fl), WSY0070281 Gaillardia 'Saint Clements', 25 Jun 2004, (fl), WSY0051490 Galanthus elwesii Hook. f. var. monostictus P.D. Sell 'Warwickshire Gemini', 12 Mar 2003, (fl), WSY0046143 Geranium 'Ann Folkard', 6 Jul 2004, (fl), WSY0051483 Geranium asphodeloides Burm.f. 'Catforth Sam', 29 May 2003, (fl), WSY0070297 Geranium ibericum Cav. subsp. jubatum Hand.-Mazz. 'White Zigana', 4 Jun 2003, (fl), WSY0043794 Geranium pratense L. 'Catforth Cadenza', 29 May 2003, (fl), WSY0070293 Geranium pratense L. 'Janet's Special', 16 Jun 2004, (fl), WSY0051109 Gladiolus 'Hauptmann Kohl', 9 Sep 1930, (p), WSY0017875 Gladiolus 'Mrs James Kelway', 28 Jul 1925, (p), WSY0017922 Hedera helix L. 'Hullavington', 21 Sep 2000, (v), WSY0025939 Heliopsis helianthoides (L.) Sweet var. scabra (Dunal) Fernald 'Waterperry Gold', 20 Jul 2001, (tr), WSY0030217 Hemerocallis 'Cathy's Sunset', 17 Jun 2004, (fl), WSY0051482 Hyacinthoides non-scripta (L.) Chouard ex Rothm. 'Chedglow', 28 Apr 2004, (fl), WSY0046162 Iris sibirica L. 'Blaue Milchstrasse', 16 Jun 2004, (fl), WSY0051610 Iris sibirica L. 'Sibirische Nacht', 29 May 2002, (fl), WSY0035239 Iris sibirica L. 'Viel Creme', 16 Jun 2004, (fl), WSY0047324 Iris 'Staplehurst', 20 May 2004, (fl), WSY0051623 Lathyrus odoratus L. 'Ballerina Blue', 2003, (tr), WSY0041801 Lathyrus odoratus L. 'Blush Strokes', 7 Jul 2004, (fl), WSY0068830 Lathyrus odoratus L. 'Carnival Queen', 7 Jul 2004, (tr), WSY0052299 Lathvrus odoratus L. 'Emma', 6 Jul 2001, (fl), WSY0029865 Lathvrus odoratus L. 'Harlow Carr', 26 Jul 2004, (fl), WSY0060800 Lathyrus odoratus L. 'Lady's Bonnet', 7 Jul 2004, (fl), WSY0051627 Lathyrus odoratus L. 'Linda Carole', 7 Jul 2004, (fl), WSY0068828 Lathyrus odoratus L. 'Misty Mountain', 24 Jun 2004, (fl), WSY0051633 Lathyrus odoratus L. 'Sandi Jones', 2003, (tr), WSY0041807 Lathyrus odoratus L. 'Solway Minuet', 2003, (tr), WSY0041802 Lathyrus odoratus L. 'Solway Snowflake', 2003, (tr), WSY0041803 Lathyrus odoratus L. 'Starlight', 21 Jun 2004, (fl), WSY0051629 Lathyrus odoratus L. 'Tranquillity', 2003, (tr), WSY0041804 Lathyrus odoratus L. 'Tribute', 7 Jul 2004, (fl), WSY0068834 Lathyrus odoratus L. 'Wisley', 26 Jul 2004, (fl), WSY0068820 Lavandula angustifolia Mill. 'Eastgrove Dome', 12 Jul 2005, (fl), WSY0070189<sup>1</sup>

<sup>&</sup>lt;sup>1</sup> Originally given the name 'Eastgrove Nana' but this is contrary to Art. 19.13 of the *ICNCP*, see Upson & Andrews, *The Genus Lavandula*: 136, 2004.

Lavandula dentata L. var. candicans Batt. 'Agadir', 24 Jul 1997, (fl), WSY0002168 Lavandula 'Fathead', 25 Aug 1999, (fl), WSY0015474 Lewisia 'Little Plum', 14 Jul 2004, (fl), WSY0051634 Lobelia 'Shirley Crimson', 16 Aug 1927, (p), WSY0018839 Magnolia 'Peter Dummer', 26 Mar 2003, (fl), WSY0044642 Malus domestica Borkh. 'Laxton's Red', 2 May 1939, (p), WSY0019826 Narcissus 'Abraxis', 2005, (pg), WSY0070013 Narcissus 'Apricot Lace', Sep 2003, (pg), WSY0047334 Narcissus 'Arctic Rim', 25 Apr 2005, (i), WSY0070014 Narcissus 'Arona', 2004, (pg), WSY0047335 Narcissus 'Astrid's Memory', 27 Aug 2003, (pg), WSY0047336 Narcissus 'Auchranie', 14 Feb 2005, (pg), WSY0070015 Narcissus 'Auntie Social', 22 Jun 2005, (tr), WSY0070016 Narcissus 'Baby Clare', Sep 2004, (i), WSY0070017 Narcissus 'Badgeworth', 30 Jun 2004, (pg), WSY0047337 Narcissus 'Bajka', 30 Jun 2004, (pg), WSY0042234 Narcissus 'Berounka', 30 Jun 2004, (pg), WSY0042235 Narcissus 'Beseda', 30 Jun 2004, (pg), WSY0042236 Narcissus 'Betty Mae', 21 Feb 2004, (fl), WSY0045321 Narcissus 'Biometrics', 2004, (tr), WSY0047338 Narcissus 'Blahobyt', 30 Jun 2004, (pg), WSY0042237 Narcissus 'Blanice', 30 Jun 2004, (pg), WSY0042238 Narcissus 'Blesk', 30 Jun 2004, (pg), WSY0042239 Narcissus 'Blush of Rose', 22 Jun 2005, (tr), WSY0070018 Narcissus 'Blushing Lady', Sep 2003, (pg), WSY0047339 Narcissus 'Bridget Cramsie', 1 Dec 2003, (pg), WSY0047340 Narcissus 'Broskev', 30 Jun 2004, (pg), WSY0042240 Narcissus 'Butterfly Kiss', 22 Jun 2005, (tr), WSY0070019 Narcissus 'Carnearny', 24 Apr 2004, (pg), WSY0047341 Narcissus 'Carwinion', 30 Jun 2004, (pg), WSY0047342 Narcissus 'Chamber Music', 27 Jun 2005, (i), WSY0070128 Narcissus 'Charlie Connor', 30 Jun 2004, (pg), WSY0047343 Narcissus 'Chehalem', 22 Jun 2005, (tr), WSY0070020 Narcissus 'Cherry Creme', 27 Jun 2005, (i), WSY0070021 Narcissus 'Churchsettle', 3 May 2005, (tr), WSY0070022 Narcissus 'Chysauster', 14 Feb 2005, (i), WSY0070023 Narcissus 'Classic Gold', 30 Jun 2005, (pg), WSY0070024 Narcissus 'Clay's Gold', 1 Dec 2003, (pg), WSY0047344 Narcissus 'Clown Alley', 22 Jun 2005, (tr), WSY0070025 Narcissus 'Cold Play', 30 Jun 2004, (pg), WSY0047345 Narcissus 'Conly', 24 Apr 2004, (pg), WSY0047346 Narcissus 'Cool River', 27 Jun 2005, (i), WSY0070026 Narcissus 'Coolmaghery', 14 Feb 2005, (tr), WSY0070027

Narcissus 'Coracle', 19 Apr 2005, (i), WSY0070248 Narcissus 'Creed', 2004, (pg), WSY0047347 Narcissus 'Crugmeer', 30 Jun 2004, (pg), WSY0047348 Narcissus 'Cutting Edge', 30 Jun 2004, (pg), WSY0047349 Narcissus 'Daffy Duck', 1 Dec 2003, (pg), WSY0047350 Narcissus 'David Orr', 30 Jun 2005, (tr), WSY0070028 Narcissus 'Dawn Run', 24 Apr 2004, (pg), WSY0047351 Narcissus 'Dena', 14 Feb 2005, (tr), WSY0070029 Narcissus 'Doll Face', 22 Jun 2005, (tr), WSY0070030 Narcissus 'Double Play', 22 Jun 2005, (tr), WSY0070031 Narcissus 'Double Smiles', 27 Aug 2003, (pg), WSY0047352 Narcissus 'Eden Gold', 1 Feb 2005, (pg), WSY0070032 Narcissus 'English Garden', 1 Sep 2004, (pg), WSY0070033 Narcissus 'Eyeful', 22 Jun 2005, (tr), WSY0070034 Narcissus 'Floral Feast', 12 Dec 2003, (tr), WSY0070035 Narcissus 'Foff's Way', 14 Feb 2005, (i), WSY0070036 Narcissus 'Freedom Stars', 24 Apr 2004, (pg), WSY0047353 Narcissus 'Garden News', 24 Apr 2004, (pg), WSY0060693 Narcissus 'Gateway to Spring', 30 Jun 2004, (tr), WSY0047355 Narcissus 'Gellymill', 30 Jun 2004, (pg), WSY0047356 Narcissus 'Glacier Sunset', 27 Jun 2005, (i), WSY0070037 Narcissus 'Glapthorne', 30 Jun 2004, (pg), WSY0047357 Narcissus 'Glow of Gold', 17 Apr 2005, (pg), WSY0070083 Narcissus 'Golant', 30 Jun 2004, (pg), WSY0047358 Narcissus 'Golden Gamble', 14 Feb 2005, (tr), WSY0070038 Narcissus 'Golden Splash', 14 Feb 2005, (tr), WSY0070039 Narcissus 'Good Friend', 1 Dec 2003, (pg), WSY0047359 Narcissus 'Halloon', 14 Feb 2005, (i), WSY0070040 Narcissus 'Halzephron', 30 Jun 2004, (pg), WSY0047360 Narcissus 'Happy Valley', 30 Jun 2004, (tr), WSY0047361 Narcissus 'Harpist', 23 Mar 1926, (p), WSY0019344 Narcissus 'Helen Henderson', Sep 2004, (i), WSY0070041 Narcissus 'Hugh', 14 Apr 2004, (pg), WSY0047362 Narcissus 'Inaugural Ball', 27 Jun 2005, (i), WSY0070042 Narcissus 'Inbal', 3 May 2005, (i), WSY0070043 Narcissus 'Inchiquin', Sep 2004, (i), WSY0070044 Narcissus 'Ironmaster', 30 Jun 2004, (tr), WSY0047363 Narcissus 'Isenhurst', 3 May 2005, (tr), WSY0070045 Narcissus 'Jeanine', 12 Aug 2003, (pg), WSY0047364 Narcissus 'Jocelyn Newman', 1 Dec 2003, (pg), WSY0047365 Narcissus 'John Lanyon', 30 Jun 2004, (pg), WSY0047366 Narcissus 'Joy Symphony', 27 Jun 2005, (i), WSY0070046 Narcissus 'Kelly Bray', 14 Feb 2005, (i), WSY0070047

90

Narcissus 'Kingstanding', 30 Jun 2004, (tr), WSY0047367 Narcissus 'Koukouli', 30 Jun 2004, (pg), WSY0047368 Narcissus 'La Salle', 30 Jun 2004, (tr), WSY0047369 Narcissus 'Laughing Bird Caye', 30 Jun 2004, (pg), WSY0047370 Narcissus 'Lemon and Barley', 30 Jun 2004, (pg), WSY0047371 Narcissus 'Lemon Lake', 30 Jun 2004, (tr), WSY0047372 Narcissus 'Liffey Falls', 2003, (pg), WSY0047373 Narcissus 'Little Henry', 1 Dec 2003, (pg), WSY0047374 Narcissus 'Livelands', 30 Jun 2004, (pg), WSY0047375 Narcissus 'Lora Robins', 30 Jun 2004, (pg), WSY0047376 Narcissus 'Lynher', 14 Feb 2005, (i), WSY0070048 Narcissus 'Mawla', 30 Jun 2004, (pg), WSY0047377 Narcissus 'Merthan', 30 Jun 2004, (pg), WSY0047378 Narcissus 'Milly's Magic', 30 Jun 2004, (pg), WSY0047379 Narcissus 'Mithrel', 30 Jun 2004, (pg), WSY0047380 Narcissus 'Moonyellow', 11 Oct 2004, (pg), WSY0070049 Narcissus 'Morab', 14 Feb 2005, (i), WSY0070050 Narcissus 'Morvah Lady', 14 Feb 2005, (i), WSY0070051 Narcissus 'New Twist', 22 Jun 2005, (tr), WSY0070052 Narcissus 'Nosie Posie', Sep 2003, (pg), WSY0047381 Narcissus 'Olympic Flame', 25 Apr 2005, (pg), WSY0070053 Narcissus 'Orkney', 14 Feb 2005, (i), WSY0070054 Narcissus 'Papa Snoz', 1 Dec 2003, (pg), WSY0047382 Narcissus 'Pathos', 14 Feb 2005, (i), WSY0070055 Narcissus 'Penny Perowne', 11 Oct 2004, (i), WSY0070056 Narcissus 'Perfect Peace', 6 May 2005, (i), WSY0070127 Narcissus 'Picket Post', 19 Apr 2005, (i), WSY0070250 Narcissus 'Pitt's Diamond', 14 Feb 2005, (i), WSY0070058 Narcissus 'Polgooth', 30 Jun 2004, (pg), WSY0047383 Narcissus 'Port Noo', 24 Apr 2004, (pg), WSY0047384 Narcissus 'Portloe Bay', 30 Jun 2004, (pg), WSY0047385 Narcissus 'Princess Jenny', 30 Jun 2004, (pg), WSY0047386 Narcissus 'Princess Jessica', 30 Jun 2004, (pg), WSY0047387 Narcissus 'Prussia Cove', 2005, (i), WSY0070059 Narcissus 'Queen Mum', 14 Feb 2005, (i), WSY0070060 Narcissus 'Reckless Abandon', 22 Jun 2005, (tr), WSY0070061 Narcissus 'Ridgecrest', 24 Apr 2004, (pg), WSY0047388 Narcissus 'Ridgewood', 30 Jun 2004, (tr), WSY0047389 Narcissus 'Rita Dove', 24 Aug 2003, (pg), WSY0047390 Narcissus rupicola Dufour ex Schult. subsp. watieri 'Abaleish', 2005, (i), WSY0070012 Narcissus 'Russell Falls', 1 Dec 2003, (pg), WSY0047391 Narcissus 'Saint Catherine's', 30 Jun 2004, (pg), WSY0047392

Narcissus 'Sandburg', 30 Jun 2005, (i), WSY0070062 Narcissus 'Satchmo', 6 Feb 2004, (pg), WSY0047393 Narcissus 'Scorrier', 30 Jun 2004, (pg), WSY0047394 Narcissus 'Serena Lodge', Apr 1999, (tr), WSY0027063 Narcissus 'Sidora', 22 Mar 2005, (i), WSY0070063 Narcissus 'Sloe Gin', 30 Jun 2004, (pg), WSY0047395 Narcissus 'Smiling Twin', 24 Sep 2003, (pg), WSY0047396 Narcissus 'Snug Falls', 1 Dec 2003, (pg), WSY0047397 Narcissus 'Sorcerer's Apprentice', 22 Jun 2005, (tr), WSY0070064 Narcissus 'Spinning Chorus', 27 Jun 2005, (i), WSY0070065 Narcissus 'Spring Overture', 27 Jun 2005, (i), WSY0070066 Narcissus 'Squirt', 2005, (tr), WSY0070067 Narcissus 'Stenalees', 14 Feb 2005, (i), WSY0070068 Narcissus 'Stina Mai', Sep 2004, (i), WSY0070069 Narcissus 'Sugar Rose', 30 Jun 2004, (pg), WSY0047398 Narcissus 'Super Psyche', 22 Jun 2005, (tr), WSY0070070 Narcissus 'Super Seven', 22 Jun 2005, (tr), WSY0070071 Narcissus 'Swirling Baton', 22 Jun 2005, (tr), WSY0070072 Narcissus 'Taffy Davies', 30 Jun 2004, (pg), WSY0047399 Narcissus 'Talbott's Beauty', 30 Jun 2004, (pg), WSY0047400 Narcissus 'Tennant', 30 Jun 2004, (pg), WSY0047401 Narcissus 'Tremough Dale', 14 Feb 2005, (i), WSY0070073 Narcissus 'Trevaunance', 30 Jun 2004, (pg), WSY0047402 Narcissus 'Trewoon', 14 Feb 2005, (i), WSY0070074 Narcissus 'Tropic Paradise', 30 Jun 2004, (tr), WSY0047403 Narcissus 'Twin Stars', 1 Dec 2003, (pg), WSY0047404 Narcissus 'Veronica Pauline', 27 Aug 2003, (pg), WSY0047405 Narcissus 'Victorian Lace', 30 Jun 2004, (tr), WSY0047406 Narcissus 'Waldron', 30 Jun 2004, (tr), WSY0047407 Narcissus 'Warwick Castle', 30 Jun 2004, (pg), WSY0047408 Narcissus 'Wisley', 19 Oct 2004, (i), WSY0070075 Narcissus 'Yoley's Pond', 14 Feb 2005, (i), WSY0070076 Narcissus 'Young Blood', 24 Apr 2004, (pg), WSY0047409 Narcissus 'Zoë's Pink', 30 Jun 2005, (pg), WSY0070077 Nepeta 'Leeds Castle', 8 Jun 2001, (fl), WSY0045528 Passiflora × caponii K.A.Beckett 'John Innes', 1960, (fl), WSY0045511 Passiflora 'Sapphire', 23 Oct 2002, (fl), WSY0042536 Pelargonium 'Berkswell Blush', 21 Jun 2005, (fl), WSY0068827 Pelargonium 'Berkswell Dainty', 25 Jun 2004, (fl), WSY0051557 Pelargonium 'Berkswell Lace', 24 Jun 2004, (fl), WSY0051591 Pelargonium 'Berkswell Windmill', 21 Jun 2005, (fl), WSY0068825 Pelargonium 'Caroline', 23 Jun 2004, (fl), WSY0070093 Pelargonium 'Cottenham Belle', 23 Jun 2004, (fl), WSY0051581

Pelargonium 'Cottenham Star', 23 Jun 2004, (fl), WSY0051584 Pelargonium 'Cottenham Wonder', 23 Jun 2004, (fl), WSY0051587 Pelargonium 'Cowes', 23 Jun 2004, (fl), WSY0047321 Pelargonium 'Elmfield', 23 Jun 2004, (fl), WSY0051566 Pelargonium 'Green Silver Galaxy', 23 Jun 2004, (fl), WSY0051572 Pelargonium 'Little Spikey', 23 Jun 2004, (fl), WSY0047331 Pelargonium 'Lucie Caws', 23 Jun 2004, (fl), WSY0070096 Pelargonium 'Mary Caws', 23 Jun 2004, (fl), WSY0070094 Pelargonium 'Mendip Lorraine', 23 Jun 2004, (fl), WSY0051578 Pelargonium 'Newbridge', 23 Jun 2004, (fl), WSY0047311 Pelargonium 'Quantock Jayne', 23 Jun 2004, (fl), WSY0051560 Pelargonium 'Raphael', 24 Jun 2004, (fl), WSY0047332 Pelargonium 'Rookley', 23 Jun 2004, (fl), WSY0051571 Pelargonium 'Snowbright', 23 Jun 2004, (fl), WSY0051555 Pelargonium 'Star Flair', 25 Jun 2004, (fl), WSY0051588 Pelargonium 'Star Storm', 23 Jun 2004, (fl), WSY0047308 Pelargonium 'Vectis Dream', 24 Jun 2004, (fl), WSY0070100 Pelargonium 'Vectis Finery', 23 Jun 2004, (fl), WSY0051562 Phygelius aequalis Harv. ex Hiern. Sensation ('Sani Pass'), Sep 1994, (fl), WSY0012047 Phygelius × rectus Coombes 'Ivory Twist', 6 Aug 2003, (fl), WSY0043669 Phygelius × rectus Coombes 'Sweet Dreams', 11 Aug 2003, (fl), WSY0043695 Rhododendron 'Alan Campbell-Johnson', 13 Mar 2003, (pg), WSY0040212 Rhododendron 'Albarello', 13 Jun 2005, (i), WSY0070129 Rhododendron 'Alessandro Volta', 1 Dec 2000, (tr), WSY0028343 Rhododendron 'Anatevka', 13 Jun 2005, (i), WSY0070130 Rhododendron 'Andantino', 10 Jul 2001, (i), WSY0030608 Rhododendron 'Anilin', 13 May 2004, (fl), WSY0051476 Rhododendron 'Anna Booth', Sep 2001, (tr), WSY0035245 Rhododendron 'Annika', 11 Jul 2001, (i), WSY0030607 Rhododendron 'Anuschka', 13 May 2004, (fl), WSY0051367 Rhododendron 'Apollonia', 10 Jul 2001, (i), WSY0030609 Rhododendron 'Aprilmorgen', 21 Jun 2005, (i), WSY0070173 Rhododendron 'Ardent Beau', 6 Dec 2002, (tr), WSY0038778 Rhododendron 'Arkona', 16 Jul 2001, (i), WSY0030610 Rhododendron 'Astrid', 31 May 2005, (fl), WSY0060763 Rhododendron 'Azurella', 31 Jul 2001, (i), WSY0030611 Rhododendron 'Barmstedt', 18 May 2004, (fl), WSY0046890 Rhododendron 'Bashful', 18 May 2004, (fl), WSY0051376 Rhododendron 'Begula', 31 Jul 2001, (i), WSY0030612 Rhododendron 'Belami', 31 Jul 2001, (i), WSY0030613 Rhododendron 'Belinda', 31 Jul 2001, (i), WSY0030614 Rhododendron 'Bellevue', 31 Jul 2001, (i), WSY0030615

Rhododendron 'Blankenese', 9 May 2003, (fl), WSY0043785 Rhododendron 'Blazeaway', 6 Dec 2002, (tr), WSY0038779 Rhododendron 'Blurettia', 19 May 2004, (fl), WSY0051437 Rhododendron 'Bob Malone', 11 Apr 2002, (pg), WSY0032319 Rhododendron 'Bobbie Wilson', 31 Jan 2002, (i), WSY0031929 Rhododendron 'Bordüre', 14 Jun 2005, (i), WSY0070132 Rhododendron 'Cabot', 6 Jun 2003, (pg), WSY0040215 Rhododendron 'Campanile', 1 Aug 2001, (i), WSY0030618 Rhododendron 'Camparina', 14 Jun 2005, (i), WSY0070131 Rhododendron 'Canadian Kaleidoscope', 16 Jul 2002, (pg), WSY0035247 Rhododendron 'Caruso', 1 Aug 2001, (i), WSY0030619 Rhododendron 'Cassiopeia', 20 Aug 2003, (pg), WSY0044681 Rhododendron 'Cecilia Joossens', 20 Nov 2002, (pg), WSY0034872 Rhododendron 'Charis', 14 Jun 2005, (i), WSY0070133 Rhododendron 'Chelsea Seventy', 12 May 2004, (fl), WSY0051430 Rhododendron 'Christine Jennings', 30 Oct 2002, (pg), WSY0034910 Rhododendron 'Courtier', 20 Aug 2003, (pg), WSY0044676 Rhododendron 'Courtney', 22 Feb 2001, (fl), WSY0027980 Rhododendron 'Creamed Corn', 5 Jun 2002, (pg), WSY0033536 Rhododendron 'Creamery Road', 10 Apr 2002, (pg), WSY0032321 Rhododendron 'Crestan', 31 Jan 2002, (tr), WSY0031923 Rhododendron 'Crestan Betty', 31 Jan 2002, (tr), WSY0031926 Rhododendron 'Crete', 25 Aug 2004, (fl), WSY0051477 Rhododendron 'Cristobel Maude', 14 May 2004, (fl), WSY0051457 Rhododendron 'Csárdás', 8 Aug 2001, (i), WSY0030620 Rhododendron 'Cygnus', 20 Aug 2003, (pg), WSY0044677 Rhododendron 'Daniel Arblaster', 30 Oct 2002, (pg), WSY0034909 Rhododendron 'Daniela', 13 May 2004, (fl), WSY0051355 Rhododendron 'Danuta', 8 Aug 2001, (i), WSY0030621 Rhododendron 'Dark Jewel', 6 Dec 2002, (tr), WSY0038780 Rhododendron 'Doctor Francis Roe', 13 Mar 2003, (pg), WSY0040214 Rhododendron 'Doctor Peter Hewitt', 5 Jun 2002, (i), WSY0033493 Rhododendron 'Dolcemente', 8 Aug 2001, (i), WSY0030622 Rhododendron 'Dolita', 8 Aug 2001, (i), WSY0030623 Rhododendron 'Donvale Gold', 22 Feb 2001, (fl), WSY0035068 Rhododendron 'Donvale Princess', 22 Feb 2001, (fl), WSY0027989 Rhododendron 'Donvale Sunshine', 21 Feb 2001, (fl), WSY0027984 Rhododendron Dragonfly Group, 15 Jul 2005, (fl), WSY0070221 Rhododendron 'Drapa', 28 Jun 2005, (i), WSY0070168 Rhododendron 'Dreamland', 18 May 2004, (fl), WSY0051372 Rhododendron 'Dreilinden', 24 Apr 2001, (pg), WSY0029125 Rhododendron 'Durantik', 8 Aug 2001, (i), WSY0030624 Rhododendron 'Elfenreigen', 1 Feb 2002, (pg), WSY0032043

Rhododendron 'Elfie', 28 Jun 2005, (i), WSY0070162 Rhododendron 'Elise Schütze', 24 Apr 2001, (pg), WSY0029126 Rhododendron 'Eliska', 27 Jun 2005, (i), WSY0070152 Rhododendron 'Ellalikabetta', 20 Aug 2001, (pg), WSY0030311 Rhododendron 'Enrico', 27 Jun 2005, (i), WSY0070154 Rhododendron 'Fantastica', 17 May 2001, (fl), WSY0029806 Rhododendron 'Festivo', 17 May 2004, (fl), WSY0051429 Rhododendron 'Fidelius', 8 Aug 2001, (i), WSY0030625 Rhododendron 'Flensburg', 8 Aug 2001, (i), WSY0030626 Rhododendron 'Florteppich', 27 Jun 2005, (i), WSY0070153 Rhododendron 'Frentano', 14 Jun 2005, (i), WSY0070134 Rhododendron 'Frieda Diddens', 20 Nov 2002, (pg), WSY0034873 Rhododendron 'Georgette', 12 May 2004, (fl), WSY0051459 Rhododendron 'Glutkissen', 8 Aug 2001, (i), WSY0030628 Rhododendron 'Goldeneye', 22 May 1952, (p), WSY0022402 Rhododendron 'Goldinetta', 8 Aug 2001, (i), WSY0030629 Rhododendron 'Goldkollier', 27 Jun 2005, (i), WSY0070155 Rhododendron 'Goldzwerg', 27 Jun 2005, (i), WSY0070157 Rhododendron 'Gordian', 8 Aug 2001, (i), WSY0030630 Rhododendron 'Grumpy', 31 May 2004, (fl), WSY0060756 Rhododendron 'Hachmann's Belona', 12 May 2004, (fl), WSY0051426 Rhododendron 'Hachmann's Eileen', 8 Aug 2001, (i), WSY0030631 Rhododendron 'Hachmann's Fabiola', 21 Aug 2001, (i), WSY0030632 Rhododendron 'Hachmann's Griselda', 21 Aug 2001, (i), WSY0030633 Rhododendron 'Hachmann's Kontiki', 22 Aug 2001, (i), WSY0030634 Rhododendron 'Hachmann's Marlis', 17 May 2001, (fl), WSY0029818 Rhododendron 'Hachmann's Mazurka', 22 Aug 2001, (i), WSY0030635 Rhododendron 'Hachmann's Mercator', 28 Aug 2001, (i), WSY0030636 Rhododendron 'Hachmann's Mikado', 28 Aug 2001, (i), WSY0030637 Rhododendron 'Hachmann's Mirabella', 28 Aug 2001, (i), WSY0030638 Rhododendron 'Hachmann's Parsifal', 28 Aug 2001, (i), WSY0030639 Rhododendron 'Hachmann's Picobello', 14 Jun 2005, (i), WSY0070135 Rhododendron 'Hachmann's Porzellan', 12 May 2004, (fl), WSY0051423 Rhododendron 'Hachmann's Priscilla', 28 Aug 2001, (i), WSY0030640 Rhododendron 'Hachmann's Rosina', 28 Aug 2001, (i), WSY0030641 Rhododendron 'Hachmann's Rosita', 20 May 2004, (fl), WSY0051596 Rhododendron 'Hachmann's Sunny Boy', 10 Sep 2001, (i), WSY0030642 Rhododendron 'Hachmann's Topsi', 28 Aug 2001, (i), WSY0030643 Rhododendron 'Haithabu', 21 Jun 2005, (i), WSY0070141 Rhododendron 'Hans-André Schultz', 27 Jun 2001, (tr), WSY0051710 Rhododendron 'Harkwood Premiere', 22 May 2001, (fl), WSY0029705 Rhododendron 'Herbstgruss', 30 Aug 2001, (i), WSY0030644 Rhododendron 'Hydon Pearl', 17 May 2004, (fl), WSY0051416

Rhododendron 'Hydon Velvet', 12 May 2004, (fl), WSY0051451 Rhododendron 'Ilonka', 30 Aug 2001, (i), WSY0030645 Rhododendron 'Ilze', 15 Feb 2002, (pg), WSY0035066 Rhododendron Intrepid Group, 15 Jul 2005, (fl), WSY0070225 Rhododendron 'Izuotome', 30 Jan 2002, (tr), WSY0031888 Rhododendron 'Jamesee', 20 Aug 2001, (i), WSY0030312 Rhododendron 'Joan O'Rourke', 6 Dec 2002, (pg), WSY0038781 Rhododendron 'Johann Berg', 27 Jun 2001, (tr), WSY0051711 Rhododendron 'Johnny Mack', 6 Dec 2002, (pg), WSY0038784 Rhododendron 'Josi', 22 Feb 2001, (i), WSY0027987 Rhododendron 'Jozef Delvaux', 30 Oct 2002, (pg), WSY0034914 Rhododendron 'July Giant', 15 Jul 2002, (pg), WSY0035293 *Rhododendron* 'Juniduft', 7 Sep 2001, (i), WSY0030646 *Rhododendron* 'Junifuft', 7 Sep 2001, (i), WSY0030646 *Rhododendron* 'Juniflair', 21 Jun 2005, (i), WSY0070136 *Rhododendron* 'Kalamity', 1 Jan 1996, (v), WSY0046145 *Rhododendron* 'Kalinka', 12 May 2004, (fl), WSY0051597 *Rhododendron* 'Kangaro', 21 Jun 2005, (i), WSY0070137 Rhododendron 'Kantilene', 16 May 2005, (fl), WSY0060820 Rhododendron 'Karminduft', 7 Sep 2001, (i), WSY0030647 Rhododendron 'Karminkissen', 27 Jun 2005, (i), WSY0070150 Rhododendron 'Kinnor', 28 Jun 2005, (i), WSY0070158 Rhododendron 'Kirstin', 7 Sep 2001, (i), WSY0030648 Rhododendron 'Kita-no-otome', 12 Nov 2001, (tr), WSY0030953 Rhododendron 'Klokke Roeland', 30 Oct 2002, (pg), WSY0034916 Rhododendron 'Kokette', 27 Jun 2005, (i), WSY0070151 Rhododendron 'Kristin Arblaster', 17 Oct 2001, (pg), WSY0030840 Rhododendron 'Lamentosa', 18 May 2004, (fl), WSY0051600 Rhododendron 'Lapoinya Moon', 11 Apr 2002, (pg), WSY0032320 Rhododendron 'Lea Corthout', 20 Nov 2002, (pg), WSY0034874 Rhododendron 'Leon de Clercq', 30 Oct 2002, (pg), WSY0034915 Rhododendron 'Lesley Maloney', 22 Feb 2001, (i), WSY0027986 Rhododendron 'Lisetta', 7 Sep 2001, (i), WSY0030649 Rhododendron 'Lockington Aurora', 22 Feb 2001, (i), WSY0027988 Rhododendron 'Lockington Daisy Belle', 31 Jan 2002, (i), WSY0031921 Rhododendron 'Lockington Wonder', 22 Feb 2001, (i), WSY0027982 Rhododendron 'Macarena', 21 Jun 2005, (i), WSY0070138 Rhododendron 'Maddalena', 21 Jun 2005, (i), WSY0070139 Rhododendron 'Madleen', 7 Sep 2001, (i), WSY0030650 Rhododendron 'Maggie', 28 Jun 2005, (i), WSY0070159 Rhododendron 'Maifeier', 7 Sep 2001, (i), WSY0030651 Rhododendron 'Maischnee', 28 Jun 2005, (i), WSY0070164 Rhododendron 'Malone's Seven Up', 11 Apr 2002, (pg), WSY0032318 Rhododendron 'Marengo', 28 Jun 2005, (i), WSY0070160

Rhododendron 'Margaret Amy', 6 Dec 2002, (pg), WSY0038793 Rhododendron 'Marianka', 21 Jun 2005, (i), WSY0070140 Rhododendron 'Marie Day', 19 Mar 2002, (pg), WSY0035243 Rhododendron 'Marietta', 11 May 2004, (fl), WSY0051433 Rhododendron 'Marinja', 28 Jun 2005, (i), WSY0070165 Rhododendron 'Marylou', 21 Jun 2005, (i), WSY0070142 Rhododendron 'Maspaloma', 21 Jun 2005, (i), WSY0070143 Rhododendron 'Milton's North Star', 16 Jul 2002, (pg), WSY0035248 Rhododendron 'Miner's Gold', 11 Apr 2002, (pg), WSY0032316 Rhododendron 'Moderator', 7 Sep 2001, (i), WSY0030652 Rhododendron 'Mogambo', 21 Jun 2005, (i), WSY0070144 Rhododendron 'Monteverdi', 7 Sep 2001, (i), WSY0030653 Rhododendron 'Morioka-koyuki', 30 Jan 2002, (tr), WSY0031885 Rhododendron 'Mr Rosenthal', Sep 2001, (tr), WSY0035246 Rhododendron 'Nameless Beauty', 21 Aug 2001, (i), WSY0030323 Rhododendron 'Ninotschka', 17 May 2004, (fl), WSY0051418 Rhododendron 'Norma Thornton', 20 Aug 2003, (i), WSY0041864 Rhododendron 'Northern Belle', 6 Dec 2002, (pg), WSY0038783 Rhododendron 'Orange Flirt', 21 Jun 2005, (i), WSY0070145 Rhododendron 'Palermo', 7 Sep 2001, (i), WSY0030654 Rhododendron 'Patricia Mary Sawers', 4 Dec 2002, (pg), WSY0038791 Rhododendron 'Patricia Wilson', 5 Jun 2002, (pg), WSY0033494 Rhododendron 'Peggy Charlotte', 19 Mar 2002, (pg), WSY0035242 Rhododendron 'Penny Tomlin', 29 May 2003, (fl), WSY0041898 Rhododendron 'Pentesilea', 26 Mar 2001, (tr), WSY0051708 Rhododendron 'Peppina', 7 Sep 2001, (i), WSY0030655 Rhododendron 'Peter Winkworth', 15 May 2002, (pg), WSY0033629 Rhododendron 'Pheasant Tail', 31 May 2004, (fl), WSY0060765 Rhododendron 'Phyllis Rees', 5 Jun 2002, (pg), WSY0035250 Rhododendron 'Polly Perfect', 6 Dec 2002, (tr), WSY0038777 Rhododendron 'Pop Garrett', 4 Dec 2002, (pg), WSY0038786 Rhododendron 'Priceless', 6 Dec 2002, (tr), WSY0038776 Rhododendron 'Queen Mum', 30 Oct 2002, (pg), WSY0034927 Rhododendron 'Queen of All', 6 Dec 2002, (tr), WSY0038775 Rhododendron 'Rennie Moffat', 13 May 2002, (fl), WSY0033623 Rhododendron 'Romilda', 7 Sep 2001, (i), WSY0030657 Rhododendron 'Ronny', 27 Jun 2005, (i), WSY0070161 Rhododendron 'Rotraud', 7 Sep 2001, (i), WSY0030658 Rhododendron 'Samtkrone', 21 Jun 2005, (i), WSY0070148 Rhododendron 'Santorina', 21 Jun 2005, (i), WSY0070149 *Rhododendron* 'Sarastro', 7 Sep 2001, (i), WSY0030659 *Rhododendron* 'Sardana', 7 Sep 2001, (i), WSY0030660 Rhododendron 'Schneekrone', 9 May 2003, (fl), WSY0043784

Rhododendron 'Schneesturm', 10 Sep 2001, (i), WSY0030661 Rhododendron 'Schneewolke', 20 May 2004, (fl), WSY0051417 Rhododendron 'Schwanensee', 12 May 2004, (fl), WSY0051472 Rhododendron 'Seidenglanz', 10 Sep 2001, (i), WSY0030662 Rhododendron 'September-Flair', 10 Sep 2001, (i), WSY0030663 Rhododendron 'Shiralee', 22 Feb 2001, (i), WSY0027981 Rhododendron 'Signorina', 10 Sep 2001, (i), WSY0030664 Rhododendron 'Silberglanz', 9 May 2005, (fl), WSY0060759 Rhododendron 'Silbervelours', 10 Sep 2001, (i), WSY0030665 Rhododendron 'Silberwolke', 17 May 2004, (fl), WSY0051441 Rhododendron 'Silver Doctor', 9 May 2005, (fl), WSY0060793 Rhododendron 'Simson', 10 Sep 2001, (i), WSY0030666 Rhododendron 'Sleepy', 31 May 2005, (fl), WSY0060758 Rhododendron 'Sneezy', 14 May 2004, (fl), WSY0051412 Rhododendron 'Sonatine', 17 May 2004, (fl), WSY0046887 Rhododendron 'Spring Stripes', 10 Jul 2001, (tr), WSY0029698 Rhododendron 'Star of Woking', 10 May 2004, (fl), WSY0046892 Rhododendron 'Stromy', 27 Jun 2001, (tr), WSY0051709 Rhododendron 'Suirinkan', 12 Nov 2001, (tr), WSY0030950 Rhododendron 'Summer Coral', 23 Jun 2002, (tr), WSY0035295 Rhododendron 'Summer Fire', 4 Jul 2001, (tr), WSY0035296 Rhododendron 'Summer Ivory', 26 Jun 2002, (tr), WSY0033431 Rhododendron 'Summer Lightning', 26 Jun 2002, (tr), WSY0033429 Rhododendron 'Summer Sunray', 26 Jun 2002, (tr), WSY0033433 Rhododendron 'Surrey Heath', 31 May 2005, (fl), WSY0060757 Rhododendron 'Tabata-yae', 30 Jan 2002, (tr), WSY0031890 Rhododendron 'Tantivy Tantivy', 29 Jun 2001, (tr), WSY0029675 Rhododendron 'Taragona', 10 Sep 2001, (i), WSY0030667 Rhododendron 'Tassie Gold', 11 Apr 2002, (pg), WSY0032317 Rhododendron 'Tatjana', 17 May 2001, (fl), WSY0029808 Rhododendron 'Timothy James', 14 May 2004, (fl), WSY0051419 Rhododendron 'Tootsie', 28 Jun 2005, (i), WSY0070166 Rhododendron 'Tripsdrill', 10 Sep 2001, (i), WSY0030668 Rhododendron 'Ulrike Jost', 10 Sep 2001, (i), WSY0030669 Rhododendron 'Uncle Arch', 4 Dec 2002, (pg), WSY0038785 Rhododendron 'Ursine', 10 Sep 2001, (i), WSY0030670 Rhododendron 'Valerie June', 22 Feb 2001, (fl), WSY0027977 Rhododendron 'Wally Miller', 30 Jun 2004, (pg), WSY0051704 Rhododendron 'Widge', Sep 2001, (tr), WSY0035244 Rhododendron 'Winnie Hayes', 30 Nov 2000, (tr), WSY0026822 Rhododendron 'Winter Pink', 31 Jan 2002, (tr), WSY0031930 Rhododendron 'Winterpurpur', 10 Sep 2001, (i), WSY0030671 Rhododendron 'Wisley Pearl', 4 May 2004, (fl), WSY0046424

98

Rhododendron 'Woden's Horse', 29 Jun 2001, (tr), WSY0029676 Rhododendron 'Yaku-yama-sakura', 30 Jul 2002, (tr), WSY0033303 Rhododendron 'Zzub', 20 Aug 2003, (pg), WSY0041863 Rhododendron vakushimanum 'Schneekissen', 28 May 2004, (fl), WSY0051446 Roscoea purpurea Sm. 'Wisley Amethyst', 25 Jun 2004, (fl), WSY0051543 Rudbeckia laciniata L. 'Starcadia Razzle Dazzle', 8 Aug 2001, (fl), WSY0037287 Rudbeckia subtomentosa Pursh 'Loofahsa Wheaten Gold', 13 Sep 2002, (fl), WSY0037335 Saxifraga × caroli-langii Z.Zvolánek 'Verona', 2004, (fl), WSY0070256 Saxifraga 'Coombe White', 22 Mar 1927, (p), WSY0021758 Saxifraga (Southside Seedling Group) 'Southside Star', 17 Jun 2002, (fl), WSY0043542 Schizostylis coccinea Backh. & Harv. 'Fenland Daybreak', 19 Nov 2001, (fl), WSY0031783 Schizostylis coccinea Backh. & Harv. 'Mollie Gould', 7 Sep 1982, (fl), WSY0070289 Sorbus 'Joseph Rock', 31 May 1976, (fl), WSY0047333 Spigelia marilandica (L.) L. 'Wisley Jester', 3 Jun 2004, (fl), WSY0051746 Streptocarpus 'Caitlin', 24 May 2004, (fl), WSY0051520 Streptocarpus 'Crystal Blush', 5 Mar 2003, (fl), WSY0040247 Streptocarpus 'Crystal Wonder', 25 Jun 2004, (fl), WSY0068842 Streptocarpus 'Gwen', 24 May 2004, (fl), WSY0051527 Streptocarpus 'Nerys', 24 May 2004, (fl), WSY0051515 Streptocarpus 'Nia', 24 May 2004, (fl), WSY0051536 Streptocarpus 'Stephanie', 25 Jun 2004, (fl), WSY0070095 Verbascum 'Hyde Hall Sunrise', 18 May 2004, (fl), WSY0051510 Viburnum × bodnantense Stearn 'Dawn', 2 Dec 1947, (p), WSY0021899 Viburnum tinus L. 'Exbury', 21 Mar 1939, (p), WSY0021936

REFERENCE

## Brickell, C.D., Baum, B.R., Hetterscheid, W.L.A., Leslie, A.C., McNeill, J., Trehane, P., Vrugtman, F. & Wiersema, J.H. (eds) (2004). International Code of Nomenclature for Cultivated Plants, Seventh Edition. Acta Horticulturae 647: 1–123, i-xxi.