

Mail order suppliers of biological control for home gardeners

RHS Gardening Advice
March 2019



How and what to order

Suppliers are will usually provide advice on suitable products. When contacting mail order firms, describe:

- the size of the greenhouse or area to be treated
- main type of plants grown
- the pests and extent of the infestation
- growing conditions (an image can be useful)

These factors will determine the quantity of predators, parasites (parasitoids) or nematode product required.

The different biological controls are compatible with each other and may be introduced either singly or in combination as required by the pests present. Better control is sometimes achieved by a number of introductions over a period of several weeks, rather than a single introduction, especially with parasites.

Biological controls are incompatible with most



synthetic pesticides and these should be avoided for six weeks prior to introduction. Biological controls can sometimes be ordered or purchased through garden centres but most are supplied by mail order: being living animals with limited lifespans, most cannot be stocked in retail outlets.

The **supplier's instructions** regarding release and subsequent care of the predators or parasites **must be followed carefully**. Most products should be used immediately upon receipt. Application instructions for nematode products should also be followed. Sachet formations of nematodes for vine weevil larvae, chafer grubs and leatherjackets in lawns which have a longer shelf life are marketed by Neudorff. These are available from some plant centres

The firms listed below can supply, subject to availability, the following biological controls.

Pests and the available biological control options

Pest(s)	Biological Control	Suppliers
Ants	Ant nest nematode – <i>Steinernema feltiae</i>	1, 2, 4, 5, 6, 7
Aphids (various species)	a) Aphid midge – <i>Aphidoletes aphidimyza</i> b) Aphid parasitoids* – <i>Aphidius</i> , <i>Praon</i> or <i>Aphelinus</i> c) Lacewing larvae - <i>Chrysoperla carnea</i> d) Two-spot ladybird – <i>Adalia bipunctata</i> e) Rove beetle – <i>Atheta coriaria</i> f) Hoverfly larvae – <i>Sphaerophoria rueppellii</i>	1, 2, 3, 5 1, 2, 3, 4, 5, 6, 7 1, 3, 4, 5, 6 1, 3, 4, 5, 6, 7 1, 3, 5 1
Cabbage white eggs	Parasitoid – <i>Trichogramma brassicae</i>	3
Carrot fly	a) [Spring] <i>Steinernema feltiae</i> nematode b) [Summer] <i>S. carpocapsae</i> nematode	1, 3, 4, 5, 6, 7, 8, 9 1, 3, 4, 5, 6, 7, 9
Caterpillars (including cutworms)	a) Egg parasitoid – <i>Trichogramma</i> spp. b) Nemasys Fruit and veg nematodes containing <i>Steinernema feltiae</i> and <i>S. carpocapsae</i> c) Box tree caterpillar killer – <i>S. carpocapsae</i>	1, 3, 5 4, 3, 5, 6, 7, 9 3

Online www.rhs.org.uk/myadvice Tel 01483 479700 (Mon-Fri, 10am-1pm) Follow us on  
Write to RHS Gardening Advice, RHS Garden Wisley, Woking, Surrey GU23 6QB

Pest(s)	Biological Control	Suppliers
Chafer grubs in lawns	Chafer grub nematode – <i>Heterorhabditis bacteriophora</i>	All
Citrus red spider mite (<i>Panonychus citri</i>)	Citrus spider mite predator – <i>Amblyseius</i> species	3, 4, 5
Diaspid scales (Glasshouse)	Ladybird – <i>Chilocorus nigritus</i>	2, 3
Fungus gnats/sciarid flies	a) Fungus gnat mite – <i>Hypoaspis miles</i> b) Fungus gnat nematode – <i>Steinernema feltiae</i> c) Mighty Mite – <i>Macrocheles robustulus</i> d) Rove beetle – <i>Atheta coriaria</i>	1, 2, 5, 6 1, 2, 4, 5, 7, 8 6 1, 5
Glasshouse mealybugs (<i>Pseudococcus</i> and <i>Planococcus</i> spp.)	a) Mealybug ladybird – <i>Cryptolaemus montrouzieri</i> b) Mealybug parasites* – <i>Leptomastix</i> & <i>Leptomastixidea</i> sp., combined with <i>Cryptolaemus</i> c) Mealybug parasites* – <i>Leptomastix</i> & <i>Anagrus</i> sp. d) Lacewing larvae - <i>Chrysoperla carnea</i>	1, 2, 4, 5, 6, 7 1, 2, 1
Glasshouse red (two spotted) spider mite (<i>Tetranychus urticae</i>)	a) Predatory mites – <i>Amblyseius</i> species b) Glasshouse red spider mite predator – <i>Phytoseiulus persimilis</i> c) Glasshouse red spider predatory mite midge – <i>Feltiella acarisuga</i> c) Rove beetle – <i>Atheta coriaria</i>	1, 4, 5, 6, 7 1, 2, 4, 5, 6, 7 1, 5 1, 5
Glasshouse whitefly (<i>Trialeurodes vaporariorum</i>)	Glasshouse whitefly parasitoid – <i>Encarsia formosa</i>	1, 2, 4, 5, 6, 7
Leatherjackets	a) Leatherjacket nematode – <i>Steinernema feltiae</i> b) Leatherjacket nematode – <i>S. carpocapsae</i>	All 9
Slugs	Slug nematode – <i>Phasmarhabditis hermaphrodita</i>	1, 2, 3, 4, 5, 6, 7, 8
Scale – soft (<i>Coccus hesperidum</i>) and hemispherical (<i>Saissetia coffeae</i>)	Nematode - <i>Steinernema feltiae</i>	1, 4, 5, 7
Tarsonemid mite	Predatory mite – <i>Amblyseius cucumeris</i>	1, 2, 6
Thrips (various species)	a) Predatory mite – <i>Amblyseius</i> species b) Predatory mite – <i>Hypoaspis</i> species c) Mighty Mite – <i>Macrocheles robustulus</i> d) Predatory bug – <i>Orius laevigatus</i> e) Nemasys Fruit and veg nematodes containing <i>Steinernema feltiae</i> & <i>S. carpocapsae</i>	1, 2, 4, 5, 6 1, 4, 5, 6 1, 5, 6 5 4, 5, 6, 9
Vine weevil larvae (<i>Otiorhynchus sulcatus</i>)	a) Vine weevil nematode – <i>Steinernema kraussei</i> b) Vine weevil nematode – <i>Heterorhabditis megidis</i>	All 1, 5
Vine weevil adults	Nematop Adult Vine Weevil trap (contains <i>Steinernema carpocapsae</i>)	4, 5, 6, 7, 8
Various vegetable pests (including caterpillars)	Mixed nematodes 'Fruit and Vegetable Protection'	1, 4, 5, 6, 7, 8, 9
Wireworm - nematodes	Nematode – <i>Heterorhabditis bacteriophora</i>	1, 4, 5, 9

* It is advisable to enquire about availability of these biological controls before placing an order and it may be worthwhile to send the supplier samples of the pest on its host plants in a dry polythene bag and crush-proof container to ensure that they are species that can be dealt with by the biological control.

Online www.rhs.org.uk/myadvice Tel 01483 479700 (Mon-Fri, 10am-1pm) Follow us on  
Write to RHS Gardening Advice, RHS Garden Wisley, Woking, Surrey GU23 6QB



The mention of any product, supplier or service does not constitute an endorsement by the Society.
©RHS – not to be copied or reproduced without prior permission. RHS Registered Charity No.222879/SC038262

Suppliers/Distributors

Company Name	Address	Contact	Website
1. Agralan Ltd	The Old Brickyard, Ashton Keynes, Swindon, Wiltshire SN6 6QR	T: 01285 860015 E: sales@agralan.co.uk	www.agralan.co.uk
2. Defenders (marketed by WyeBugs)	WyeBugs, Occupation Road, Wye, Ashford, Kent TN25 5EN	T: 01233 813130 E: help@defenders.co.uk	www.defenders.co.uk
3. Dragonfli Ltd	Unit 1 Griggs Business Centre, West Street, Coggeshall Essex CO6 1NT	T: 01376 563322 E: sales@dragonfli.co.uk	www.dragonfli.co.uk
4. Green Gardener	B12 Base Business Park, Rendlesham Suffolk IP12 2TW	T: 01493 750061 E: jon@greengardener.co.uk	www.greengardener.co.uk
5. Ladybird Plantcare	Vantage Point, Brighton, East Sussex BN1 4GU	T: 01825 724621 E: plantcare@ladybirdplantcare.co.uk	www.ladybirdplantcare.co.uk
6. Organic Gardening Catalogue	Long Road, Paignton, Devon TQ4 7SX	T: 0844 967 0330 E: enquiries@organiccatalogue.com	www.organiccatalogue.com
7. Pippa Greenwood	99 Wey Hill, Haslemere, Surrey GU27 1HT	E: info@pippagreenwood.com	www.pippagreenwood.com
8. Simply seed	Moor Lane, Gotham, Nottingham NG11 0LH	T: 0115 7270606 E: help@simplyseed.co.uk	www.simplyseed.co.uk
9. Bionema	Room Number 009, Institute of Life Science, 1 Singleton Park, Swansea University, Swansea SA2 8PP	T: 01792 606916 E: info@bionema.com	www.bionema.com

Sachets of nematodes for sale in plant centres and other retail outlets are marketed by

Neudorff, Neudorff UK Limited, Vienna House, Birmingham International Park, Solihull B37 7GN.
www.neudorff.co.uk Tel: 0121 767 1821

Online www.rhs.org.uk/myadvice Tel 01483 479700 (Mon-Fri, 10am-1pm) Follow us on  
Write to RHS Gardening Advice, RHS Garden Wisley, Woking, Surrey GU23 6QB

The mention of any product, supplier or service does not constitute an endorsement by the Society.
©RHS – not to be copied or reproduced without prior permission. RHS Registered Charity No.222879/SC038262