



Royal  
Horticultural  
Society

# The International Daffodil Register & Classified List (2008)

*Third Supplement*



© 2011 The Royal Horticultural Society  
80 Vincent Square, London SW1P 2PE, United Kingdom  
[www.rhs.org.uk](http://www.rhs.org.uk)

International Daffodil Registrar:  
Sharon McDonald

All rights reserved. No part of this book may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the copyright holder

ISBN 9781907057205

Printed and bound in the UK by Page Bros, Norwich

*Cover:* “Narcissus cyclamineus, Johnstoni and Triandrus albus”  
from 1887 Barr and Son daffodil catalogue.  
Image courtesy of RHS Lindley Library

**THIRD SUPPLEMENT**  
**to**  
**THE INTERNATIONAL DAFFODIL REGISTER AND CLASSIFIED LIST (2008)**  
**2009–2010**

The daffodil names listed here are supplementary to the *International Daffodil Register (2008)*; they were registered between 1 July 2009 and 30 June 2010. They are followed by a list of some other recent additions and amendments to the Register.

**Registration page 1**  
**Classification and description page 2**  
**Registrations 2009–2010 page 3**  
**Additions and amendments to previous Supplements page 41**  
**Additions and amendments to the *International Daffodil Register (2008)* page 41**  
**Illustrations of descriptive terms page 44**

## REGISTRATION

Hybridisers, raisers and other introducers of daffodils are urged to ensure that the names of new plants are registered, and are reminded that registration should preferably take place before plants are released or catalogued. Registration is conducted by The Royal Horticultural Society, International Cultivar Registration Authority for the genus *Narcissus*. Application forms are available from:

- |  |  |
|--|--|
| <ul style="list-style-type: none"><li>• The International Daffodil Registrar:<br/>Miss Sharon McDonald<br/>RHS Wisley, Woking, Surrey GU23 6QB, UK<br/><i>Fax</i> (44) 01483 211 750<br/><i>Email</i> sharonmcdonald@rhs.org.uk</li><br/><li>• The National Daffodil Registrar (Holland):<br/>Drs J. van Scheepen, KAVB, Postbus 175, 2180<br/>AD Hillegom, The Netherlands<br/><i>Fax</i> (31) 2525 369 51<br/><i>Email</i> vanschepen@kavb.NL</li><br/><li>• The National Daffodil Registrar (Czech Republic):<br/>Ing. Ivan Karakoz, ul. Zizkova cp. 1539, 274 01<br/>Slaný, Czech Republic<br/><i>Email</i> Karakoz@seznam.cz</li><br/><li>• The National Daffodil Registrar (USA):<br/>Mrs Mary Lou Gripshover, 1686 Grey Fox Trail,<br/>Milford, Ohio 45150, USA</li></ul> | <p><i>Fax</i> (1) 513 248 9137<br/><i>Email</i> mgripshover@cinci.rr.com</p> <ul style="list-style-type: none"><li>• The National Daffodil Registrar (Japan):<br/>Miss Eri Komoriya, 1196 Ohkido-Cho,<br/>Midori-ku, Chiba-City, Chiba 267-0057, Japan<br/><i>Fax</i> (81) 43 294 8504<br/><i>Email</i> rxel2572@nifty.ne.jp</li><br/><li>• The National Daffodil Registrar (Australia):<br/>Mrs Jennie Jamieson, 11 Bromley Place, Kingsley,<br/>WA 6026, Australia<br/><i>Fax</i> (61) 89 409 1156<br/><i>Email</i> ndaalaison@hotmail.com</li><br/><li>• The National Daffodil Registrar (New Zealand):<br/>Mr Wilfred Hall, 105 Wallace Loop Rd, Ihakara,<br/>RD1 Levin, New Zealand 5571<br/><i>Email</i> wilshe@xtra.co.nz</li></ul> |
|--|--|

Once registered, names and classifications may be changed only with the agreement of the International Cultivar Registration Authority, upon application to the International Registrar.

## NOTES ON CLASSIFICATION AND DESCRIPTION

### Note 1 – on classification

The combination of division and colour code assigned here (or as amended in any future Supplement) is the registered classification, to be observed, for example, when schedules require cultivars to be shown “as registered”. The registered classification is not altered by any note of variable measurement or colour. (See pp. 41 ff. for any notes of variability in previous registrations.)

### Note 2 – on colour coding

Guidelines on colour coding, including those on distinguishing between Yellow and Orange and between Orange and Red, appear in the Register and on registration forms. It is at the registrant’s discretion to distinguish White from Yellow or Green, Yellow from Green, or Pink from the paler tones of Orange or Red.

In addition:

#### – green at corona base

The green at the base of a corona, whether in the tube or in the corona itself, may be included in the colour code if it is prominent and plain to see. Registrants are advised to include it only if it is consistent from year to year.

#### – non-concentric colours

When coding colours in perianth or corona that appear in radial rather than concentric bands, or in a flare from the base, or in flecks or splashes: start with a letter for the predominant colour; proceed with an oblique line; follow with the letter(s) (in any order) for the non-predominant colour(s).

For example, a yellow flower with a white streak along the midrib of the perianth segments would be Y/W-Y; a white flower with radial bands of orange and yellow on the corona segments would be W-W/OY.

### Note 3 – on colour terms

Colour Chart numbers in registered descriptions, e.g. 6C in ‘Annie-kins’, are from the *RHS Colour Chart* (1966 (reprinted 1986), 1995, 2001, 2007). Colour names followed by Chart numbers without brackets are equivalents adopted by the RHS for all its international registers. They are taken from the Universal Colour Language in the Inter-Society Color Council-National Bureau of Standards colour-name system. Colour names followed by Chart numbers with brackets or by no numbers at all are those supplied by the registrant.

### Note 4 – on description

Registered descriptions are drawn up from application forms and, whenever possible, from photographs and actual specimens too. The Registrar would welcome readers’ comments on the accuracy of all descriptions.

Illustrations of descriptive terms appear on p. 44.

### Note 5 – on height

Stem heights in registered descriptions may be taken to be Standard (325–675 mm) unless otherwise stated, when they will be described as Dwarf (less than 325 mm) or Tall (more than 675 mm).

### Note 6 – on Standards

The Standard noted at the end of some descriptions is the designated herbarium specimen or illustration forming a permanent record of the distinguishing characteristics of the cultivar and fixing the cultivar name.

## REGISTRATIONS 2009–2010

The following cultivar names were registered between 1 July 2009 and 30 June 2010 by The Royal Horticultural Society, International Cultivar Registration Authority for the genus *Narcissus*.

Entries follow the style of those in the *International Daffodil Register and Classified List (2008)* and may be interpreted accordingly (see p. 10 in the Register).

To access the *International Daffodil Register and Classified List (2008)* on the internet, go to:  
[www.rhs.org.uk/Plants/Plant-science/Plant-registration/Daffodils](http://www.rhs.org.uk/Plants/Plant-science/Plant-registration/Daffodils)

The seed parent is given before the pollen parent.

### **'Activist' 11a Y-WWY**

(Colin Crotty, 1999) Colin Crotty, 2010

Parentage unknown; sdlg no. 11-99

Fl. forming a double triangle, 110mm wide; perianth segments 41mm long, very broadly ovate, blunt, prominently mucronate, lemon yellow, spreading, plane or a little concave, smooth and of membranaceous substance, overlapping half; the inner segments narrower, less prominently mucronate, a little inflexed; corona segments 27mm long, split to base, each closely overlying a perianth segment, forming an outer and an inner whorl of three and of the same width as the perianth segments, creased, with lobes overlapping, opening lemon yellow, becoming white, with lemon yellow at apex, lightly frilled. Early. Sweetly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0117001)

### **'Airtime' 2 W-WWP**

(Brian S.Duncan) Brian S.Duncan, 2010

'Fragrant Rose' × 'Claverley'; sdlg no. 2430

Fl. 118mm wide; perianth segments 44mm long, roundish, prominently mucronate, white, spreading, plane, smooth, overlapping one-third to a half; the inner segments broadly ovate, blunt, shouldered at base, slightly inflexed; corona 30mm long, funnel-shaped, smooth, opening pale yellow, with a broad band of pink at rim, becoming white, with a broad band of pink at rim, mouth straight, a little wavy and obscurely lobed, with rim flanged and minutely crenate. Mid-season to late. Sunproof.

Nomenclatural Standard: colour print supplied by registrant (WSY0117002)

### **'Amazing Alexis' 4 W-Y**

(W.R.P.Welch) W.R.P.Welch, 2010

*N. papyraceus* × 'Golden Rain'

Fls 4–10 per stem, rounded, 56mm wide; perianth and other petaloid segments 20mm long, very broad, roundish, white, reflexed, concave, with margins incurved, smooth and of heavy substance, irregular, overlapping half or more; the inner segments strongly inflexed; corona segments 7mm long, smooth, lemon yellow. Tall. Very early. Sweetly scented.

Etymology: named for a friend of the hybridiser

### **'American Legacy' 2 Y-P**

(R. & E.Havens) R. & E.Havens, 2010

'Acumen' × 'American Dream'; sdlg no. OH4/11

Fl. rounded, 105mm wide; perianth segments 42mm long, roundish in outline, blunt at apex, slightly mucronate, deep lemon yellow, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments narrower; corona 35mm long, cylindrical, smooth, deep reddish pink, mouth flared, a little frilled, with rim crenate.

Mid-season. Sunproof.

Nomenclatural Standard: colour print supplied by registrant (WSY0117004)

### **'American Springs' 2 YYW-P**

(R. & E.Havens) R. & E.Havens, 2010

'American Dream' × 'Color Magic'; sdlg no.

MH7/2A

Fl. rounded, 105mm wide; perianth segments 42mm long, very broad, roundish, bright lemon

yellow, with a band of white at base and slight, pale mucro, spreading to a little reflexed, plane, smooth and of heavy substance, overlapping half or more; the inner segments broadly ovate, less prominently mucronate; corona 34mm long, funnel-shaped, smooth, deep pink, mouth flared, broadly ribbed and a little frilled, with rim crenate. Late mid-season. Sunproof.

Nomenclatural Standard: colour print supplied by registrant (WSY0117005)

#### **'American Star' 2 YYW-P**

(R. & E.Havens) R. & E.Havens, 2010

'Acumen' × 'American Dream'; sdlg no. OH4/3

Fl. forming a double triangle, 110mm wide; perianth segments 44mm long, broadly ovate, blunt, prominently mucronate, lemon yellow, with a band of white at base, spreading, with margins a little incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, plane; corona 41mm long, cylindrical, smooth, pink, mouth straight and wavy, with rim crenate. Mid-season. Sunproof.

Nomenclatural Standard: colour print supplied by registrant (WSY0117006)

#### **'Angels Wood' 2 Y-O**

(Brian S.Duncan, 2000) Brian S.Duncan, 2010

'Angelito' × D633 (['Gettysburg' × 'Smoky Bear'] × 'Barnsdale Wood'); sdlg no. 2225

Fl. 110mm wide; perianth segments 44mm long, very broadly ovate, blunt, slightly mucronate, deep yellow, spreading, with margins a little incurved, smooth and of heavy substance, overlapping half or more; the inner segments slightly narrower, shouldered at base; corona 20mm long, cup-shaped, smooth, red-orange, paling to orange at base, mouth straight, lightly ribbed and frilled, with rim crenate. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0117007)

Etymology: derived from parent names

#### **'Anitra's Dance' 2 W-P**

(R. & E.Havens, 1987) R. & E.Havens, 2010

'Lorikeet' × 'Magician'; sdlg no. WH27/5

Fl. rounded, 105mm wide; perianth segments 44mm long, very broad, roundish, mucronate, ivory

white, with a pinkish cast, spreading, concave, smooth and of heavy substance, overlapping half or more; the inner segments slightly narrower, more nearly plane; corona 37mm long, short, funnel-shaped, bright pink, mouth widely expanded, regularly ribbed and lightly frilled, with rim crenate. Late mid-season. Sunproof. Nomenclatural Standard: colour print supplied by registrant (WSY0117009)

#### **'Anna Swir' 9 W-GYO**

(Daniel Bellinger) Daniel Bellinger, 2010

'Torr Head' × ('Proxy' × *N. poeticus* var. *hellenicus*); sdlg no. 00.55.2

Fl. 57mm wide; perianth segments 22mm long, broadly ovate, deeply truncate and slightly mucronate, yellowish white 155B, a little reflexed, plane or with margins incurved at apex, smooth and of heavy substance, overlapping one-third to a half; the inner segments more nearly spreading, not noticeably mucronate; corona 2mm long, disc-shaped, thickly ribbed, brilliant greenish yellow 4A, with strong yellow-green 144B at base and a narrow band of pale orange (16A) at rim, mouth lightly frilled, with rim minutely crenate. Very late. Sunproof. Sweetly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0117010)

Etymology: named for the Polish poet, who worked in the Resistance in the Second World War

#### **'Annie-kins' 4 Y-P**

(M.Hamilton) M.Hamilton, 2010

'Baldock' sdlg × sdlg (2 Y-P); sdlg no. 21-07

Fl. 105mm wide; perianth and other petaloid segments in three or more whorls, brilliant greenish yellow 6C, with pale mucro; the two outer whorls 44mm long, broadly ovate, spreading, plane, smooth and of heavy substance, overlapping half; the inner whorls two-thirds the length and of the same width as the outer whorls, successively inflexed towards the centre, concave or folded inwards along midrib; corona segments half the length of the outer petaloid segments, tightly clustered at centre, lemon-pink, folded deeply inwards along midrib, frilled. Mid-season. Sweetly scented.

Etymology: nickname for registrant's youngest daughter

### **'Apricot Ice' 3 W-O**

(Stephen J.Vinisky, 2000) Stephen J.Vinisky, 2010  
'Cinder Hill' × 'Random Event'; sdlg no. V95-148-32  
Fl. forming a double triangle; perianth segments broadly ovate, blunt, slightly mucronate, opening creamy white, becoming white, spreading, plane, smooth, overlapping one-third to a half; the inner segments narrower, shouldered at base, slightly truncate, with margins a little incurved; corona cup-shaped, smooth, glowing orange, mouth a little expanded, slightly wavy, with rim entire

### **'Arctic Pink' 2 YYW-P**

(R. & E.Havens) R. & E.Havens, 2010  
'Acumen' × 'American Dream'; sdlg no. OH4/2  
Fl. 100mm wide; perianth segments 37mm long, oblong in outline, rounded at apex, deep lemon yellow, with a band of white at base and with pale mucro, spreading, concave, smooth and of heavy substance, overlapping half; the inner segments broadly ovate, shouldered at base, less prominently mucronate; corona 20mm long, cylindrical, smooth, deep pink, touched yellow at rim, mouth straight and wavy, with rim minutely dentate. Late mid-season. Sunproof.  
Nomenclatural Standard: colour print supplied by registrant (WSY0117012)

### **'Artist's Life' 7 YYW-OOY**

(R. & E.Havens) R. & E.Havens, 2010  
'Fertile Crescent' open pollinated; sdlg no. NH05/2  
Fls 3 per stem, 65mm wide; perianth segments 25mm long, very broad, oblong in outline, rounded at apex, mucronate, deep golden lemon, with a band of white at base, spreading, plane or with margins a little incurved, smooth and of heavy substance, overlapping half; the inner segments broadly ovate; corona 13mm long, cup-shaped, smooth, deep pinkish orange, with pale yellow at rim, mouth straight and wavy, with rim crenate. Late. Sunproof.  
Nomenclatural Standard: colour print supplied by registrant (WSY0117013)

### **'Artwork 16'**

Syn. of 'Artwork Sixteen'

### **'Artwork Sixteen' 7 W-P**

(Sidney DuBose) Stephen J.Vinisky, 2010  
Syn. 'Artwork 16'  
Part of the DuBose Artwork Series  
Sdlg ('Cordial' × 'Canby') × *N. jonquilla*; sdlg no. P38-411-16  
Fls 1–3 per stem; perianth segments broadly ovate, blunt, mucronate, creamy white, a little inflexed, slightly concave, smooth, overlapping one-third to a half; the inner segments a little narrower, shouldered at base; corona cup-shaped, smooth, clear mid-pink, mouth straight and a little wavy, with rim entire.  
Sweetly scented

### **'Ashlini' 8 W-Y**

(Wilfred Hall, 1996) Wilfred Hall, 2010  
'Grand Monarque' hybrid; sdlg no. GMX-10  
Fls 5–8 per stem, rounded, 45mm wide; perianth segments 18mm long, very broad, roundish, blunt, mucronate, white (NN155B), spreading, plane, creased, of heavy substance, overlapping; the inner segments broadly ovate, shouldered at base, not noticeably mucronate, slightly inflexed; corona 8mm long, bowl-shaped, shallow, smooth, brilliant yellow 12B, mouth even, with rim entire. Dwarf.  
Mid-season to late.  
Nomenclatural Standard: colour print supplied by registrant (WSY0117014)

### **'Autumn Art' 8 W-O**

(H.Koopowitz) H.Koopowitz, 2010  
Autumn Colors Group × 'Gloriosus'  
Fls 8–13 per stem, rounded, 36mm wide; perianth segments 15mm long, roundish in outline, blunt at apex, mucronate, yellowish white 155D, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments broader; corona 4mm long, cup-shaped, smooth, yellow-orange (23B), mouth straight and even, with rim entire and slightly incurved. Autumn-flowering. Sunproof.  
Sweetly scented.  
Etymology: flowers in autumn and stands out in the garden

**'Avalex' 8 W-Y**

(Wilfred Hall) Wilfred Hall, 2010

'Avalanche' hybrid; sdlg no. AVX-21

Fls up to 15 per stem, forming a double triangle, 40mm wide; perianth segments 16mm long, broadly ovate, blunt, mucronate, white, spreading, plane to concave or with margins slightly incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, truncate, not noticeably mucronate; corona 9mm long, cup-shaped, slightly angled, vivid yellow 9B, mouth straight, slightly wavy, with rim entire. Early. Sweetly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117015)

**'Ballistic' 4 Y-O**

(J.F.McLennan) J.F.McLennan, 2010

'Kampo' × 'Kiwi Sunset'; sdlg no. 06-28

Fl. 100mm wide; perianth and other petaloid segments in several whorls, roundish, deep yellow, smooth; the outer whorls slightly mucronate, plane to a little concave, overlapping one-third to a half; the inner whorls less prominently mucronate, becoming successively shorter, more deeply inflexed and concave, folded inwards from midrib; corona segments one-third the length and width of the petaloid segments and interspersed among them, strong orange, a little frilled, becoming more crumpled towards centre. Mid-season.

Etymology: the hybridiser went "ballistic" on seeing first flower

**'Ball of Fire' 4 Y-R**

(Stephen J.Vinisky, 1998) Stephen J.Vinisky, 2010

'Beauvallon' × V90-15-9 ('Resplendent' × 'Loch More'); sdlg no. V94-233-5

Fl. 105mm wide; perianth and other petaloid segments in two or more whorls; the outer whorl 45mm long, broadly ovate, blunt, prominently mucronate, spreading, concave, smooth, overlapping half; the inner segments narrower, slightly truncate, less prominently mucronate; the inner whorls narrower, sometimes with margins incurved, becoming successively shorter and more strongly inflexed; corona segments one-quarter the length and one-third the width of the petaloid segments,

interspersed among the inner whorls and clustered tightly at centre, bi-lobed and frilled. Mid-season to late

**'Baron's Sister' 2 Y-R**

(P.D.K.Ramsay, 1993) P.D.K.Ramsay, 2010

O'More sdlg 49/64 ('Narvik' × 'Red Baron') × 'Torridon'; sdlg no. 93:60A

Fl. rounded, 128mm wide; perianth segments 42mm long, very broad, rounded at apex, spreading, plane, or with margins incurved, smooth and of heavy substance, overlapping half; corona 32mm long, bowl-shaped, smooth, mouth flared and frilled, with rim crenate. Late.

Etymology: sister to 'Cameo Baron'

**'Beautiful Silk' 2 Y-P**

(R. & E.Havens) R. & E.Havens, 2010

'Acumen' × 'American Dream'; sdlg no. OH4/5

Fl. 100mm wide; perianth segments 40mm long, very broadly ovate, blunt, mucronate, pastel lemon yellow, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 32mm long, cylindrical, angled, clean pink, mouth straight and wavy, with rim crenate. Late mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0117016)

**'Bella Estrella' 11a W-Y**

(K.van der Veek) C.van der Veek, 2010

Fls 1-3 per stem, 75mm wide; perianth segments 40mm long, broadly ovate, blunt, truncate, prominently mucronate, greenish white 157D, spreading to a little inflexed, concave, with margins a little incurved, smooth and of heavy substance, overlapping one-third to a half; the inner segments narrower, shouldered at base, less prominently mucronate, more strongly inflexed; corona 15mm long, the six segments split to base, forming two whorls of three, each closely overlying a perianth segment, forming an outer and an inner whorl of three, of the same width as the perianth segments, irregularly lobed, regularly ribbed, brilliant greenish yellow 5B, lightly frilled. Mid-season.

Nomenclatural Standard: colour print supplied by KAVB (WSY0117017)

**'Ben Robertson' 1 Y-YYO**

(Mrs Ben Robertson, pre-1958) Loyce McKenzie, 2010  
'King of the North' × 'Saint Issey'; sdlg no. ER#11  
Fl. 71mm wide; perianth segments 25mm long,  
broadly ovate, blunt, clear yellow, with prominent  
pale mucro, spreading, plane, smooth and of heavy  
substance, overlapping one-third to a half; the inner  
segments ovate, acute, with margins a little wavy;  
corona 25mm long, funnel-shaped, smoothly  
angled, yellow, with a broad band of light orange at  
rim, mouth narrowly flared, lightly ribbed and  
frilled, obscurely six-lobed, with rim minutely  
crenate. Very early. Sunproof.  
Nomenclatural Standard: colour print supplied by  
registrant (WSY0117018)  
Etymology: named for the husband of the hybridiser

**'Bettina's Favorite' 8 Y-Y**

(W.R.P.Welch) W.R.P.Welch, 2010  
'Yellow Butterfly' × *N. jonquilla*  
Fls 3–6 per stem, 54mm wide, facing up; perianth  
segments 21mm long, broadly ovate, blunt, medium  
yellow, spreading, plane, or with margins slightly  
incurled, creased and of heavy substance, overlapping  
half or more; corona 8mm long, bowl-shaped, ribbed,  
deep yellow, with orange glow at centre, mouth  
lightly frilled, with rim slightly notched. Tall. Late.  
Sweetly scented.  
Etymology: named for a friend of the hybridiser

**'Blakey' 2 W-P**

(R.A.Scamp, 1992) S.Holden, 2010  
'Pol Dornie' × 'Dailmanach'; sdlg no. 624  
Fl. forming a double triangle, 112mm wide;  
perianth segments 47mm long, very broadly ovate in  
outline, roundish at apex, spreading, plane or with  
margins incurling, smooth and of membranaceous  
substance, overlapping half or more; the inner  
segments shouldered at base; corona 35mm long,  
funnel-shaped, smooth, mouth wavy, with rim  
flanged and dentate. Mid-season

**'Blazing Starlet' 11a Y-YYO**

(J.Gerritsen & Son) W.van Lierop & Sons, 2009  
Fl. 90mm wide, facing up, perianth segments 35mm  
long, broadly ovate in outline, rounded at apex, light

greenish yellow 4B, with white mucro, spreading,  
plane to a little concave, with broad midrib showing,  
of membranaceous to heavy substance, overlapping  
half; the inner segments narrower, blunt at apex;  
corona segments 35mm long, forming a single whorl  
of six, each segment closely overlying a perianth  
segment, split to base, half as long and of the same  
width as the perianth segments, rounded at apex,  
with shoulders overlapping, narrowing to base, a  
little creased, vivid yellow 9A, shading to (13A) at  
base and with yellow-orange (17A) at rim, margins  
lightly, but thickly frilled. Early. Strongly scented

**'Brer Rabbit' 1 Y-O**

(John R.Reed) John R.Reed, 2010  
'Trumpet Call' × 'American Revolution'  
Perianth segments spreading, plane, smooth; corona  
funnel-shaped. Early

**'Broadwalk Beauty' 2 Y-GYY**

(John Gibson) John Gibson, 2010  
Sdlg × 'Citronita'; sdlg no. 2-21-96  
Fl. 103mm wide; perianth segments 45mm long,  
very broadly ovate in outline, rounded at apex, light  
greenish yellow 3D, spreading, plane to slightly  
concave, smooth and of heavy substance,  
overlapping half or more; the inner segments only a  
very little narrower, squarish in outline, blunt at  
apex, less prominently mucronate; corona 21mm  
long, bowl-shaped, lightly and narrowly ribbed,  
vivid yellow 9A, mouth a little expanded, lightly  
frilled, with rim minutely crenate. Tall. Mid-season.  
Nomenclatural Standard: colour print supplied by  
registrant (WSY0117019)

**'Burnside' 2 W-WWP**

(Colin Crotty, 2000) Colin Crotty, 2010  
'Culmination' × 'Quasar'; sdlg no. 18-00  
Fl. 100mm wide; perianth segments 42mm long,  
roundish, very broad, white, mucronate, spreading,  
plane to a little concave, smooth and of heavy  
substance, overlapping half; the inner segments  
significantly narrower, shouldered at base, blunt, less  
prominently mucronate, plane; corona 20mm long,  
bowl-shaped, angled and broadly ribbed, opening  
yellowish, with a broad band of orange-pink at rim,

becoming white, with the broad band of orange-pink continuing, mouth a little expanded, wavy, with rim minutely dentate. Mid-season. Strongly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0117021)

#### **'Burntwood' 4 Y-R**

(A.Harper) R.A.Scamp, 2010

'Tahiti' × 2 Y-R sdlg; sdlg no. 86-05

Fl. rounded, 78mm wide; perianth and other petaloid sections in three whorls, roundish, bright yellow, with white mucro, concave, smooth and of heavy substance; the outer whorl 30mm long, with margins incurved; the middle whorl a little inflexed; the inner whorl half the length of the outer segments, strongly inflexed, folded deeply inwards from the midrib; the corona segments 15mm long, interspersed between the middle and inner whorls, bright red, crumpled and folded, with margins wavy and lobed. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0117022)

#### **'Caitlin's Favorite' 8 W-Y**

(W.R.P.Welch) W.R.P.Welch, 2010

Autumn Colors Group × *N. papyraceus*

Fls 8–12 per stem, rounded, 53mm wide, facing up; perianth segments 23mm wide, roundish, very broad, white, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower; corona 8mm long, cup-shaped, angled, pale yellow, becoming creamy yellow, mouth straight, ribbed, wavy, with rim entire. Very early. Sweetly scented.

Etymology: named for a friend of the registrant

#### **'Caity Aurora' 8 Y-O**

(W.R.P.Welch) W.R.P.Welch, 2010

'Matador' × Autumn Colors Group

Fls 4–8 per stem, rounded, 49mm wide, facing up; perianth segments 20mm long, roundish, very broad, light yellow, mucronate, spreading, plane, with margins wavy, with midrib showing, of heavy substance, overlapping half or more; the inner segments shouldered at base, strongly inflexed; corona 8mm long, bowl-shaped, angled, deep

orange, mouth expanded, wavy, with rim crenate. Very early. Sunproof. Sweetly scented.

Etymology: named for a friend of the registrant

#### **'California Classic' 3 Y-R**

(R.E.Jerrell, c.1975) Tom Stettner, 2010

'Falstaff' × 'Armada'; sdlg no. J 68-8-8

Fl. forming a double triangle, 89mm wide; perianth segments 38mm long, very broadly ovate, blunt, yellow, with a slight white mucro, spreading, plane, smooth and of heavy substance, overlapping one-third to a half; the inner segments much narrower, shouldered at base, less prominently mucronate; corona 12mm long, cup-shaped, smooth, mouth expanded, a little wavy and lightly lobed, with rim entire. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0117023)

Etymology: named for the hybridiser, who was a classic gentleman living in California

#### **'Cameo Convention' 1 Y-Y**

(P.D.K.Ramsay, 1998) P.D.K.Ramsay, 2010

'Golden Jewel' × 'Gold Convention'; sdlg no. 98:35A

Fl. forming a double triangle, 120mm wide; perianth segments 40mm long, very broad, rounded at apex, spreading, plane, or with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments shouldered at base; corona 43mm long, funnel-shaped, smooth, mouth straight, wavy, with rim flanged and dentate. Late

#### **'Carn Brea' 3 Y-R**

(R.A.Scamp, 1997) R.A.Scamp, 2010

'Dateline' self pollinated; sdlg no. 850

Fl. forming a double triangle, 97mm wide; perianth segments 42mm long, broadly ovate, blunt, mucronate, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, slightly inflexed; corona 14mm long, bowl-shaped, smooth, mouth straight, wavy and obscurely lobed, with rim crenate.

Mid-season to late.

Nomenclatural Standard: colour print supplied by registrant (WSY0117024)

Etymology: named for a tor above Camborne, Cornwall

### **'Chapel Valley' 1 Y-Y**

(H.A Vandervliet) New Generation Daffodils, 2010  
'Leinster' × 'Burgemeester Gouverneur'  
Fl. 115mm wide, forming a double triangle; perianth segments 47mm long, broadly ovate, blunt, vivid yellow 9B, with pale mucro, spreading to a little inflexed, plane, with margins slightly wavy, smooth and of heavy substance, overlapping one-third to a half; the inner segments narrower, shouldered at base; corona 48mm long, funnel-shaped, smooth, vivid yellow 9A, mouth straight, wavy, with rim flanged and regularly notched. Tall. Mid-season. Nomenclatural Standard: colour print supplied by registrar (WSY0117025)

### **'Cheree Lillian' 3 W-P**

(M.Hamilton) M.Hamilton, 2010  
'Colin's Joy' sdlg × sdlg 4-74; sdlg no. 45-03  
Fl. 90mm wide; perianth segments 40mm long, roundish, noticeably mucronate, white, spreading, plane to a little concave, smooth and of heavy substance, overlapping half or more; the inner segments broadly ovate, shouldered at base, blunt, not noticeably mucronate; corona 12mm long, cup-shaped, smooth, strong pink 48C, paling to base, mouth straight, lightly frilled, with rim crenate. Mid-season

### **'Chudleigh' 2 YYW-WWY**

(Colin Crotty, 1998) Colin Crotty, 2010  
'Vicki' × 'Trumper Warrior'; sdlg no. 43-98  
Fl. forming a double triangle, 102mm wide; perianth segments 40mm long, broadly ovate, blunt, mucronate, lemon yellow, with a band of white at base, spreading, with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate; corona 37mm long, funnel-shaped, smooth, opening lemon yellow, becoming white, with a band of yellow at rim, mouth straight and wavy, with rim narrowly flanged and minutely dentate. Mid-season. Strongly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0117027)

### **'Circle of Fire' 3 Y-YYR**

(Stephen J.Vinisky, 2000) Stephen J.Vinisky, 2010  
'Triple Crown' × 'Badbury Rings'; sdlg no. V95-118-4  
Perianth segments very broadly ovate, blunt, yellow, with white mucro, spreading, plane, smooth, overlapping half; the inner segments narrower, with margins a little incurved; corona bowl-shaped, lightly ribbed, yellow, with a narrow band of red at rim, mouth straight, slightly wavy, with rim crenate

### **'Clancy' 9 W-GYR**

(Denise E.McQuarrie, 1996) Denise E.McQuarrie, 2010  
'Rondo' × 'Cantabile'; sdlg no. A46  
Fl. 74mm wide; perianth segments 28mm long, broad, oblong in outline, rounded at apex, prominently mucronate, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments a little narrower, ovate, less prominently mucronate; corona 5mm long, disc-shaped, mouth a little expanded, lightly ribbed, slightly wavy and lobed, with rim minutely dentate. Mid-season to late. Strongly and sweetly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0117028)  
Etymology: named for a favourite poem of the hybridiser, "Clancy of the Overflow", by "Banjo" Paterson

### **'Classy Lady' 2 W-PRR**

(Tom Stettner) Tom Stettner, 2010  
'Milestone' open pollinated; sdlg no. MLSTNOP03  
Fl. 89mm wide, facing slightly downwards; perianth segments 38mm long, roundish, truncate, mucronate, reflexed, concave, with margins incurved, smooth and of heavy substance, overlapping one-third; the inner segments much narrower, less prominently mucronate, more nearly plane; corona 16mm long, funnel-shaped, smooth, mouth narrowly flared, lightly ribbed and frilled, with rim minutely crenate. Mid-season. Sunproof. Nomenclatural Standard: colour print supplied by registrant (WSY0117029)  
Etymology: named for the hybridiser's mother, who was described as "classy" by all who met her

### **'Cosmic Ice' 1 W-W**

(J.A.Hunter) J.A.Hunter, 2010

'Polar Mist' × Ramsay sdlg ('White Glen' × 'Medici'); sdlg no. 79/97A

Fl. forming a double triangle, 120mm wide; perianth segments 50mm long, very broadly ovate, spreading, plane, smooth and of heavy substance, overlapping; corona 50mm long, funnel-shaped, smooth, mouth flared, wavy, with rim slightly rolled. Mid-season

### **'Cosmic Ocean' 2 W-WWP**

(J.A.Hunter) J.A.Hunter, 2010

('Tranquil Dawn' × ['Tangent' × 'Obsession']) × 'Cosmic Glow'; sdlg no. 47/01A

Fl. 116mm wide; perianth segments 49mm long, broadly ovate, white, spreading, plane, smooth and of heavy substance, overlapping; corona 34mm long, funnel-shaped, slightly ribbed, white, with a band of light yellowish pink 36B at rim, mouth flared and wavy. Mid-season

### **'Counterpoint' 7 W-Y**

(R. & E.Havens, 1997) R. & E.Havens, 2010

'Acceleration' open pollinated; sdlg no. GO114

Fls 2–3 per stem, 65mm wide; perianth segments 30mm long, broad, oblong in outline, rounded at apex, mucronate, opening yellow, becoming white, spreading, plane to a little concave, of heavy substance, overlapping half; the inner segments narrower, ovate, with margins incurved; corona 12mm long, bowl-shaped, deeply ribbed, opening deep yellow, with orange rim, becoming entirely mid-yellow, mouth a little expanded and lightly ribbed, with rim crenate. Late.

Nomenclatural Standard: colour print supplied by registrant (WSY0117030)

### **'Cranberry Swirl' 4 W-P**

(Stephen J.Vinisky) Stephen J.Vinisky, 2010

'Marabou' sdlg [Evans W2-1-4] × ('Dear Me' × 'My Word'); sdlg no. V93-78-19

Fl. forming a double triangle; perianth and other petaloid segments in two or more whorls; the outer whorls broadly ovate, blunt, slightly mucronate, spreading, plane, smooth, overlapping half; the

inner whorl narrower, shorter, less prominently mucronate, deeply inflexed, folded inwards from midrib; corona segments one-third the length and half the width of the petaloid segments and interspersed among the inner whorls, becoming successively shorter and more strongly inflexed towards the centre, smooth and a little wavy. Early

### **'Cranleigh' 9 W-GYR**

(Denise E.McQuarrie, 1996) Denise E.McQuarrie, 2010

'Rondo' × 'Cantabile'; sdlg no. A38

Fl. 70mm wide; perianth segments 27mm long, broad, oblong in outline, rounded at apex, prominently mucronate, spreading to a little inflexed, plane or with margins slightly incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, ovate, less prominently mucronate, corona 5mm long, disc-shaped, smooth, mouth a little expanded, regularly ribbed, slightly wavy, with rim minutely dentate. Mid-season to late. Strongly and sweetly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117031)

Etymology: named after Cranleigh Barton, artist and poet

### **'Cronkite' 9 W-GYR**

(J.A.Hunter, 1997) J.A.Hunter, 2010

'Como' × 'Lemon Tree'; sdlg no. 5/92A

Fl. rounded, 80mm wide; perianth segments 32mm long, white, spreading, plane, smooth and of heavy substance, overlapping; the inner segments slightly narrower; corona 4mm long, disc-shaped, ribbed, brilliant greenish yellow 7C, with green at base and a band of red (34A) at rim, mouth expanded and wavy. Late

### **'Crystal Gem' 2 W-W**

(Wayne G.Hughes) Wayne G.Hughes, 2010

'Sheelagh Rowan' × 'Compute'; sdlg no. 98-67C

Fl. forming a double triangle, 125mm wide; perianth segments 51mm long, broadly ovate, blunt, slightly mucronate, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, less

prominently mucronate; corona 48mm long, funnel-shaped, smooth, mouth flared, narrowly ribbed, a little wavy, with rim entire. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0117032)

**'Dailwyn' 2 W-P**

(Colin Crotty, 2001) Colin Crotty, 2010  
'Ivory Glow' × 'Dailmanach'; sdlg no. 37-01  
Fl. forming a double triangle, 100mm wide; perianth segments 40mm long, very broadly ovate, blunt, mucronate, white, spreading, plane to a little concave, smooth and of heavy substance, overlapping one-third to a half; the inner segments narrower, shouldered at base; corona 34mm long, funnel-shaped, angled, apricot-pink, mouth straight, regularly ribbed and slightly wavy, with rim minutely dentate. Late. Sweetly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0117033)

**'Dancing Rose' 4 W-P**

(J.F.McLennan, 1992) J.F.McLennan, 2010  
Brogden 2 W-P × 'Replete'; sdlg no. 92-101  
Fl. 106mm wide; perianth and other petaloid segments in two or more whorls, smooth and of membranaceous substance, irregular; the outer whorl broadly ovate, blunt, slightly mucronate, spreading, concave and with margins a little incurved, overlapping one-third to a half; the inner whorls shorter, less prominently mucronate, more strongly inflexed, with the centre segments folded inwards from midrib; corona segments two-thirds the length and width of the petaloid segments and interspersed among them, broad, slightly lobed, wavy and a little crumpled. Mid-season

**'Dawn Cloud' 2 Y-P**

(R.A.Scamp, 1997) R.A.Scamp, 2010  
'Desert Orchid' × 'Dailmanach'; sdlg no. 803  
Fl. 90mm wide; perianth segments 39mm long, broadly ovate, blunt, slightly mucronate, soft yellow, spreading, with margins incurved from apex, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate, a little concave; corona

30mm long, funnel-shaped, smooth, pink, mouth straight, lightly ribbed, wavy, with rim flanged and crenate. Mid-season to late.

Nomenclatural Standard: colour print supplied by registrant (WSY0117034)

Etymology: named for the dawn over Falmouth Bay, Cornwall

**'Desirable' 2 W-P**

(John R.Reed) John R.Reed, 2010  
'Accent' × 'Sedate'; sdlg no. 85-1-25  
Mid-season to late

**'Dissertation' 7 Y-Y**

(R. & E.Havens) R. & E.Havens, 2010  
Sdlg ('Limequilla' open pollinated) × *N. jonquilla*; sdlg no. MH47/1  
Fls 3–4 per stem, 55mm wide; perianth segments 26mm long, oblong in outline, rounded at apex, slightly mucronate, vivid yellow, spreading, plane, smooth and of heavy substance, overlapping a quarter; the inner segments narrower, ovate, blunt, less prominently mucronate; corona 10mm long, cup-shaped, smooth, a shade deeper than the perianth segments, mouth straight and a little wavy, with rim entire. Late. Sunproof. Sweetly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0117036)

**'Dover Boy' 11a Y-R**

(June Pesterfield) R.A.Scamp, 2010  
'Menehay' × 2 Y-R sdlg; sdlg no. 97-J-9  
Fl. 72mm wide; perianth segments 25mm long, roundish, broad, with prominent pale mucro, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments broadly ovate, blunt; corona split to more than half its length, the six segments 9mm long and half the width of the perianth segments, each closely overlying a perianth segment, forming an outer and an inner whorl of three, joined at margins at base, bi-lobed, with lobes overlapping, a little creased and lightly frilled. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0117037)

### **'Duffydil' 2 Y-Y**

(H.A.Vandervliet) New Generation Daffodils, 2010  
'Saint Keverne' × 'Malvern City'

Fl. 110mm wide; perianth segments 45mm long, broadly ovate, blunt at apex, vivid yellow 9A, with pale mucro, spreading, plane, of heavy substance, overlapping one-third; the inner segments ovate in outline, acute at apex, less prominently mucronate, with margins slightly incurved; corona 40mm long, funnel-shaped, short, smooth, c.9A, but with a slight orange tone, mouth a little expanded, regularly ribbed, lightly frilled, with rim broadly flanged, deeply and regularly notched and minutely crenate. Early to mid-season.

Nomenclatural Standard: colour print supplied by registrar (WSY0117038)

Etymology: named for the Welsh singer

### **'Early Orbit' 4 Y-YOO**

(J.F.McLennan, 1993) J.F.McLennan, 2010  
'Kazan' × 'Golden Orbit'; sdlg no. 93-31

Fl. 110mm wide; perianth and other petaloid segments light to mid-yellow, with pale mucro, smooth and of heavy substance, irregular, in several whorls; the outer whorl broadly ovate, blunt, spreading, plane to a little concave, overlapping one-third; the inner whorls with margins incurved, becoming successively shorter and inflexed; the innermost whorls folded deeply inwards from midrib; corona segments two-thirds the length and half the width of the petaloid segments and interspersed among the inner whorls, opening yellow, with a band of orange at rim, becoming orange, with yellow at base, slightly lobed, a little crumpled and wavy. Early. Sunproof

### **'Eastbrook Moonlight' 2 W-GWW**

(John Gibson, 1997) John Gibson, 2010  
'Silversmith' × 'Silent Valley'; sdlg no. A17-92

Fl. 105mm wide; perianth segments 45mm long, broadly oblong in outline, rounded at apex, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, ovate in outline, shouldered at base, blunt, less prominently mucronate, with margins slightly incurved; corona 28mm long, funnel-shaped, irregularly ribbed, mouth straight and wavy, with rim entire. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0117040)

### **'Eira Hibbert' 3 Y-YYO**

(R.A.Scamp, 1997) R.A.Scamp, 2010  
'Triple Crown' × 'Badbury Rings'; sdlg no. 914

Fl. 101mm wide; perianth segments 43mm long, broadly ovate, blunt, slightly truncate, prominently mucronate, spreading, plane or with margins a little incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, less prominently mucronate, with midrib showing; corona 14mm long, bowl-shaped, smooth, mouth lightly ribbed, wavy, with rim split and overlapping in places. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0117041)

### **'Elegant Touch' 2 W-W**

(Larry Wier) Larry Wier, 2010  
'Brierglass' × 'Rhapsody'; sdlg no. 89-4

Fl. rounded; perianth segments very broad, mucronate, spreading, plane or with margins incurved, smooth and of heavy substance; the inner segments narrower; corona funnel-shaped, ribbed, mouth expanded, frilled, with rim dentate. Mid-season

### **'Emma Lazarus' 9 W-YYR**

(Mary Lou Gripshover) Mary Lou Gripshover, 2010  
Div 9 open pollinated; sdlg no. 92-4-7

Fl. 65mm wide; perianth segments 24mm long, very broad, roundish, truncate and prominently mucronate, white, a little reflexed, concave, slightly creased, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate, with margins incurved; corona disc-shaped, broadly ribbed, yellow, with a very narrow band of red at rim, mouth a little wavy, with rim crenate. Late. Sweetly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117042)

Etymology: named for the American poet whose words are engraved on a bronze plaque on the pedestal of the Statue of Liberty

**'Ethereal Dawn' 2 W-P**

(J.A.Hunter, 1996) J.A.Hunter, 2010  
(*'Polar Snow'* × [*'Glendermott'* × *'Koruku'*]) ×  
(*'Quasar'* × *'Obsession'*); sdlg no. 65/91B  
Fl. forming a double triangle, 112mm wide;  
perianth segments 49mm long, very broadly ovate,  
white, spreading, plane, smooth and of very heavy  
substance, overlapping; corona 40mm long,  
funnel-shaped, slightly angled, light yellowish pink  
36C, mouth flared and a little wavy. Mid-season

**'Fellows Favorite' 2 YYW-O**

(Brent and Becky's Bulbs) Brent and Becky's Bulbs,  
2009  
sdlg no. 2007-39-B  
Fl. 105mm wide, facing up; perianth segments  
45mm long, obovate in outline, rounded at apex,  
prominently mucronate, opening vivid greenish  
yellow 2A, developing a band of white at base,  
spreading to slightly reflexed, plane or with margins  
a little incurled, smooth and of heavy substance,  
overlapping one-third to a half; the inner segments  
broadly ovate, blunt, more nearly spreading, creased;  
corona 30mm long, funnel-shaped, slightly angled,  
opening brilliant yellow 7A, with vivid yellow 9A at  
rim, becoming yellow-orange (c.17A), mouth a little  
flared, narrowly ribbed, irregularly lobed, with rim  
minutely crenate. Early. Sweetly scented.  
Nomenclatural Standard: colour print supplied by  
KAVB (WSY0117044)  
Etymology: named for Fellows Riverside Gardens

**'Fiery Peak' 2 W-GPR**

(Colin Crotty) Colin Crotty, 2010  
(*'Presidential Pink'* × *'Quasar'*); sdlg no. 40-02  
Fl. 110mm wide; perianth segments 44mm long, very  
broadly ovate, blunt, prominently mucronate, white,  
spreading, concave, smooth and of heavy substance,  
overlapping half or more; the inner segments  
narrower, shouldered at base, plane; corona 25mm  
long, bowl-shaped, lightly ribbed, bright pink, with  
green at base and a broad band of orange-red at rim,  
mouth expanded, heavily frilled and obscurely lobed,  
with rim minutely dentate. Late. Strongly scented.  
Nomenclatural Standard: colour print supplied by  
registrant (WSY0117045)

**'Filskit' 2 Y-Y**

(R.A.Scamp, 2000) R.A.Scamp, 2010  
'Emily' open pollinated; sdlg no. 1004  
Fl. 78mm wide; perianth segments 32mm long, very  
broadly ovate in outline, rounded at apex, yellow,  
with pale mucro, spreading, with margins deeply  
incurved from apex, smooth and of heavy substance,  
overlapping half or more; the inner segments  
narrower, shouldered at base, blunt at apex; corona  
24mm long, funnel-shaped, short, smooth, a slightly  
darker tone than the perianth segments, mouth a  
little expanded, lightly frilled, with rim crenate and  
narrowly flanged. Mid-season to late.  
Nomenclatural Standard: colour print supplied by  
registrant (WSY0117046)  
Etymology: means mischief

**'Folkestone Girl' 11a Y-R**

(June Pesterfield) R.A.Scamp, 2010  
'Menehay' hybrid; sdlg no. 97-J-4  
Fl. 80mm wide; perianth segments 25mm long, very  
broadly ovate, blunt, with pale mucro, spreading,  
plane, smooth and of heavy substance, overlapping  
one-third to a half; the inner segments narrower;  
corona split to base, the six segments 10mm long  
and a little narrower than the perianth segments,  
each closely overlying a perianth segment, forming  
an outer and an inner whorl of three, lobed, with lobes  
overlapping, a little creased, lightly frilled. Mid-season.  
Nomenclatural Standard: colour print supplied by  
registrant (WSY0117048)

**'Fonterra' 2 Y-YYO**

(Colin Crotty) Colin Crotty, 2010  
'Egmont King' × 'Irish Light' sdlg; sdlg no. 24-02  
Fl. forming a double triangle, 102mm wide;  
perianth segments 42mm long, broadly ovate, blunt,  
yellow, with pale mucro, spreading, plane to a little  
concave or with margins slightly incurved, smooth  
and of heavy substance, overlapping one-third; the  
inner segments narrower, shouldered at base; corona  
20mm long, cup-shaped, lightly ribbed, yellow, with  
a broad band of orange at rim, mouth straight, a little  
wavy, with rim dentate. Mid-season. Sweetly scented.  
Nomenclatural Standard: colour print supplied by  
registrant (WSY0117049)

**'Forever Young' 2 Y-R**

(Denise E. McQuarrie) Denise E. McQuarrie, 2010  
'Corbiere' × 'Kiwi Gossip'; sdlg no. F5

Fl. 107mm wide; perianth segments 45mm long, very broadly ovate, blunt, with pale mucro, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments a little narrower, shouldered at base; corona 38mm long, funnel-shaped, smooth, mouth straight and lightly frilled, with rim crenate. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0117050)

Etymology: named for the 70th birthdays of both Heather & Francis Young, relatives of the hybridiser

**'Foxy Lady' 3 W-OOY**

(Tom Stettner) Tom Stettner, 2010

'Burning Bush' × 'Amboseli'; sdlg no. BBAMBO03  
Fl. 89mm wide; perianth segments 44mm long, very broadly ovate, blunt, mucronate, spreading, plane to a little concave, or with margins slightly incurved, smooth and of heavy substance, overlapping one-third to a half; the inner segments narrower, shouldered at base, less prominently mucronate; corona 13mm long, disc-shaped, lightly ribbed, mouth expanded, wavy and irregularly lobed, with rim minutely crenate. Late. Sunproof.

Nomenclatural Standard: colour print supplied by registrant (WSY0117051)

Etymology: named for the hybridiser's grandmother, whose name was Fox

**'French Classic' 2 W-WYY**

(R.E. Jerrell & Tom Stettner) Tom Stettner, 2010

'Easter Moon' × 'Eileen Squires'; sdlg no. JS87-67-2  
Fl. 95mm wide; perianth segments 38mm long, oblong in outline, rounded and truncate at apex, prominently mucronate, spreading to a little reflexed, plane, or with margins incurving, smooth and of heavy substance, overlapping one-third to a half; the inner segments broadly ovate, shouldered at base, blunt, less prominently mucronate; corona 19mm long, cup-shaped, smooth, mouth straight, lightly ribbed, more or less even, with rim entire. Mid-season. Scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117052)

Etymology: named for Jerrell's love of France and his affinity with his home there

**'Frontier Inferno' 2 Y-R**

(Graeme and Faith Miller) Graeme and Faith Miller, 2010

'Wayby' × 'Cameo Fire'; sdlg no. 02-68  
Fl. rounded, 100mm wide; perianth segments 39mm long, very broad, blunt, spreading, concave, with margins incurved, smooth and of heavy substance, overlapping; the inner segments narrower; corona 15mm long, disc-shaped, ribbed, mouth expanded and wavy, with rim dentate. Mid-season

**'Frontier Snow' 2 W-W**

(Graeme and Faith Miller, 1998) Graeme and Faith Miller, 2010

'Springston Charm' × sdlg 92-38 ('Merridee' × 'Empress of Ireland'); sdlg no. 98-23  
Fl. forming a double triangle, 112mm wide; perianth segments 43mm long, broadly ovate in outline, acute at apex, slightly mucronate, spreading, plane, smooth and of heavy substance, overlapping one-third; the inner segments narrower; corona 36mm long, funnel-shaped, smooth, mouth narrowly flared, wavy, with rim dentate. Early. Nomenclatural Standard: colour print supplied by registrant (WSY0117053)

**'Frontier Twilight' 1 Y-P**

(Graeme and Faith Miller) Graeme and Faith Miller, 2010

'Tauhoa' × 'Impeccable'; sdlg no. 04-106  
Fl. 118mm wide; perianth segments 47mm long, very broadly ovate, blunt, slightly mucronate, lemon yellow, spreading, concave, with margins incurved at apex, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 47mm long, cylindrical, smooth, pale pink, mouth lightly frilled and shallowly lobed, with rim rolled and dentate. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0117054)

### **'Gabriella Rose' 4 Y-Y**

(R.A. Scamp, 1996) R.A.Scamp, 2010  
(*'Saint Keverne'* × *'Golden Aura'*) × *'Fiji'*; sdlg no. 764  
Fl. 85mm wide; perianth and other petaloid segments in three whorls, smooth and of heavy substance, yellow, with slight white mucro; the outer and middle whorl 35mm long, very broadly ovate, blunt, overlapping half; the outer whorl spreading, plane to a little concave; the middle whorl concave and a little inflexed; the inner whorl narrower, significantly shorter than the outer whorls, folded deeply inwards from the midrib, strongly inflexed; corona segments 25mm long, interspersed between the middle and inner whorls and clustered at centre, broad, a slightly darker tone than the perianth segments, lightly ribbed and frilled, obscurely lobed, with rim deeply crenate. Early to mid-season. Slightly scented.  
Nomenclatural Standard: colour print supplied by registrant (WSY0117055)

### **'Garden Club of America' 2 W-GWR**

(Brian S.Duncan, 1987) J.S.Pennings, 2010  
*'Raspberry Ring'* × *'Fragrant Rose'*; sdlg no. 1067  
Fl. 106mm wide; perianth segments 42mm long, broadly ovate, blunt, prominently mucronate, pure white, with a hint of green at base, spreading, plane to a little concave, smooth and of heavy substance, overlapping one-third; the inner segments narrower; corona 15mm long, cup-shaped, smooth, opening yellow, becoming white in the midzone, with green at base and a ring of reddish pink at rim, mouth expanded, narrowly ribbed, lightly frilled, with rim crenate. Mid-season to late.  
Nomenclatural Standard: colour print supplied by registrant (WSY0117057)

### **'Garden Romance' 10 W-W**

(Walter J.M.Blom) Walter J.M.Blom, 2010  
*N. bulbocodium* sdlg (8-7) × *N. cantabricus* subsp. *monophyllus*; sdlg no. 865-2  
Fl. 40mm wide, greenish white 155C; perianth segments 20mm long, lanceolate, acute, spreading, plane, with margins a little wavy, smooth and of heavy substance, separated; corona 30mm long, cup-shaped, narrowly ribbed, mouth expanded,

wavy, with rim minutely dentate. Dwarf. Autumn to very early. Sweetly scented.  
Nomenclatural Standard: colour print supplied by registrant (WSY0117059)

### **'Gentle Soul' 2 W-WWP**

(R.E.Jerrell & Tom Stettner, 2000) Tom Stettner, 2010  
*'Easter Moon'* × *'Eileen Squires'*; sdlg no. JS87-67-1  
Fl. 86mm wide; perianth segments 35mm long, very broadly ovate, blunt, prominently mucronate, spreading, plane, or with margins a little incurled, smooth and of heavy substance, overlapping one-third; the inner segments narrower, shouldered at base, less prominently mucronate; corona 19mm long, bowl-shaped, smooth, mouth straight, wavy and lightly ribbed, with rim entire. Mid-season.  
Nomenclatural Standard: colour print supplied by registrant (WSY0117060)  
Etymology: named after Robert Jerrell who, in the hybridiser's opinion, was a gentle soul

### **'Georgious Sunrise' 8 W-OOY**

(W.R.P.Welch) W.R.P.Welch, 2010  
*'Matador'* × *N. papyraceus*  
Fls 4–6 per stem, rounded, 57mm wide, facing up; perianth 24mm long, roundish, white, spreading, plane, with margins wavy, smooth, overlapping half or more; the inner segments narrower; corona 7mm long, bowl-shaped, ribbed, orange, with a band of yellow flushed with orange at rim, mouth straight, a little wavy, with rim slightly notched. Very early. Sweetly scented.  
Etymology: from a nickname of a friend of the hybridiser

### **'Gillet's Landing' 2 Y-YYO**

(Daniel Bellinger) Daniel Bellinger, 2010  
*'Altruist'* × *'Golden Strand'*; sdlg no. 95.1.33  
Fl. 80mm wide; perianth segments 33mm long, very broadly ovate, blunt, slightly truncate and mucronate, brilliant greenish yellow 6B, spreading, concave and with margins a little incurved and wavy, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate; corona 13mm

long, bowl-shaped, broadly ribbed, vivid yellow 12A, with a band of orange (23A) at rim, mouth expanded, wavy and six-lobed, with rim crenate and split and overlapping in places. Late. Sunproof. Nomenclatural Standard: colour print supplied by registrant (WSY0117061)  
Etymology: named for a small beach at the edge of massive sandstone cliffs on Lake Superior

#### **'Gizmo' 1 Y-Y**

(Stephen J.Vinisky) Stephen J.Vinisky, 2010  
(Glenbrook Minicycla Group × 'Snipe') × ('Small Talk' × 'Xana'); sdlg no. V96-18-4  
Dwarf

#### **'Glasney' 3 W-Y**

(R.A. Scamp, 1997) R.A.Scamp, 2010  
'Cool Crystal' × 'Val d'Incles'; sdlg no. 788  
Fl. 110mm wide; perianth segments 45mm long, very broadly ovate in outline, rounded at apex, truncate and mucronate, white, spreading, with margins incurling, smooth and of heavy substance, overlapping half or more; the inner segments only a little narrower, blunt, less prominently mucronate; corona 14mm long, bowl-shaped, regularly ribbed, yellow, touched green at base, mouth expanded, deeply frilled and lobed, with rim entire. Mid-season to late.  
Nomenclatural Standard: colour print supplied by registrant (WSY0117062)

#### **'Glendurgan' 2 W-W**

(R.A. Scamp, 1996) R.A.Scamp, 2010  
'Pitchroy' × 'Dailmanach'; sdlg no. 704  
Fl. forming a double triangle, 105mm wide; perianth segments 45mm long, very broadly ovate, blunt, mucronate, white, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, not noticeably mucronate; corona 40mm long, funnel-shaped, short, smooth, white, touched green at base, mouth slightly expanded, narrowly and lightly ribbed, wavy, with rim flanged and minutely crenate. Mid-season to late.  
Nomenclatural Standard: colour print supplied by registrant (WSY0117063)  
Etymology: named for a popular garden on the Helford River, Cornwall

#### **'Glittering Embers' 7 Y-GYO**

(H.Koopowitz) H.Koopowitz, 2010  
*N. willkommii* × sdlg (2 O-R); sdlg no. 98-70/1  
Fls 2–3 per stem, star-shaped, 36mm wide; perianth segments 16mm long, brilliant greenish yellow 3A; corona 5mm long, yellow, with green at base and yellow-orange (21B) at rim. Dwarf. Autumn-flowering to very early. Sunproof. Sweetly scented.  
Etymology: reminded the hybridiser of sparks from a fire

#### **'Gloria Townsin' 4 W-R**

(R.A.Scamp, 1992) R.A.Scamp, 2010  
'Achentoul' × 'Bere Ferrers'; sdlg no. 524  
Fl. 105mm wide; perianth and other petaloid segments in several whorls; the outer whorls 45mm long, broadly ovate, blunt, spreading, concave and with margins incurling, smooth and of heavy substance, overlapping half; the inner whorls folded inwards from the midrib, becoming successively shorter and inflexed; corona segments 10mm long, clustered around the petaloids at centre and tightly arranged between the inner whorls, lobed, crumpled and lightly frilled. Mid-season to late. Slightly scented.  
Nomenclatural Standard: colour print supplied by registrant (WSY0117064)

#### **'Goddess Chispa' 8 Y-YYO**

(W.R.P.Welch) W.R.P.Welch, 2010  
'Matador' × Lima sdlg (*N. viridiflorus* hybrid)  
Fls 1–3 per stem, forming a double triangle, 69mm wide, facing down; perianth segments 29mm long, roundish, light greenish yellow, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 8mm long, bowl-shaped, ribbed, golden yellow, with a thin band of orange at rim, mouth straight, wavy, with rim entire. Very early. Sweetly scented.  
Etymology: named for a friend of the registrant

#### **'Golden Crystal' 7 Y-Y**

(R. & E.Havens) R. & E.Havens, 2010  
'Regeneration' × sdlg ('Limequilla' open pollinated); sdlg no. MH35/1  
Fls 3 per stem, 65mm wide; perianth segments

25mm long, very broad, ovate, blunt, mucronate, yellow-gold, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments narrower, more nearly plane; corona 15mm long, cup-shaped, smooth, a deeper shade than the perianth segments, mouth straight and wavy, with rim crenate. Late. Sunproof. Nomenclatural Standard: colour print supplied by registrant (WSY0117065)

**'Golden Plains' 7 Y-Y**

(R. & E.Havens) R. & E.Havens, 2010  
'Regeneration' open pollinated; sdlg no. LHO17/1  
Fls 2-3 per stem, forming a double triangle, 63mm wide, deep yellow; perianth segments 23mm long, ovate, blunt, slightly mucronate, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 11mm long, cup-shaped, smooth, mouth straight and wavy, with rim crenate. Late. Sweetly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0117066)

**'Golden Serenity' 2 Y-Y**

(John R.Reed) John R.Reed, 2010  
'Celtic Gold' × 'Dream Prince'; sdlg no. 93-1-x

**'Gold Lake' 11a Y-O**

(J.A.Hunter, 1996) J.A.Hunter, 2010  
'Gold Collar' × 'Loch Loyal'; sdlg no. 40/91B  
Fl. rounded, 98mm wide, at right angles to stem or facing slightly upwards; perianth segments 35mm long, ovate in outline, rounded at apex, vivid yellow 9B, spreading, plane, smooth and of heavy substance, overlapping; corona 25mm long, smooth, yellow-orange (17B), paling to base. Mid-season. Sunproof

**'Goldmember' 1 Y-Y**

(H.J.Wentink) Maveridge International, 2010  
'Yellow River' hybrid; sdlg no. GT5  
Fl. 115mm wide, facing up; perianth segments 45mm long, very broad, oblong or ovate in outline, rounded at apex, prominently mucronate, brilliant yellow 7A, spreading, plane, with broad midrib showing, of heavy substance, overlapping half or

more; the inner segments narrower, more nearly ovate, slightly inflexed, a little concave; corona 50mm long, funnel-shaped, regularly ribbed, vivid yellow 14A, mouth widely flared, wavy, bi-lobed, with rim entire and loosely rolled. Mid-season. Sweetly scented.

Nomenclatural Standard: colour print supplied by KAVB (WSY0117067)

**'Green Topaz' 3 W-GWY**

(J.A.Hunter) J.A.Hunter, 2010  
'Topaz Dawn' × 'Spring Lustre'; sdlg no. 83/97A  
Fl. rounded, 95mm wide; perianth segments 40mm long, roundish, white, spreading, plane, smooth and of heavy substance, overlapping; corona 11mm long, bowl-shaped, ribbed, white, with green at base and brilliant yellow 11A at rim, mouth expanded and frilled. Mid-season

**'Gwawr' 2 W-WPP**

(R.A.Scamp, 1992) R.A.Scamp, 2010  
'Balvenie' × 'Rainbow'; sdlg no. 507  
Fl. 107mm wide, facing down; perianth segments 46mm long, broadly ovate, blunt, mucronate, white, spreading, plane, with midrib showing, of heavy substance, overlapping one-third to a half; the inner segments narrower, a little inflexed, slightly twisted; corona 30mm long, funnel-shaped, regularly ribbed, pink, opening yellow, then becoming white at base, with a deep tone of pink at rim, mouth a little expanded and wavy, with rim crenate and split and overlapping in places. Mid-season to late. Nomenclatural Standard: colour print supplied by registrant (WSY0117068)

**'Halo Moon' 2 YYW-Y**

(M.E.Brogden, 2000) Brogden Bulbs, 2010  
'Lemonade' × 'Bandit'; sdlg no. BB 5-16-1  
Fl. rounded, 112mm wide; perianth segments 50mm long, ovate, blunt, truncate, mid sulphur yellow, with a band of white at base, spreading, plane, smooth, overlapping half; the inner segments narrower, more nearly acute; corona 32mm long, funnel-shaped, angled, mid sulphur yellow, mouth straight and even, with rim crenate. Mid-season

### **'Hamilton Gardens' 1 Y-Y**

(P.D.K.Ramsay, 1998) P.D.K.Ramsay, 2010  
'Golden Jewel' × 'Gold Convention'; sdlg no. 98:35  
Fl. forming a double triangle, 120mm wide;  
perianth segments 39mm long, very broad,  
spreading, plane, or with margins incurved, smooth  
and of heavy substance, overlapping half; corona  
42mm long, funnel-shaped, smooth, mouth straight,  
frilled, with rim flanged and dentate. Late

### **'Harlow Creek' 2 Y-YYO**

(Daniel Bellinger) Daniel Bellinger, 2010  
'Altruist' × 'Golden Strand'; sdlg no. 95.1.34  
Fl. forming a double triangle, 81mm wide; perianth  
segments 34mm long, very broadly ovate, blunt,  
slightly truncate, light greenish yellow 6D, with pale  
mucro, spreading, plane or with margins incurved,  
smooth and of heavy substance, overlapping half;  
the inner segments narrower, shouldered at base, less  
noticeably truncate and mucronate; corona 15mm  
long, cup-shaped, broadly ribbed, vivid yellow 14B,  
with a broad band of strong orange 25A at rim,  
mouth a little expanded, wavy and irregularly lobed,  
with rim minutely crenate. Late. Sunproof.  
Nomenclatural Standard: colour print supplied by  
registrant (WSY0117069)  
Etymology: named for a creek that empties into  
Lake Superior

### **'Heart Fire' 2 W-P**

(Stephen J.Vinisky, 1998) Stephen J.Vinisky, 2010  
'Cape Point' × 'Fine Romance'; sdlg no. V93-103-9  
Fl. 94mm wide; perianth segments 42mm long;  
corona 36mm long. Late. Sunproof

### **'Highball' 2 YYW-P**

(Colin Crotty, 2000) Colin Crotty, 2010  
Sdlg (2 Y-P) × sdlg (O'More 2 Y-P); sdlg no. 30-00  
Fl. forming a double triangle, 100mm wide;  
perianth segments 40mm long, very broadly ovate,  
blunt, mucronate, lemon yellow, with a band of  
white at base, spreading, with margins incurved,  
smooth and of membranaceous substance,  
overlapping one-third to a half; the inner segments  
narrower, less prominently mucronate; corona  
27mm long, funnel-shaped, smooth, light pink,

deepening towards rim, mouth slightly flared,  
lightly ribbed, a little wavy, with rim minutely  
dentate. Late. Sweetly scented.  
Nomenclatural Standard: colour print supplied by  
registrant (WSY0117071)

### **'Honeybee' 8 Y-Y**

(W.R.P.Welch) W.R.P.Welch, 2010  
'Newton' × *N. jonquilla*  
Fls 4–10 per stem, rounded, 43mm wide; perianth  
segments 18mm long, roundish, mucronate, deep  
yellow, spreading, plane, with margins wavy, smooth  
and of heavy substance, overlapping half or more;  
corona 6mm long, bowl-shaped, slightly ribbed,  
deep golden yellow, mouth straight and wavy, with  
rim entire. Very early. Sweetly scented

### **'Honikiwi' 3 Y-R**

(Graeme and Faith Miller) Graeme and Faith  
Miller, 2010  
Sdlg 93-13 ('Red Flame' × 'Red Ember') × 'Wayby';  
sdlg no. 02-67  
Fl. 97mm wide; perianth segments 40mm long,  
broadly ovate, blunt, slightly truncate, with pale  
mucro, spreading, concave, smooth and of heavy  
substance, overlapping one-third to a half; the inner  
segments narrower; corona 13mm long, cup-shaped,  
ribbed, mouth straight and slightly wavy, with rim  
crenate. Mid-season.  
Nomenclatural Standard: colour print supplied by  
registrant (WSY0117072)  
Etymology: named for the district that the  
hybridisers lived in for 18 months

### **'Hope House' 2 Y-O**

(Nial Watson, 1999) Nial Watson, 2010  
'Irish Light' × 'Hero'; sdlg no. 055  
Fl. forming a double triangle, 112mm wide;  
perianth segments 48mm long, broadly ovate, blunt,  
vivid yellow 14B, with pale mucro, spreading, plane  
or with margins a little incurved at apex, smooth  
and of heavy substance, overlapping one-third; the  
inner segments slightly narrower, less prominently  
mucronate, more nearly plane; corona 30mm long,  
funnel-shaped, smooth, vivid orange 28B, mouth  
expanded, lightly frilled and irregularly lobed, with

the lobes split and overlapping in places and with rim entire. Early to mid-season.

Etymology: named for an orphanage for babies in Kenya

### **'Hot 'n' Spicy' 3 Y-R**

(P.D.K.Ramsay) P.D.K.Ramsay, 2010

'Red Hen' × 'Cameo Fire'; sdlg no. 03:41A

Fl. rounded, 114mm wide; perianth segments 42mm long, roundish, rounded at apex, inflexed, plane or with margins incurved, smooth and of heavy substance, overlapping half or more; corona 10mm long, disc-shaped, smooth, mouth straight and even, with rim dentate. Mid-season

### **'Hunterston' 3 W-GYR**

(J.A.Hunter, 1998) J.A.Hunter, 2010

('Sea Dream' × 'Placid') × 'Cairntoul'; sdlg no. 36/92B

Fl. forming a double triangle, 100mm wide; perianth segments 45mm long, ovate, white, slightly reflexed, plane, smooth and of heavy substance, overlapping; corona 10mm long, bowl-shaped, ribbed, vivid greenish yellow 2A, with green at base and a band of red (30B) at rim, mouth expanded and wavy. Mid-season

### **'Huron Island' 2 Y-O**

(Daniel Bellinger) Daniel Bellinger, 2010

'Altruist' × 'Golden Strand'; sdlg no. 95.1.29

Fl. 80mm wide; perianth segments 32mm long, very broadly ovate, blunt, prominently mucronate, brilliant yellow 7B, spreading, concave and with margins incurved at apex, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate, with margins incurved; corona 11mm long, cup-shaped, broadly ribbed, orange (23A-25A), mouth expanded and irregularly lobed, with rim split and overlapping in places, minutely crenate. Late. Sunproof.

Nomenclatural Standard: colour print supplied by registrant (WSY0117073)

Etymology: named for a wildlife reserve in Lake Superior

### **'Ice Emerald' 3 W-GWW**

(Nial Watson) Nial Watson, 2010

'Irish Linen' × sdlg (3 W-G); sdlg no. 184

Fl. rounded, 110mm wide; perianth segments 41mm long, very broadly ovate, blunt, slightly mucronate, spreading, concave, smooth and of heavy substance, overlapping half or more; the inner segments slightly narrower, truncate, not noticeably mucronate, more nearly plane; corona 10mm long, bowl-shaped, deeply ribbed, mouth a little expanded, neatly frilled, with rim minutely dentate. Mid-season. Sweetly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117074)

### **'Ice Fairy' 3 W-GGW**

(F.A.L.Harrison, pre-2002) Nial Watson, 2010

'Frigid' × 'Fairy Footsteps'

Fl. 75mm wide; perianth segments 31mm long, very broad, roundish, white, spreading to a little reflexed, plane to slightly concave, smooth and of heavy substance, overlapping half or more; the inner segments more nearly spreading and plane; corona 5mm long, disc-shaped, smooth, strong yellow-green 143A, with a broad band of white at rim, mouth a little expanded, irregularly ribbed and heavily lobed, with rim minutely crenate. Sweetly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117151)

### **'Ishpeming' 1 Y-Y**

(Daniel Bellinger) Daniel Bellinger, 2010

'Arctic Gold' open pollinated; sdlg no. 95.2.1

Fl. 82mm wide, vivid yellow 14A; perianth segments 30mm long, very broadly ovate, blunt, slightly mucronate, spreading, concave and with margins incurved, smooth and of heavy substance, overlapping one-third to a half; the inner segments narrower, more nearly plane; corona 30mm long, funnel-shaped, smooth, mouth broadly flared, lightly ribbed, a little frilled, with rim minutely crenate. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0117076)

Etymology: named for a small mining community in Upper Michigan

### **'Jabberwocky' 11a Y-O**

(R.A. Scamp, 1998) R.A.Scamp, 2010

'Loch Lundie' × 'Menehay'; sdlg no. 995  
Fl. 95mm wide; perianth segments 34mm long, broadly oblong in outline, rounded at apex, with prominent pale mucro, spreading, with margins incurved, smooth and of heavy substance, overlapping one-third; the inner segments narrower, blunt, not noticeably mucronate, inflexed, slightly concave; corona segments 22mm long, split to base, each closely overlying a perianth segment, forming an outer and an inner whorl of three; the outer whorl of the same width as the perianth segments, lobed, lightly ribbed, with rim slightly rolled; the inner whorl half the width of the perianth segments, regularly ribbed, obscurely lobed, with rim crenate. Mid-season. Sunproof.

Nomenclatural Standard: colour print supplied by registrant (WSY0117077)

### **'Jean Gluyas' 2 W-PPW**

(Brian S.Duncan) Mark Vandervliet, 2010

Sdlg 1541 ('Verran × 'Algarve') × 'Chanson'; sdlg no. 2272

Fl. forming a double triangle, 114mm wide; perianth segments 46mm long, very broadly ovate, blunt, mucronate, white, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, not noticeably mucronate; corona 44mm long, cylindrical, smooth, bright pink, with a band of white at rim, mouth narrowly flared, lightly frilled, with rim minutely dentate. Early to mid-season. Sunproof.

Nomenclatural Standard: colour print supplied by registrant (WSY0117079)

### **'Jenny's Joy' 1 W-W**

(Denise E.McQuarrie) Denise E.McQuarrie, 2010

'Ebony' × 'Glendermott'; sdlg no. D61

Fl. 110mm wide; perianth segments 45mm long, very broadly ovate, blunt, prominently mucronate, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 47mm long, cylindrical, smooth, mouth straight and lightly frilled, with rim rolled and entire. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0117080)

Etymology: named for the hybridiser's sister, Jennifer Joyce Ensor, who passed away in 2004

### **'Jon B. Good' 7 Y-Y**

(Stephen J.Vinisky, 1998) Stephen J.Vinisky, 2010

(Selection from *N. jonquilla* × selection from *N. jonquilla*) × selection from *N. jonquilla*; sdlg no. V93-150-38

Late

### **'Kaingaroa' 6 Y-O**

(Robin Brown) M.Hamilton, 2009

'Loch Hope' × *N. cyclamineus*; sdlg no. 147

Fl. 60mm wide, facing down; perianth segments 35mm long, oblong in outline, blunt at apex, brilliant yellow 13B, with prominent pale mucro, reflexed, plane, smooth, overlapping half; the inner segments more nearly ovate, not noticeably mucronate, a little concave; corona 30mm long, cylindrical, smooth, brilliant orange 25C, mouth straight, a little wavy, with rim minutely crenate. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0117081)

Etymology: named for the area of North Island, New Zealand in which the originator was born

### **'Katie's Delight' 3 W-GYY**

(A.J.R.Pearson, 1994) A.J.R.Pearson, 2010

'Reprieve' × 'Fairgreen'; sdlg no. 96-67-Q94

Fl. forming a double triangle, 85mm wide, facing up; perianth segments 37mm long, ovate, mucronate, greenish white 157A, spreading, plane, with midrib showing, of heavy substance, overlapping; corona 9mm long, cup-shaped, angled, brilliant greenish yellow 6A, with moderate green 131C at base, mouth flared and ribbed, with rim crenate. Tall. Very late. Slightly scented.

Etymology: named for a friend

### **'Ken Sunshine Johnson' 2 Y-R**

(R.A.Scamp, 1991) S.Holden, 2010

'Polbathic' × 'Loch Lundie'; sdlg no. 476A86427

Fl. forming a double triangle, 97mm wide; perianth segments 47mm long, very broadly ovate, blunt,

spreading, plane or with margins incurling, with midrib showing, of membranaceous substance, overlapping half or more; corona 25mm long, cup-shaped, angled, mouth straight, wavy, with rim flanged and crenate. Mid-season

**'Kimmy's Favorite' 8 Y-R**

(W.R.P.Welch) W.R.P.Welch, 2010

'Ambergate' × 'Bright Spot'

Fls 1–2 per stem, 78mm wide, facing up; perianth segments 33mm long, broadly ovate in outline, rounded at apex, yellow, flushed orange, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments narrower; corona 10mm long, bowl-shaped, ribbed, deep orange, mouth wavy, with rim slightly crenate. Tall. Very late. Sunproof. Sweetly scented.

Etymology: named for a friend of the hybridiser

**'Lemon Frost' 7 Y-W**

(R. & E.Havens) R. & E.Havens, 2010

'Cornell' hybrid; sdlg no. MH13/1

Fls 1–2 per stem; perianth segments broadly ovate, blunt, scarcely mucronate, lemon yellow, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, with margins a little incurved; corona bowl-shaped, broadly ribbed, opening lemon yellow, becoming yellow-ivory, mouth slightly expanded, wavy, with rim minutely crenate. Late.

Nomenclatural Standard: colour print supplied by registrant (WSY0117082)

**'Lemon Springs' 5 Y-Y**

(R. & E.Havens, 1998) R. & E.Havens, 2010

'Limequilla' × *N. triandrus* subsp. *triandrus* var. *triandrus*; sdlg no. HH20/5

Fls 3–4 per stem, 65mm wide, facing down; perianth segments ovate, blunt, mucronate, 28mm long, lemon yellow, slightly reflexed, plane, smooth and of heavy substance, overlapping one-third; the inner segments narrower, acute, more nearly spreading; corona 18mm long, cup-shaped, smooth, a shade lighter than the perianth segments, mouth straight and even, with rim entire. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0117083)

**'Lily Grace' 2 W-P**

(Clive Postles) Roger Braithwaite, 2010

sdlg no. 44

Fl. 110mm wide; perianth segments very broadly ovate in outline, blunt to rounded at apex, slightly mucronate, spreading, plane, smooth, overlapping half; the inner segments narrower, shouldered at base; corona 40mm long, cup-shaped, angled, mouth wavy, a little expanded, narrowly ribbed, with rim crenate. Tall. Late. Sunproof.

Etymology: named for the granddaughter of a friend

**'Lima's Verdant Jet' 12 G-GOO**

(Manuel Lima) H.Koopowitz, 2010

'Jetfire' × *N. viridiflorus*

Fls 1–2 per stem, star-shaped, 45mm wide; perianth segments 30mm long, lanceolate in outline, acute at apex, brilliant greenish yellow 1A, flushed with green, reflexed, twisted and with margins incurved, smooth and of heavy substance, overlapping at base only; the inner segments narrower; corona 10mm long, cylindrical, ribbed, yellow-orange (21A), mouth flared and wavy, with rim notched. Dwarf. Very early. Sunproof. Strongly scented.

Etymology: named for 'Jetfire' and the green perianth segments

**'Little Dianne' 8 W-WPP**

(H.Koopowitz) H.Koopowitz, 2010

'Pink China' × *N. dubius*; sdlg no. 03-036/1

Fls 2–3 per stem, 31mm wide; perianth segments 12mm long, ovate, blunt, mucronate, white, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 6mm long, cup-shaped, smooth, strong yellowish pink 38A, with a band of white at base, mouth straight and even, with rim entire.

Dwarf. Mid-season. Sunproof. Sweetly scented.

Etymology: named for Dianne Mrak

**'Little Dickens' 6 W-W**

(Stephen J.Vinisky) Stephen J.Vinisky, 2010

('Mitzzy' × 'Candlepower') × ('Snook' × 'Candlepower'); sdlg no. V97-213-12

Dwarf

**'Lizard Beacon' 2 Y-R**

(R.A. Scamp, 1996) R.A.Scamp, 2010  
 ('Brandaris' × 'Paracutin') × 'Sportsman'; sdlg no. 889  
 Fl. rounded, 106mm wide; perianth segments 46mm long, roundish, slightly mucronate, opening yellow, becoming flushed with an orange tone, spreading, plane to a little concave, smooth and of heavy substance, overlapping half or more; the inner segments very slightly narrower, not noticeably mucronate; corona 22mm long, cup-shaped, smooth, red, mouth flared, lightly ribbed and frilled, obscurely lobed, with rim crenate and split and overlapping in places. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0117084)

**'Llanfair' 1 W/Y-P**

(K.van der Veek) C.Kuiper, 2009  
 Fl. 95mm wide, facing up; perianth segments 45mm long, broadly ovate, blunt, mucronate, opening brilliant greenish yellow 4D, becoming greenish white 155A, with a narrow band of brilliant greenish yellow 4D at base and flushed pale yellow throughout, reflexed, plane, a little creased, of heavy substance, overlapping half; the inner segments narrower, spreading to a little reflexed, with margins incurved; corona 45mm long, cylindrical, smooth, pink (24C), touched (23D) at rim, mouth flared, lightly frilled and markedly lobed, rim crenate. Early. Sweetly scented. Nomenclatural Standard: colour print supplied by KAVB (WSY0117085)

**'Longshot' 4 W-Y**

(J.F.McLennan, 1990) J.F.McLennan, 2010  
 'Nala' × 'Blossom'; sdlg no. 90-32  
 Fl. rounded, 102mm wide, facing slightly downwards; perianth and other petaloid segments roundish, spreading, plane or with margins incurving, smooth and of heavy substance, irregular, overlapping one-third to a half. Early to mid-season

**'Lucy Scarlet' 3 W-R**

(Clive Postles, 2000) Roger Braithwaite, 2010  
 sdlg no. 8-9-93  
 Fl. forming a double triangle to 115mm wide; perianth segments very broadly ovate, blunt, slightly mucronate, spreading, a little concave, smooth, overlapping

one-third to a half; the inner segments narrower, shouldered at base, plane; corona 18mm long, bowl-shaped, broadly ribbed, mouth a little expanded, wavy, with rim minutely crenate. Tall. Sunproof. Etymology: named for the granddaughter of a friend

**'Luminosity' 2 YYW-W**

(J.A.Hunter, 1999) J.A.Hunter, 2010  
 ('Symphonette' × 'Special Offer') × 'Trumpet Warrior'; sdlg no. 62/94A  
 Fl. forming a double triangle, 117mm wide; perianth segments 49mm long, ovate, brilliant greenish yellow 6B, with a band of white at base, spreading, plane, smooth and of heavy substance, overlapping; corona 46mm long, cylindrical, smooth, white, mouth flared and wavy

**'Mach 1'**

Syn. of 'Mach One'

**'Mach One' 2 Y-R**

(John R.Reed) John R.Reed, 2010  
 Syn. 'Mach 1'  
 'Red Lips' × 'Danger'; sdlg no. 89-48-1  
 Early to mid-season

**'Mangamahoe' 2 YYW-W**

(Graeme and Faith Miller, 2000) Graeme and Faith Miller, 2010  
 'Gin and Lime' × 'Altun Ha'; sdlg no. 00-18  
 Fl. rounded, 105mm wide; perianth segments 43mm long, ovate, blunt, lemon yellow, with white at base, spreading, concave, with margins incurved, smooth and of heavy substance, overlapping; corona 38mm long, funnel-shaped, smooth, white, mouth flared, ribbed and wavy, with rim dentate. Mid-season. Etymology: named for the road in which the hybridisers lived and where this cultivar first flowered

**'Manitou Point' 3 Y-O**

(Daniel Bellinger) Daniel Bellinger, 2010  
 'Altruist' × 'Golden Strand'; sdlg no. 95.1.9  
 Fl. 71mm wide; perianth segments 31mm long, very broadly ovate, blunt, truncate, brilliant yellow 14C, with pale mucro, spreading, concave, with margins

incurved and with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, less prominently mucronate; corona 8mm long, bowl-shaped, broadly ribbed, strong orange 25A, mouth a little expanded, lightly frilled, irregularly and deeply lobed, with rim split and overlapping in places. Late. Sunproof.

Nomenclatural Standard: colour print supplied by registrant (WSY0117086)

Etymology: named for a rocky point at the tip of the Keweenaw Peninsula on Lake Superior

#### **'March Wren' 6 YYW-W**

(R. & E.Havens, 1999) R. & E.Havens, 2010  
'Woodthrush' open pollinated; sdlg no. I063/1  
Fl. 95mm wide; perianth segments 42mm long, broadly ovate, blunt, mucronate, pale lemon, with a band of white at base and touched green where they join the corona, reflexed, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, less prominently mucronate; corona 34mm long, cylindrical, smooth, opening buffish pink, becoming white, mouth flared, wavy, finely and shallowly lobed, with rim dentate.

Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0117087)

#### **'Marilyn Faulkenberry' 2 W-W**

(Stephen J.Vinisky, 1997) Stephen J.Vinisky, 2010  
'Misty Glen' × 'Rhapsody'; sdlg no. V92-93-17

#### **'May Twentyeighth' 3 O-R**

(Stephen J. Vinisky, 1997) Stephen J.Vinisky, 2010  
'Sabine Hay' × 'Solar Tan'; sdlg no. V92-146-37

#### **'Meadow Brook' 2 Y-Y**

(R. & E.Havens) R. & E.Havens, 2010  
'Lemon Brook' open pollinated; sdlg no. MHO28/1  
Fl. 95mm wide; perianth segments 37mm long, very broadly ovate, blunt, vivid yellow, paling slightly at base and with pale mucro, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments narrower, less prominently mucronate; corona 33mm long, cylindrical, smooth,

a shade darker than the perianth segments, mouth slightly expanded and lightly frilled, with rim crenate. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0117088)

#### **'Melting Point' 2 O-O**

(J.A.Hunter, 1996) J.A.Hunter, 2010  
'Red Mantle' × ('Air Marshal' × 'Torrison'); sdlg no. 87/91D

Fl. rounded, 108mm wide; perianth segments 45mm long, broadly ovate, vivid yellow 14A, overlaid with a red flush, spreading, plane, smooth and of heavy substance, overlapping; corona 18mm long, cup-shaped, slightly ribbed, orange (28A), mouth expanded and wavy. Mid-season

#### **'Mer d'Or' 1 Y-Y**

(Brian S.Duncan, 2000) Brian S.Duncan, 2010  
'Barnesgold' × 'Ethos'; sdlg no. 2111  
Fl. forming a double triangle, 110mm wide, deep golden yellow; perianth segments 41mm long, very broadly ovate, blunt, mucronate, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, with margins incurving; corona 45mm long, cylindrical, smooth, mouth a little expanded, broadly ribbed, lightly frilled, with rim dentate. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0117089)

#### **'Merry Madrigal' 8 W-O**

(Sidney DuBose) Stephen J.Vinisky, 2010  
Parentage unknown; sdlg no. 08-1  
Fls up to 8 per stem; perianth segments broad, oblong in outline, rounded at apex, prominently mucronate, reflexed, plane, smooth, overlapping one-third to a half; the inner segments truncate, less prominently mucronate, with midrib showing; corona bowl-shaped, smooth, mouth a little expanded, shallowly lobed and wavy, with rim entire.

Etymology: named for the San Francisco Limelighters (light opera) madrigal sub-group

### **'Minnowlet' 11a Y-Y**

(June Pesterfield, 1987) R.A.Scamp, 2010  
'Minnow' × 'Baccarat'; sdlg no. 17-2-312  
Fl. 68mm wide; perianth segments 24mm long, broadly ovate, blunt, yellow, with pale mucro, spreading, plane, smooth and of heavy substance, overlapping one-third to a half; the inner segments narrower, shouldered at base, a little inflexed, concave, with margins incurled; corona split to base, the six segments 9mm long, each closely overlying a perianth segment and of two-thirds the width, a darker tone than the perianth segments, bi-lobed, with lobes overlapping, smooth, wavy. Dwarf. Mid-season.  
Nomenclatural Standard: colour print supplied by registrant (WSY0117091)

### **'Miss Peach' 4 Y-P**

(Stephen J.Vinisky, 1999) Stephen J.Vinisky, 2010  
'Baldock' × 'Night Music'; sdlg no. V94-112-9  
Fl. 89mm wide; perianth and other petaloid segments 38mm long. Late. Sunproof

### **Montongo Group 10 Y-Y**

(Kiera Bulbs) C.Higgins, 2010  
*N. bulbocodium* subsp. *bulbocodium* var. *conspicuus* × *N. bulbocodium* subsp. *obesus*; sdlg no. KB  
Fl. 30mm wide, facing up, dark yellow; perianth segments 12mm long, lanceolate, acute, inflexed, plane to a little concave, smooth, separated; corona c.20mm long, funnel-shaped, short, regularly and neatly ribbed, mouth expanded, wavy, with rim entire. Dwarf. Mid-season.  
Nomenclatural Standard: colour print supplied by registrant (WSY0117092)

### **'Montserrat Caballé' 2 W-P**

(W.P.van Eeden, pre-1993) Fluwel, 2010  
Previously listed as unregistered  
Fl. forming a double triangle, 100mm wide, facing up; perianth segments 40mm long, broadly ovate, blunt, mucronate, greenish white 157C, spreading, plane or with margins a little incurved, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 30mm long, cup-shaped, angled, opening moderate

reddish orange 173B, with light orange-yellow 23C towards the rim, becoming pink, mouth flared, regularly ribbed, wavy and irregularly lobed, with rim crenate. Mid-season. Sunproof. Strongly scented.  
Nomenclatural Standard: colour print supplied by KAVB (WSY0117093)  
Etymology: named after the great Spanish opera singer

### **'Moonbride' 11a W-Y**

(Colin Crotty, 1998) Colin Crotty, 2010  
Parentage unknown; sdlg no. 33-98  
Fl. forming a double triangle, 105mm wide; perianth segments 43mm long, broadly ovate, blunt, prominently mucronate, white, spreading, plane to a little concave or with margins slightly incurved, smooth and of membranaceous substance, overlapping one-third; the inner segments narrower, less prominently mucronate, a little inflexed; corona segments 28mm long, split to base, each closely overlying a perianth segment, forming an outer and an inner whorl of three and of the same width as the perianth segments, shallowly bi-lobed, lightly creased and wavy, mid-yellow. Mid-season. Strongly scented.  
Nomenclatural Standard: colour print supplied by registrant (WSY0117094)

### **'Mousehole' 3 Y-GYR**

(R.A. Scamp, 1998) R.A.Scamp, 2010  
'Ferndown' × 'Dateline'; sdlg no. 935  
Fl. 90mm wide; perianth segments 35mm long, very broad, roundish, slightly mucronate, pale yellow, spreading, concave or with margins incurving, smooth and of heavy substance, overlapping half or more; the inner segments a little narrower, shouldered at base, slightly inflexed; corona 8mm long, bowl-shaped, ribbed, yellow, with green at base and a broad band of orange-red at rim, mouth expanded, a little wavy, with rim crenate. Mid-season. Slightly scented.  
Nomenclatural Standard: colour print supplied by registrant (WSY0117095)  
Etymology: named for a pretty location in Cornwall

**'My Friend Sara' 11a Y-Y**

(Frank Nyikos) Frank Nyikos, 2010

'Cassata' × 'Orangery'; sdlg no. 1998-1

Fl. 90mm wide; perianth segments broadly ovate, blunt, pale yellow, with prominent pale mucro, spreading to a little reflexed, plane, overlapping one-third; the inner segments narrower, less prominently mucronate, more nearly plane; corona split to base, the six segments each closely overlying a perianth segment to almost the same length and width, forming an outer and an inner whorl of three, deeply bi-lobed, a little creased, deep yellow, overlapping and heavily frilled. Very early. Dwarf. Nomenclatural Standard: colour print supplied by registrant (WSY0117096)

Etymology: named for a friend of the hybridiser

**'Neat and Tidy' 4 W-Y**

(Stephen J.Vinisky, 2000) Stephen J.Vinisky, 2010

'Unique' × 'Fortescue'; sdlg no. V95-119-11

Fl. 104mm wide; perianth segments 39mm long. Tall. Late

**'Never-Never' 2 W-Y**

(P.D.K.Ramsay, 1997) P.D.K.Ramsay, 2010

'Moiki' × 'Apro'; sdlg no. 97:76A

Fl. 111mm wide; perianth segments 40mm long, ovate, mucronate, spreading, plane, or with margins incurved, smooth and of heavy substance, overlapping half; corona 29mm long, cup-shaped, smooth, mouth straight, wavy, with rim rolled and dentate. Early

**'New Chapter' 4 Y-R**

(M. Hamilton, 2000) M.Hamilton, 2010

'Brazier' × 'Kiwi Sunset'; sdlg no. 32-00

Fl. rounded, 95mm wide; perianth and other petaloid segments 35mm long, in several whorls, vivid yellow 13A, smooth; the outer whorls roundish, very broad, with bright white mucro, spreading, plane to a little concave, overlapping half or more; the inner segments a little narrower; the inner whorls becoming successively shorter, less prominently mucronate, concave or folded deeply inwards from midrib; corona segments very short, tightly clustered around the petaloids at centre,

folded deeply inwards from midrib, red (30C), frilled. Late. Sweetly scented

**'Nicki's Smile' 2 Y-R**

(John R.Reed) John R.Reed, 2010

'Bunclody' × 'Wild Fire'; sdlg no. 84-144-3

Tall.

Etymology: named at the request of the Washington Daffodil Society

**'Oceans Eleven' 11a W-P**

(Stephen J.Vinisky, 1998) Stephen J.Vinisky, 2010

'Pink Holly' × selection from *N. jonquilla*; sdlg no. V93-41-5

Fls normally 1 per stem, but up to 3, forming a double triangle; perianth segments broadly ovate, blunt, slightly mucronate, white, spreading, plane, smooth, overlapping one-third; the inner segments significantly narrower, shouldered at base, prominently mucronate, with margins slightly incurved; corona split to base, the six segments one-third the length and half the width of the perianth segments, forming an inner and an outer whorl of three and each closely overlying a perianth segment, opening pastel pink, becoming soft yellowish salmon, bi-lobed, with lobes overlapping, creased, separated and lightly frilled. Scented

**'Ohio Valley' 1 W-W**

(Mary Lou Gripshover, c.2000) Mary Lou Gripshover, 2010

'Inverpollly' open pollinated; sdlg no. 83-25-6

Fl. forming a double triangle, 86mm wide; perianth segments 34mm long, broadly ovate, blunt, prominently mucronate, white, spreading, plane to a little concave, smooth, overlapping one-third to a half; the inner segments narrower, shouldered at base, less prominently mucronate; corona 34mm long, cylindrical, neatly ribbed, opening very pale pink/buff, becoming white, mouth slightly expanded, lightly frilled, with rim crenate. Late. Nomenclatural Standard: colour print supplied by registrant (WSY0117097)

Etymology: named for the area in which the registrant lives

### **'Olive Blanche' 2 Y-Y**

(Brian S.Duncan) Mark Vandervliet, 2010  
'Gold Ingor' × 'Miss Primm'; sdlg no. 2557  
Fl. forming a double triangle, 105mm wide, facing slightly upwards; perianth segments 43mm long, very broadly ovate, blunt, deep yellow, with white mucro, very slightly reflexed, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate, spreading; corona 33mm long, funnel-shaped, short, smooth, a darker tone than the perianth segments, mouth expanded, narrowly ribbed, wavy, regularly lobed, with rim broadly flanged and minutely dentate. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0117099)

### **'Ollie' 2 Y-YOR**

(Denise E.McQuarrie) Denise E.McQuarrie, 2010  
'Aberfoyle' open pollinated; sdlg no. G13  
Fl. rounded, 73mm wide; perianth segments 27mm long, very broad in outline, rounded at apex, spreading, plane, smooth and of heavy substance, overlapping half; corona 15mm long, funnel-shaped, smooth, mouth straight and even, with rim entire. Very early. Etymology: named after the hybridiser's seal point Siamese cat

### **'Orange Focus' 1 W-O**

(R. & E.Havens) R. & E.Havens, 2010  
'Demmo' open pollinated; sdlg no. MHO14/1  
Fl. 100mm wide; perianth segments 40mm long, broadly ovate, blunt, mucronate, white, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments a little narrower, shouldered at base; corona 40mm long, cylindrical, smooth, bright orange, mouth flared and lightly frilled, with rim minutely dentate. Early. Nomenclatural Standard: colour print supplied by registrant (WSY0117101)

### **'Orange Sky' 1 W-O**

(R. & E.Havens) R. & E.Havens, 2010  
'Demmo' open pollinated; sdlg no. MHO28/10  
Fl. 100mm wide; perianth segments 40mm long, very broadly ovate in outline, roundish at apex,

mucronate, opening creamy yellow-white, becoming white, spreading, plane to a little concave, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, plane; corona 40mm long, cylindrical, smooth, bright orange, mouth expanded and wavy, with rim crenate and narrowly flanged. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0117102)

### **'Otaki Legacy' 4 Y-O**

(J.F.McLennan) J.F.McLennan, 2010  
'Red Haze' × 'Kiwi Solstice'; sdlg no. 05-7  
Fl. 103mm wide; perianth and other petaloid segments in three or more whorls, broadly ovate, blunt, not noticeably mucronate, deep yellow, smooth and of heavy substance; the two outer whorls spreading, plane to a little concave, overlapping one-third to a half; the inner whorls with margins incurved, becoming successively more strongly inflexed; the innermost whorls folded deeply inwards from midrib; corona segments half the length and width of the outer petaloid segments and interspersed among the inner whorls, strong orange, a little crumpled and lightly frilled. Mid-season. Etymology: the hybridiser lives in Otaki

### **'Pacific Phoenix' 2 Y-YOO**

(J.A.Hunter) J.A.Hunter, 2010  
'Pacific Fire' × 'Culfind'; sdlg no. 60/98A  
Fl. forming a double triangle, 118mm wide; perianth segments 50mm long, ovate, brilliant yellow 7A, spreading, plane, smooth and of heavy substance, overlapping; corona 22mm long, cup-shaped, ribbed, orange (28A), with a band of yellow at base, mouth expanded and wavy. Mid-season

### **'Pacific Topaz' 3 Y-Y**

(J.A.Hunter) J.A.Hunter, 2010  
'Citronita' × 'Nonchalant'; sdlg no. 60/96A  
Fl. rounded, 95mm wide; perianth segments 39mm long, broadly ovate, light greenish yellow 5C, spreading, plane, smooth and of heavy substance, overlapping; corona 12mm long, bowl-shaped, ribbed, brilliant yellow 7A, mouth expanded and wavy. Late

**'Paris Dream' 1 W-Y**

(H.J.Wentink) Maveridge International, 2010  
 'Yellow River' × 'Las Vegas'; sdlg no. Bic 2  
 Fl. 100mm wide, facing up; perianth segments 43mm long, very broadly ovate, blunt, slightly mucronate, greenish white (157A), spreading, plane or with margins a little recurved, creased and of heavy substance, irregular, overlapping half or more; the inner segments narrower, not noticeably mucronate, a little inflexed and concave; corona 43mm long, funnel-shaped, smooth, brilliant greenish yellow 5A, mouth expanded, broadly and lightly ribbed, frilled, obscurely lobed, with rim crenate and widely flanged. Mid-season. Sweetly scented.  
 Nomenclatural Standard: colour print supplied by KAVB (WSY0117103)

**'Pennysworth' 3 Y-Y**

(Stephen J.Vinisky, 1999) Stephen J.Vinisky, 2010  
 ('Beautiful Dream' × 'Yum Yum') × 'New Penny';  
 sdlg no. V94-224-9

**'Phil's Legacy' 1 W-Y**

(P.D.K.Ramsay, 2000) P.D.K.Ramsay, 2010  
 'Pop's Legacy' × Brogden sdlg; sdlg no. 00:35  
 Fl. forming a double triangle; perianth segments very broad, blunt at apex, spreading, plane, or with margins incurved, smooth and of heavy substance, overlapping; corona funnel-shaped, smooth, mouth flared and even, with rim entire. Mid-season

**'Pink Cosmos' 1 W-WPP**

(J.A.Hunter, 1998) J.A.Hunter, 2010  
 ('Tangent' × 'Verran') × 'Pink Sapphire'; sdlg no. 41/93A  
 Fl. forming a double triangle, 112mm wide; perianth segments 45mm long, broadly ovate, white, spreading, plane, smooth and of heavy substance, overlapping; corona 50mm long, funnel-shaped, smooth, light yellowish pink 36B, with a band of white at base, mouth flared and wavy. Mid-season

**'Pink Floyd' 2 W-P**

(Colin Crotty, 2000) Colin Crotty, 2010  
 'Quasar' × 'Culmination'; sdlg no. 31-00  
 Fl. 104mm wide; perianth segments 42mm long,

broadly ovate, blunt, prominently mucronate, white, spreading, concave, with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate; corona 25mm long, cup-shaped, ribbed, mid-pink, paling to base, mouth a little expanded, wavy, with rim minutely dentate. Late. Sunproof. Sweetly scented.  
 Nomenclatural Standard: colour print supplied by registrant (WSY0117104)

**'Pink Honey' 2 W-P**

(P.D.K.Ramsay) P.D.K.Ramsay, 2010  
 'Cameo Legacy' × 'Honeybourne'; sdlg no. 04:60  
 Fl. forming a double triangle, 119mm wide; perianth segments 54mm long, very broad, rounded at apex, spreading, concave and with margins incurving, smooth and of heavy substance, overlapping half or more; corona 39mm long. Mid-season. Sweetly scented

**'Pink Pirouette' 8 W-YYP**

(Sidney DuBose, 1977) Stephen J.Vinisky, 2010  
 'Matador' × Evans sdlg N77 ('Carita' × 'Precedent');  
 sdlg no. B 42-1  
 Perianth segments white; corona opening orange, with red at rim, becoming yellow, with pink at rim. Early

**'Pink Revival' 2 W-P**

(Stephen J.Vinisky, 1996) Stephen J.Vinisky, 2010  
 'Quasar' × 'Gracious Lady'; sdlg no. V91-91-3  
 Perianth segments very broadly ovate, blunt, mucronate, spreading, a little concave, smooth, overlapping one-third; the inner segments narrower, less prominently mucronate; corona cup-shaped, smooth, mouth straight, very lightly frilled, with rim crenate

**'Pink Salmon' 2 W-P**

(P.D.K.Ramsay) P.D.K.Ramsay, 2010  
 Lea sdlg (8-8-76) × 'Polar Sky'; sdlg no. 05:80  
 Fl. forming a double triangle, 124mm wide; perianth segments 35mm long, roundish in outline, blunt at apex, spreading, plane, or with margins recurved, smooth and of heavy substance, overlapping one-third; corona 42mm long, cup-shaped, smooth, mouth straight, wavy, with rim rolled and entire. Late. Sweetly scented

**'Pinsey' 3 W-GYO**

(Denise E. McQuarrie) Denise E. McQuarrie, 2010  
 'Top Model' × 'Kimmeridge'; sdlg no. D28  
 Fl. rounded, 75mm wide; perianth segments 29mm long, very broad in outline, rounded at apex, mucronate, spreading, plane, smooth and of heavy substance, overlapping half or more; corona 9mm long, bowl-shaped, ribbed, mouth expanded and even, with rim entire. Early to mid-season. Sweetly scented.  
 Etymology: named after the hybridiser's much-loved Siamese cat

**'Polmenor' 2 W-P**

(R.A. Scamp, c.1994) R.A. Scamp, 2010  
 'Premier' × ('Mongleath' × 'Auntie Eileen'); sdlg no. 622  
 Fl. 102mm wide; perianth segments 42mm long, broadly ovate, blunt, mucronate, white, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments slightly narrower, shouldered at base; corona 34mm long, funnel-shaped, angled, opening yellowish pink, becoming pink, mouth straight, lightly ribbed, wavy, with rim flanged and crenate. Mid-season.  
 Nomenclatural Standard: colour print supplied by registrant (WSY0117105)  
 Etymology: named for a location in Cornwall

**'Popp Star' 8 W-Y**

(W.R.P. Welch) W.R.P. Welch, 2010  
 Autumn Colors Group × *N. papyraceus*  
 Fls 8–12 per stem, rounded, 49mm wide, facing up; perianth segments 21mm long, roundish, white, spreading, plane, smooth and of heavy substance, overlapping half or more; corona 6mm long, bowl-shaped, smooth, pale yellow, mouth straight and even, with rim entire. Tall. Very early. Sweetly scented

**'Prim 'n' Proper' 1 Y-Y**

(Stephen J. Vinisky, 1999) Stephen J. Vinisky, 2010  
 'Reference Point' × 'Nob Hill'; sdlg no. V94-176-2  
 Perianth segments very broad, roundish, mucronate, a little inflexed, concave, smooth, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate; corona funnel-shaped, smooth, mouth a little expanded, broadly and lightly ribbed, with rim entire

**'Prophecy' 1 Y-P**

(Stephen J. Vinisky) Stephen J. Vinisky, 2010  
 'Memento' × 'Brer Fox'; sdlg no. V91-50-11

**'Red Twister' 2 W-R**

(John R. Reed) John R. Reed, 2010  
 'Ken's Favorite' × 'Ruby Red'; sdlg no. 91-13-1  
 Corona intense red. Tall. Mid-season

**'Rescindi' 2 Y-W**

(Stephen J. Vinisky, 1997) Stephen J. Vinisky, 2010  
 'Chiloquin' × 'Altun Ha'; sdlg no. V92-92-8  
 Fl. 94mm wide; perianth segments 38mm long, broadly ovate, blunt, mid-yellow, with pale mucro, touched white at base, spreading, plane, smooth, overlapping half; the inner segments a little narrower, less prominently mucronate; corona 30mm long, funnel-shaped, smooth, opening mid-yellow, becoming white, touched yellow at rim and then entirely white, mouth a little expanded, lightly and regularly ribbed and slightly frilled, with rim narrowly flanged and minutely crenate. Late

**'Richard Lionheart' 2 W-P**

(K. van der Veek) C. Kuiper, 2009  
 Fl. 110mm wide; perianth segments 45mm long, very broadly ovate, blunt, mucronate, bluish white N155A, spreading, plane to a little concave, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, a little inflexed; corona 30mm long, cup-shaped, smooth, orange-rose (35C), touched orange-brown (35A) at rim, mouth expanded, wavy and deeply lobed, with rim crenate. Mid-season. Strongly scented.  
 Nomenclatural Standard: colour print supplied by KAVB (WSY0117106)

**'Robin's Reward' 1 Y-Y**

(P.D.K. Ramsay) P.D.K. Ramsay, 2010  
 Sdlg 97:26 ('Midas Touch' × 'Director') × 'Hollie Maree'; sdlg no. 04:10  
 Fl. forming a double triangle, 120mm wide, facing up; perianth segments 40mm long, very broad, blunt at apex, inflexed, plane or with margins incurling, smooth and of heavy substance, overlapping half; the inner segments shouldered at base; corona 45mm long. Very early

**'Rode Hoed' 2 Y-R**

(P.D.K.Ramsay, 1994) P.D.K.Ramsay, 2010  
'Red Ember' × 'Red Alert'; sdlg no. 94:60  
Fl. forming a double triangle, 110mm wide; perianth segments 32mm long, ovate, mucronate, spreading, plane, or with margins incurved, smooth and of heavy substance, overlapping half; corona 20mm long, bowl-shaped, smooth, mouth straight, wavy, with rim flanged and dentate. Late.  
Etymology: Dutch for red hat

**'Role Model' 1 W-O**

(R. & E.Havens) R. & E.Havens, 2010  
'Lemon Sails' × 'Uncle Duncan'; sdlg no. KH45/1  
Fl. forming a double triangle, 90mm wide; perianth segments 34mm long, oblong in outline, blunt at apex, prominently mucronate, creamy white, flushed orange, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, less prominently mucronate; corona 34mm long, cylindrical, smooth, deep tangerine orange, mouth broadly flared and lightly frilled, with rim minutely dentate. Mid-season.  
Nomenclatural Standard: colour print supplied by registrant (WSY0117107)

**'Rowbie' 2 Y-Y**

(P.D.K.Ramsay) P.D.K.Ramsay, 2010  
'Impeccable' × 'Golden Jewel'; sdlg no. 03:37  
Fl. forming a double triangle, 110mm wide; perianth segments 45mm long, very broad, blunt at apex, spreading, plane, or with margins incurving, smooth and of heavy substance, overlapping; corona 41mm long, cylindrical, smooth, mouth flared, wavy, with rim crenate. Mid-season.  
Etymology: nickname of a family member

**'Sailorman' 11a Y-Y**

(J.Gerritsen & Son) W.van Lierop & Sons, 2009  
sdlg no. 296  
Fl. 100mm wide, facing up; perianth segments 40mm long, broadly ovate, blunt, brilliant greenish yellow 3A, with pale mucro, spreading, concave, with midrib showing, of heavy substance, overlapping one-third; the inner segments narrower, less prominently mucronate, inflexed, twisted;

corona segments 40mm long, deeply split, forming two whorls of three, half as long as the perianth segments and of the same width, a little creased, quite strongly inflexed, brilliant greenish yellow 6A to light greenish yellow 8B, heavily frilled.  
Mid-season. Sweetly scented.  
Nomenclatural Standard: colour print supplied by registrant (WSY0117108)

**'Sankaty Light' 2 W-P**

(R. & E.Havens, 1986) R. & E.Havens, 2010  
Parentage unknown; sdlg no. VH35/1  
Fl. 105mm wide; perianth segments 40mm long, ovate in outline, rounded at apex, white, spreading, plane, smooth and of heavy substance, overlapping half; corona 20mm long, cylindrical, smooth, red-pink, mouth slightly expanded, ribbed and frilled, with rim dentate. Mid-season. Sunproof.  
Etymology: named for a lighthouse on Nantucket

**'Saxby' 11a Y-O**

(Reg Nicholl) R.A.Scamp, 2010  
'Achduart' × 'Congress'; sdlg no. 18-91  
Fl. 91mm wide; perianth segments 35mm long, oblong to broadly ovate in outline, blunt at apex, mucronate, spreading to slightly reflexed, plane to a little concave, smooth and of heavy substance, overlapping one-third to a half; the inner segments ovate, more nearly spreading; corona split to more than half its length, the six segments 23mm long, forming a single whorl of the same width as the perianth segments, joined at margins at base, bi-lobed, with lobes overlapping, lightly ribbed, spreading, wavy. Sunproof.  
Nomenclatural Standard: colour print supplied by registrant (WSY0117109)

**'Sea Flare' 3 W-GYR**

(J.A.Hunter, 2000) J.A.Hunter, 2010  
'Placid Sea' × 'Spring Lustre'; sdlg no. 77/95A  
Fl. rounded, 90mm wide; perianth segments 37mm long, roundish, white, spreading, plane, smooth and of heavy substance, overlapping; corona 8mm long, bowl-shaped, ribbed, light yellow 11B, with green at base and red (31A) at rim, mouth expanded and frilled. Mid-season

### **'Seagrave' 4 Y-O**

(Clive Postles, 1997) Roger Braithwaite, 2010  
sdlg no. 109

Fl. to 108mm wide; perianth and other petaloid segments in three or more whorls, not noticeably mucronate, smooth; the outer whorl oblong to roundish in outline, rounded at apex, spreading, plane or with margins incurved, overlapping half; the inner whorls with margins more deeply incurved, becoming successively shorter and more strongly inflexed; the innermost whorl folded deeply inwards from midrib; corona segments half the length and width of the outer perianth segments and interspersed among the inner whorls, crumpled, not noticeably lobed, with margins wavy. Tall. Late. Sunproof. Etymology: named by Derek Bircumshaw for the road in which he lived

### **'Seashell Pink' 2 W-P**

(Stephen J.Vinisky) Stephen J.Vinisky, 2010  
(‘Geometrics’ × ‘Magician’) × ‘Cherrygardens’; sdlg no. V96-141-19

Perianth segments broadly ovate, blunt, mucronate, spreading, plane, smooth, overlapping one-third to a half; the inner segments narrower, shouldered at base; corona broad, cylindrical, smooth, mouth straight, lightly ribbed and wavy, with rim crenate and narrowly flanged

### **'Seney' 2 Y-O**

(Daniel Bellinger) Daniel Bellinger, 2010  
'Altruist' × 'Golden Strand'; sdlg no. 95.1.30

Fl. forming a double triangle, 77mm wide; perianth segments 32mm long, very broadly ovate, blunt, brilliant yellow 7B, spreading, concave, with margins incurved, smooth and of heavy substance, overlapping one-third to a half; the inner segments narrower, shouldered at base; corona 12mm long, cup-shaped, regularly ribbed, yellow-orange 23A, with a broad band of darker orange (28A) at rim, mouth straight, wavy and six-lobed, with rim split and overlapping in places, minutely crenate. Late. Sunproof. Nomenclatural Standard: colour print supplied by registrant (WSY0117110)  
Etymology: named for a vast swamp and wildlife refuge in Upper Michigan

### **'Sherwood Gold' 1 Y-Y**

(Stephen J.Vinisky, 1995) Stephen J.Vinisky, 2010  
'Goldfinger' × Duncan D1195; sdlg no. V91-17-7  
Fl. forming a double triangle, golden yellow; perianth segments broadly ovate, blunt, with pale mucro, spreading, plane, smooth, overlapping one-third to a half; the inner segments narrower, less prominently mucronate, a little inflexed; corona narrow, funnel-shaped, smooth, mouth flared and lightly ribbed, with rim entire. Early to mid-season

### **'Silver Maiden' 2 W-W**

(Stephen J.Vinisky, 1998) Stephen J.Vinisky, 2010  
'Calcite' × Evans sdlg Y3-4; sdlg no. V93-93-4  
Perianth segments oblong in outline, blunt at apex, mucronate, spreading, plane, smooth and of heavy substance, overlapping one-third; the inner segments narrower, less prominently mucronate; corona funnel-shaped, smooth, mouth straight and lightly frilled, with rim entire

### **'Simply Grand' 4 Y-O**

(Stephen J.Vinisky, 1996) Stephen J.Vinisky, 2010  
'Golden Amber' × 'Crackington'; sdlg no. V91-10-1  
Fl. 120mm wide; perianth and other petaloid segments in three whorls; the outer whorl roundish, very broad, with slight, pale mucro, spreading, a little concave, smooth, overlapping half or more; the middle whorl half the length of the outer segments, with margins incurved, a little inflexed; the inner whorl short, not very broad, deeply inflexed; corona segments one-third the length of the outer petaloid segments, interspersed among the inner whorls and clustered at centre, frilled and un-lobed

### **'Sint Victor' 1 Y-Y**

(K.van der Veek) J.S.Pennings, 2009  
Fl. forming a double triangle, 115mm wide; perianth segments 50mm long, broadly ovate, blunt, prominently mucronate, vivid yellow 9A, spreading, plane, smooth to slightly creased, of heavy substance, overlapping one-third; the inner segments narrower, shouldered at base, less prominently mucronate, margins a little incurved; corona 50mm long, funnel-shaped, smooth, vivid yellow 9A to orange-yellow (14B), mouth flared,

narrowly ribbed, lobed, with rim entire. Mid-season. Sweetly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117111)

Etymology: named after the parish and church of Sint Victor, Obdam

#### **'Soft Ruby' 2 W-P**

(Colin Crotty, 2000) Colin Crotty, 2010

'Presidential Pink' × 'Quasar'; sdlg no. 21-00

Fl. 107mm wide; perianth segments 40mm long, very broadly ovate, blunt, prominently mucronate, white, spreading, concave, with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate, a little inflexed; corona 27mm long, cup-shaped, smooth, soft mid-pink, mouth straight, lightly ribbed, wavy and obscurely lobed, with rim minutely dentate. Mid-season. Sunproof. Strongly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117112)

Etymology: named for the hybridiser's great granddaughter and for the flower's soft colour

#### **'Southern Command' 2 Y-R**

(M.E.Brogden) Brogden Bulbs, 2010

'Redlands Too' × 'Sabre'; sdlg no. BB 6-01-13

Fl. rounded, 109mm wide; perianth segments 45mm long, very broad, rounded, deep glistening yellow, spreading, plane, smooth and of heavy substance, overlapping half or more; corona 24mm long, cup-shaped, smooth, deep orange-red, mouth even, with rim lightly crenate. Early to mid-season

#### **'Southern Moon' 1 W-Y**

(J.A.Hunter) J.A.Hunter, 2010

('Tucana' × 'Verdant') × ('Drumboe' × 'Vahu'); sdlg no. 25/97B

Fl. forming a double triangle, 130mm wide; perianth segments 46mm long, broadly ovate, white, spreading, plane, smooth and of very heavy substance, overlapping; corona 53mm long, funnel-shaped, smooth, brilliant yellow 7A, mouth flared and slightly wavy

#### **'Space Light' 4 W-P**

(J.A.Hunter, 1999) J.A.Hunter, 2010

('Tropic Isle' × 'Fair Prospect') × (('Trousseau' × 'Karanja') × 'Vahu'); sdlg no. 79/94A

Fl. rounded, 110mm wide; perianth and other petaloid segments 45mm long, roundish, white, spreading, slightly concave, smooth and of heavy substance, overlapping; corona segments light yellowish pink 36A. Mid-season. Sunproof

#### **'Stannard Rock' 2 Y-O**

(Daniel Bellinger) Daniel Bellinger, 2010

'Altruist' × 'Golden Strand'; sdlg no. 95.1.11

Fl. 80mm wide; perianth segments 32mm long, very broadly ovate, blunt to rounded at apex, prominently mucronate, brilliant greenish yellow 6A, spreading, concave, with margins incurved and with narrow midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, less prominently mucronate, a little inflexed, smooth; corona 20mm long, cup-shaped, smooth, orange (23A-25A), mouth a little expanded, lightly ribbed, markedly wavy, with rim crenate. Late. Sunproof.

Nomenclatural Standard: colour print supplied by registrant (WSY0117113)

Etymology: named for the lighthouse and ancient rock in the middle of Lake Superior

#### **'Star Cluster' 7 YYW-W**

(J.A.Hunter, 1999) J.A.Hunter, 2010

'Hillstar' × 'Elfin Dell'; sdlg no. 88/94A

Fls 3 per stem, forming a double triangle, 85mm wide; perianth segments 35mm long, ovate, brilliant greenish yellow 6C, with a band of white at base, spreading, plane, smooth and of heavy substance, overlapping; corona 17mm long, cup-shaped, smooth, opening white, with a pink flush, becoming white, mouth slightly flared and wavy. Mid-season. Sweetly scented

#### **'Sun Caption' 7 YYW-W**

(R. & E.Havens) R. & E.Havens, 2010

'American Frontier' hybrid; sdlg no. MH8/1

Fls 1-2 per stem, 72mm wide; perianth segments 30mm long, oblong in outline, rounded at apex,

mucronate, lemon yellow, with a band of white at base, spreading to a little reflexed, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, ovate, blunt, with margins incurved; corona 12mm long, bowl-shaped, angled, opening white, with a pinkish edge, becoming white, mouth expanded and wavy, with rim shallowly crenate. Late.  
Nomenclatural Standard: colour print supplied by registrant (WSY0117114)

#### **'Sunny Girlfriend' 11a W-YPP**

(J.Gerritsen & Son) W.van Lierop & Sons, 2009  
Fl. 90mm wide, facing up; perianth segments 40mm long, very broadly ovate in outline, rounded at apex, scarcely mucronate, greenish white 155A, spreading, concave and with margins a little incurved, lightly creased, of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, less prominently mucronate, a little inflexed; corona segments 30mm long, the six segments split to base, each closely overlying a perianth segment, forming an outer and an inner whorl of three, two-thirds the length of the perianth segments and of the same width, bi-lobed, with lobes overlapping, lightly ribbed, orange-pink (31D), shading through (31B) to pink (31A) at rim, with vivid yellow 9A at base, heavily frilled. Mid-season. Sweetly scented.  
Nomenclatural Standard: colour print supplied by registrant (WSY0117115)

#### **'Sweet Smiles' 7 W-P**

(Brent & Becky Heath) Brent & Becky Heath, 2009  
Fls 2 per stem, forming a double triangle, 65mm wide, facing slightly upwards; perianth segments 30mm long, broadly ovate, blunt, prominently mucronate, greenish white 155A, touched pink (24C) at base, spreading to a little inflexed, slightly concave, with midrib showing, of heavy substance, overlapping one-third to a half; the inner segments narrower, shouldered at base; corona 28mm long, funnel-shaped, smooth, pink (24C), mouth straight to a little flared, lightly ribbed, wavy and three-lobed, with rim entire. Mid-season. Strongly scented.  
Nomenclatural Standard: colour print supplied by registrant (WSY0117116)

#### **'Sweet Will' 3 Y-WWY**

(Denise E. McQuarrie) Denise E. McQuarrie, 2010  
'Aircastle' × 'Kiwi New Hope'; sdlg no. F42  
Fl. 102mm wide; perianth segments 45mm long, very broad, roundish, yellow, spreading, plane or with margins a little incurved, smooth and of heavy substance, overlapping half or more; the inner segments only a very little narrower, more nearly ovate; corona 14mm long, bowl-shaped, smooth, opening yellow, becoming white, with a narrow band of yellow at rim, mouth expanded, slightly ribbed and a little wavy, with rim minutely crenate. Late.  
Nomenclatural Standard: colour print supplied by registrant (WSY0117117)  
Etymology: named from a line in "Composed upon Westminster Bridge" ("The river glideth at his own sweet will") by William Wordsworth

#### **'Tahquamenon' 3 Y-O**

(Daniel Bellinger) Daniel Bellinger, 2010  
'Altruist' × 'Golden Strand'; sdlg no. 95.1.2  
Fl. 76mm wide; perianth segments 33mm long, very broadly ovate, blunt, prominently mucronate, brilliant yellow 7A, spreading, concave, with margins incurved, smooth and of heavy substance, overlapping one-third to a half; the inner segments narrower, shouldered at base; corona 10mm long, cup-shaped, lightly ribbed, yellow-orange (23A), with a broad band of strong orange 25A at rim, mouth expanded, wavy and irregularly lobed, with rim minutely crenate. Late. Sunproof.  
Nomenclatural Standard: colour print supplied by registrant (WSY0117118)  
Etymology: named for the river in Upper Michigan

#### **'Tania's Favorite' 8 Y-YOO**

(W.R.P.Welch) W.R.P.Welch, 2010  
Div. 2 Y-O × 'Matador'  
Fls 1–3 per stem, forming a double triangle, 80mm wide, facing up; perianth segments 34mm long, ovate in outline, rounded at apex, medium yellow, spreading, plane, with margins wavy, creased and of heavy substance, overlapping half; the inner segments narrower; corona 14mm long, bowl-shaped, ribbed, orange, paling to yellow at base, mouth lightly frilled, with rim slightly notched. Tall. Late. Sweetly scented.  
Etymology: named for a customer of the hybridiser

**‘Teeny Tiny’ 1 W-W**

(Stephen J.Vinisky) Stephen J.Vinisky, 2010  
‘Xana’ × ‘Candlepower’; sdlg no. V99-3-6  
Dwarf

**‘Temple Hills’ 3 W-YYO**

(Mary Lou Gripshover, ?1992) Mary Lou Gripshover, 2010  
‘Angel’ × ‘Fellowship’; sdlg no. 84-3-NN  
Fl. 75mm wide; perianth segments 31mm long, roundish, mucronate, white, spreading, concave, smooth, overlapping half; the inner segments narrower, shouldered at base; corona 10mm long, cup-shaped, smooth, pale yellow, with a band of orange at rim, colours paling with maturity, mouth a little expanded, narrowly ribbed, wavy, with rim split and overlapping in places. Mid-season to late. Nomenclatural Standard: colour print supplied by registrant (WSY0117119)  
Etymology: named for a golf course in Franklin, Tennessee

**‘Tequila Sunset’ 8 W-OOY**

(Wilfred Hall) Wilfred Hall, 2010  
‘Avalanche’ × ‘Bogside’; sdlg no. AVX-7  
Fls 4–7 per stem, rounded, 50mm wide; perianth segments 20mm long, ovate, blunt, mucronate, white, spreading, plane to concave or with margins incurved, creased, of heavy substance, overlapping half or more; the inner segments shouldered at base, not noticeably mucronate, strongly inflexed; corona 10mm long, bowl-shaped, angled, opening strong orange N25C, becoming yellow-orange (23A), with a band of vivid yellow 17C at rim, mouth slightly flared, wavy, with rim a little notched. Early. Nomenclatural Standard: colour print supplied by registrant (WSY0117121)  
Etymology: named for the colours in the corona

**‘The Sundance Kid’ 2 Y-R**

(P.D.K.Ramsay, 1993) P.D.K.Ramsay, 2010  
‘Cowboy’ × ‘Loch Lundie’; sdlg no. 93:17  
Fl. rounded, 110mm wide; perianth segments 40mm long, roundish, truncate, inflexed, plane, or with margins incurved, smooth and of heavy substance, overlapping half; corona 12mm long,

bowl-shaped, smooth, mouth flared, even, with rim dentate. Late

**‘Thomas Kinkade’ 2 Y-R**

(R.A.Scamp, 1996) R.A.Scamp, 2009  
Permission to use this name granted by the Thomas Kinkade Company, September 2009  
‘Enfield’ × ‘Gold Convention’; sdlg no. 805  
Fl. 98mm wide; perianth segments 40mm long, very broadly ovate, blunt, with pale mucro, spreading, plane to a little concave, smooth and of heavy substance, overlapping half or more; corona 35mm long, cup-shaped, smooth, mouth narrowly flared, broadly ribbed, lightly frilled, with rim notched and minutely dentate.  
Etymology: named for the North American artist

**‘Tickled Pinkeen’ 2 Y-P**

(K.van der Veek) W.van Lierop & Sons, 2009  
Fl. 110mm wide, facing up; perianth segments 45mm long, very broadly ovate, blunt, opening light greenish yellow 8B, becoming pale greenish yellow 2D, with prominent pale mucro, spreading, a little concave, with margins slightly incurved, of heavy substance, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate; corona 37mm long, funnel-shaped, smooth, strong yellowish pink 31C, paling to moderate yellowish pink 31D at base and shading to strong yellowish pink 32C at rim, mouth straight, broadly ribbed, wavy, with rim split and overlapping in places, minutely crenate. Mid-season. Strongly scented.  
Nomenclatural Standard: colour print supplied by registrant (WSY0117122)

**‘Tilden’ 3 O-R**

(Daniel Bellinger) Daniel Bellinger, 2010  
‘Altruist’ × ‘Golden Strand’; sdlg no. 95.1.36  
Fl. 70mm wide; perianth segments 28mm long, very broadly ovate, blunt, truncate, orange (16D), with pale mucro, spreading to a little reflexed, concave, with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments a little narrower, less prominently mucronate, more nearly spreading, with margins

incurling; corona 8mm long, bowl-shaped, smooth, red (30C), mouth a little expanded, lightly ribbed and frilled, with rim crenate and split and overlapping in places. Dwarf. Late. Sunproof.  
Nomenclatural Standard: colour print supplied by registrant (WSY0117123)  
Etymology: named for the open pit iron mine in Upper Michigan

**‘Tolvaddon’ 11a W-W**

(R.A. Scamp, 1998) R.A.Scamp, 2010  
‘Pitchroy’ × ‘Belcanto’; sdlg no. 998  
Fl. 97mm wide; perianth segments 39mm long, very broadly ovate, blunt, prominently mucronate, pure white, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments narrower, slightly inflexed; corona segments 25mm long, split to base, each closely overlying a perianth segment, forming an outer and an inner whorl of three, of the same width as the perianth segments, deeply lobed, lightly ribbed, creamy white, heavily frilled. Mid-season.  
Nomenclatural Standard: colour print supplied by registrant (WSY0117124)  
Etymology: named for a location in Cornwall

**‘Topsy Turvy’ 4 Y-Y**

(R.A. Scamp, 1995) R.A.Scamp, 2010  
‘Saint Keverne’ × ‘Golden Aura’ × ‘Fiji’; sdlg no. 687  
Fl. 82mm wide; perianth and other petaloid segments in three whorls, yellow, with white micro, of heavy substance; the two outer whorls 30mm long, broadly ovate, blunt, spreading, concave, smooth, overlapping half or more; the inner whorl narrower, strongly inflexed, deeply concave and folding inwards from midrib, a little creased; corona segments 20mm long, interspersed between the inner whorls of perianth segments and of a slightly darker tone; the outer whorl broad, spreading, obscurely bi-lobed, with margins wavy; the inner whorls strongly inflexed, crumpled and a little frilled. Mid-season.  
Nomenclatural Standard: colour print supplied by registrant (WSY0117125)

**‘Top Tier’ 3 W-GYY**

(Stephen J.Vinisky, 1996) Stephen J.Vinisky, 2010  
V88-6-11 (‘Glamour Girl’ × ‘Audubon’) × ‘Evesham’; sdlg no. V92-51-8  
Perianth segments broad, roundish, scarcely mucronate, white, spreading, plane, smooth, overlapping half; the inner segments broadly ovate, blunt, not noticeably mucronate; corona bowl-shaped, smooth, mid-yellow, with jade-green at base and a band of darker yellow at rim, mouth a little expanded and lightly frilled, with rim split and overlapping in places

**‘Tranquil Dream’ 2 W-P**

(J.A.Hunter, 2000) J.A.Hunter, 2010  
‘Tranquil Dawn’ × ‘Dailmanach’; sdlg no. 65/95G  
Fl. 118mm wide; perianth segments 48mm long, very broad, white, spreading, plane, smooth and of heavy substance, overlapping; corona 30mm long, funnel-shaped, smooth, moderate yellowish pink 38B, mouth flared, with rim rolled. Mid-season

**‘Trebah Gem’ 3 W-YYW**

(R.A.Scamp, 1996) R.A.Scamp, 2010  
‘Cool Crystal’ open pollinated; sdlg no. 813  
Fl. 110mm wide; perianth segments 47mm long, very broadly ovate, blunt, mucronate, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments narrower, not noticeably mucronate; corona 11mm long, disc-shaped, regularly ribbed, mouth a little expanded, wavy, three-lobed, with rim crenate. Mid-season to late.  
Nomenclatural Standard: colour print supplied by registrant (WSY0117126)

**‘Trinity Fair’ 3 W-Y/O**

(John Gibson) John Gibson, 2010  
1-17-91 (‘Rainbow’ × ‘Rockall’ open pollinated) × ‘Loch Alsh’; sdlg no. 97-47-99  
Fl. 108mm wide; perianth segments 46mm long, very broadly ovate, blunt, slightly mucronate, white, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, less prominently mucronate; corona 15mm long, bowl-shaped, smooth, vivid yellow 9A, with heavy touches of yellow-orange 21A at rim, mouth straight, broadly ribbed, thickly and shallowly frilled,

irregularly lobed, with rim entire. Mid-season.  
Nomenclatural Standard: colour print supplied by  
registrant (WSY0117128)

**'Tropical Punch' 4 Y-P**

(Stephen J.Vinisky, 1999) Stephen J.Vinisky, 2010  
'Baldock' × 'Capree Elizabeth'; sdlg no. V94-43-7  
Fl. 94mm wide; perianth segments 42mm long.  
Late. Sunproof

**'Trudith' 2 Y-R**

(M.E.Brogden, 1998) Brogden Bulbs, 2010  
'Trudie May' × sdlg 186/21 ('Kiwi Moon' × 'Some  
Day'); sdlg no. BB 3-01-1  
Fl. rounded, 107mm wide; perianth segments  
46mm long, very broadly ovate in outline, rounded  
at apex, mid-yellow, spreading, plane, smooth and of  
heavy substance, overlapping half; corona 22mm  
long, bowl-shaped, smooth, deep orange-red, mouth  
straight and even, with rim entire. Mid-season.  
Etymology: nickname of hybridiser's granddaughter

**'Try Line' 3 W-YR**

(J.A.Hunter, 1991) J.A.Hunter, 2010  
'Challenge' × 'Waipaoa'; sdlg no. 18/86A  
Fl. forming a double triangle, 115mm wide; perianth  
segments 45mm long, ovate, white, spreading, plane,  
smooth and of heavy substance, overlapping; corona  
12mm long, bowl-shaped, ribbed, vivid yellow 15A,  
with red (34A) at rim, mouth flared and wavy.  
Mid-season. Slightly scented

**'Twinkling Yellow' 7 Y-Y**

(Walter J.M.Blom) J.S.Pennings, 2010  
A selection from *N. jonquilla* var. *henriquesii*  
Fls 3–5 per stem, 40mm wide, vivid yellow 9A;  
perianth segments 18mm long, oblong in outline,  
rounded at apex, prominently mucronate, spreading,  
plane, or with margins a little incurved, smooth,  
overlapping a quarter; the inner segments ovate,  
blunt, less prominently mucronate; corona 7mm  
long, cup-shaped, smooth, mouth straight, even,  
deeply three-lobed, with each of the three lobes  
shallowly bi-lobed and with rim entire. Dwarf.  
Early. Strongly and sweetly scented.  
Nomenclatural Standard: herbarium specimen

collected from Trial (WSY0096906)  
AGM 2009

**'Universal Charm' 2 YYW-W**

(R. & E.Havens) R. & E.Havens, 2010  
'Limequilla' × 'American Frontier'; sdlg no. MH28/1  
Fl. 80mm wide; perianth segments 34mm long, very  
broadly ovate, blunt, mucronate, lemon yellow, with  
a band of white at base, spreading to a little reflexed,  
slightly concave, smooth and of heavy substance,  
overlapping half; the inner segments narrower, ovate,  
blunt; corona 20mm long, cup-shaped, long, smooth,  
opening buffish yellow, becoming white, mouth a little  
expanded and lightly frilled, with rim entire. Late.  
Nomenclatural Standard: colour print supplied by  
registrant (WSY0117131)

**'Upbeat' 2 W-WWO**

(O. David Niswonger, 1994) O. David Niswonger, 2010  
'Pastel Gem' × 'Loch Lundie'; sdlg no. 7-94  
Fl. 70mm wide; perianth segments 30mm long,  
white; corona 19mm long, white, with a band of  
pinkish orange at rim. Mid-season. Sunproof

**'Verdant Sparks' 7 G-G**

(H.Koopowitz) H.Koopowitz, 2010  
*N. viridiflorus* × *N. jonquilla*; sdlg no. 00-008/1  
Fls 2–3 per stem, 27mm wide; perianth segments  
12mm long, lanceolate in outline, acute at apex,  
yellow-green (153A), spreading, plane or with  
margins incurved, smooth and of heavy substance,  
separated; the inner segments narrower; corona  
2mm long, cup-shaped, smooth, yellow-green  
(152C), mouth expanded, even and lobed, with rim  
crenate. Dwarf. Autumn-flowering. Strongly scented

**'Wakamarina' 2 Y-Y**

(J.A.Hunter) J.A.Hunter, 2010  
( 'Valley Gold' × [ 'Moon Dream' × 'King's  
Ransom' ] ) × 'Comal'; sdlg no. 68/95A  
Fl. forming a double triangle, 107mm wide; perianth  
segments 45mm long, ovate, vivid yellow 13A,  
spreading, plane, smooth and of heavy substance,  
overlapping; corona 35mm long, cylindrical, slightly  
ribbed, vivid yellow 12A, mouth slightly flared and  
wavy; Mid-season to late

**‘Wakerley Wood’ 1 WWY-Y**

(John Gibson) John Gibson, 2010  
‘Elmbridge’ × ‘Stormy Weather’; sdlg no. 122/10/98  
Fl. 106mm wide; perianth segments 44mm long, very broadly ovate in outline, rounded at apex, white, with a narrow band of brilliant greenish yellow 6B at base, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments significantly narrower, blunt at apex; corona 49mm long, cylindrical, smooth, brilliant greenish yellow 6B, mouth flared, lightly ribbed, wavy, with rim rolled and irregularly dentate. Mid-season.  
Nomenclatural Standard: colour print supplied by registrant (WSY0117132)

**‘Wangawinna’ 2 W-W**

(J.F.McLennan, 1995) J.F.McLennan, 2010  
Sdlg (Mrs L. Simpson 1W-W) × ‘Merry Princess’; sdlg no. 95-41  
Fl. forming a double triangle, 110mm wide; perianth segments broad, oblong to ovate, blunt, mucronate, white, spreading, plane, smooth and of heavy substance, overlapping one-third to a half; the inner segments narrower, more nearly ovate, less prominently mucronate; corona funnel-shaped, smooth, opening light yellow, becoming white, mouth narrowly flared, lightly ribbed, a little wavy, with rim minutely crenate. Mid-season

**‘Welland Vale’ 1 Y-Y**

(John Gibson, 1995) John Gibson, 2010  
‘Tenterfield’ × ‘Corbiere’; sdlg no. C6-91  
Fl. 106mm wide; perianth segments 44mm long, broadly ovate, blunt, vivid yellow 9A, with prominent white mucro, spreading, plane or with margins slightly incurved at apex, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 46mm long, funnel-shaped, angled, vivid yellow 13A, mouth a little expanded, wavy and broadly ribbed, with rim crenate. Mid-season.  
Nomenclatural Standard: colour print supplied by registrant (WSY0117134)

**‘Wellspring’ 5 Y-Y**

(R. & E.Havens, 1989) R. & E.Havens, 2010  
‘Hillstar’ × *N. triandrus* subsp. *triandrus* var. *triandrus*; sdlg no. Y93/37  
Fls 4–5 per stem, 70mm wide, facing down; perianth segments 30mm long, oblong in outline, blunt at apex, mucronate, lemon yellow, reflexed, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, ovate, blunt, less prominently mucronate; corona 18mm long, cup-shaped, smooth, a shade lighter than the perianth segments, mouth straight, narrowly and very lightly ribbed, even, with rim entire. Late.  
Nomenclatural Standard: colour print supplied by registrant (WSY0117135)

**‘Whatsthis’ 1 Y-Y**

(M.E.Brogden) Brogden Bulbs, 2010  
‘Impeccable’ × ‘Reward’; sdlg no. BB 7-5-02  
Fl. forming a double triangle, 90mm wide, deep yellow; perianth segments 35mm long, blunt, spreading, plane, smooth, overlapping half; the inner segments narrower, twisted; corona 43mm long, cylindrical, ribbed, with mouth wavy and rim slightly flanged. Mid-season

**‘White October’ 2 W-W**

(M.E.Brogden, 1995) Brogden Bulbs, 2010  
‘Silver Kiwi’ × ‘Croila’; sdlg no. BB 0-48-14  
Fl. 108mm wide; perianth segments 45mm long, very broadly ovate, blunt, slightly mucronate, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, slightly truncate, less prominently mucronate; corona 28mm long, cup-shaped, angled, mouth straight and lightly frilled, with rim dentate and narrowly flanged. Late.  
Etymology: flowers in October, which is late for New Zealand

**‘Whitford Charm’ 9 W-GYR**

(M.Hamilton) M.Hamilton, 2009  
Sdlg × sdlg  
Fl. 65mm wide; perianth segments 30mm long, roundish, scarcely mucronate, a little reflexed, plane, smooth and of heavy substance, overlapping half or

more; the inner segments broadly ovate, truncate, not noticeably mucronate, more nearly spreading; corona 3mm long, disc-shaped, narrowly ribbed, mouth even, with rim dentate. Mid-season. Strongly scented

**‘Whitford Companion’ 4 Y-O**

(M.Hamilton, 1998) M. Hamilton, 2009

Sdlg × ‘Kiwi Sunset’; sdlg no. 20-98

Fl. rounded, 95mm wide; perianth and other petaloid segments in several whorls, vivid yellow 14B, the outer whorls 35mm long, roundish, broad, slightly mucronate, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments broadly ovate, blunt; the inner whorls becoming successively shorter, concave and more inflexed; corona segments of the same length and half the width of the petaloid segments, interspersed among the inner whorls, roundish, orange (28A), paling to base, with margins wavy, becoming successively inflexed and curled inwards towards centre. Early. Nomenclatural Standard: colour print supplied by registrant (WSY0117136)

**‘Whitford Delight’ 2 Y-P**

(M.Hamilton) M.Hamilton, 2009

‘Baldock’ × sdlg (2 Y-P); sdlg no. 44-09

Fl. 95mm wide; perianth segments 40mm long, very broadly ovate, blunt, yellow, touched white at mucro, spreading, plane, smooth, overlapping half; the inner segments narrower; corona 35mm long, funnel-shaped, smooth, pink, mouth narrowly flared, lightly frilled, with rim crenate. Early. Sweetly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0117137)

**‘Whitford Double Gold’ 4 Y-Y**

(M.Hamilton) M.Hamilton, 2009

‘James William Maxwell’ × sdlg (4 Y-Y); sdlg no. 21-09

Fl. 110mm wide; perianth and other petaloid segments vivid yellow 14A, with white mucro, in three whorls; the outer whorl 42mm long, broadly ovate, blunt, spreading, plane, with margins a little wavy, smooth and of heavy substance, overlapping one-third; the inner segments narrower; the middle whorl ovate, with margins incurled, a little inflexed; the central whorl very short, deeply inflexed and

folded inwards from midrib; corona segments 38mm long, vivid yellow 17B, in three whorls; the outer whorl almost as long as the petaloid segments, a little inflexed, with margins wavy; the middle whorl half the length of the middle petaloid segments, broad, spreading, overlapping; the central whorl very short, deeply inflexed and folded inwards from midrib. Early. Sweetly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117138)

**‘Whitford Fairy’ 9 W-GYP**

(M.Hamilton) M.Hamilton, 2009

Sdlg × sdlg; sdlg no. 26-08

Fl. 70mm wide; perianth segments 32mm long, oblong in outline, blunt at apex, prominently mucronate, white, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments broadly ovate, shouldered at base, less prominently mucronate; corona 2mm long, disc-shaped, narrowly ribbed, yellow, with green at base and a narrow band of light yellowish pink 36C at rim, mouth wavy, with rim crenate. Late. Sweetly scented

**‘Whitford Friend’ 9 W-GYR**

(M.Hamilton) M.Hamilton, 2009

Sdlg × ‘Tino Pai’; sdlg no. 86-04

Fl. 50mm wide; perianth segments 20mm long, roundish, prominently mucronate, spreading, plane, smooth, overlapping half or more; the inner segments narrower, not noticeably mucronate; corona 4mm long, disc-shaped, smooth, mouth narrowly ribbed, slightly wavy, with rim crenate. Strongly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117139)

**‘Whitford Gem’ 7 Y-Y**

(M.Hamilton, 1999) M.Hamilton, 2009

Sdlg (*N. jonquilla* var. *benriquesii* × *N. jonquilla*) × sdlg (*N. jonquilla* × *N. fernandesii* var. *cordubensis*); sdlg no. 61-06

Fls 3 to 4 per stem, 28mm wide, brilliant yellow 14C; perianth segments 10mm long, broadly ovate, blunt, prominently mucronate, a little reflexed,

plane, smooth, overlapping one-third to a half; the inner segments narrower, less prominently mucronate; corona 4mm long, bowl-shaped, smooth, mouth a little expanded, lightly ribbed, with rim entire. Early. Strongly scented

**‘Whitford Hope’ 9 W-GYR**

(M.Hamilton) M.Hamilton, 2010

Sdlg × sdlg; sdlg no. 92-05

Fl. rounded, 60mm wide; perianth segments 27mm long, roundish, truncate, prominently mucronate, slightly reflexed, plane, smooth and of heavy substance, overlapping half or more; the inner segments a little narrower, not noticeably mucronate; corona 4.5mm long, disc-shaped, smooth, mouth slightly expanded, thickly ribbed, a little wavy, with rim crenate. Mid-season. Sweetly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117140)

**‘Whitford Journey’ 9 W-GYR**

(M.Hamilton) M.Hamilton, 2010

Sdlg × sdlg; sdlg no. 81-04

Fl. 65mm wide; perianth segments 28mm long, very broadly ovate, blunt, truncate, prominently mucronate, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments narrower, not noticeably mucronate; corona 4mm long, disc-shaped, broadly ribbed, mouth even, with rim crenate. Mid-season. Sweetly scented

**‘Whitford Joy’ 9 W-GYR**

(M.Hamilton) M.Hamilton, 2009

Sdlg × sdlg; sdlg no. 168-03

Perianth segments very broad, roundish, truncate, slightly mucronate, spreading, plane to a little concave, smooth and of heavy substance, overlapping half or more; the inner segments a little narrower, not noticeably mucronate, more nearly plane; corona disc-shaped, broadly ribbed, mouth a little wavy, with rim crenate. Mid-season. Strongly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117141)

**‘Whitford Miniskirt’ 9 W-GYR**

(M.Hamilton) M.Hamilton, 2010

Sdlg × sdlg; sdlg no. 21-04

Fl. 46mm wide; perianth segments 19mm long, very broad, roundish, prominently mucronate, a little reflexed, plane, smooth and of heavy substance, overlapping half; the inner segments a little narrower, less prominently mucronate; corona 3mm long, disc-shaped, broadly ribbed, mouth a little wavy, with rim crenate. Late. Sweetly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117142)

**‘Whitford Moonlight’ 2 Y-Y**

(M.Hamilton) M.Hamilton, 2009

Parentage unknown; sdlg no. 55-03

Fl. forming a double triangle, 100mm wide, light greenish yellow 4B; perianth segments 45mm long, broadly ovate, blunt, with prominent, pale mucro, spreading, plane or with margins slightly incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate, a little inflexed; corona 38mm long, funnel-shaped, smooth, mouth flared, broadly ribbed, wavy, with rim entire. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0117143)

**‘Whitford Old Timer’ 2 Y-Y**

(M.Hamilton, 1974) M.Hamilton, 2009

Sdlg × sdlg; sdlg no. 1-74

Fl. forming a double triangle, 105mm wide; perianth segments 45mm long, very broad, rounded at apex, vivid yellow 9A, plane or with margins incurved, smooth and of heavy substance; corona 35mm long, funnel-shaped, smooth, vivid yellow 15A, mouth ribbed, with rim flanged and crenate. Mid-season

**‘Whitford Place’ 1 YYW-WWY**

(M.Hamilton) M.Hamilton, 2009

‘Golden Mydon’ × sdlg (1 Y-W)

Fl. 105mm wide; perianth segments 42mm long, broadly ovate, blunt, brilliant greenish yellow 5A, with white at mucro and in a narrow band at base, spreading, plane or a little concave, smooth and of heavy substance, overlapping half; the inner

segments narrower, less prominently mucronate; corona 44mm long, funnel-shaped, smooth, opening brilliant greenish yellow 5A, becoming white, with a band of yellow at rim, mouth flared, broadly ribbed, a little wavy, with rim minutely crenate. Mid-season

**‘Whitford Snowcloud’ 9 W-GWW**

(M.Hamilton) M.Hamilton, 2010

‘Moyle’ × sdlg; sdlg no. 133-03

Fl. rounded, 65mm wide; perianth segments 28mm long, roundish in outline, blunt at apex, plane to a little concave, of heavy substance; corona 3mm long, disc-shaped, mouth ribbed, with rim crenate. Late. Sweetly scented

**‘Whitford Snowflake’ 9 W-W**

(M.Hamilton) M.Hamilton, 2010

Sdlg (9 W-W) × sdlg (9 W-W); sdlg no. 42-09

Fl. rounded, 65mm wide; perianth segments 28mm long, roundish in outline, with margins incurling, smooth and of heavy substance; corona 3mm long, disc-shaped, mouth broadly ribbed, frilled, with rim crenate. Late. Sweetly scented

**‘Whitford Snowstorm’ 9 W-GWW**

(M.Hamilton) M.Hamilton, 2010

Sdlg (9 W-W) × sdlg (9 W-W); sdlg no. 62-09

Fl. 66mm wide; perianth segments 30mm long, very broad, roundish in outline, truncate at apex, prominently mucronate, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments broadly ovate, blunt, less prominently mucronate; corona 3mm long, disc-shaped, smooth, mouth heavily frilled, with rim crenate. Sweetly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0117144)

**‘Whitford Song’ 9 W-GYR**

(M.Hamilton) M.Hamilton, 2010

Sdlg × sdlg; sdlg no. 85-04

Fl. 60mm wide; perianth segments 24mm long, ovate, blunt, plane, smooth and of heavy substance; corona 4mm long, disc-shaped, smooth, mouth frilled, with rim crenate. Mid-season. Sweetly scented

**‘Whitford Star’ 9 W-GYR**

(M.Hamilton) M.Hamilton, 2009

Sdlg × ‘Cranleigh’; sdlg no. 127-03

Fl. 62mm wide; perianth segments 28mm long, roundish in outline, blunt at apex, scarcely mucronate, slightly reflexed, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments narrower, with midrib showing; corona 4mm long, disc-shaped, smooth, mouth narrowly ribbed, even, with rim dentate. Tall. Late. Strongly scented

**‘Whitford Sunbeam’ 7 Y-Y**

(M.Hamilton) M.Hamilton, 2010

Sdlg (2 Y-Y) × *N. jonquilla*; sdlg no. 55-06

Fls 3 per stem, 57mm wide, vivid yellow 15A; perianth segments 25mm long, ovate, blunt, with white mucro, a little inflexed, with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, not noticeably mucronate; corona 10mm long, cup-shaped, smooth, mouth straight, a little wavy, with rim entire. Mid-season. Sweetly scented

**‘Whitford Sunrise’ 1 W-O**

(M.Hamilton) M.Hamilton, 2009

‘Crucial Point’ × sdlg (2 W-O); sdlg no. 51-00

Fl. forming a double triangle, 105mm wide; perianth segments 45mm long, ovate, blunt, prominently mucronate, white, spreading, plane, smooth, overlapping one-third; the inner segments narrower, acute at apex; corona 45mm long, funnel-shaped, smooth, orange (23A), paling to base, mouth narrowly flared, regularly ribbed, wavy, with rim crenate. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0117145)

**‘Whitford Sunset’ 1 W-O**

(M.Hamilton) M.Hamilton, 2009

‘Whitford Sunrise’ × sdlg; sdlg no. 7-07

Fl. forming a double triangle, 100mm wide; perianth segments 40mm long, ovate in outline, acute at apex, prominently mucronate, white, spreading, plane, smooth, overlapping one-third; the inner segments a little narrower; corona 41mm long, funnel-shaped,

smooth, strong orange 25A, mouth flared, narrowly ribbed, wavy, with rim crenate. Early.  
Nomenclatural Standard: colour print supplied by registrant (WSY0117146)

**‘Whitford Tutu’ 8 W-W**

(M.Hamilton) M.Hamilton, 2010  
sdlg no. 26-06  
Fls 3 per stem, 60mm wide; perianth segments 25mm long, roundish in outline, blunt at apex, spreading, concave, smooth and of heavy substance, overlapping half; the inner segments less prominently mucronate, deeply concave; corona 10mm long, cup-shaped, smooth, mouth a little expanded, even, with rim crenate. Mid-season. Sweetly scented

**‘Winter Beauty’ 10 Y-Y**

(Walter J.M.Blom) Walter J.M.Blom, 2010  
*N. bulbocodium* sdlg (8-18) × *N. cantabricus* subsp. *monophyllus*; sdlg no. 869-4  
Fl. 30mm wide; perianth segments 15mm long, lanceolate, acute, light greenish yellow 3C, spreading, plane, with margins a little wavy, smooth and of heavy substance, irregular (6–10 segments per flower), separated; corona 20mm long, bowl-shaped, narrowly ribbed, brilliant greenish yellow 3A, mouth widely expanded, slightly wavy, with rim dentate. Dwarf. Very early. Sweetly scented.  
Nomenclatural Standard: colour print supplied by registrant (WSY0117147)

**‘Woodlark’ 7 W-O**

(R. & E.Havens) R. & E.Havens, 2010  
‘Fertile Crescent’ open pollinated; sdlg no. NHO5/3  
Fls 2–3 per stem, 65mm wide; perianth segments 28mm long, ovate, blunt, not noticeably mucronate, opening off-white, becoming flushed with orange, spreading, with margins a little incurved, smooth and of heavy substance, overlapping half; the inner segments a little narrower; corona 15mm long, cup-shaped, angled, deep orange, with a lighter tone at rim, mouth straight, regularly ribbed and wavy, with rim minutely crenate. Late. Sunproof. Sweetly scented.  
Nomenclatural Standard: colour print supplied by registrant (WSY0117148)

**‘Zabeel’ 2 Y-Y**

(P.D.K.Ramsay) P.D.K.Ramsay, 2010  
‘Ah Gee’ × ‘Sir Tristram’; sdlg no. 05:17  
Fl. forming a double triangle, 120mm wide; perianth segments 43mm long, ovate in outline, rounded at apex, spreading, plane, or with margins incurling, smooth and of heavy substance, overlapping half; corona 22mm long, funnel-shaped, smooth, mouth flared, even, with rim dentate. Early.  
Etymology: named after the New Zealand stallion (son of Sir Tristram)

**‘Zapper’ 2 Y-O**

(Robin Brown) Alan J.Brown, 2010  
‘Loch Hope’ × ‘Atro’  
Fl. to 100mm wide; perianth segments to 44mm long, very broadly ovate in outline, rounded at apex, slightly mucronate, brilliant yellow 12B, spreading, concave, smooth and of heavy substance, overlapping half or more; the inner segments narrower, blunt at apex; corona to 19mm long, bowl-shaped, smooth, strong orange 24A, with a band of 21A at base and a narrow band of 28A at rim, mouth expanded, broadly ribbed, wavy and obscurely 6-lobed, with rim crenate. Mid-season. Sunproof. Sweetly scented.  
Nomenclatural Standard: colour print supplied by registrant (WSY0117149)

**‘Zilch’ 1 W-P**

(J.A.Hunter, 1995) J.A.Hunter, 2010  
‘Karanja’ × R.P. Cook sdlg (1 W-P) × ‘Eiko’; sdlg no. 55/90A  
Fl. forming a double triangle, 120mm wide; perianth segments 50mm long, broadly ovate, white, spreading, plane, smooth and of heavy substance, overlapping; corona 54mm long, cylindrical, smooth, light yellow 11B, flushed shell pink, mouth flared, wavy, with rim rolled. Mid-season

## ADDITIONS AND AMENDMENTS TO THE INTERNATIONAL DAFFODIL REGISTER AND CLASSIFIED LIST (2008) AND SUPPLEMENTS 1 & 2

The compilers are grateful to those who have drawn attention to omissions from the *International Daffodil Register* and its Supplements, pointed out errors, suggested changes or supplied new information.

Amendments to cultivar names, divisions, colour codes, parentages, originators and registrants will usually be published in an annual Supplement. Amendments to descriptions will usually only be published in a new edition of the Register. However, all amendments will be published on the internet, in a regular updating of the Register posted on the RHS website at [www.rhs.org.uk/Plants/Plant-science/Plant-registration/Daffodils](http://www.rhs.org.uk/Plants/Plant-science/Plant-registration/Daffodils)

### SUPPLEMENTS

#### Additions to the First Supplement (2007–2008)

‘Suzi Quatro’ 7 Y-O      Syn. of ‘Andrew’s Choice’

#### Amendments to the Second Supplement (2008–2009)

‘Burt House’              Add: AM 2010  
‘Emerald City’            Add: PC 2010  
‘Little Alice’             Add: PC 2010  
‘Sheila Renton’          Add: Nomenclatural Standard: photographic transparency supplied by registrant (WSY0112724)  
‘Whitford Supreme’      Add: Nomenclatural Standard: colour print supplied by registrant (WSY0117152)

### INTERNATIONAL DAFFODIL REGISTER (2008)

#### Additions to the Register

‘Lemon Drops’ 5 W-Y      Syn. of ‘Dutch Lemon Drops’

#### Amendments to the Register

**NB** Notes of variability do not alter the classification (see p. 2, Note 1)

‘Amazing Grace’          Add: PC 2010  
‘Angel’s Breath’          Add: PC 2010  
‘Bon Viveur’              Alter classification to : 11b  
‘Butterfly’ 4 W-Y.        Remove syn.: ‘Stella Superba’  
‘Camaraderie’            Add: PC 2010  
‘Camborne’               Add: PC 2010  
‘Carib’                     Add: PC 2010  
‘Causeway Sunset’       Add: PC 2010  
‘Cottage Maid’            Alter First Flowering Date to: pre-1919. Add: Spurrell ob. 1919  
‘Dreamlight’              Add: Wister Award 2010

|                                      |  |
|--------------------------------------|--|
| 'F.C.J. Spurrell'                    | Alter First Flowering Date to: pre-1919. Add: Spurrell ob. 1919  |
| 'Flashback'                          | PC: 2010   |
| 'Gold Medal'                         | Add: AGM 2010  |
| 'Great Gatsby'                       | Add: AGM 2006  |
| 'Greek Surprise'                     | Add: AM 2010   |
| 'Handsome Lake'                      | Add pollen parent: 'Lod'. Remove 'Lod' from sdlg no.   |
| 'Henry Blake'                        | Alter First Flowering Date to: pre-1919. Add: Spurrell ob. 1919  |
| 'Henry Vaughan'                      | Add corona colour: R   |
| 'Hummingbird'                        | Add: PC 2010   |
| 'Ice Chimes'                         | Change colour code to W-Y. Add note to perianth segment description: opening yellow, paling to ivory yellow and becoming white   |
| 'Idol'                               | Alter division to: 7   |
| 'India'                              | Alter AGM date to: 2006  |
| 'Jammin'                             | Add: AM 2010   |
| 'Lady Ogilviy Dalgleish'             | Alter First Flowering Date to: pre-1919. Add: Spurrell ob. 1919  |
| 'Lemon Puff'                         | Note change of colour code from 4 Y-Y to 4 W-Y. Alter sdlg no. to: V91-10-3  |
| 'Little Alice'                       | Add: PC 2010   |
| 'Little Lulu'                        | Alter sdlg no. to: 93-6-3  |
| 'Maria Pia'                          | Add: PC 2010   |
| 'Misty Glen'                         | Add: Wister Award 2010   |
| 'Mrs Camm'                           | Alter syn to: Syn. of 'Mrs J.B.M. Camm'  |
| 'Noevia'                             | Remove: Syn. of 'Naevia'. Add Syn. 'Naevia'  |
| 'Ohio'                               | Add pollen parent: 'Brahms'. Remove 'Brahms' from sdlg no.   |
| 'Oregon Lights'                      | Alter sdlg no. to: REH26/1   |
| 'Oregon Pioneer'                     | Add: Pannill Award 2010  |
| 'Pequenita'                          | Add: PC 2010   |
| 'Queen Mum'                          | Alter Seed Parent to: 'Preamble'   |
| <i>N. × raianus</i>                  | In List of Botanical Names ensure tilde on a in author name Leitão   |
| <i>N. romieuxii</i> subsp.           | Add: PC 2010   |
| <i>albidus</i> var. <i>zaianicus</i> |  |
| 'Strines'                            | Add: AGM 2010  |
| 'Sun Disc'                           | Add: Wister Award 2010   |
| 'Tapin'                              | Add pollen parent: 'White Knight'. Remove 'White Knight' from sdlg no.   |
| <i>N. triandrus</i> subsp.           | In List of Botanical Names alter reference to: (Graells) Rivas Goday in Veg. Fl. Guadiana: 710 (1964); in Botanical Classification (Section Ganymedes, <i>triandrus</i> ), |
| <i>pallidulus</i>                    | change entry to: <i>triandrus</i> subsp. <i>pallidulus</i> (Graells) Rivas Goday   |
| Veg. Fl. Guadiana                    | In list of Abbreviations add: <b>Veg. Fl. Guadiana</b> Rivas Goday, S., Vegetación y Flórua de la Cuenca Extremeña del Guadiana (1964)                                     |
| 'Xit'                                | Add: PC 2010   |
| 'Yellow River'                       | Add: AGM 2010  |
| 'Yellow Xit'                         | Add: PC 2010   |

#### Additions to the List of Originators and Registrants

|               |                                 |
|---------------|---------------------------------|
| Fluwel        | Burgerbrug, the Netherlands     |
| Higgins, Clay | Harbinger, North Carolina, USA  |
| Kuiper, C.    | Egmond aan Zee, the Netherlands |


Maveridge International Sint Maarten, the Netherlands  
McKenzie, Loyce Madison, Mississippi, USA  
McQuarrie, Denise E. Motueka, New Zealand  
Nyikos, Frank Unionville, Indiana, USA

**Amendments to the List of Originators and Registrants**

Archibald, J.C. d. 2010  
Hamilton, Max d. 2010  
Parton, Mrs M. d. 2010  
Spurrell, Miss Katherine Add date of birth: 1852. Alter date of death to: 1919

## Illustrations of descriptive terms

### FLOWER



*star-shaped*



*double triangle*




*rounded*

### PERIANTH SEGMENTS



*reflexed*



*inflexed*



*spreading*



*plane*



*concave*



*twisted*



*ovate*



*very broadly  
ovate*



*oblong*



*obovate*



*shouldered  
at base*



*spatulate*



*acute*



*blunt*



*mucronate*



*truncate*

### CORONA - from the side

### - section



*cylinder*



*funnel*



*cup*



*bowl*



*disc*



*smooth*



*angled*



*ribbed*

### CORONA MOUTH - from the side

### - section



*straight*



*flared*



*even*



*wavy*



*frilled*



*lobed*

### CORONA RIM - from the side

### - section




*flanged*



*rolled*



*entire*



*dentate*



*crenate*

ISBN 978-1-907057-20-5



9 781907 057205 >