



Royal  
Horticultural  
Society

Sharing the best in Gardening

# The International Daffodil Register & Classified List (2008)

*Sixth Supplement*



© 2014 The Royal Horticultural Society  
80 Vincent Square, London SW1P 2PE, United Kingdom  
[www.rhs.org.uk](http://www.rhs.org.uk)

International Daffodil Registrar:  
Melanie Underwood

All rights reserved. No part of this book may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the copyright holder

ISBN 9781907057502

Printed and bound in the UK by Page Bros, Norwich

The previous supplement (Fifth Supplement) was published on 20 December 2012

*Cover:* “Narcissus cyclamineus, Johnstoni and Triandrus albus”  
from 1887 Barr and Son daffodil catalogue.  
Image courtesy of RHS Lindley Library

**SIXTH SUPPLEMENT**  
to  
**THE INTERNATIONAL DAFFODIL REGISTER AND CLASSIFIED LIST (2008)**  
**2012–2013**

The daffodil names listed here are supplementary to the *International Daffodil Register (2008)*; they were registered between 1 July 2012 and 30 June 2013. They are followed by a list of some other recent additions and amendments to the Register.

<b>Registration</b>	<b>page 1</b>
<b>Notes on classification and description</b>	<b>page 2</b>
<b>Registrations 2012–2013</b>	<b>page 3</b>
<b>Additions and amendments to previous Supplements and the <i>International Daffodil Register (2008)</i></b>	<b>page 24</b>
<b>Award of Garden Merit (AGM) Review 2012</b>	<b>page 25</b>
<b>Additions to the List of Botanical Names in the Genus <i>Narcissus</i></b>	<b>page 26</b>
<b>Additions to the Botanical Classification</b>	<b>page 27</b>
<b>Illustrations of descriptive terms</b>	<b>page 28</b>

### REGISTRATION

Hybridizers, raisers and other introducers of daffodils are urged to ensure that the names of new plants are registered and are reminded that registration should preferably take place before plants are released or catalogued. Registration is conducted by The Royal Horticultural Society, International Cultivar Registration Authority for the genus *Narcissus*. Application forms are available from:

- The International Daffodil Registrar: Mrs Melanie Underwood  
RHS Garden Wisley, Woking, Surrey GU23 6QB, UK  
*Fax* (44) 01483 211750  
*Email* melanieunderwood@rhs.org.uk
- The National Daffodil Registrar (the Netherlands): Drs J. van Scheepen  
KAVB, Postbus 175, 2180 AD Hillegom, the Netherlands  
*Fax* (31) 2525 369 51  
*Email* vanscheepen@kavb.NL
- The National Daffodil Registrar (Czech Republic): Ing. Ivan Karakoz  
ul. Zizkova cp. 1539, 274 01 Slaný, Czech Republic  
*Email* Karakoz@seznam.cz
- The National Daffodil Registrar (USA): Mrs Mary Lou Gripshover  
1686 Grey Fox Trail, Milford, Ohio 45150, USA  
*Tel* 001 513 248 9137  
*Email* mgripshover@cinci.rr.com
- The National Daffodil Registrar (Japan): Miss Eri Komoriya  
1196 Ohkido-Cho, Midori-ku, Chiba-City, Chiba 267-0057, Japan  
*Fax* 81-43-294-8504  
*Email* rxe12572@nifty.ne.jp
- The National Daffodil Registrar (Australia): Mrs Jennie Jamieson  
11 Bromley Place, Kingsley, WA 6026, Australia  
*Fax* (61) 89 409 1156  
*Email* ndaaliaison@hotmail.com
- The National Daffodil Registrar (New Zealand): Mr Wilfred Hall  
105 Wallace Loop Rd, Ihakara, RD1 Levin, New Zealand 5571  
*Email* wilshe@xtra.co.nz

Once registered, names and classifications may be changed only with the agreement of the International Cultivar Registration Authority, upon application to the International Registrar.

## NOTES ON CLASSIFICATION AND DESCRIPTION

### Note 1 – on classification

The combination of division and colour code assigned here (or as amended in any future Supplement) is the registered classification, to be observed, for example, when schedules require cultivars to be shown “as registered”. The registered classification is not altered by any note of variable measurement or colour. (See p24 for any notes of variability in previous registrations.)

### Note 2 – on colour coding

Guidelines on colour coding, including those on distinguishing between Yellow and Orange and between Orange and Red appear in the Register and on registration forms. It is at the registrant's discretion to distinguish White from Yellow or Green, Yellow from Green, or Pink from the paler tones of Orange or Red.

In addition:

#### – green at corona base

The green at the base of a corona, whether in the tube or in the corona itself, may be included in the colour code if it is prominent and plain to see. Registrants are advised to include it only if it is consistent from year to year.

#### – non-concentric colours

When coding colours in perianth or corona that appear in radial rather than concentric bands, or in a flare from the base, or in flecks or splashes: start with a letter for the predominant colour; proceed with an oblique line; follow with the letter(s) (in any order) for the non-predominant colour(s).

For example, a yellow flower with a white streak along the midrib of the perianth segments would be Y/W-Y; a white flower with radial bands of orange and yellow on the corona segments would be W-W/OY.

### Note 3 – on colour terms

Colour Chart numbers in registered descriptions, e.g. 25B in 'Amadeus Mozart', are from the *RHS Colour Chart* (1966 (reprinted 1986), 1995, 2001, 2007). Colour names followed by Chart numbers without brackets are equivalents adopted by the RHS for all its international registers. They are taken from the Universal Colour Language in the Inter-Society Color Council-National Bureau of Standards colour-name system. Colour names followed by Chart numbers with brackets or by no numbers at all are those supplied by the registrant.

### Note 4 – on description

Registered descriptions are drawn up from application forms and, whenever possible, from photographs and actual specimens too. The Registrar would welcome readers' comments on the accuracy of all descriptions.

Illustrations of descriptive terms appear on p28.

### Note 5 – on height

Stem heights in registered descriptions may be taken to be Standard (325–675 mm) unless otherwise stated, when they will be described as Dwarf (less than 325 mm) or Tall (more than 675 mm).

### Note 6 – on Standards

The Standard noted at the end of some descriptions is the designated herbarium specimen or illustration forming a permanent record of the distinguishing characteristics of the cultivar and fixing the cultivar name.

## REGISTRATIONS 2012–2013

The following cultivar names were registered between 1 July 2012 and 30 June 2013 by The Royal Horticultural Society, International Cultivar Registration Authority for the genus *Narcissus*.

To access the *International Daffodil Register and Classified List (2008)* on the internet, go to [www.rhs.org.uk/Plants/Plant-science/Plant-registration/Daffodils](http://www.rhs.org.uk/Plants/Plant-science/Plant-registration/Daffodils)

Entries follow the style of those in the *International Daffodil Register and Classified List (2008)* and may be interpreted accordingly (see p10 in the Register).

The seed parent is given before the pollen parent.

### '42nd Street' 2 W-R

(O.David Niswonger, 2002) O.David Niswonger, 2013 'Ken's Favorite' × sdlg 22-96; 13-86; sdlg no. 31-02 Fl. 89mm wide; perianth segments 38mm long, ovate, truncate, mucronate, plane, a little creased and of heavy substance, overlapping half; the inner segments, narrower, scarcely mucronate; corona 25mm long, cylindrical, smooth, mouth very broadly flared, ribbed, wavy and irregularly lobed, with rim minutely crenate. Sunproof. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0126083)

### 'Amadeus Mozart' 2 W-O

(Leenen Innovation) Leenen Innovation, 2012 Fl. forming a double triangle, 85mm wide, facing upwards; perianth segments 40mm long, very broad, truncate, mucronate, greenish white 155C, spreading, plane or with margins incurving, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 36mm long, bowl-shaped, ribbed, yellow-orange (17A), with a very broad band of strong orange 25B at rim, mouth expanded, heavily frilled, lobed, with rim flanged and crenate. Sunproof. Sweetly scented. Mid-season.

### 'Amalgamation' 2 W-P

(Brian S.Duncan, 2001) Brian S.Duncan, 2013 'Zion Canyon' × 'Eastern Promise'; sdlg no. 2294 Fl. 110mm wide; perianth segments 45mm long, very broadly ovate, blunt, slightly mucronate, white, spreading, plane or with margins a little incurved, smooth; the inner segments narrower and shouldered at base; corona 22mm long, cup-shaped, smooth, coral pink, with darker tones at mouth and a narrow band of a paler tone at rim, mouth a little expanded, lightly and irregularly lobed, with rim minutely crenate. Sunproof. Late. Nomenclatural Standard: colour print supplied by registrant (WSY0126002)

### 'Amanda Jo' 2 W-P

(Colin Crotty) Colin Crotty, 2013 'Wild Star' × 'Neon Blaze'; sdlg no. 31-05 Fl. rounded, 95mm wide; perianth segments 37mm long, very broad, roundish, greenish white (155A), spreading, plane or with margins slightly incurved,

smooth and of membranaceous substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 22mm long, cup-shaped, smooth, strong yellowish pink 37B, paler at rim, mouth expanded, lightly frilled and ribbed, with rim dentate. Mid-season to late. Sunproof. Strongly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0126001)  
Etymology: Named for the hybridizer's granddaughter-in-law

### 'American Life' 7 YYW-W

(R. & E.Havens, 2002) R. & E.Havens, 2013 'Regeneration' × 'Pink Setting'; sdlg no. LH38/1 Fls 3 per stem, 51mm wide; perianth segments 21mm long, oblong in outline, rounded at apex, mucronate, lemon yellow, spreading, with margins a little incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, less prominently mucronate; corona 11mm long, cup-shaped, smooth, opening yellow, becoming white, mouth straight, broadly ribbed, a little wavy, with rim entire. Sunproof. Sweetly scented. Late. Nomenclatural Standard: colour print supplied by registrant (WSY0126093)

### 'Angel's Flight' 6 W-W

(Brian S.Duncan) Brian S.Duncan, 2013 *N. cyclamineus* × 'Candlepower'; sdlg no. 3112 Fl. 41mm wide, facing slightly downwards, opening creamy yellow, becoming white; perianth segments 16mm long, lanceolate in outline, acute at apex, mucronate, strongly reflexed, plane, with margins a little wavy, smooth, separated; corona 17mm long, cylindrical, smooth, mouth flared, lightly ribbed, six-lobed, with rim notched and deeply crenate. Dwarf. Very early. Nomenclatural Standard: colour print supplied by registrant (WSY0126003)

**'Antje' 3 W-YYO**

(Peter Tijssen, 2002) Peter Tijssen, 2013

'Polar Imp' × 'Jamore'; sdlg no. 1/1/97

Fl. rounded, 89mm wide; perianth segments 39mm long, broadly ovate in outline, rounded at apex, slightly mucronate, white, spreading, slightly concave, smooth and of membranaceous substance, overlapping half or more; the inner segments narrower, shouldered at base, less prominently mucronate; corona 13mm long, cup-shaped, lightly ribbed, pale yellow 11C, with a narrow band of brilliant yellow 13C towards rim and with a broad band of strong orange 24A at rim, mouth straight and frilled, with rim dentate. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126004)

Etymology: Named for the hybridizer's mother

**'April Dawn' 2 Y-O**

(Nial Watson) Ringhaddy Daffodils, 2013

'Rory's Glen' × 'Mexico City'; sdlg no. 272

Fl. forming a double triangle, 109mm wide; perianth segments 46mm long, very broadly ovate, blunt, mucronate, vivid yellow 12A, spreading, plane or with margins incurling, smooth and of heavy substance; the inner segments narrower and shouldered at base; corona 32mm long, funnel-shaped, strong orange 24A, smooth, mouth straight and even, with rim crenate. Strongly scented. Mid-season.

**'Artie Lemons' 10 W-Y**

(C.Higgins) C.Higgins, 2013

'Spoirot' × *N. romieuxii* subsp. *romieuxii* var. *mesatlanticus*; sdlg no. 13-11

Fl. 42mm wide; perianth segments 8mm long, lanceolate in outline, acute at apex, creamy white, spreading to a little reflexed, plane, smooth and of heavy substance, separated; corona 30mm long, bowl-shaped, lightly ribbed, light lemon yellow, mouth straight and wavy, with rim crenate and regularly notched. Dwarf. Early to mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126006)

Etymology: Named for the hybridizer's mother

**'Arvid' 1 W-Y**

(J.A.Hunter, 1996) J.A.Hunter, 2013

'Lapford' self-pollinated; sdlg no. 15/91A

Fl. 130mm wide; perianth segments 58mm long; corona 60mm long.

**'Autumn Crinkle' 8 W-O**

(H.Koopowitz) H.Koopowitz, 2013

'Gloriosus' × *N. elegans*

Fls 11 per stem, 35mm wide; perianth segments 15mm long, roundish in outline, yellowish white 155D, reflexed, concave, with margins incurled or a little wavy, creased and of heavy substance, overlapping half or more; the inner segments more nearly spreading; corona 4mm long, bowl-shaped, clear mid-orange (31A), ribbed, mouth flared, with rim crenate. Dwarf. Strongly scented. Sunproof. Autumn-flowering.

**'Autumn Twinkle' 12 G-GO**

(H.Koopowitz) H.Koopowitz, 2013

*N. miniatus* × *N. viridiflorus*; sdlg no. 00-008/1

Fls 1-4 per stem, star-shaped, facing up, 35mm wide; perianth segments 15mm long, lanceolate in outline, acute at apex, light yellow green 138D, spreading, plane, smooth and of heavy substance, separated; the inner segments slightly narrower; corona 3mm long, disc-shaped, strong green 132C, tinged orange at rim, smooth, mouth straight, even, deeply lobed. Dwarf. Sunproof. Strongly scented. Autumn-flowering.

**'Backflip' 6 W-O**

(Glenbrook Bulb Farm) Richard Perrignon, 2013

'Turncoat' × *N. cyclamineus*

Fl. 60mm wide; perianth segments 25mm long, oblong in outline, reflexed, concave, with margins incurling, of membranaceous substance, overlapping a quarter; corona 20mm long, funnel-shaped, ribbed, mouth expanded and frilled, with rim flanged and crenate. Dwarf. Very early. Sweetly scented.

**'Bailey Grace' 7 Y-Y**

(T.E.Snazelle) T.E.Snazelle, 2013

'Golden Aura' × *N. wilkommii*; sdlg no. 99/1/3

Fls 2-3 per stem, 50mm wide; perianth segments 19mm long, ovate, blunt, with slight white mucro, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping a quarter; the inner segments slightly narrower, scarcely mucronate; corona 13mm long, cup-shaped, broadly ribbed, mouth straight and wavy, with rim crenate. Dwarf. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126078)

**'Bam Bam' 1 YYW-W**

(Stephen J.Vinisky, 2000) Stephen J.Vinisky, 2013

('Tanagra' × 'Gipsy Queen') × ('Tanagra' × 'Gipsy Queen'); sdlg no. V95-225-15

Fl. 43mm wide. Dwarf.

**'Barbara's Passion' 1 Y-Y**

(R.A.Scamp, 1990) R.A.Scamp, 2013

'Viking' × ('Fine Gold' × 'Saint Keverne'); sdlg no. 593A

Fl. 92mm wide; perianth segments 37mm long, broadly ovate, blunt, with white mucro, spreading, plane or with margins a little incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, less prominently mucronate; corona 38mm long, funnel-shaped, smooth, slightly flared and irregularly lobed, with rim dentate. Sunproof. Early to mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126005)

Etymology: Named at the request of the Collins family

**'Belfast Queen' 1 W-Y**

(Brian S.Duncan) Brian S.Duncan, 2013

'Fiona MacKillop' × 'Queen's Guard'; sdlg no. 2877

Fl. 110mm wide; perianth segments 43mm long, ovate, truncate, mucronate, spreading, plane, with midrib showing, of heavy substance, overlapping one-

third to a half; the inner segments narrower, shouldered at base, acute at apex, less prominently mucronate; corona 50mm long, funnel-shaped, deep lemon yellow, smooth, mouth expanded, slightly wavy, with rim flanged and entire. Sunproof. Early. Nomenclatural Standard: colour print supplied by registrant (WSY0126007)

**'Bella Rosa' 6 W-P**

(Brian S.Duncan) Brian S.Duncan, 2013  
*N. cyclamineus* × 'Sedate'; sdlg no. 2948  
Fl. 76mm wide; perianth segments 32mm long, white, reflexed; corona 32mm long, apple-blossom pink. Early to mid-season.

**'Bells of Joy' 5 Y-Y**

(Nial Watson) Ringhaddy Daffodils, 2013  
'Glanganagh' × *N. triandrus*; sdlg no. 463  
Fls 1–5 per stem, star-shaped, 67mm wide, facing down; perianth segments 28mm long, oblong in outline, rounded at apex, mucronate, brilliant greenish yellow 4A, spreading, plane or with margins incurving, smooth and of heavy substance; the inner segments narrower, acute; corona cup-shaped, 15mm long, vivid yellow 9A, smooth, mouth straight and even, with rim entire. Sweetly scented. Sunproof. Mid-season.

**'Big Baby' 10 Y-Y**

(Keira Bulbs, 2003) C.Higgins, 2013  
*N. bulbocodium* subsp. *bulbocodium* var. *conspicuus* × *N. bulbocodium* subsp. *obesus*; sdlg no. KB  
Fl. 51mm wide, facing up, dark yellow; perianth segments 18mm long, lanceolate in outline, acute at apex, spreading, plane to a little inflexed, separated; corona 34mm long, cup-shaped, mouth slightly expanded and ribbed, with rim entire. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0126170)

**'Bip' 3 W-O**

Donna C.Dietsch, 2013  
'Ramada' × Bell sdlg (2 W-O); sdlg no. 88-118-1  
Fl. 72mm wide; perianth segments 30mm long, plane or with margins slightly incurved, overlapping one-third; corona 10mm long, bowl-shaped, lightly ribbed, mouth flared. Mid-season.  
Etymology: Named for Marcel Marceau's 'Everyman' character

**'Bramcote' 1 Y-Y**

(Clive Postles) Roger Braithwaite, 2013  
Fl. 120mm wide; perianth segments broadly ovate, blunt, scarcely mucronate, spreading, plane, lightly creased and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base; corona cylindrical, narrowly and lightly ribbed, mouth narrowly flared, a little wavy, irregularly lobed, with the lobes overlapping in places, rim minutely crenate. Tall. Late.  
Nomenclatural Standard: colour print supplied by registrant (WSY0126088)

**'Bramcote Daybreak' 1 W-Y**

(Clive Postles) Roger Braithwaite, 2013  
Fl. 125mm wide; perianth segments ovate, blunt, mucronate, white, touched yellow at base, spreading, plane, lightly creased and of heavy substance, overlapping one-third to a half; the inner segments narrower, shouldered at base, less prominently mucronate; corona funnel-shaped, smooth, yellow, mouth widely flared and even, with rim minutely crenate. Tall. Late.  
Nomenclatural Standard: colour print supplied by registrant (WSY0126089)

**'Bramcote Sunrise' 2 Y-O**

(Clive Postles) Roger Braithwaite, 2013  
Fl. 108mm wide; perianth segments broadly ovate, truncate, with white micro, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments, narrower, shouldered at base; corona cup-shaped, broadly ribbed, mouth expanded, wavy to lightly frilled, with rim entire. Tall. Late.  
Nomenclatural Standard: colour print supplied by registrant (WSY0126090)

**'Bumbershoot' 10 W-Y**

(Stephen J.Vinisky) Stephen J.Vinisky, 2013  
Zinkowski sdlg Z95.8.2 × 'Mitimoto'; sdlg no. V00-18A-4  
Dwarf. Early to mid-season.

**'Cabriini' 8 W-Y**

(Wilfred Hall, 2000) Wilfred Hall, 2013  
'Grand Monarque' × 'Gloriosus'; sdlg no. GMX-62  
Fls 12–18 per stem, forming a double triangle, 37mm wide; perianth segments 15mm long, broadly ovate, blunt, prominently mucronate, white, spreading, slightly concave, with margins incurved, a little creased and of heavy substance, overlapping half; the inner segments shouldered at base, not noticeably mucronate; corona 8mm long, cup-shaped, angled, brilliant greenish yellow 7C, mouth straight, broadly ribbed and slightly wavy, with rim rolled narrowly inwards, entire. Early.  
Nomenclatural Standard: colour print supplied by registrant (WSY0126008)

**'Call Me Al' 2 Y-R**

(Denise E.McQuarrie, 2002) Denise E.McQuarrie, 2013  
'Some Day' × 'Cowboy'; sdlg no. G17  
Fl. 108mm wide; perianth segments 46mm long, ovate, blunt, mucronate, spreading, plane, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, less prominently mucronate; corona 22mm long, cup-shaped, smooth, mouth slightly expanded, a little wavy and irregularly lobed, with rim entire. Early to mid-season.  
Nomenclatural Standard: colour print supplied by registrant (WSY0126100)  
Etymology: Named for the hybridizer's father, the late Alan Leonard Bell

**'Campino' 8 Y-OOY**

(Wilfred Hall, 1999) Wilfred Hall, 2013

'Matador' hybrid; sdlg no. MX-44

Fls 5–8 per stem, 40mm wide; perianth segments 16mm long, very broadly ovate, blunt, light yellow 11B, with pale mucro, spreading to a little inflexed, concave, with margins incurved, with midrib showing, of membranaceous substance, overlapping half or more; the inner segments shouldered at base, less prominently mucronate; corona 8mm long, bowl- to disc-shaped, regularly ribbed, strong orange 25A, touched vivid orange-yellow 21A at rim, mouth straight, wavy and irregularly lobed, with rim notched. Very early. Sweetly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0126009)

Etymology: Named for the horse ridden by Mark Todd at the London 2012 Olympics

**'Cape Farewell' 4 W-WYR**

(J.A.Hunter, 1999) J.A.Hunter, 2013

'Cotton Candy' × *O'More* sdlg 34/76; sdlg no. 61/94A

Fl. 107mm wide; perianth and other petaloid segments 43mm long, white; corona segments yellow, with white at base and reddish pink at rim. Mid-season.

**'Capella Gold' 10 Y-Y**

(Walter J.M.Blom) Walter J.M.Blom, 2013

*N. bulbocodium* sdlg 629-2 × 'Silver Palace'; sdlg no. 111-13

Fl. star-shaped, 30mm wide, vivid greenish yellow 2A; perianth segments 15mm long, lanceolate in outline, acute at apex, spreading, plane, with margins wavy, smooth and of heavy substance, separated; corona 20mm long, bowl-shaped, ribbed, mouth expanded and even, with rim flanged and notched. Sweetly scented. Sunproof. Very early.

**'Cento' 9 W-GYR**

(Stephen J.Vinisky, 1996) Stephen J.Vinisky, 2013

'Sea Green' × 'Murlough'; sdlg no. V91-81-12

Etymology: Named for poetic form

**'Cheeky Chappie' 6 W-Y**

(Brian S.Duncan) Brian S.Duncan, 2013

*N. cyclamineus* × 'Camborne'; sdlg no. 3044

Fl. 39mm wide, facing downwards; perianth segments 15mm long, ovate, blunt, white, strongly reflexed, plane, smooth, overlapping a quarter; corona 16mm long, cylindrical, smooth, slightly constricted at waist, opening lemon yellow, becoming paler in tone, mouth frilled, narrowly flared and shallowly lobed, with rim crenate. Dwarf. Very early. Nomenclatural Standard: colour print supplied by registrant (WSY0126010)

**'Cheep' 1 W-W**

(Brian S.Duncan) Brian S.Duncan, 2013

*N. cyclamineus* × 'Candlepower'; sdlg no. 3127

Fl. 34mm wide, facing downwards; perianth segments 14mm long, oblong in outline, rounded at apex, prominently mucronate, white, reflexed, plane,

smooth, overlapping at base only; corona 15mm long, cylindrical, smooth, opening pale creamy yellow, becoming white, mouth flared, lightly ribbed, wavy, with rim notched. Dwarf. Very early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126122)

**'Chenelie Belle' 2 W-O**

(R. & E.Havens, 2003) R. & E.Havens, 2013

'Demmo' open pollinated; sdlg no. MHO14/3

Fl. 110mm wide; perianth segments 47mm long, ovate, blunt, prominently mucronate, white, touched cream at base, spreading, plane, somewhat creased and of heavy substance, overlapping half; the inner segments narrower; corona 37mm long, cylindrical, smooth, bright tangerine orange, mouth straight, broadly ribbed and wavy, with rim minutely crenate. Mid-season. Sunproof.

Nomenclatural Standard: colour print supplied by registrant (WSY0126011)

**'Chili Verde' 3 Y-GYO**

(Robert Spotts) Robert Spotts, 2013

'Cowboy' × ('El Camino' × *N. viridiflorus*); sdlg no. 12-1-1

Fl. 80mm wide; perianth segments 31mm long, broadly obovate in outline, rounded at apex, mucronate, opening light greenish yellow, becoming yellow, spreading, plane, smooth, overlapping one-third; the inner segments significantly narrower, ovate, blunt, less prominently mucronate, with margins slightly incurved; corona 8mm long, bowl-shaped, heavily ribbed, yellow, with green at base and a band of orange at rim, mouth a little expanded, wavy, with rim split and overlapping in places. Very early to early. Nomenclatural Standard: colour print supplied by registrant (WSY0126082)

**'Chirp' 1 Y-Y**

(Brian S.Duncan) Brian S.Duncan, 2013

*N. asturiensis* × 'Candlepower'; sdlg no. 3111

Fl. star-shaped, 38mm wide, facing slightly upwards, mid-yellow; perianth segments 15mm long, oblong in outline, rounded at apex, prominently mucronate, spreading, plane, a little creased, overlapping a quarter; the inner segments ovate, blunt and less prominently mucronate; corona 16mm long, cylindrical, lightly ribbed, mouth wavy, lobed and broadly flared, with rim crenate. Dwarf. Very early. Nomenclatural Standard: colour print supplied by registrant (WSY0126012)

**'Christmas Chimes' 7 W-PW**

(R. & E.Havens, 1998) R. & E.Havens, 2013

'Quick Step' F3; sdlg no. HHO11/1

Fls 2–3 per stem, 63mm wide; perianth segments 27mm long, very broadly ovate in outline, rounded at apex, prominently mucronate, creamy white, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, less prominently mucronate, a little inflexed, with margins wavy; corona 12mm long, cup-shaped, neatly ribbed, light

rosy pink, mouth straight and wavy, with rim minutely crenate. Sunproof. Sweetly scented. Late. Nomenclatural Standard: colour print supplied by registrant (WSY0126094)

**'Cindy's Choice' 2 W-YO**

(J.A.Hunter, 2003) J.A.Hunter, 2013  
'Polar Flame' × 'Shaz'; sdlg no. 102/97A  
Perianth segments pure white; corona yellow, with a band of orange at rim. Mid-season.

**'Cindy's Gold' 4 Y-Y**

(Colin Crotty, 1993) Colin Crotty, 2013  
'Spun Honey' × 'Camelot'; sdlg no. 48-93  
Fl. 100mm wide; perianth and other petaloid segments in two or more whorls, light yellow (2C); the outer whorl 39mm long, broadly ovate in outline, rounded at apex, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner whorls inflexed, folded inwards from midrib; corona segments 26mm long, interspersed among the petaloid segments, inflexed, vivid yellow 12A, frilled and neatly lobed, successively more strongly inflexed towards cluster at centre. Mid-season. Strongly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0126013)  
Etymology: Named for the hybridizer's daughter-in-law

**'Citrus Souffle' 4 Y-Y**

(Nial Watson) Ringhaddy Daffodils, 2013  
'Affable' × 'Goldfinger'; sdlg no. 459  
Fl. rounded, 100mm wide; perianth and other petaloid segments 40mm long, very broad, roundish, shouldered at base, mucronate, brilliant yellow 12B, spreading, plane or with margins incurving, smooth and of heavy substance, overlapping one-third; the inner whorls narrower; corona segments 30mm long, vivid yellow 14A. Mid-season. Sunproof.

**'Classic Garden' 1 Y-O**

(Walter J.M.Blom, 2001) Walter J.M.Blom, 2013  
'Glen Clova' hybrid; sdlg no. 527-1  
Fl. forming a double triangle, 90mm wide; perianth segments 40mm long, very broad, brilliant yellow 7A, spreading, plane, with margins wavy, with midrib showing, of heavy substance, overlapping half or more; the inner segments shouldered at base; corona 40mm long, funnel-shaped, ribbed, yellow-orange (23A), mouth flared and wavy, with rim notched. Early. Sweetly scented.

**'Cogency' 7 Y-Y**

(Michael Berrigan, 2002) Michael Berrigan, 2013  
*N. rupicola* × *N. rupicola*; sdlg no. 2003 B-7  
Fls rounded, 12mm wide, opening straw lemon yellow, becoming darker in tone; perianth segments 4mm long, very broad, blunt at apex, spreading, plane, smooth and of heavy substance, overlapping half or more; corona 2mm long, bowl-shaped, angled, mouth expanded and wavy, with rim entire. Dwarf. Sweetly scented. Mid-season.

**'College Road' 2 Y-P**

(R. & E.Havens) R. & E.Havens, 2013  
'Acumen' × 'American Dream'; sdlg no. OH4/4A  
Fl. 100mm wide; perianth segments 40mm long, broadly ovate, blunt, deep lemon yellow, with pale mucro, spreading, plane or with margins a little incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, more nearly plane, less prominently mucronate; corona 35mm long, funnel-shaped, smooth, peachy pink, mouth slightly expanded and wavy, with rim entire. Sunproof. Mid-season.  
Nomenclatural Standard: colour print supplied by registrant (WSY0126095)

**'Confederate' 2 Y-R**

(Colin Crotty) Colin Crotty, 2013  
'Linedance' × 'Egmont King'; sdlg no. 11-07  
Fl. 107mm wide; perianth segments 46mm long, very broadly ovate, blunt, brilliant greenish yellow 6A, with slight pale mucro, spreading to a little inflexed, concave, with margins incurved, smooth and of membranaceous substance, overlapping half; the inner segments narrower, shouldered at base; corona 17mm long, bowl-shaped, angled, orange-red (30A), mouth expanded, ribbed and wavy, with rim crenate. Mid-season. Strongly scented.

**'Cosmic Dawn' 4 W-WYR**

(J.A.Hunter, 1999) J.A.Hunter, 2013  
'Cotton Candy' × *O'More* sdlg 34/76; sdlg no. 61/94E  
Fl. 107mm wide; perianth and other petaloid segments 43mm long, pure ice white; corona segments yellow, with white at base and reddish pink at rim. Mid-season.

**'Couplet' 9 W-GYR**

(Stephen J.Vinisky) Stephen J.Vinisky, 2013  
'Doily' × ('Haiku' × 'Luchon'); sdlg no. V99-144-20 Dwarf.

**'Cross Current' 5 Y-Y**

(R. & E.Havens, 1989) R. & E.Havens, 2013  
'Hillstar' × *N. triandrus* subsp *triandrus*; sdlg no. Y93/56  
Fls 4–5 per stem, 67mm wide, soft lemon yellow; perianth segments 31mm long, ovate, blunt, mucronate, reflexed, plane or with margins a little incurved, lightly creased and of heavy substance, overlapping one-third; the inner segments narrower, less prominently mucronate; corona 18mm long, cup-shaped, smooth, slightly paler in tone than perianth segments, mouth straight, ribbed, slightly wavy, with rim entire. Sunproof. Lightly scented. Late.  
Nomenclatural Standard: colour print supplied by registrant (WSY0126097)

**'Crystal Rose' 4 W-W**

(Colin Crotty, 1989) Colin Crotty, 2013

'Gay Song' open pollinated; sdlg no. 13-89

Fl. forming a double triangle; perianth and other petaloid segments yellowish white 155D, in several whorls; the outer whorls broadly ovate, blunt, mucronate, spreading, plane to a little concave, smooth and of membranaceous substance, overlapping one-third to a half; the inner whorls shorter than the outer whorls, becoming inflexed and more deeply concave towards the centre; corona segments interspersed among the petaloid segments and clustered at centre, yellowish white 155B, margins wavy and lobed. Mid-season. Strongly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0126014)

**'Dame Blanche' 1 W-GWW**

(K.van der Veek) J.Dignum & Sons, 2012

Fl. forming a double triangle, facing up, white (NN155D); perianth segments very broadly ovate in outline, rounded at apex, spreading, concave, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, blunt at apex; corona cylindrical, smooth, mouth flared, neatly ribbed, wavy and 3-lobed, with rim crenate. Mid-season. Strongly and sweetly scented. Nomenclatural Standard: colour print supplied by KAVB (WSY0126015)

**'Data Queen' 2 W-GYY**

(P.D.K.Ramsay) P.D.K.Ramsay, 2013

Sdlg 95:11B × 'Lesley'; sdlg no. 07:97A

Fl. 107mm wide; perianth segments 40mm long, roundish, blunt, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping a quarter; corona 30mm long, bowl-shaped, ribbed, mouth straight and even, with rim rolled and dentate. Mid-season. Etymology: Named for Nancy Tackett

**'Doctor Who' 4 O-O**

(R.A.Scamp, 1994) R.A.Scamp, 2013

Sdlg no. 919

Fl. 95mm wide; perianth and other petaloid segments in three or more whorls, opening yellowish white, becoming clear apricot orange; the outer whorl 35mm long, broadly ovate, blunt to rounded at apex, mucronate, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half or more; the inner petaloid segments a little narrower, becoming more inflexed and concave towards the centre, with margins incurved; corona 22mm long, interspersed among the petaloid segments and slightly darker in tone, frilled. Sunproof. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0126016)

Etymology: Named at the request of BBC

**'Double Delight' 4 Y-P**

(Brian S.Duncan) Brian S.Duncan, 2013

'Baldock' × 'Dorchester'; sdlg no. 2920

Fl. 105mm wide; perianth and other petaloid segments

40mm long, in three or more whorls diminishing in size towards the centre, lemon yellow, with paler midrib and white mucro; the outer whorls ovate, blunt, spreading, with margins slightly incurved, smooth and of heavy substance, overlapping half or more; the inner whorls narrower, with margins folded inwards, successively more strongly inflexed towards centre; corona segments of variable length, shorter than the petaloid segments and interspersed among them, coral pink, with a narrow band of orange-pink at rim, crumpled, with margins wavy to frilled. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0126017)

**'Easter Born' 4 W-Y**

(Th.van der Hulst) H.Wijnhout & Son, 2013

'Obdam' × 'Irene Copeland'

Fl. forming a double triangle, 98mm wide; perianth and other petaloid segments greenish white (155A), smooth and of membranaceous substance, in three or more whorls; the outer whorl 41mm long, broadly ovate in outline, rounded to blunt at apex, spreading, plane to a little concave, overlapping half or more; the inner whorls more deeply concave, with margins folded inwards from midrib, successively more inflexed towards centre; corona segments 25mm long, half the width of the petaloid segments and interspersed among them, light greenish yellow 3D, heavily frilled, with rim split and overlapping in places, successively more inflexed towards centre. Mid-season. Strongly scented.

Nomenclatural Standard: colour print supplied by KAVB (WSY012601)

TGA 2012

**'Eileen's Gift' 3 W-W**

(R.Beckwith) R.Beckwith, 2013

'Nice Day' × 'Birchwood'; sdlg no. 1-6-2001

Fl. forming a double triangle, 93mm wide; perianth segments 39mm long, broadly ovate, blunt, mucronate, spreading, plane or with margins slightly incurved, with midrib showing, of membranaceous substance, overlapping one-third; the inner segments narrower, less prominently mucronate; corona 8mm long, cup-shaped, ribbed, mouth expanded, frilled and lobed, with rim crenate. Tall. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126103)

Etymology: Named for Sue Wood, RHS Britain in Bloom Judge

**'Emerald Monarch' 8 W-G**

(J.A.Hunter, 2003) J.A.Hunter, 2013

'Grand Monarque' × 'Emerald Sea'; sdlg no. 62/98A

Fls 6-9 per stem, 50mm wide; perianth segments 22mm long; corona 7mm long.

**'Emma Lazarus' 9 W-GYR**

(Mary Lou Gripshover, 1980?) Mary Lou Gripshover, 2013

'Dactyl' × Evans sdlg 9 W-R; sdlg no. 73-22-15

Fl. 65mm wide; perianth segments 27mm long, broadly ovate, truncate, mucronate, white, somewhat

reflexed, plane to a little concave, with margins incurling, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, more nearly plane, shouldered at base, less prominently mucronate; corona 3mm long, disc-shaped, ribbed, yellow, with green at base and a narrow band of red at rim, mouth even, with rim minutely crenate. Late.

Nomenclatural Standard: colour print supplied by registrant (WSY0126080)

**'Eurythmic' 8 W-OYY**

(Wilfred Hall, 1998) Wilfred Hall, 2013

'Grand Monarque' × 'Basra'; sdlg no. GMX-25  
Fls 3–4 per stem, forming a double triangle, 60mm wide; perianth segments 26mm long, broadly ovate, blunt, mucronate, white, spreading, plane to a little concave, with midrib showing, of heavy substance, overlapping half; the inner segments shouldered at base, not noticeably mucronate; corona 8mm long, bowl-shaped, ribbed, yellow (12A/B), with orange at base, mouth straight and wavy, with rim entire. Early. The corona colouring is variable and may sometimes be coded OOY.

Nomenclatural Standard: colour print supplied by registrant (WSY0126019)

**'Extempore' 2 W-P**

(Brian S.Duncan) Brian S.Duncan, 2013

'Alston' × 'Hyperbole'; sdlg no. 3413

Fl. 117mm wide; perianth segments 47mm long, very broadly ovate in outline, rounded at apex, prominently mucronate, white, spreading, plane, smooth and of membranaceous substance, overlapping half; the inner segments more narrowly ovate, blunt at apex, less prominently mucronate; corona 40mm long, funnel-shaped, smooth, reddish pink, mouth expanded and slightly wavy, with rim entire. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126020)

**'Eye Candy' 2 W-YYO**

(Colin Crotty, 2003) Colin Crotty, 2013

('Blazing Wave' × 'Debbie Joan') × ('Pink Ice' × 'Eclat'); sdlg no. 13-03

Fl. rounded, 103mm wide; perianth segments 44mm wide, very broad, roundish, mucronate, white, spreading, plane or with margins very slightly incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower; corona 25mm wide, disc-shaped, regularly ribbed, pale yellow, with a broad band of reddish orange at rim, mouth expanded, a little wavy, irregularly lobed, with rim minutely crenate. Strongly scented. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0126021)

**'Flower Surprise' 4 W-P**

(H.Wijnhout & Son) H.Wijnhout & Son, 2013

'Delnashaugh' × 'Pink Paradise'

Fl. 100mm wide, facing up; perianth and other petaloid segments greenish white 157D, in two whorls; the outer whorl 36mm long, broadly oblong in outline,

rounded at apex, scarcely mucronate, spreading, plane to a little concave, creased and of membranaceous substance, overlapping half or more; inner whorl inflexed, with segments folded inwards from midrib; corona segments 33mm long, interspersed among the petaloid segments and clustered at centre, light orange 28D, bi-lobed, with margins wavy and heavily frilled. Mid-season. Strongly scented.

Nomenclatural Standard: colour print supplied by KAVB (WSY0126022)

**'Frank Burns' 3 Y-YYO**

(R.Beckwith) R.Beckwith, 2013

'Lemma' × 'Moon Shadow'; sdlg no. 1-3-2001

Fl. rounded, 100mm wide; perianth segments, 41mm long, very broadly ovate in outline, rounded at apex, mucronate, light greenish yellow 4C, spreading, plane or with margins slightly incurved, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, blunt at apex, less prominently mucronate; corona 8mm long, bowl-shaped, ribbed, vivid yellow 12A, with a band of orange (23A) at rim, mouth expanded, narrowly ribbed, wavy and irregularly lobed, with rim flanged and crenate. Tall. Sweetly scented. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126106)

**'Frisly Choice' 2 W-WWP**

(Brian S.Duncan) Brian S.Duncan, 2013

'Ice Dancer' × 'Graduation'; sdlg no. 2870

Fl. 106mm wide; perianth segments 42mm long, white; corona 29mm long, opening creamy white, becoming white, with reddish pink at rim. Mid-season.

**'Gallic Fire' 2 Y-R**

(Brian S.Duncan) Brian S.Duncan, 2013

'Tropical Heat' × sdlg 2114 ('Burning Bush' × 'Gold Bond'); sdlg no. 3482

Fl. 108mm wide; perianth segments 45mm long, ovate, truncate, deep yellow, with slightly paler mucro, spreading, plane to slightly concave, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, scarcely mucronate; corona 24mm long, cup-shaped, smooth, deep orange-red, mouth straight and a little wavy, with rim minutely crenate. Sunproof. Mid-season to late. Nomenclatural Standard: colour print supplied by registrant (WSY0126023)

**'Gallipoli Dawn' 2 Y-Y**

(R.A.Scamp, 1997) R.A.Scamp, 2013

'Grand Prospect' × 'Gold Bond'; sdlg no. 922

Fl. 106mm wide; perianth segments 40mm long, broadly ovate, blunt, slightly mucronate, spreading, concave, with margins incurved, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, scarcely mucronate; corona 35mm long, funnel-shaped, angled, mouth narrowly flared and even, with rim crenate. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126084)

**'Gandy of Myrton' 2 W-YOO**

(Stephen J.Vinisky) Stephen J.Vinisky, 2013  
'Windsong' × 'Chianti'; sdlg no. V88-27-2

**'Garden Beacon' 1 W-YOO**

(Brian S.Duncan) Brian S.Duncan, 2013

'Red Reed' × 'Lutana'; sdlg no. 3089

Fl. 110mm wide; perianth segments 45mm long, broadly ovate, blunt, mucronate, opening creamy white, becoming milk-white, spreading, plane or with margins slightly incurved, smooth and of heavy substance, overlapping half; the inner segments, narrower, shouldered at base; corona 45mm long, cylindrical, angled, deep orange, paling to yellow at base, mouth straight and wavy, with rim entire. Sunproof. Early. Nomenclatural Standard: colour print supplied by registrant (WSY0126024)

**'Georgie Boy' 2 W-Y**

(Johnny Walkers) Taylors Bulbs, 2013

Sdlg no. 65/95/8

Perianth segments ovate, blunt, spreading, plane, smooth and of heavy substance, overlapping one-third; the inner segments narrower, shouldered at base; corona funnel-shaped, smooth, mouth broadly flared, wavy and irregularly lobed, with rim entire. Nomenclatural Standard: colour print supplied by registrant (WSY0126174)

**'Ghareeb' 4 Y-P**

(Brian S.Duncan) Brian S.Duncan, 2013

'Eype' × sdlg 1920 ('Baldock' × 'Chemeketa'); sdlg no. 3203

Fl. 104mm wide; perianth and other petaloid segments in two whorls, lemon yellow; the outer whorl very broadly ovate, mucronate, spreading, with margins a little incurved, of heavy substance, overlapping half or more; the inner whorl two-thirds the length of the outer segments, narrower, inflexed, strongly folded inwards from midrib, not noticeably mucronate; corona segments in two or more whorls, shorter than the petaloid segments and interspersed among them, coral pink, with a narrow band of a darker tone at the margin; the outer whorl broad, slightly inflexed, a little crumpled; the inner whorls strongly inflexed towards centre, margins wavy to frilled, with rim lightly ribbed. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0126025)

**'Gipsy Vale' 1 W-W**

(Brian S.Duncan) Brian S.Duncan, 2013

'Gipsy Queen' × *N. obtallaris*; sdlg no. 3041

Fl. forming a double triangle, 43mm wide; perianth segments 17mm long, broadly ovate, blunt, mucronate, opening pale lemon yellow, becoming white, slightly inflexed, plane, smooth, overlapping a quarter; the inner segments narrower, less prominently mucronate; corona 18mm long, cylindrical, smooth, white, mouth flared, lightly frilled and irregularly lobed, with rim notched. Dwarf. Nomenclatural Standard: colour print supplied by registrant (WSY0126026)

**'Glenlily' 9 W-GYR**

(M.Hamilton, 2003) Colin Crotty, 2013

Parentage unknown; sdlg no. 43-03

Fl. rounded, 52mm wide; perianth segments 22mm long, very broad, roundish, mucronate, white, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate; corona 3mm long, disc-shaped, ribbed, pale yellow, with green at base and a narrow band of bright red at rim, mouth expanded and frilled, with rim dentate. Late. Sweetly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0126027)

**'Glenlossie' 9 W-GYR**

(M.Hamilton) Colin Crotty, 2013

Parentage unknown; sdlg no. 38-04

Fl. rounded, 55mm wide; perianth segments 25mm long, very broad, roundish, prominently mucronate, white, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, blunt at apex, shouldered at base, scarcely mucronate; corona 4mm long, disc-shaped, broadly ribbed, pale yellow, with green at base and a narrow band of red at rim, mouth expanded and lightly frilled, with rim dentate. Late. Sweetly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0126028)

**'Glen Spey' 9 W-GYR**

(Colin Crotty) Colin Crotty, 2013

Sdlg no. 39-06

Fl. 58mm wide; perianth segments 25mm long, very broad, roundish, mucronate, white, spreading, plane to a little concave, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, less prominently mucronate; corona 4mm long, disc-shaped, lightly ribbed, yellow, with green at base and a broad band of red at rim, mouth expanded, frilled and shallowly lobed, with rim dentate. Late. Sweetly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0126029)

**'Gloriana Fair' 2 Y-Y**

(R.A.Scamp, 1986) R.A.Scamp, 2013

'Ormeau' × 'Saint Keverne'; sdlg no. 237/993A

Fl. forming a double triangle, 110mm wide, bright golden yellow; perianth segments 45mm long, broadly ovate, blunt, with white mucro, spreading, plane or with margins slightly incurved at apex, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 38mm long, funnel-shaped, smooth, mouth flared and wavy, with rim dentate. Mid-season to late. Nomenclatural Standard: colour print supplied by registrant (WSY0126030)  
Etymology: Named at the request of the Westwood family

**'Gold Epic' 11a Y-Y**

(Colin Crotty) Colin Crotty, 2013

'Solar Disc' × 'Impeccable'; sdlg no. 1-06

Fl. forming a double triangle, 104mm wide; perianth segments 43mm long, very broadly ovate, blunt, mucronate, vivid yellow 9A, spreading, plane or with margins very slightly incurved, smooth and of membranaceous substance, overlapping half; the inner segments significantly narrower; corona 28mm long, split to base, the six segments opposite and closely overlying the perianth segments, forming an inner and an outer whorl of three, each as wide or wider than the perianth segments, vivid yellow 12A, lobed and ribbed, with margins wavy, overlapping at shoulder. Early. Strongly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0126031)

**'Gold Pipe' 1 Y-Y**

(Brian S.Duncan, 2002) Brian S.Duncan, 2013

'Tyrone Gold' × 'Impeccable'; sdlg no. 2538

Fl. 84mm wide; perianth segments 34mm long, broadly ovate, blunt, with white mucro, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 38mm long, cylindrical, smooth, mouth straight, and a little wavy. Early to mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126032)

**'Goleta' 2 W-O**

(Ken D.Fink) Ken D.Fink, 2013

'Festivity' × 'Irish Coffee'; sdlg no. 02-179-01

Fl. 116mm wide; perianth segments 48mm long, very broadly ovate, blunt, mucronate, spreading, plane or with margins slightly wavy, lightly creased and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, scarcely mucronate; corona 30mm long, funnel-shaped, light orange, with a broad band of a darker tone at rim, angled, mouth expanded, lightly frilled and irregularly lobed, with rim minutely crenate. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126072)

Etymology: Named for Goleta, CA, which became a city in 2002

**'Good Faith' 3 W-P**

(Brian S.Duncan) Brian S.Duncan, 2013

'Demeanour' × 'Panorama Pink'; sdlg no. 3222

Fl. 108mm wide; perianth segments 44mm long, broadly ovate, blunt to truncate, scarcely mucronate, white, spreading, plane or with margins incurved, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, less prominently mucronate, shouldered at base; corona 12mm long, bowl-shaped, apple-blossom pink, with a broad band of a deeper tone at rim, smooth, mouth expanded, wavy and irregularly lobed, with rim minutely crenate. Late.

Nomenclatural Standard: colour print supplied by registrant (WSY0126033,)

**'Good Intentions' 2 Y-Y**

(E.G.B.Jarman, 1997) Ringhaddy Daffodils, 2013

'Gold Bond' × 'Glissando'; sdlg no. J634

Fl. rounded, 110mm wide; perianth segments 42mm long, very broad, oblong in outline, rounded at apex, mucronate, spreading, plane to a little concave, smooth and of heavy substance, overlapping half or more; the inner segments broadly ovate, blunt, shouldered at base, less prominently mucronate; corona 37mm long, funnel-shaped, smooth, mouth straight, broadly ribbed, wavy, with rim entire. Early to mid-season.

**'Gracious Sakes' 4 W-P**

(Stephen J.Vinisky, 2002) Stephen J.Vinisky, 2013

'Gresham' × 'Night Music'; sdlg no. V97-80-31

**'Grafton Gold' 2 Y-Y**

(John Gibson, 1996) John Gibson, 2013

'Bryanston' open pollinated; sdlg no. 2-20-92

Fl. 74mm wide; perianth segments 30mm long, very broadly ovate, blunt, brilliant yellow 7A, with white mucro, spreading, plane to slightly concave, smooth and of heavy substance, overlapping one-third to a half; the inner segments narrower, less prominently mucronate, more nearly plane; corona 21mm long, funnel-shaped, angled, vivid yellow 13A, mouth a little expanded, wavy, with rim obscurely crenate.

Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126034)

**'Grandpa W.A.' 2 W-Y**

(C.Higgins, 2003) C.Higgins, 2013

'Teal' sdlg open pollinated × 'Glen Echo'; sdlg no. 10-27

Fl. 80 mm wide; perianth segments 30mm long, broadly ovate, blunt, mucronate, spreading, plane or with margins slightly incurved, with midrib slightly showing, of heavy substance, overlapping half; the inner segments narrower, acute at apex, less prominently mucronate, shouldered at base; corona 30mm long, funnel-shaped, mouth flared and wavy, with rim notched. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126172)

Etymology: Named for the hybridizer's father

**'Green Midge' 7 G-G**

(H.Koopowitz) H.Koopowitz, 2013

*N. willkommii* × 'Lima's Green Success'; sdlg no. 98-70/2

Fls 1-3 per stem, star-shaped, 35mm wide, vivid yellow-green 154A; perianth segments 15mm long, lanceolate in outline, acute at apex, spreading, plane, smooth and of membranaceous substance, separated; the inner segments narrower; corona 5mm long, cup-shaped, angled, mouth straight and wavy, with rim crenate. Dwarf. Sweetly scented. Sunproof. Very early.

**'Guillotine' 11a Y-PY**

(Michael Brown, 2004) Michael Brown, 2013  
'Capree Elizabeth' × ('Hicol' × 'Split' sdlg); sdlg no. 99-17

Fl. 90mm wide; perianth segments 35mm long, broadly ovate, blunt, slightly mucronate, vivid yellow 12A, spreading, plane to slightly concave, creased and of heavy substance, overlapping half; the inner segments narrower; corona 30mm long, split to base, the six segments forming two whorls of three, slightly inflexed, smooth, light yellowish pink 38C, with a band of light yellow at rim, heavily frilled at apex, with rim crenate. Mid-season. Sweetly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0126175)

**'Gunslinger' 1 W-Y**

(Michael Brown, 2002) Michael Brown, 2013  
'Gunsmoke' × 'Compute'; sdlg no. 97-11B

Fl. 105mm wide; perianth segments 44mm long, broadly ovate, blunt, prominently mucronate, yellowish white 155D, spreading, plane, smooth and of heavy substance, overlapping one-third to a half; the inner segments ovate, with margins slightly wavy; corona 46mm long, cylindrical, smooth, light greenish yellow 4B, mouth flared and wavy, with rim dentate. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0126176)

**'Hazel Browne' 2 W-P**

(Brian S.Duncan, 2000) Brian S.Duncan, 2013  
'Assertion' × 'Chanson'; sdlg no. 2365

Fl. forming a double triangle, 112mm wide; perianth segments 45mm long, very broadly ovate, blunt, slightly truncate, prominently mucronate, pure white, spreading, plane, smooth, overlapping half; the inner segments narrower, less prominently mucronate; corona 23mm long, funnel-shaped, smooth, deep apple-blossom pink, mouth flared, lightly ribbed, a little frilled and irregularly lobed, with rim entire. Mid-season. Sunproof.

Nomenclatural Standard: colour print supplied by registrant (WSY0126035)

Etymology: To honour an outstanding Scout Leader in Muff, Co. Donegal

**'Hoop De Doo' 10 W-W**

(Stephen J.Vinisky) Stephen J.Vinisky, 2013  
'Spoirot' × *N. cantabricus* subs. *monophyllus*

**'Hot Date' 3 W-O**

(Nial Watson) Ringhaddy Daffodils, 2013  
'Lisbarnett' × 'Doctor Hugh'; sdlg no. 719

Fl. forming a double triangle, 115mm wide; perianth segments 51mm long, very broadly ovate in outline, rounded at apex, mucronate, white, spreading, plane or with margins incurving, smooth and of heavy substance; the inner segments narrower, shouldered at base; corona bowl-shaped, 11mm long, orange (28A), ribbed, mouth frilled, with rim dentate. Mid-season.

**'Hot Lava' 2 O-O**

(Nial Watson) Ringhaddy Daffodils, 2013  
'Creag Dubh' × 'Rio Rondo'; sdlg no. 424

Fl. rounded, 96mm wide; perianth segments 40mm long, very broadly ovate in outline, rounded at apex, mucronate, orange (21B), spreading, plane or with margins incurved, smooth and of heavy substance; corona 28mm long, funnel-shaped, strong orange 24A, smooth, mouth straight and wavy, with rim crenate. Sunproof. Mid-season.

**'Intense' 2 YYW-WWP**

(J.A.Hunter, 1999) J.A.Hunter, 2013  
'Kabonova' × 'Trumpet Warrior'; sdlg no. 31/94A

**'Interlace' 2 W-P**

(Brian S.Duncan) Brian S.Duncan, 2013  
'Quick Step' sdlg open pollinated × 'Fragrant Rose'; sdlg no. 2827

Fl. 73mm wide; perianth segments 27mm long, white with a pinkish tinge; corona 14mm long, apple-blossom pink. Dwarf to standard. Sunproof. Late.

**'Isobel Salt' 8 Y-Y**

R.A.Scamp, 2013  
Parentage unknown; sdlg no. 395

Fls 3-5 per stem, 65mm wide; perianth segments 28mm long, ovate, blunt, spreading to reflexed, twisted, margins wavy, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, with margins more incurved; corona 6mm long, bowl-shaped, irregularly ribbed, mouth wavy, with rim notched. Sunproof. Strongly scented. Late. Nomenclatural Standard: colour print supplied by registrant (WSY0126036)

Etymology: Named for the Salt family

**'Izzy' 1 Y-Y**

(Malcolm S.Bradbury) Malcolm S.Bradbury, 2013  
'Rijnveld's Early Sensation' × 'Cedric Morris'

Fl. star-shaped, 55mm wide; perianth segments 25mm long, ovate in outline, acute at apex, vivid greenish yellow 2A, with a slight white mucro, inflexed, a little twisted, smooth and of membranaceous substance, overlapping at base only; corona 27mm long, cylindrical, angled, brilliant yellow 7A, mouth flared and frilled, with rim crenate and irregularly notched. Dwarf. Very early. Strongly scented.

Nomenclatural Standard: herbarium specimen supplied by registrant (WSY0126139)

**'Janet Wetherell' 3 Y-Y**

(R.Beckwith) R.Beckwith, 2013  
'Moon Shadow' × 'Nonchalant'; sdlg no. 9-12-2001

Fl. 115mm wide; perianth segments 50mm long, broadly ovate, truncate, mucronate, pale yellow 8D, spreading, plane or with margins a little incurved, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, with margins incurved, less prominently mucronate; corona 12mm long, bowl-shaped, ribbed, vivid yellow 12A, mouth expanded, lightly frilled and irregularly lobed, with rim dentate. Tall. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126104)

**'Jenny Copeland' 4 W-YWW**

(R.A.Scamp, 1998) R.A.Scamp, 2013  
'Pitchroy' × 'Gay Kybo'; sdlg no. 996  
Fl. 115mm wide; perianth and other petaloid segments in three or more whorls, the outer whorl 42mm long, broadly ovate, blunt, white, slightly mucronate, spreading, concave, with margins narrowly incurled, smooth and of heavy substance, overlapping half; the inner whorls narrower, becoming more inflexed towards centre, with margins more incurved; corona 24mm long, interspersed among the petaloid segments and clustered at centre, wavy, opening yellow, becoming white, with yellow at base. Mid- to late season.  
Nomenclatural Standard: colour print supplied by registrant (WSY0126037)  
Etymology: Named at the request of The National Trust, Trelissick, home of the Copeland family

**'Jewel Box' 2 Y-R**

(Stephen J.Vinisky) Stephen J.Vinisky, 2013  
Sdlg V-94-166-4 × sdlg V95-139-22; sdlg no. V00-40-16

**'Jill G' 2 W-W**

(Stephen J.Vinisky, 1999) Stephen J.Vinisky, 2013  
'Quiet Waters' × 'Peggy White'; sdlg no. V94-149-11

**'Kowhai Glen' 2 Y-Y**

(Denise E.McQuarrie) Denise E.McQuarrie, 2013  
'Goldhanger' × 'Gold Shah'; sdlg no. J59  
Fl. 110mm wide; perianth segments 48mm long, ovate, blunt, mucronate, spreading, a little reflexed, margins slightly incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, more nearly plane, less prominently mucronate; corona 42mm long, cylindrical, smooth, mouth expanded, ribbed and a little wavy, with rim notched and narrowly flanged. Mid-season to late.

**'Lady Rosanna' 8 W-Y**

(W.R.P.Welch) W.R.P.Welch, 2013  
Autumn Colors Group × *N. papyraceus*  
Fls forming a double triangle, 45mm wide; perianth segments 18mm long, very broadly ovate, mucronate, white, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 6mm long, bowl-shaped, ribbed, light lemon yellow, mouth straight and wavy, with rim notched. Tall. Very early. Sweetly scented.

**'Lake Ida' 3 W-GWW**

(Denise E.McQuarrie, 2003) Denise E.McQuarrie, 2013  
'Sea Dream' × 'Pure Magic'; sdlg no. G4  
Fl. 106mm wide; perianth segments 45mm long, rounded in outline, blunt at apex, mucronate, spreading, plane, smooth and of heavy substance, overlapping half or more; corona 12mm long, disc-

shaped, ribbed, mouth expanded and frilled, with rim dentate. Mid-season to late.

**'Legendary' 8 Y-R**

(Stephen J.Vinisky, 2002) Stephen J.Vinisky, 2013  
'Bright Spangles' × sdlg V94-238-9 ('Cardinal Knowledge' × 'Flora Brava'); sdlg no. V98-16-7  
Fls 2-4 per stem, 104mm wide. Tall. Mid-season to late.

**'Lemon Flare' 10 Y-Y**

(Brian S.Duncan) Brian S.Duncan, 2013  
Sdlg 96/201 (from *N. bulbocodium* from Asni, Morocco) open pollinated; sdlg no. 2928  
Fl. 50mm wide, lemon-yellow; perianth segments 18mm long, lanceolate in outline, acute at apex, spreading, plane, smooth, separated; corona 15mm long, bowl-shaped, broadly ribbed, mouth widely expanded, wavy, with rim crenate. Dwarf. Very early.  
Nomenclatural Standard: colour print supplied by registrant (WSY0126038)

**'Letitia Harper' 2 W-P**

(Ken D.Fink) Ken D.Fink, 2013  
'Accent' × 'Sedate'; sdlg no. 01-65-01  
Fl. 97mm wide, facing slightly upwards; perianth segments 39mm long, broadly ovate, blunt, mucronate, white, touched orange-yellow at base, spreading, plane or with margins slightly incurved, creased and of heavy substance, overlapping one-third; the inner segments narrower, shouldered at base; corona 30mm long, funnel-shaped, angled, pink, mouth ribbed, wavy, widely flared, irregularly lobed, with rim crenate. Sweetly scented. Mid-season.  
Nomenclatural Standard: colour print supplied by registrant (WSY0126073)

**'Limey Lass' 10 Y-Y**

(Brian S.Duncan) Brian S.Duncan, 2013  
Sdlg 96/201 (from *N. bulbocodium* from Asni, Morocco) open pollinated; sdlg no. 2929  
Fl. 35mm wide, clear limey yellow; perianth segments 15mm long, lanceolate in outline, acute at apex, spreading, plane, smooth, separated; corona 15mm long, bowl-shaped, neatly ribbed, mouth widely expanded, wavy, with rim crenate. Dwarf. Very early.  
Nomenclatural Standard: colour print supplied by registrant (WSY0126039)

**'Linda Judith' 2 Y-OOR**

(Ken D.Fink, 1986) Ken D.Fink, 2013  
'Ardour' × 'Falstaff'; sdlg no. 79-20-125  
Fl. forming a double triangle, 103mm wide; perianth segments 45mm long, ovate, truncate, yellow, with white mucro, spreading, plane, with midrib showing, of heavy substance, overlapping one-third to a half; the inner segments narrower, less prominently mucronate; corona 22mm long, cup-shaped, orange, with a broad band of red at rim, ribbed, mouth wavy, with rim entire. Sunproof. Mid-season.  
Nomenclatural Standard: colour print supplied by registrant (WSY0126074)

**'Little Karen' 8 W-P**

(H. Koopowitz) H. Koopowitz, 2013  
 'Pink China' × *N. dubius*; sdlg no. 03-036-17  
 Fls 2–5 per stem, 38mm wide; perianth segments 16mm long, broadly ovate, blunt at apex, greenish white 155A, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments more rounded in outline; corona 8mm long, cup-shaped, light yellowish pink 36B, smooth, mouth straight and wavy, with rim entire. Dwarf. Sweetly scented. Mid-season.

**'Little Oliver' 7 Y-Y**

(Latvian origin) De Goede Bulbivaria BV, 2013  
 Sdlg no. 12142  
 Fl. 22mm wide, yellow-orange (14A); perianth segments 10mm long, roundish, blunt, mucronate, spreading or a little reflexed, concave or with margins incurving, with midrib showing, of membranaceous substance, overlapping half; the inner segments narrower; corona 10mm long, cup-shaped, angled, mouth straight, ribbed and even, with rim flanged and entire. Sunproof. Sweetly scented. Mid-season. Nomenclatural Standard: colour print supplied by KAVB (WSY0126085)

**'Little Racer' 6 W-Y**

(Brian S.Duncan) Brian S.Duncan, 2013  
*N. cyclamineus* × 'Candlepower'; sdlg no. 2970(a)  
 Fl. 35mm wide, facing down; perianth segments 14mm long, oblong in outline, blunt at apex, white, very strongly reflexed, plane or with margins slightly recurved, smooth, separated; corona 16mm long, cylindrical, smooth, lemon yellow, slightly constricted towards mouth, mouth flared, ribbed and wavy, with rim notched. Dwarf. Very early. Nomenclatural Standard: colour print supplied by registrant (WSY0126040)

**'Little Trinket' 3 Y-YYR**

(Denise E.McQuarrie) Denise E.McQuarrie, 2013  
 'Ferndown' × ('Merlin' × 'Trelay'); sdlg no. OC113  
 Fl. rounded, 72mm wide; perianth segments 27mm long, very broadly ovate in outline, rounded at apex, mucronate, yellow, spreading, plane, with midrib showing, of membranaceous substance, overlapping half; the inner segments slightly narrower, less prominently mucronate; corona 8mm long, bowl- to disc-shaped, smooth, yellow, with a narrow band of red at rim, mouth expanded and a little wavy, with rim entire. Mid-season.

**'Little Tweet' 6 W-W**

(Brian S.Duncan) Brian S.Duncan, 2013  
*N. cyclamineus* × 'Candlepower'; sdlg no. 3128  
 Fl. 36mm wide, facing down; perianth segments 15mm long, lanceolate in outline, blunt at apex, mucronate, white, reflexed, plane, smooth, separated; corona 16mm long, cylindrical, smooth, opening yellow, becoming white, mouth flared, ribbed and wavy, with rim notched and crenate. Dwarf. Very early. Nomenclatural Standard: colour print supplied by registrant (WSY0126041)

**'Lynn's Smile' 2 Y-YOO**

(Stephen J.Vinisky, 1994) Stephen J.Vinisky, 2013  
 'Loch Hope' × 'Ulster Bank'; sdlg no. V89-52-13

**'Margaret's Melody' 2 W-YOO**

(Brian S.Duncan, 2001) Brian S.Duncan, 2013  
 'Soprano' × 'Ruby Wedding'; sdlg no. 2807  
 Fl. 115mm wide; perianth segments 46mm long, broadly ovate, blunt, mucronate, spreading, plane or with margins incurved, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate, more nearly plane; corona 28mm long, funnel-shaped, ribbed, mouth expanded and frilled, with rim entire.  
 Nomenclatural Standard: colour print supplied by registrant (WSY0126042)  
 Etymology: In honour of a renowned N. Ireland soprano

**'Marilynn Howe' 7 W-P**

(H.Koopowitz) H.Koopowitz, 2013  
 'Pink China' × *N. calcicola*; sdlg no. 00-072-1  
 Fl. 42mm wide; perianth segments 20mm long, very broadly ovate, blunt, yellowish white 155B, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments narrower; corona 7mm long, cup-shaped, smooth, light yellowish pink 37D, mouth straight and even, with rim entire. Sunproof. Mid-season.

**'Marshal Dillon' 1 YYW-Y**

(Robert Spotts) Robert Spotts, 2013  
 ('Wild Women' × sdlg) hybrid; sdlg no. 13-1-3  
 Fl. forming a double triangle, 91mm wide, facing slightly upwards; perianth segments 35mm long, yellow, with white at base and with white mucro, ovate, blunt, spreading, plane, with pale midrib showing, overlapping half; the inner segments narrower, almost acute at apex; corona 37mm long, funnel-shaped, smooth, yellow, mouth flared, broadly ribbed, wavy, with rim notched and entire. Early. Nomenclatural Standard: colour print supplied by registrant (WSY0126079)

**'Merry Stars' 7 Y-Y**

(Stephen J.Vinisky, 2002) Stephen J.Vinisky, 2013  
*N. fernandesii* × *N. jonquilla* var. *henriquesii*; sdlg no. V98-53-36  
 Strongly scented. Dwarf. Early

**'Miss Bonita' 9 W-GYR**

(Michael Berrigan) Michael Berrigan, 2013  
 Verry sdlg × Hamilton sdlg; sdlg no. 00-26-1  
 Fl. rounded, 70mm wide; perianth segments 31mm long, broadly ovate, mucronate, sparkling white, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments slightly narrower; corona 3mm long, disc-shaped, lightly ribbed, yellow, with green at base and a band of crisp red at rim, mouth even, with rim dentate. Sweetly scented. Mid-season.

**'Miss Melissa' 8 W-Y**

(W.R.P.Welch) W.R.P.Welch, 2013

'Avalanche' × Autumn Colors Group

Fls 15–27 per stem, rounded, 45mm wide; perianth segments 18mm long, very broad, roundish, mucronate, opening with a slight yellow cast, becoming creamy white, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments shouldered at base; corona 7mm long, bowl-shaped, smooth, deep lemon yellow, mouth straight and even, with rim entire. Tall. Mid-season. Sweetly scented.

**'Montecito' 2 W-Y**

(Ken D.Fink) Ken D.Fink, 2013

'Dawn Blush' × sdlg 97-108-01 ('Golden Aura' × 'Ken's Favorite'); sdlg no. 03-240-01

Fl. rounded, 100mm wide, perianth segments 42mm long, roundish in outline, slightly mucronate, white, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; corona 27mm long, cylindrical, smooth, light yellow, mouth straight and wavy, with rim crenate. Sweetly scented. Mid-season.

**'Mountain Shadow' 3 W-Y**

(Stephen J.Vinisky) Stephen J.Vinisky, 2013

'Moyle' × 'Evesham'; sdlg no. V04-147-12

**'Myrna's Sweet Max' 2 W-P**

(Michael Berrigan, 2002) Michael Berrigan, 2013

'Salome' × 'At Dawning'; sdlg no. 2002-14-4-1

Fl. forming a double triangle, 110mm wide; perianth segments 48mm long, ovate, blunt, spreading, plane, smooth and of heavy substance, overlapping one-third; the inner segments shouldered at base; corona 45mm long, cylindrical, smooth, mouth narrowly flared, even, with rim minutely crenate. Mid-season.

**'Nella Italia' 8 Y-Y**

(V.Ragusa) V.Ragusa, 2013

Fls up to 15 per stem; perianth segments ovate, blunt, yellow, with prominent white mucro, spreading to reflexed, slightly concave, with margins incurving, smooth and of heavy substance, overlapping one-third to a half; the inner segments narrower, less prominently mucronate; corona cup-shaped, more golden in tone than perianth segments, mouth straight and even, with rim crenate. Strongly scented. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0126043)

**'New Year' 2 W-O**

(Ken D.Fink) Ken D.Fink, 2013

'Abalone' × 'Rio Rouge'; sdlg no. 94-88-01

Fl. rounded, 92mm wide; perianth segments very broadly ovate in outline, blunt to rounded at apex, mucronate, spreading, plane, smooth and of heavy substance, overlapping one-third; the inner segments more narrowly ovate, less prominently mucronate; corona bowl-shaped, smooth, mouth flared, ribbed, wavy and lobed, with rim minutely crenate. Early. Nomenclatural Standard: colour print supplied by registrant (WSY0126108)

**'Ngair Rogers' 12 W-W**

(Ngair Rogers) Peg Tocher, 2013

Fl. rounded, 53mm wide; perianth segments 22mm long, lanceolate, acute, reflexed, plane, smooth, separated; corona 12mm long, cylindrical, smooth, mouth straight, ribbed and even, with rim dentate. Dwarf. Early. This cultivar consistently has 10–12 perianth segments.

**'Oblique' 9 W-GYR**

(Colin Crotty) Colin Crotty, 2013

Parentage unknown; sdlg no. 24-05

Fl. rounded, 52mm wide; perianth segments 21mm long, very broad, roundish, mucronate, white, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, truncate, not noticeably mucronate; corona 3mm long, disc-shaped, broadly ribbed, yellow, with green at base and a narrow band of orange-red at rim, mouth expanded, lightly frilled, three-lobed, with rim crenate. Sweetly scented. Late. Nomenclatural Standard: colour print supplied by registrant (WSY0126044)

**'Oh Wow' 3 W-P**

(Nial Watson) Ringhaddy Daffodils, 2013

'Soft Focus' × 'Coral Crown'; sdlg no. 690

Fl. rounded, 103mm wide; perianth segments 43mm long, very broad, roundish, truncate, mucronate, white, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping one-third; the inner segments narrower and shouldered at base; corona 13mm long, disc-shaped, ribbed, deep yellowish pink 39B, with darker tones (39A) towards rim, mouth ribbed, even and lobed, with rim notched. Sunproof. Mid-season.

**'Orange Sunset' 1 W-YYO**

(K.van der Veek) van Woesik Veredeling, 2012

Varies between Divs 1 &amp; 2

Sdlg no. 05-500

Fl. 105mm wide, facing up; perianth segments 43mm long, very broad, oblong in outline, rounded at apex, truncate, mucronate, greenish white 155C, spreading, plane, with margins wavy, creased and of heavy substance, overlapping half or more; the inner segments a little narrower, blunt at apex; corona 43mm long, funnel-shaped, angled, opening orange, then yellow, becoming orange-yellow (13A), with vivid yellow 12A at base and with orange (22A) at rim, mouth straight, lightly ribbed, wavy, irregularly lobed, with rim flanged and crenate. Early. Sunproof. Sweetly scented. Nomenclatural Standard: colour print supplied by KAVB (WSY0126045)

**'Over Easy' 2 W-P**

(G.E.Mitsch) J.S.Pennings, 2012

Sdlg no. 10/10

Fl. 110mm wide; perianth segments 53mm long, very broad, rounded at apex, truncate, prominently mucronate, greenish white 155C, spreading, plane to a little twisted, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, not truncate, less prominently mucronate; corona 31mm long, funnel-shaped, smooth, opening yellowish pink (26B), with yellow at base and a band of reddish orange (25A) at rim, becoming yellowish pink (26B), mouth flared, ribbed, heavily frilled and irregularly lobed, with rim crenate. Mid-season. Sunproof. Sweetly scented. Nomenclatural Standard: colour print supplied by KAVB (WSY0126046)

**'Palheiro' 2 W-WWP**

(John Gibson, 2002) John Gibson, 2013

'Misty Glen' × 'Soprano'; sdlg no. 14-1-97

Fl. 106mm wide; perianth segments 43mm long, very broadly ovate, white, slightly mucronate, spreading, plane or with margins very slightly incurved at apex, smooth and of heavy substance, overlapping half or more; the inner segments a little narrower, more nearly plane, less prominently mucronate, with slight midrib showing; corona 22mm long, funnel-shaped, angled, loosely and regularly ribbed, white, with a narrow band of strong yellowish pink 31C at rim, mouth straight and wavy, with rim obscurely crenate. Late. Nomenclatural Standard: colour print supplied by registrant (WSY0126047)

**'Perfect Gem' 1 Y-Y**

(Stephen J.Vinisky, 1996) Stephen J.Vinisky, 2013

('Glisten' × 'Altun Ha') × 'Gipsy Queen'; sdlg no. V02-42-4

Fl. 53mm wide. Dwarf.

**'Piccolo Pete' 1 Y-Y**

(Stephen J.Vinisky, 1995) Stephen J.Vinisky, 2013

'Little Gem' × 'Tanagra'; sdlg no. V90-73-9

Fl. 46mm wide. Dwarf. Early to mid-season.

**'Pinkieperi' 2 P-P**

(Brian S.Duncan) Brian S.Duncan, 2013

Sdlg 2227 ('Pink Perry' × 'American Heritage') × 'Angels Wood'; sdlg no. 3506

Fl. 110 wide; perianth segments 45mm long, creamy pink; corona 24mm long, coral pink. Mid-season.

**'Pink Splash' 11a W-YPP**

(Stephen J.Vinisky, 2001) Stephen J.Vinisky, 2013

'Twotees' × 'Cool Evening'; sdlg no. V96-146-3

**'Pirongia Dawn' 2 YYW-W**

(Graeme and Faith Miller) Graeme and Faith Miller, 2013

'Tauhoa' × 'Impeccable'; sdlg no. 03/12

Fl. rounded, 107mm wide; perianth segments 40mm long, roundish in outline, lemon yellow, with a narrow band of white at base, spreading, concave,

with margins incurved, smooth and of heavy substance; the inner segments narrower; corona 39mm long, funnel-shaped, opening lemon yellow, becoming creamy white, angled, mouth flared and frilled, with rim dentate. Early.

**'Pirongia Flame' 3 O-R**

(Graeme and Faith Miller) Graeme and Faith Miller, 2013

'Nakajima' × 'Wayby'; sdlg no. 07-108

Fl. rounded, 110mm wide; perianth segments 47mm long, broadly ovate, blunt, spreading, plane or with margins incurved, smooth and of heavy substance; the inner segments narrower; corona 15mm long, cup-shaped, ribbed, mouth flared and frilled, with rim dentate. Mid-season.

**'Pirongia Gold' 1 Y-Y**

(Graeme and Faith Miller) Graeme and Faith Miller, 2013

'Tyburnia' × 'Temple Gold'; sdlg no. 07-009

Fl. rounded, 114mm wide; perianth segments 47mm long, very broadly ovate, blunt, spreading, plane or with margins recurved, smooth and of heavy substance; the inner segments narrower; corona 49mm long, funnel-shaped, smooth, mouth flared and frilled, with rim dentate. Early.

**'Pirongia Lemon' 2 YYW-W**

(Graeme and Faith Miller) Graeme and Faith Miller, 2013

'Tauhoa' × 'Impeccable'; sdlg no. 05-18

Fl. 126mm wide; perianth segments 51mm long, ovate, blunt, lemon yellow, with a band of white at base, spreading, plane or with margins incurved, smooth and of heavy substance; the inner segments narrower; corona 36mm long, funnel-shaped, opening lemon yellow, becoming white, ribbed, mouth flared and frilled, with rim dentate. Early.

**'Pirongia Princess' 4 W-OOY**

(Graeme and Faith Miller, 1997) Graeme and Faith Miller, 2013

'Symptom' × 'Hamilton' sdlg 60-89; sdlg no. 97/49

Fl. rounded, 101mm wide; perianth segments 38mm long, very broadly ovate, blunt, white, spreading, concave, with margins incurved, smooth and of heavy substance; corona orange, with a band of yellow at rim. Mid-season.

**'Pirongia Sorbet' 2 W-Y**

(Graeme and Faith Miller) Graeme and Faith Miller, 2013

'Ebony' × 'Pops Legacy'; sdlg no. 03-28

Fl. 105mm wide; perianth segments 42mm long; broadly ovate, white, spreading, concave, with margins incurved, smooth and of heavy substance; the inner segments narrower; corona 39mm long, cylindrical, lemon yellow, smooth, mouth flared and frilled, with rim rolled and dentate. Early.

**'Plaisir d'Amour' 6 Y-Y**

(Walter J.M.Blom, 2002) Walter J.M.Blom, 2013

'Little Beauty' × *N. cyclamineus*; sdlg no. 230-6  
Fl. forming a double triangle, 50mm wide; perianth segments 25mm long, ovate in outline, acute at apex, vivid yellow 9B, reflexed, convex, with margins wavy, smooth and of heavy substance, overlapping a quarter; corona 25mm long, cylindrical, ribbed, vivid yellow 9A, mouth expanded, with rim flanged and notched. Sweetly scented. Early.

#### 'Poetry in Motion' 9 W-GYR

(Nial Watson) Ringhaddy Daffodils, 2013

Sdlg no. 387

Fl. rounded, 64mm wide; perianth segments 28mm long, very broadly ovate in outline, rounded at apex, mucronate, white, spreading, plane or with margins incurling, smooth and of heavy substance; the inner segments narrower; corona 5mm long, disc-shaped, ribbed, yellow (2A), with green (144A) at base and red (33B) at rim, mouth ribbed and frilled, with rim dentate. Sweetly scented. Late.

#### 'Poet's Justice' 9 W-GYR

(Gordon Coombes) Gordon Coombes, 2013

'Woodland Beauty' × 'Eyecatcher'; sdlg no. G19-07

Fl. 90mm wide; perianth segments 40mm long, very broadly ovate, blunt, slightly mucronate, yellowish white 155D, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, not noticeably mucronate; corona 6mm long, disc-shaped, neatly ribbed, pale yellow, with green at base and a broad band of orange-red (35A) at rim, mouth expanded and frilled, with rim dentate. Mid-season. Sweetly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0126048)

#### 'Polly Amore' 8 W-Y

(W.R.P.Welch) W.R.P.Welch, 2013

'Matador' × *N. papyraceus*

Fls 6–12 per stem, rounded, 47mm wide, facing up; perianth segments 19mm long, broadly ovate in outline, rounded at apex, mucronate, white, spreading, slightly twisted, with margins wavy, with midrib showing, overlapping half; corona 7mm long, bowl-shaped, ribbed, light lemon yellow, mouth expanded, wavy and lobed. Tall. Mid-season. Sweetly scented.

#### 'Princess Alexia' 2 Y-O

(K.van der Veek) Brent & Becky Heath, 2013

Fl. forming a double triangle, 100mm wide; perianth segments 40mm long, broadly ovate, blunt, slightly mucronate, vivid yellow 9A, spreading, plane to a little concave, with margins incurved, smooth and of heavy substance, overlapping one-third; inner segments narrower, shouldered at base, not noticeably mucronate, with midrib showing; corona 30mm long, funnel-shaped, broadly ribbed, strong orange N25C, paling to yellow-orange (N25D) at base and with vivid orange N30D at rim, mouth expanded, frilled and irregularly lobed, with rim entire and narrowly flanged. Mid-season. Sunproof. Strongly scented. Nomenclatural Standard: colour print supplied by KAVB (WSY0126049)

Etymology: Named, with permission, for the second daughter of King Willem-Alexander and Queen Máxima of the Netherlands

#### 'Pyrotechnica' 2 Y-R

(Brian S.Duncan) Brian S.Duncan, 2013

'Jake' × sdlg 1840 ('Garden News' × 'Patabundy'); sdlg no. 3358

Fl. 104mm wide; perianth segments 40mm long, broadly ovate, truncate, mucronate, deep golden yellow, spreading, plane or with margins a little incurved, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, less prominently mucronate; corona 18mm long, cup-shaped, ribbed, deep orange-red, mouth expanded, irregularly lobed, with rim minutely crenate. Mid-season to late. Nomenclatural Standard: colour print supplied by registrant (WSY0126050)

#### 'Quern' 11a W-W

(Colin Crotty) Colin Crotty, 2013

'Debs Jewel' × 'Leisa'; sdlg no. 30-06

Fl. 83mm wide; perianth segments 32mm long, very broad, roundish, truncate, mucronate, greenish white 155C, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments narrower, broadly ovate, blunt, less prominently mucronate; corona segments 24mm long, each closely overlying a perianth segment, forming an inner and an outer whorl of three, split to base, bilobed, with lobes overlapping, opening creamy yellow, becoming greenish white (155A), creased, with margins wavy. Mid-season. Strongly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0126051)

#### 'Reagan Freedom' 2 Y-Y

(Ken D.Fink) Ken D.Fink, 2013

'Miss Primm' × ('Arctic Gold' × 'Linda Judith'); sdlg no. 04-9-01

Fl. 100mm wide; perianth segments 41mm long, very broadly ovate, blunt, with white mucro, spreading, plane, smooth, overlapping half; the inner segments narrower, scarcely mucronate; corona 35mm long, funnel-shaped, smooth and of heavy substance, broadly and irregularly ribbed, mouth slightly expanded and wavy, with rim crenate. Sunproof. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0126075)

**'Redwell Beauty' 3 Y-O**

(John Gibson, 2000) John Gibson, 2013  
Sdlg 1-6-88 ('Loch Naver' × 'Ulster Bank') ×  
'Stanway'; sdlg no. 42-3-95

Fl. 104mm wide; perianth segments 48mm long, very broadly ovate, minutely truncate, brilliant yellow 7A, with slight white mucro, spreading, margins slightly incurved at apex, smooth and of heavy substance, overlapping half; the inner segments slightly narrower, less prominently mucronate, more nearly ovate, shouldered at base; corona 15mm long, funnel-shaped, angled, irregularly ribbed, strong orange 25B, with a darker tone (28A) at rim, mouth slightly expanded and lightly frilled, with rim minutely crenate. Mid- to late season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126052)

**'Richard Gillings' 3 Y-YYO**

(Clive Postles) Roger Braithwaite, 2013

Fl. 105mm wide; perianth segments broadly ovate, truncate, yellow, with white mucro, spreading, plane or with margins incurved, lightly creased and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona bowl-shaped, yellow, with a narrow band of orange at rim, broadly ribbed, mouth a little expanded and wavy, with rim entire. Late.

Nomenclatural Standard: colour print supplied by registrant (WSY0126091)

**'Road Runner' 7 YYW-YWW**

(Brian S.Duncan) Brian S.Duncan, 2013

'Regeneration' open pollinated; sdlg no. 2904

Fls 55mm wide; perianth segments 23mm long, ovate, truncate, lemon yellow, with pale mucro, spreading, plane or with margins slightly incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, more nearly plane, blunt at apex, less prominently mucronate; corona 15mm long, cup-shaped, opening yellow, becoming white with yellow at base, ribbed, mouth straight, irregularly wavy, with rim entire. Sunproof. Late.

Nomenclatural Standard: colour print supplied by registrant (WSY0126053)

Etymology: Name owed to the daffodil's rapid rate of increase

**'Robustian' 2 W-YYP**

(Brian S.Duncan) Brian S.Duncan, 2013

'Ben Aligin' × 'Catalyst'; sdlg no. 3088

Fl. 112mm wide; perianth segments 45mm long, broadly ovate, blunt, mucronate, white, spreading, slightly concave, with midrib showing, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 35mm long, funnel-shaped, angled, yellow, with a narrow band of pink at rim, mouth flared, ribbed, lightly wavy and irregularly lobed, with rim entire. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126054)

**'Rumba in Red' 9 W-GRR**

(Leone Yarborough Low) Leone Yarborough Low, 2013

Sdlg no. 7S

Fl. rounded, 40mm wide; perianth segments plane, smooth and of heavy substance, overlapping half or more; corona bowl- to disc-shaped, smooth, mouth flared and wavy. Dwarf. Late. Sweetly scented.

**'Rural Pixie' 1 Y-Y**

(Alistair Davey, 2000) Alistair Davey, 2013

'Mitzy' × 'Gipsy Queen'; sdlg no. 2-00

Fl. star-shaped, 42mm wide, facing up; perianth segments 18mm long, lanceolate in outline, acute at apex, vivid yellow 9A, reflexed, plane or with margins incurving, smooth and of membranaceous substance, separated; the inner segments narrower; corona 22mm long, cylindrical, angled, vivid yellow 12A, mouth straight, ribbed and frilled, with rim flanged and dentate. Dwarf. Early.

**'Saffron Strand' 3 W-YYO**

(Nial Watson) Ringhaddy Daffodils, 2013

'Ballygowan' × 'Loch Alsh'; sdlg no. 077

Fl. rounded, 108mm wide; perianth segments 45mm long, roundish, very broad, mucronate, white, spreading, plane, smooth and of heavy substance; the inner segments narrower; corona 12mm long, bowl-shaped, ribbed, vivid yellow 12A, with a narrow band of orange at rim, mouth expanded, ribbed, wavy to frilled, with rim dentate. Mid-season.

**'Santa Barbara CA' 2 Y-OOR**

(Ken D.Fink) Ken D.Fink, 2013

'Sabine Hay' × 'Camelot'; sdlg no. 02-235-01

Fl. 94mm wide, facing up; perianth segments 38mm long, broadly ovate, truncate, yellow, with white mucro, and pale midrib, spreading, plane and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 21mm long, cup-shaped, ribbed, orange, with a broad band of red at rim, mouth straight, narrowly ribbed, wavy and a little lobed, with rim crenate. Early. Sweetly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0126076)

**'Sea Moon' 2 W-W**

(E.G.B.Jarman, 1997) Ringhaddy Daffodils, 2013

'Mount Fuji' × 'Silver Blaze'; sdlg no. J573

Fl. 110mm wide; perianth segments 46mm long, very broadly ovate, blunt, mucronate, spreading, plane to a little concave, smooth and of heavy substance, overlapping half or more; the inner segments a little narrower, shouldered at base; corona 40mm long, funnel-shaped, smooth, mouth flared, neatly ribbed, wavy, with rim entire. Early to mid-season.

**'Seville Orange' 1 W-O**

(Brian S.Duncan) Brian S.Duncan, 2013

'Red Reed' × 'Lutana'; sdlg no. 3081

Fl. 108mm wide; perianth segments 40mm long, broadly ovate, blunt, prominently mucronate, white, spreading, plane or with margins incurved, with

midrib showing, of membranaceous substance, overlapping half or more; the inner segments narrower, less prominently mucronate, shouldered at base; corona 43mm long, funnel-shaped, angled, orange with darker tones towards mouth, mouth lobed, with rim entire. Sunproof. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0126055)

**'Sevorange' 7 W-O**

(Brian S.Duncan) Brian S.Duncan, 2013  
'Quick Step' sdlg open pollinated × 'Fresno'; sdlg no. 2791

Fls 58mm wide; perianth segments 24mm long, ovate, truncate, mucronate, white, spreading, concave, with margins incurling, smooth and of heavy substance, overlapping one-third to a half; the inner segments narrower, shouldered at base, very slightly mucronate; corona 15mm long, cup-shaped, mid-orange, lightly ribbed, mouth expanded and lobed, with rim entire. Sunproof. Late.

**'Shadanae' 2 YYW-WWP**

(Graeme and Faith Miller) Graeme and Faith Miller, 2013

'Capree Elizabeth' × sdlg GM99-23; sdlg no. 05-25  
Fl. 110mm wide; perianth segments 46mm long, ovate, blunt, yellow, with white mucro and a band of white at base, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping one-third; the inner segments narrower, truncate, less prominently mucronate; corona 38mm long, funnel-shaped, angled, mouth straight, ribbed, frilled, with rim dentate. Early.

**'Shalako' 8 W-O**

(Robert Spotts) Robert Spotts, 2013  
'Matador' × 'Soleil d'Or'; sdlg no. 13-1-61  
Fls 5–8 per stem, rounded, 45mm wide; perianth segments 17mm long, very broadly ovate, truncate, prominently mucronate, a little inflexed, concave, with margins wavy, smooth, overlapping half or more; the inner segments narrower, less prominently mucronate; corona 8mm long, bowl-shaped, ribbed, mouth expanded and wavy, with rim entire. Early. Nomenclatural Standard: colour print supplied by registrant (WSY0126081)  
Etymology: Zuni tribal winter solstice celebration

**'Sharon's Champagne' 3 Y-Y**

(R.A.Scamp, 1993) R.A.Scamp, 2013  
'Ferndown' × 'Lemonade'; sdlg no. 606-558A  
Fl. 100mm wide; perianth segments 44mm long, broadly ovate, truncate, very pale yellow, with darker tones at margins, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments shouldered at base, flushed with lemon yellow at margins; corona 11mm long, bowl-shaped, yellow, deeply ribbed, mouth a little expanded and lightly frilled, with rim dentate. Sweetly scented. Sunproof. Late. Nomenclatural Standard: colour print supplied by registrant (WSY0126056)

Etymology: Named in appreciation of Sharon McDonald

**'Sherwin' 3 Y-Y**

(Clive Postles) Roger Braithwaite, 2013  
Fl. 105mm wide; perianth segments ovate, blunt, light yellow, with white mucro, spreading, concave, with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower; corona bowl-shaped, yellow, mouth a little expanded, lightly frilled, with rim entire. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0126092)

**'Slice o' Lemon' 2 Y-Y**

(Brian S.Duncan) Brian S.Duncan, 2013  
*N. asturiensis* × *N. rupicola* subsp. *watieri*; sdlg no. 3238  
Fl. star-shaped, 43mm wide, mid-lemon-yellow; perianth segments 18mm long, oblong in outline, blunt at apex, prominently mucronate, a little inflexed, plane, smooth, overlapping a quarter; the inner segments slightly narrower, less prominently mucronate; corona 11mm long, funnel-shaped, smooth, mouth straight, ribbed and wavy, with rim notched. Dwarf. Early. Nomenclatural Standard: colour print supplied by registrant (WSY0126057)

**'Small Business' 6 Y-Y**

(Walter J.M.Blom, 2000) Walter J.M.Blom, 2013  
Sdlg 206-10 × *N. cyclamineus*; sdlg no. 019-18  
Fl. 75mm wide, facing up, vivid yellow 9A; perianth segments 30mm long, ovate, blunt, very slightly mucronate, reflexed, convex, with margins wavy, with midrib showing, of heavy substance, overlapping half; corona 35mm long, cylindrical, lightly ribbed, mouth flared and wavy, with rim notched. Dwarf. Very early to early. Sweetly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0126058)

**'Small Change' 2 W-WWP**

(Stephen J.Vinisky, 1998) Stephen J.Vinisky, 2013  
'DuBose' × 'Candlepower'; sdlg no. V93-221-6  
Fl. 57mm wide. Dwarf. Early

**'Snowcarpet' 1 W-W**

(Walter J.M.Blom) Walter J.M.Blom, 2013  
'Little Beauty' × sdlg 227-9; sdlg no. 661-6  
Fl. 60mm wide; perianth segments 25mm long, ovate, mucronate, spreading, evenly twisted, with margins wavy, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 25mm long, cylindrical, ribbed, mouth expanded and lobed, with rim flanged and dentate. Dwarf. Sunproof. Sweetly scented. Early.

**'Snow Rose' 2 W-PPR**

(R. & E.Havens, 2003) R. & E.Havens, 2013  
 'Piano Concerto' open pollinated; sdlg no. MH31/2  
 Fl. 90mm wide; perianth segments 35mm long, rounded in outline, truncate at apex, slightly mucronate, white, spreading, plane or with margins a little incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, broadly ovate, less prominently mucronate, more nearly plane; corona 19mm long, funnel-shaped, angled, pink, with a broad band of pinkish red at rim, mouth straight, ribbed and lobed, lightly frilled, with rim crenate. Sunproof. Mid-season.  
 Nomenclatural Standard: colour print supplied by registrant (WSY0126096)

**'Solar Eclipse' 2 W-YYO**

(Nial Watson) Ringhaddy Daffodils, 2013  
 'Brave Journey' × 'Witch Doctor'; sdlg no. 734  
 Fl. rounded, 68mm wide; perianth segments 27mm long, roundish, very broad, mucronate, white, spreading, plane or with margins incurved, with midrib showing, of heavy substance, overlapping a quarter; the inner segments shouldered at base; corona 13mm long, bowl-shaped, ribbed, brilliant yellow 7A, with a band of strong orange 25A at rim, mouth flared, ribbed and even, with rim crenate. Mid-season.

**'Sparky' 1 Y-Y**

(Stephen J.Vinisky, 2002) Stephen J.Vinisky, 2013  
 Sdlg V92-331-4 ('Gipsy Queen' × 'Candlepower') × Galyon sdlg FG-12; sdlg no. V97-158-9  
 Fl. 26mm wide.

**'Split Screen' 11a W-P**

(Brian S.Duncan) Brian S.Duncan, 2013  
 'Diversity' × 'Trigonometry'; sdlg no. 3072  
 Fl. forming a double triangle, 109mm wide; perianth segments 45mm long, ovate in outline, acute at apex, white, spreading, plane or with margins slightly incurved, smooth and of heavy substance; corona 22mm long, split to base, the six segments apple-blossom pink to coral pink, ribbed, frilled and lobed, with rim rolled and crenate. Sunproof. Mid-season.

**'Spring Paradijs' 4 Y-Y**

(Henk Wijnhout & Theo van der Hulst) H. Wijnhout en Zn, 2013  
 Sdlg no. 12047  
 Fl. 105mm wide; perianth and other petaloid segments in three whorls; the outer whorl 50mm long, very broadly ovate, truncate, light greenish yellow 5A, with slight white mucro, spreading, slightly concave or with margins incurving, creased, with midrib showing, of membranaceous substance, overlapping half or more; the inner whorls narrower, becoming shorter and successively more strongly inflexed, concave; corona segments 33mm long, interspersed among the petaloid segments and clustered at centre, brilliant yellow 7A, heavily frilled, with rim notched. Strongly scented. Mid-season.  
 Nomenclatural Standard: colour print supplied by KAVB (WSY0126086)

**'Stormbringer' 2 W-YRR**

(Gordon Coombes) Gordon Coombes, 2013  
 'Rebel Lass' × 'Royal Coachman'; sdlg no. G2-02  
 Fl. 96mm wide; perianth segments 38mm long, very broadly ovate, blunt, mucronate, white, spreading, a little concave, with margins incurved, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate; corona 36mm long, bowl-shaped, lightly ribbed, red, shading to a darker tone at rim, with yellow at base, mouth expanded, frilled and irregularly lobed, with rim crenate. Mid-season. Strongly scented.  
 Nomenclatural Standard: colour print supplied by registrant (WSY0126059)

**'Sugar Red' 9 W-R**

(Stephen J.Vinisky) Stephen J.Vinisky, 2013  
 Sdlg V93-183-5 ('Red Hugh' × 'Bon Bon') × sdlg V96-136-2 ('Haiku' × 'Luchon'); sdlg no. V04-166-14

**'Summerland' 2 WWY-O**

(Ken D.Fink, 1990) Ken D.Fink, 2013  
 'Ceylon' × 'Professor Einstein'; sdlg no. 82-36-184  
 Fl. 85mm wide; perianth segments 36mm long, ovate, truncate, mucronate, white, with a band of yellow at base, spreading, plane or with margins a little wavy, midrib showing, of heavy substance, overlapping one-third to a half; the inner segments narrower, shouldered at base, less prominently mucronate; corona 32mm long, funnel-shaped, angled, orange, with a broad band of a darker tone at rim, broadly ribbed, mouth expanded and wavy, with rim somewhat notched. Sunproof. Sweetly scented. Mid-season.  
 Nomenclatural Standard: colour print supplied by registrant (WSY0126077)

**'Sun Falcon' 11a Y-Y**

(Colin Crotty) Colin Crotty, 2013  
 'High Sun' × 'Caramel Joy'; sdlg no. 24-08  
 Fl. 110mm wide; perianth segments 40mm long, very broadly ovate, blunt, mucronate, greenish yellow (4D), spreading, concave, with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate; corona 25mm long, split to base, the six segments, each closely overlying a perianth segment, forming an inner and an outer whorl of three, vivid yellow 12A, frilled, with lobes overlapping. Mid-season. Strongly scented.  
 Nomenclatural Standard: colour print supplied by registrant (WSY0126060)

**'Sun Sprite' 7 Y/W-W**

(R. & E.Havens) R. & E.Havens, 2013  
 Sdlg LH32/8 ('Perpetuation' × 'Regeneration') open pollinated; sdlg no. SHO38/1  
 Fls 2-3 per stem, 55mm wide, facing slightly upwards; perianth segments 24mm long, oblong to ovate in outline, rounded to blunt at apex, prominently mucronate, lemon yellow, with white at base and along midrib, spreading, plane or with margins a little incurved, smooth and of heavy substance, overlapping one-third; the inner segments narrower, more nearly

ovate, blunt, less prominently mucronate, a little inflexed; corona 14mm long, cup-shaped, broadly ribbed, white, mouth straight and wavy, with rim crenate. Sunproof. Sweetly scented. Late.  
Nomenclatural Standard: colour print supplied by registrant (WSY0126098)

**'Swedish Treasure' 2 Y-PPY**

(R. & E.Havens) R. & E.Havens, 2013  
'Acumen' × 'American Dream'; sdlg no. OH4/25  
Fl. 105mm wide; perianth segments 42mm long, very broadly ovate in outline, rounded at apex, deep lemon yellow, with pale mucro, spreading, plane or with margins a little incurved, smooth and of heavy substance; the inner segments narrower, shouldered at base, less prominently mucronate; the corona 35mm long, cylindrical, smooth, pink, with undertones of yellow, and yellow at rim, mouth flared, lightly ribbed and wavy, with rim crenate. Sunproof. Late.  
Nomenclatural Standard: colour print supplied by registrant (WSY0126099)

**'Texican' 2 Y-R**

(Colin Crotty) Colin Crotty, 2013  
'Rheban Red' × Hunter sdlg 20/81; sdlg no. 4-05  
Fl. forming a double triangle, 110mm wide; perianth segments 46mm long, very broadly ovate, mucronate, vivid yellow 9A, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 25mm long, cup-shaped, smooth, orange-red (32A), mouth straight, ribbed and wavy, with rim dentate. Mid-season. Strongly scented.

**'Thomas Mawson' 1 WWY-Y**

M.H.van der Zon & Sons, 2012  
Fl. 125mm wide; perianth segments 52mm long, broadly ovate, blunt, mucronate, greenish white 155C, with brilliant yellow 9C at base, spreading, plane or with margins slightly incurved, creased and of membranaceous to heavy substance, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate; corona 55mm long, funnel-shaped, smooth, vivid yellow 9A, mouth ribbed and slightly flared, a little wavy, with rim crenate. Mid-season. Sweetly scented.  
Nomenclatural Standard: colour print supplied by KAVB (WSY0126061)  
Etymology: Named for the designer of the gardens of Vredespaleis (Peace Palace), The Hague

**'Tiny Light' 1 W-W**

(Brian S.Duncan) Brian S.Duncan, 2013  
*N. asturiensis* × 'Candlepower'; sdlg no. 3231  
Fl. star-shaped, 36mm wide; perianth segments 16mm long, broadly lanceolate in outline, acute at apex, mucronate, spreading, plane, smooth, overlapping at base only; corona 17mm long, cylindrical, smooth, mouth ribbed and widely flared, a little wavy, with rim crenate and shallowly notched. Dwarf. Very early.  
Nomenclatural Standard: colour print supplied by registrant (WSY0126062)

**'Trevene' 3 Y/O-R**

(R.A.Scamp) R.A.Scamp, 2013  
Parentage unknown; sdlg no. 856  
Fl. forming a double triangle, 100mm wide; perianth segments 44mm long, broadly ovate, rounded, dark yellow, flushed with orange, with white mucro, spreading, plane or with margins slightly incurved, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, shouldered at base, blunt at apex; corona 14mm long, cup-shaped, ribbed, orange-red, mouth slightly expanded, frilled, with rim crenate. Late.  
Nomenclatural Standard: colour print supplied by registrant (WSY0126063)

**'Truint' 2 W-W**

(Gordon Coombes) Gordon Coombes, 2013  
Sdlg no. G01-10  
Fl. forming a double triangle, 70mm wide; perianth segments 26mm long, broadly ovate, blunt, mucronate, yellowish white 155D, spreading, plane to a little concave, smooth and of membranaceous substance, overlapping half; the inner segments narrower, shouldered at base; corona 24mm long, funnel-shaped, smooth, greenish white (155D), mouth ribbed, even and narrowly flared, with rim rolled and minutely crenate. Dwarf. Early. Strongly scented.

**'Trumpet Choice' 1 W-Y**

(Brian S.Duncan) Brian S.Duncan, 2013  
'Fiona MacKillop' × 'Queen's Guard'; sdlg no. 2878  
Fl. 115mm wide; perianth segments 45mm long, broadly ovate, blunt, scarcely mucronate, white, spreading, plane or with margins slightly incurved, a little creased, overlapping half; the inner segments narrower; corona 49mm long, cylindrical, smooth, deep lemon yellow, mouth widely flared, even, irregularly and shallowly lobed, with rim minutely crenate. Sunproof. Early to mid-season.  
Nomenclatural Standard: colour print supplied by registrant (WSY0126064)

**'Trumpet Royale' 1 W-P**

(Brian S.Duncan) Brian S.Duncan, 2013  
'Chanson' × 'Camden'; sdlg no. 2919  
Fl. 110mm wide; perianth segments 44mm long, very broadly ovate, truncate, mucronate, white, spreading, plane or with margins a little incurved, lightly creased, overlapping half or more; the inner segments narrower, blunt at apex; corona 45mm long, funnel-shaped, angled, coral pink, mouth a little expanded, narrowly ribbed and wavy, with rim broadly flanged.  
Nomenclatural Standard: colour print supplied by registrant (WSY0126065)

**'Twilight Beauty' 2 YYW-W**

(Denise E.McQuarrie) Denise E.McQuarrie, 2013  
Sdlg × 'Hambledon'; sdlg no. G19

Fl. 108mm wide; perianth segments 45mm long, ovate, blunt, with pale mucro, spreading, plane, smooth and of heavy substance, overlapping one-third; the inner segments narrower, less prominently mucronate; corona 40mm long, cylindrical, smooth, mouth flared, lobed and lightly frilled, with rim minutely crenate. Early to mid-season.

Etymology: Named after a famous trout fishing fly

**'Uncle Nol' 1 Y-Y**

(Geerings-Bergamo B.V.) Hay Farming Ltd, 2013

Fl. forming a double triangle, 80mm wide; perianth segments 60mm long, acute at apex, inflexed, concave; corona 70mm long, cylindrical, ribbed, mouth straight and wavy, with rim flanged and entire. Early.

**'Venator' 3 W-GWY**

(J.A.Hunter, 1996) J.A.Hunter, 2013

'Silken Sails' × 'Lancaster'; sdlg no. 110/91A

Fl. 120mm wide; perianth segments 54mm long, white; corona 16mm long, white, with green at base and brilliant yellow 7B at rim. Mid-season.

**'Video Kid' 3 Y-R**

(Brian S.Duncan) Brian S.Duncan, 2013

'Jake' × sdlg 1776; sdlg no. 2902

Fl. 105mm wide; perianth segments 41mm long, broadly ovate, truncate, mucronate, deep golden yellow, spreading, plane, smooth and of heavy substance; the inner segments a little narrower; corona 11mm long, bowl-shaped, smooth, deep orange-red, mouth expanded, ribbed, lightly frilled, with rim entire. Mid-season to late.

**'Viewpoint' 4 Y-Y/P**

(J.A.Hunter, 1997) J.A.Hunter, 2013

'Abbey Elizabeth' × ({{'Royalist' × Cook sdlg 1WP}} × 'Fintona') × 'Kabonova'; sdlg no. 11/92A

Fl. 110 wide; perianth and other petaloid segments 46mm long, brilliant greenish yellow (4A); corona segments yellow, flushed pink.

**'Vulcanello' 4 Y-O**

(Theo van der Hulst & Henk Wijnhout) H.

Wijnhout en Zn, 2013

Sdlg no. 12048

Fl. 100mm wide; perianth and other petaloid segments in three whorls; the outer whorl 45mm long, very broadly ovate, truncate, brilliant greenish yellow 5A, with slight white mucro, spreading, slightly concave or with margins incurling, with midrib showing, of heavy substance, overlapping half; the inner whorls narrower, becoming shorter and successively more strongly inflexed, concave; corona segments 25mm long, interspersed among the petaloid segments and clustered at centre, orange (N25B), heavily frilled, with rim entire. Strongly scented. Mid-season.

Nomenclatural Standard: colour print supplied by KAVB (WSY0126087)

**'Wee Dote' 1 W-Y**

(Brian S.Duncan) Brian S.Duncan, 2013

'Wee Bee' × 'Candlepower'; sdlg no. 2936

Fl. star-shaped, 32mm wide, facing slightly upwards; perianth segments 12mm long, ovate, blunt, mucronate, white, a little inflexed, plane, smooth, overlapping one-third; corona 14mm long, funnel-shaped, smooth, opening mid-yellow, becoming very pale lemon yellow, mouth flared, neatly ribbed and wavy, with rim regularly notched. Dwarf. Very early. Nomenclatural Standard: colour print supplied by registrant (WSY0126066)

**'Wee Nod' 6 W-W**

(Brian S.Duncan) Brian S.Duncan, 2013

*N. cyclamineus* × 'Camborne'; sdlg no. 3126

Fl. 40mm wide, facing slightly downwards; perianth segments 16mm long, ovate in outline, acute at apex, mucronate, reflexed, plane, smooth, overlapping one-third; the inner segments narrower, not noticeably mucronate; corona 17mm long, cylindrical, smooth, mouth broadly flared and ribbed, a little frilled, with rim split and overlapping in places. Dwarf. Early. Nomenclatural Standard: colour print supplied by registrant (WSY0126067)

**'Well Read' 2 Y-R**

(Denise E.McQuarrie, 2003) Denise E.McQuarrie, 2013

'Kiwi Gossip' × 'Cowboy'; sdlg no. G27

Fl. 106mm wide; perianth segments 46mm long, ovate, blunt, mucronate, spreading, plane, smooth and of heavy substance, overlapping half; corona 26mm long, cup-shaped, ribbed, mouth slightly expanded and wavy, with rim crenate. Early.

**'Whiff' 12 W-YYO**

(Michael Berrigan) Michael Berrigan, 2013

'Small Talk' × 'Proxy'; sdlg no. 2005-55-54-7

Fls 1–2 per stem, 42mm wide; perianth segments 19mm long, oblong in outline, blunt at apex, reflexed, plane, smooth, overlapping a quarter; the inner segments narrower; corona 12mm long, funnel-shaped, mouth expanded, lightly ribbed, frilled, with rim crenate. Dwarf. Mid-season. Sweetly scented.

**'Whingo' 6 W-W**

(Brian S.Duncan) Brian S.Duncan, 2013

*N. cyclamineus* × 'Camborne'; sdlg no. 3036

Fl. 45mm wide, facing down; perianth segments 18mm long, ovate in outline, acute at apex, not noticeably mucronate, reflexed, a little twisted, smooth, overlapping a quarter; the inner segments narrower; corona 19mm long, cylindrical, smooth, mouth straight, lightly ribbed, wavy, with rim flanged, notched and crenate. Dwarf. Very early. Nomenclatural Standard: colour print supplied by registrant (WSY0126068)

**'White Sword' 4 W-W**

(Colin Crotty, 1994) Colin Crotty, 2013

Parentage unknown; sdlg no. 68-94

Fl. forming a double triangle, 105mm wide; perianth and other petaloid segments in three or more whorls, yellowish white 155D; the outer whorls 42mm long, very broadly ovate, blunt, prominently mucronate, spreading, a little concave, with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate; the inner whorls inflexed and more deeply concave, successively shorter towards centre; corona segments 25mm long, interspersed among the inner whorls of petaloid segments and clustered at centre, yellowish white 155B, inflexed, crumpled, lobed and frilled. Mid-season. Strongly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0126069)

**'Whitford Glow' 9 W-GYY**

(M.Hamilton) Graeme and Faith Miller, 2013

Sdlg no. 106-03

Fl. forming a double triangle, 64mm wide; perianth segments 21mm long, blunt, white, spreading, concave, with margins incurved, smooth and of heavy substance; the inner segments narrower; corona 3mm long, disc-shaped, ribbed, yellow, with a band of green at base, mouth frilled, with rim dentate. Late.

**Etyymology:** Named at the request of Max Hamilton's widow

**'Will's Yellow' 3 Y-Y**

(R.Beckwith) R.Beckwith, 2013

'Moon Shadow' × 'Nonchalant'; sdlg no. 3-12-2001

Fl. 100mm wide; perianth segments 41mm long, broadly ovate, blunt, mucronate, brilliant yellow 8A, spreading, plane or with margins a little incurved, with midrib showing, of heavy substance, overlapping one-third; the inner segments narrower, shouldered at base, less prominently mucronate; corona 10mm long, bowl- to disc-shaped, ribbed, vivid yellow 9A, mouth expanded, lightly frilled and irregularly lobed, with rim crenate. Tall. Sunproof. Sweetly scented. Late.

Nomenclatural Standard: colour print supplied by registrant (WSY0126105)

**Etyymology:** Named for the hybridizer's grandson

**'Wink o' Green' 7 W-GYW**

(Brian S.Duncan, 2002) Brian S.Duncan, 2013

'Lady's Maid' × 'Clouds Rest'; sdlg no. 2839

Fls 3 per stem, 64mm wide; perianth segments 26mm long, ovate, blunt, white, spreading to a little reflexed, plane or with margins slightly incurved, with midrib showing, overlapping one-third; the inner segments narrower, with margins somewhat folded inwards along midrib at apex; corona 10mm long, cup-shaped, broadly ribbed, lemon yellow, with green at base and white at rim, mouth straight and wavy, with rim minutely crenate. Late.

Nomenclatural Standard: colour print supplied by registrant (WSY0126169)

**'Winning Shot' 2 Y-Y**

(Brian S.Duncan) Brian S.Duncan, 2013

*N. rupicola* × *N. rupicola* subsp. *watieri*; sdlg no. 3053

Fl. 42mm wide, creamy lemon yellow; perianth segments 18mm long, broadly ovate, blunt, prominently mucronate, spreading, plane, with margins wavy, overlapping a quarter; the inner segments narrower, less prominently mucronate; corona 6mm long, bowl-shaped, smooth, mouth straight, wavy and three-lobed, with rim entire. Dwarf. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126071)

**'Yellow Ivory' 2 Y-Y**

(John R.Reed) John R.Reed, 2013

'Memento' × 'Nanushca'; sdlg no. 92-71-1

Perianth segments ivory yellow; corona darker in tone than the perianth segments.

**'Yellow Magic' 6 Y-Y**

(Walter J.M.Blom, 2000) Walter J.M.Blom, 2013

Sdlg 206-10 × *N. cyclamineus*; sdlg no. 019-1

Fl. 75mm wide, facing up; perianth segments 30mm long, ovate, blunt, slightly mucronate, vivid yellow 12A, reflexed, plane, with margins a little wavy, with midrib showing, of heavy substance, overlapping half; corona 35mm long, cylindrical, ribbed, vivid yellow 14A, mouth straight and wavy, with rim regularly notched. Dwarf. Very early to early. Sweetly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0126070)

## ADDITIONS AND AMENDMENTS TO SUPPLEMENTS AND THE INTERNATIONAL DAFFODIL REGISTER (2008)

The compilers are grateful to those who have drawn attention to omissions from the International Daffodil Register and its Supplements, pointed out errors, suggested changes or supplied new information.

Amendments to cultivar names, divisions, colour codes, parentages, originators and registrants will usually be published in an annual Supplement. Amendments to descriptions will usually only be published in a new edition of the Register. However, all amendments will be published on the internet, in a regular updating of the Register posted on the RHS website at [www.rhs.org.uk/Plants/Plant-science/Plant-registration/Daffodils](http://www.rhs.org.uk/Plants/Plant-science/Plant-registration/Daffodils)

### SUPPLEMENTS

#### Amendments to the Fifth Supplement (2011–2012)

'Elegant Queen'	Alter seed parent spelling to 'Fiona MacKillop'
'Mesmerizing'	Alter pollen parent spelling to 'Potawatomi'
'Wild Rover'	Alter pollen parent spelling to 'Nederburg'

#### Amendment to the Third Supplement (2009–2010)

'Avalex'	Add award: PC (NZ) 2010
----------	-------------------------

#### Amendment to the Second Supplement (2008–2009)

'Jealous Heart'	Add award: PC (NZ) 2009
-----------------	-------------------------

### INTERNATIONAL DAFFODIL REGISTER (2008)

#### Amendments to the Register

**NB** Notes of variability do not alter the classification (see p2, Note 1)

'Cameo Magic'	Add award: FCC (NZ) 2013
'Flight Path'	Add award: FCC (NZ) 2010
'Goviley'	Alter colour code to: W-YYO
<i>N. cavanillesii</i>	In List of Botanical Names add: AM 2010
'Pincambo'	Alter division to: Div. 1
'Pink Hummer'	Alter division to: Div. 2
'Tayforth Gem'	Add award: FCC (NZ) 2010
'Treaspiath' unregistered	Remove name of registrant
'Version'	Alter division to: Div. 2
'William Ingram'	Alter colour code to: W-YYO

#### Additions to the List of Originators and Registrants

de Goede Bulbivaria, BV	Breezand, Holland
Fink, Ken D.	California, USA
Geerlings-Bergamo B.V.	Voorhout, the Netherlands
Hay Farming Ltd	Spalding, Lincolnshire, England
Ragusa, Vincenzo	Avola, Italy
Rogers, Ngaire	Timaru, New Zealand
Tijsen, Peter	Wellington, New Zealand
Tocher, Peg	Christchurch, New Zealand

## AWARD OF GARDEN MERIT (AGM) REVIEW 2012

Following the second decennial AGM review, the award to the following cultivars was rescinded.

For further information on the AGM review process see

[www.rhs.org.uk/Plants/RHS-Publications/Journals/The-Plantsman/2013-issues/March/The-Award-of-Garden-Merit-review-2012](http://www.rhs.org.uk/Plants/RHS-Publications/Journals/The-Plantsman/2013-issues/March/The-Award-of-Garden-Merit-review-2012)

'Accent'	'Grasmere'
'April Tears'	'Great Gatsby'
<i>N. asturiensis</i>	'Highfire'
'Armada'	<i>N. jonquilla</i>
'Bawnboy'	'Kingscourt'
'Beauvallon'	'King's Grove'
'Ben Hee'	'Larkwhistle'
'Biscayne'	'Little Beauty'
'Brabazon'	<i>N. minor</i>
'Bram Warnaar'	'Monza'
<i>N. bulbocodium</i>	'Ormeau'
'Ceylon'	'Papua'
'Charity May'	'Pipit'
'Charter'	<i>N. pseudonarcissus</i>
'Daydream'	'Red Devon'
'Double Event'	'Rippling Waters'
'Dove Wings'	'Rugulosus'
'Drumlin'	<i>N. rupicola</i> subsp. <i>marvieri</i>
'Empress of Ireland'	'Silent Valley'
'Exception'	'Special Envoy'
'Feeling Lucky'	'Spellbinder'
'Foundling'	'Trevithian'
'Gamay'	<i>N. triandrus</i>
'Gin and Lime'	'Ulster Prince'
'Glenfarclas'	'Up Date'
'Gold Beach'	'Vigil'
'Golden Rapture'	'Vulcan'
'Golden Vale'	'Willy Dunlop'

## ADDITIONS TO THE LIST OF BOTANICAL NAMES IN THE GENUS *NARCISSUS*

The following names are additions to the *International Daffodil Register 2008*, apart from *N. provincialis* var. *bicolorans* Pugsley and *N. jonquilloides* Willdenow, which make good two previous omissions. Treatment of the new names is the result of discussions held at a meeting on 21 November 2012 of the RHS Working Party on Narcissus Names. Names in **bold** are accepted names, others are synonyms. Unresolved names are those that need further investigation, as the required information was not available in the place of publication.

× *aedoi* Fernández Casas, in *Fontqueria* 56 (20) 171–174 (2011) (*Narcissus*) (parentage: *N. nobilis* (Haworth) Schultes & Schultes f. [as var. *leonensis*] × *N. triandrus* Linnaeus) = *N.* × ***galdoanus***

× *alentejanus* Fernández Casas, in *Fontqueria* 55 (67) 555–557 (2008) (*Narcissus*) (parentage: *N. cavanillesii* Barra & G.López × *N. serotinus* Linnaeus) = *N.* × ***perezlarae***

× ***algarbiensis*** Fernández Casas, in *Fontqueria* 55 (55) 445–446 (2007) (*Narcissus*) = *N. gaditanus* Boissier & Reuter × *N. willkommii* (Sampaio) A.Fernandes

*arundanus* Fernández Casas, in *Fontqueria* 56 (6) 49–62 (2010) (*Narcissus*) = *N. cuatrecasasii*

*bicolorans* see *N. provincialis* var. *bicolorans*

*blanchardii* Zonneveld, in *Pl. Syst. Evol.* 275 (1–2) 109–132 (2008) (*Narcissus*) = *N. fernandesii* var. ***major***

*brachysiphon* Fernández Casas, in *Fontqueria* 56 (22) 183–192 (2011) (*Narcissus*) = *N. perez-chiscanoi*

× ***cardonae*** Lloret i Sabaté & Fernández Casas, in *Fontqueria* 56 (1) 5–13 (2009) (*Narcissus*) = *N. dubius* Gouan × *N. tazetta* Linnaeus

*decussatus* Fernández Casas & Lloret i Sabaté, in *Fontqueria* 56 (16) 133–152 (2011) (*Narcissus*) = *N.* × ***cazorlanus***

*iobannis* Fernández Casas, in *Fontqueria* 56 (19) 165–170 (2011) (*Narcissus*) = *N. triandrus* var. ***alejandrei***

*jonquilloides* Willdenow ex Schultes & Schultes f., in *Syst. Veg.* 7ii: 986 (1830) (*Narcissus*) = *N. triandrus* var. ***triandrus***

*knochei* Fernández Casas, in *Fontqueria* 56 (12) 101–108 (2010) (*Narcissus*) = *N.* × ***perezlarae***

× *magni-abilii* Fernández Casas, in *Fontqueria* 56 (2) 24–25 (2009) (*Narcissus*) (parentage: *N. asturiensis* (Jordan) Pugsley) × *N. bulbocodium* Linnaeus [as var. *nivalis*] = *N.* × ***brevitubulosus***

*matiasii* Fernández Casas, in *Fontqueria* 56 (7) 65–66 (2010) (*Narcissus*) Unresolved name

× *moronensis* Knoche, in *Herbertia* 62: 45–58 (2008) (*Narcissus*) (parentage: *N. cavanillesii* Barra & López × *N. serotinus* Linnaeus) = *N.* × ***perezlarae***

*occasus* Fernández Casas, in *Fontqueria* 56 (5) 39–40 (2009) (*Narcissus*) = *N. calcicola*

× ***oiarbidei*** Uribe-Echebarría & Fernández Casas, in *Fontqueria* 56 (17) 153–158 (2011) (*Narcissus*) = *N. assoanus* Dufour × *N. jacetanus* Fernández Casas

× *perangustus* Fernández Casas, in *Fontqueria* 55 (69) 572 (2008) (parentage: *N. elegans* [as *N. obsoletus*] (Haworth) Steudel) × *N. serotinus* Linnaeus) = *N.* × ***obsoletus***

× *picoeuropaeanus* Fernández Casas, in *Fontqueria* 56 (15) 127–132 (2011) (*Narcissus*) (parentage: *N. asturiensis* (Jordan) Pugsley × *N. bulbocodium* Linnaeus [as *N. turgidus*]) = *N.* × ***brevitubulosus***

*piifontianus* Fernández Casas, in *Fontqueria* 56 (3) 29–30 (2009) (*Narcissus*) = *N.* × ***perezlarae***

*pinto-gomesii* Fernández Casas, in *Fontqueria* 56 (10) 75–80 (2010) (*Narcissus*) = *N.* × ***hannibalis***

***provincialis*** var. ***bicolorans*** Pugsley, in *J. Bot.* 77: 335 (1939)

*salmanticensis* Fernández Casas, in *Fontqueria* 56 (7) 63–66 (2010) (*Narcissus*) Unresolved name

× ***urrutiae*** Fernández Casas & Uribe-Echebarría, in *Fontqueria* 56 (18) 159–164 (2011) (*Narcissus*) = *N. pseudonarcissus* Linnaeus [as subsp. *munozii-garmendiae*] × *N. rupicola* Dufour

× ***zorrakimii*** Fernández Casas, Patino Sánchez, Valencia Janices & Uribe-Echebarría Díaz, in *Fontqueria* 56 (21) 176–182 (2011) (*Narcissus*) = *N. bulbocodium* Linnaeus (as *N. turgidus*) × *N. nobilis* (Haworth) Schultes & Schultes f. (as var. *leonensis*)

## ADDITIONS TO THE BOTANICAL CLASSIFICATION

### SECTION TAZETTAE

× *cardonae* Lloret i Sabaté & Fernández Casas (*dubius* × *tazetta*)

### SECTION JONQUILLA

× *algarbiensis* Fernández Casas (*gaditanus* × *willkommii*)

### SECTION PSEUDONARCISSUS

*provincialis* var. *bicolorans* Pugsley

### INTERSECTIONAL HYBRIDS


× *oiarbidei* Uribe-Echebarría Díaz & Fernández Casas (*assoanus* × *jacitanus*)

× *urrutiae* Fernández Casas & Uribe-Echebarría Díaz (*pseudonarcissus* [as subsp. *munozii-garmendiae*] × *rupicola*)

× *zorrakinii* Fernández Casas, Patino Sánchez, Valencia Janices & Uribe-Echebarría Díaz (*bulbocodium* [as *N. turgidus*] × *nobilis* [as var. *leonensis*])

## Illustrations of descriptive terms

### FLOWER



*star-shaped*



*double triangle*



*rounded*

### PERIANTH SEGMENTS



*reflexed*



*inflexed*



*spreading*



*plane*



*concave*



*twisted*



*ovate*



*very broadly  
ovate*



*oblong*



*obovate*



*shouldered  
at base*



*spatulate*



*acute*



*blunt*



*mucronate*



*truncate*

### CORONA - from the side

### - section



*cylinder*



*funnel*



*cup*



*bowl*



*disc*



*smooth*



*angled*



*ribbed*

### CORONA MOUTH - from the side

### - section



*straight*



*flared*



*even*



*wavy*



*frilled*



*lobed*

### CORONA RIM - from the side

### - section




*flanged*



*rolled*



*entire*



*dentate*



*crenate*



ISBN 9781907057502



9 781907 057502