



Royal  
Horticultural  
Society

Sharing the best in Gardening

# The International Daffodil Register & Classified List (2008)

*Seventh Supplement*



© 2014 The Royal Horticultural Society  
80 Vincent Square, London SW1P 2PE, United Kingdom  
[www.rhs.org.uk](http://www.rhs.org.uk)

Charity registration number 222879 / SC038262

International Daffodil Registrar:  
Melanie Underwood

All rights reserved. No part of this book may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the copyright holder

ISBN 9781907057557

Printed and bound in the UK by Page Bros, Norwich

The previous supplement (Sixth Supplement) was published on 28 April 2014

*Cover:* “Narcissus cyclamineus, Johnstoni and Triandrus albus”  
from 1887 Barr and Son daffodil catalogue.  
Image courtesy of RHS Lindley Library

**SEVENTH SUPPLEMENT**  
**to**  
**THE INTERNATIONAL DAFFODIL REGISTER AND CLASSIFIED LIST (2008)**  
**2013–2014**

The daffodil names listed here are supplementary to the *International Daffodil Register (2008)*; they were registered between 1 July 2013 and 30 June 2014. They are followed by a list of some other recent additions and amendments to the Register.

**Registration** page 1  
**Notes on classification and description** page 2  
**Registrations 2013–2014** page 3  
**Additions and amendments to previous Supplements** page 26  
**Additions and amendments to the *International Daffodil Register (2008)*** page 26  
**Additions to the List of Botanical Names in the Genus *Narcissus*** page 27  
**Illustrations of descriptive terms** page 28

### REGISTRATION

Hybridizers, raisers and other introducers of daffodils are urged to ensure that the names of new plants are registered and are reminded that registration should preferably take place before plants are released or catalogued. Registration is conducted by The Royal Horticultural Society, International Cultivar Registration Authority for the genus *Narcissus*. Application forms are available from:

- The International Daffodil Registrar: Mrs Melanie Underwood  
RHS Wisley, Woking, Surrey GU23 6QB, UK  
*Fax* (44) 01483 211750  
*Email* melanieunderwood@rhs.org.uk
- The National Daffodil Registrar (the Netherlands): Drs J. van Scheepen  
KAVB, Postbus 175, 2180 AD Hillegom, the Netherlands  
*Fax* (31) 2525 369 51  
*Email* vanscheepen@kavb.NL
- The National Daffodil Registrar (Czech Republic): Ing. Ivan Karakoz  
ul. Zizkova cp. 1539, 274 01 Slaný, Czech Republic  
*Email* Karakoz@seznam.cz
- The National Daffodil Registrar (USA): Mrs Mary Lou Gripshover  
1686 Grey Fox Trail, Milford, Ohio 45150, USA  
*Tel* 001 513 248 9137  
*Email* mgripshover@cinci.rr.com
- The National Daffodil Registrar (Japan): Miss Eri Komoriya  
1196 Ohkido-Cho, Midori-ku, Chiba-City, Chiba 267-0057, Japan  
*Fax* 81-43-294-8504  
*Email* rxe12572@nifty.ne.jp
- The National Daffodil Registrar (Australia): Mrs Jennie Jamieson  
11 Bromley Place, Kingsley, WA 6026, Australia  
*Fax* (61) 89 409 1156  
*Email* ndaaliaison@hotmail.com
- The National Daffodil Registrar (New Zealand): Mr Wilfred Hall  
105 Wallace Loop Rd, Ihakara, RD1 Levin, New Zealand 5571  
*Email* wilshe@xtra.co.nz

Once registered, names and classifications may be changed only with the agreement of the International Cultivar Registration Authority, upon application to the International Registrar.

## NOTES ON CLASSIFICATION AND DESCRIPTION

### **Note 1 – on classification**

The combination of division and colour code assigned here (or as amended in any future Supplement) is the registered classification, to be observed, for example, when schedules require cultivars to be shown “as registered”. The registered classification is not altered by any note of variable measurement or colour. (See pp26–27 for any notes of variability in previous registrations).

### **Note 2 – on colour coding**

Guidelines on colour coding, including those on distinguishing between Yellow and Orange and between Orange and Red appear in the Register and on registration forms. It is at the registrant’s discretion to distinguish White from Yellow or Green, Yellow from Green, or Pink from the paler tones of Orange or Red.

In addition:

#### **– Green at corona base**

The green at the base of a corona, whether in the tube or in the corona itself, may be included in the colour code if it is prominent and plain to see. Registrants are advised to include it only if it is consistent from year to year.

#### **– Non-concentric colours**

When coding colours in perianth or corona that appear in radial rather than concentric bands, or in a flare from the base, or in flecks or splashes: start with a letter for the predominant colour; proceed with an oblique line; follow with the letter(s) (in any order) for the non-predominant colour(s).

For example, a yellow flower with a white streak along the midrib of the perianth segments would be Y/W-Y; a white flower with radial bands of orange and yellow on the corona segments would be W-W/OY.

### **Note 3 – on colour terms**

Colour Chart numbers in registered descriptions, e.g. 13B in ‘Abache’, are from the *RHS Colour Chart* (1966, 1986, 1995, 2001, 2007). Colour names followed by Chart numbers without brackets are equivalents adopted by the RHS for all its international registers. They are taken from the Universal Colour Language in the Inter-Society Color Council-National Bureau of Standards colour-name system. Colour names followed by Chart numbers with brackets or by no numbers at all are those supplied by the registrant.

### **Note 4 – on description**

Registered descriptions are drawn up from application forms and, whenever possible, from photographs and actual specimens too. The Registrar would welcome readers’ comments on the accuracy of all descriptions.

Illustrations of descriptive terms appear on p28.

### **Note 5 – on height**

Stem heights in registered descriptions may be taken to be Standard (325–675 mm) unless otherwise stated, when they will be described as Dwarf (less than 325 mm) or Tall (more than 675 mm).

### **Note 6 – on Standards**

The Standard noted at the end of some descriptions is the designated herbarium specimen or illustration forming a permanent record of the distinguishing characteristics of the cultivar and fixing the cultivar name.

## REGISTRATIONS 2013–2014

The following cultivar names were registered between 1 July 2013 and 30 June 2014 by The Royal Horticultural Society, International Cultivar Registration Authority for the genus *Narcissus*.

To access the *International Daffodil Register and Classified List* (2008) on the internet, go to [www.rhs.org.uk/plants/plantsmanship/plant-registration/Daffodil-cultivar-registration](http://www.rhs.org.uk/plants/plantsmanship/plant-registration/Daffodil-cultivar-registration)

Entries follow the style of those in the *International Daffodil Register and Classified List* (2008) and may be interpreted accordingly (see p10 in the Register).

The seed parent is given before the pollen parent.

### **'Abache' 1 W-Y**

(Jackson's Daffodils, 2004) Jackson's Daffodils, 2014 Parentage unknown; sdlg no. 31/04  
Fl. 110mm wide; perianth segments 48mm long, broadly ovate, blunt, slightly mucronate, greenish white 155C, spreading, plane or with margins a little wavy, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, less prominently mucronate; corona 48mm long, cylindrical, smooth, brilliant yellow 13B, mouth expanded and lightly frilled, with rim flanged and dentate. Mid-season.

### **'Aidensfield' 2 O-O**

(Gordon Coombes, 2008) Gordon Coombes, 2014 'Torridon' × 'Omeomy'; sdlg no. G8-08  
Fl. 98mm wide; perianth segments 40mm long, roundish in outline, mucronate, orange, flushed yellow, spreading, plane or with margins incurved, smooth and of membranaceous substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 16mm long, bowl-shaped, angled, orange, mouth straight, ribbed and lightly frilled, with rim crenate and narrowly flanged. Strongly scented. Mid-season.  
Nomenclatural Standard: colour print supplied by registrant (WSY0126227)

### **'Albyn Lass' 6 W-OPP**

(D.C.MacArthur, 2009) D.C.MacArthur, 2014 'Foundling' open pollinated; sdlg no. ED4411  
Fl. 79mm wide, facing slightly downwards; perianth segments 34mm long, broadly ovate, blunt, mucronate, greenish white 157D, reflexed, convex, creased, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate, margins a little wavy; corona 19mm long, cup-shaped, irregularly ribbed, pink (179D), with a darker tone (179C) towards rim, and pale orange (24D) at base, mouth straight and wavy, with rim crenate. Dwarf. Mid-season.  
Nomenclatural Standard: colour print supplied by registrant (WSY0126272)

### **'Alexis Beauty' 2 YYW-WPO**

(K.van der Veek) W.van Lierop & Sons, 2014 Parentage unknown; sdlg no. KV50

Fl. 95mm wide; perianth segments 40mm long, broadly ovate, blunt, brilliant greenish yellow 6C, with a band of white at base and a slight white mucro, spreading, plane or with margins slightly incurving, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, shouldered at base, scarcely mucronate; corona 30mm long, funnel-shaped, angled, pale orange-pink (19C), with a narrow band of yellow-orange (20A) at rim and paling to white at base, mouth expanded, narrowly ribbed, wavy and lobed, with lobes overlapping, with rim flanged and minutely dentate. Dwarf. Sweetly scented. Mid-season.  
Nomenclatural Standard: colour print supplied by KAVB (WSY0126211)

### **'Aloof' 2 Y-O**

(Jackson's Daffodils, 1998) Jackson's Daffodils, 2014 Sdlg 251/91 × sdlg 101/91; sdlg no. 245/98  
Fl. rounded, 98mm wide; perianth segments 42mm long, roundish in outline, truncate at apex, slightly mucronate, brilliant yellow 13B, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, less prominently mucronate; corona 24mm long, funnel-shaped, smooth, strong orange 25A, mouth straight and wavy, with rim entire. Mid-season.

### **'Amazing Sky' 11a W-YYP**

(Colin Crotty) Colin Crotty, 2014 'Chernobyl' × 'Pink Sparkler'; sdlg no. 23-04  
Fl. forming a double triangle, 111mm wide; perianth segments 45mm long, broadly ovate, truncate, mucronate, white, slightly reflexed, plane or with margins a little incurved, smooth and of membranaceous substance, overlapping half; the inner segments narrower, spreading, shouldered at base, less prominently mucronate; corona 25mm long, split to more than half its length, the six segments each closely overlying a perianth segment, forming an outer and an inner whorl of three, almost as broad as the inner perianth segments, bi-lobed, with lobes overlapping, pinkish yellow, with a broad band of light pink at rim, lightly ribbed and frilled. Strongly scented. Sunproof. Mid-season to late.  
Nomenclatural Standard: colour print supplied by registrant (WSY0126220)

**'American Falls' 2 Y-P**

(R. &amp; E. Havens) R. &amp; E. Havens, 2014

'Acumen' × 'American Dream'; sdlg no. OH4/24

Perianth segments broadly ovate, blunt, deep lemon yellow, with slight white mucro, a little reflexed, plane or with margins slightly incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, more nearly spreading, scarcely mucronate; corona funnel-shaped, smooth, mid-pink, with a deeper tone towards rim, frilled and irregularly lobed, with rim narrowly flanged. Mid-season.

**'Arctic Angel' 1 W-W**

(Gordon Coombes, 2006) Gordon Coombes, 2014

'Blanco Sol' × 'White Ermine'; sdlg no. G3-06

Fl. forming a double triangle, 95mm wide; perianth segments 38mm long, ovate, blunt, scarcely mucronate, spreading to a little reflexed, plane, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, more nearly spreading, acute at apex; corona 41mm long, funnel-shaped, smooth, mouth straight, narrowly ribbed and a little wavy, six-lobed, with rim flanged and crenate.

Strongly scented. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126228)

**'Art Perfume' 4 Y-Y**

(J. de Winter) M. H. van der Zon &amp; Sons, 2014

Parentage unknown

Fl. rounded, 95mm wide, facing upwards; perianth segments in two whorls; the outer whorl 35mm long, roundish, very broad, light yellow (4D), with darker yellow (5C) at base and along margins and slight white mucro, a little reflexed, concave or with margins incurved, creased, of heavy substance, overlapping half or more; the inner whorl shouldered at base, scarcely mucronate, light greenish yellow 4C, with midrib light yellow (4D), with orange-yellow (13B) towards base of midrib; corona 25mm long, orange-yellow (13B), sometimes with white (NN155A) at apex and along margins, either entire and filled with segments or split open with segments successively shorter and more inflexed towards centre, folded along midrib, crumpled and lightly frilled. Strongly scented. Mid-season.

Nomenclatural Standard: colour print supplied by KAVB (WSY0126302)

**'Autumn Surprise' 8 W-O**

(Lawrence Trevanion, 2006) Lawrence Trevanion, 2014

*N. tazetta* subsp. *lacticolor* × *N. elegans*; sdlg no. 06\_03T  
Fls 6 per stem; perianth segments ovate to roundish in outline, blunt at apex, mucronate, reflexed, plane or with margins slightly incurved, smooth and of heavy substance, overlapping half; corona cup-shaped, smooth, mouth even, with rim entire and rolled slightly inwards. Moderately scented. Dwarf. Autumn.

Nomenclatural Standard: colour print supplied by registrant (WSY0126253)

**'Babar' 7 W-W**

(Robert Spotts, 1997) Robert Spotts, 2014

'Amber Castle' × *N. jonquilla*

Fls 1–3 per stem, forming a double triangle, 70mm wide; perianth segments 30mm long, ovate, truncate, spreading, plane, smooth and of heavy substance, overlapping half; corona 17mm long, funnel-shaped, slightly ribbed, mouth wavy, with rim crenate. Late.

**'Balfour' 1 W-P**

(P. J. Radcliff, 2007) P. J. Radcliff, 2014

'Pink Belladonna' × 'Pink Silk'; sdlg no. 19/07

Fl. 105mm wide; perianth segments 35mm long, broadly ovate, blunt, slightly mucronate, yellowish white 155B, slightly reflexed, plane or with margins a little recurved, with midrib showing, of heavy substance, overlapping half; the inner segments, narrower, scarcely mucronate, more nearly plane; corona 40mm long, funnel-shaped, smooth, strong yellowish pink 37B, mouth wavy and narrowly ribbed, with rim flanged and crenate. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126212)

Etymology: Named for an old mining town in Tasmania

**'Barroco' 11a W-P**

(Colin Crotty) Colin Crotty, 2014

'Perlax' × 'Colin's Joy' × 'Pure Magic'; sdlg no. 24-04

Fl. 112mm wide; perianth segments 43mm long, very broadly ovate, truncate, scarcely mucronate, white, slightly reflexed, plane or with margins a little incurved, smooth and of membranaceous substance, overlapping half or more; the inner segments narrower, spreading; corona 26mm long, split to more than half its length, the six segments each closely overlying a perianth segment, forming an outer and an inner whorl of three, the same width as the perianth segments, bi-lobed, lightly creased, deep pink, touched greenish yellow at base, heavily frilled. Strongly scented. Sunproof. Mid-season to late.

Nomenclatural Standard: colour print supplied by registrant (WSY0125221)

**'Bedevil' 11a W-P**

(Jackson's Daffodils, 2002) Jackson's Daffodils, 2014

Sdlg 251/91 × sdlg 101/91; sdlg no. 56/02

Fl. 98mm wide; perianth segments 42mm long, roundish in outline, truncate at apex, mucronate, yellowish white 155B, spreading, plane, a little creased at margins, of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 24mm long, split to base, the six segments each closely overlying a perianth segment, forming an outer and an inner whorl of three, orange pink (25A), bi-lobed, with lobes overlapping, ribbed, notched and lightly frilled. Early.

**'Blithe' 4 W-W**

(Jackson's Daffodils, 1999) Jackson's Daffodils, 2014

'Lioness' [4W-W] × 'Shykoski'; sdlg no. 316/99

Fl. 98mm wide; perianth and other petaloid segments in three or more whorls, greenish white 155C; the

outer whorls 39mm long, very broadly ovate, blunt, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half or more; the inner whorls successively shorter and more strongly inflexed towards centre, concave; corona segments 23mm long, interspersed among the petaloid segments and clustered at centre, opening yellow, becoming creamy white (11D), lightly frilled. Late.

**'Brush Fire' 2 Y-R**

(Brian S.Duncan, 2007) Brian S.Duncan, 2014  
'Lennymore' × 'Colourful'; sdlg no. 3410  
Early to mid-season.

**'Bufb' 10 W-W**

(Lawrence Trevanion, 2008) Lawrence Trevanion, 2014  
Sdlg 00\_39B open pollinated; sdlg no. 08\_77B  
Fl. 26mm wide, facing upwards, whitish; perianth segments 11mm long, lanceolate in outline, acute at apex, spreading, plane, smooth and of heavy substance, separated; the inner segments narrower; corona 14mm long, cup-shaped, broadly ribbed, mouth straight and a little wavy, with rim entire. Dwarf. Very early.  
Nomenclatural Standard: colour print supplied by registrant (WSY0126245)

**'Burr Oak' 2 W-R**

(John R.Reed) John R.Reed, 2014  
Parentage unknown  
Corona cup-shaped, dark red.

**'Camilla Clara Kate' 3 W-GYR**

(Brian S.Duncan, 2005) Brian S.Duncan, 2014  
Sdlg 2318 ('Clouds Rest' × 'June Lake') × 'Volcanic Rim'; sdlg no. 3207  
Fl. 100mm wide; perianth segments 40mm long, very broadly ovate in outline, rounded at apex, slightly mucronate, white, spreading, plane or with margins a little incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, a little inflexed, shouldered at base, scarcely mucronate; corona 13mm long, bowl-shaped, ribbed, yellow, with green at base and a broad band of red at rim, mouth expanded and lightly frilled, with rim crenate. Mid-season to late.  
Nomenclatural Standard: colour print supplied by registrant (WSY0126266)

**'Cariad Tevita' 2 W-W**

(R.A.Scamp, 1991) R.A.Scamp, 2014  
'Pitchroy' × 'White Star'; sdlg no. 468  
Fl. forming a double triangle, 98mm wide; perianth segments 40mm long, very broadly ovate, blunt, mucronate, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, less prominently mucronate; corona 39mm long, funnel-shaped, smooth, mouth expanded, wavy, very lightly ribbed and irregularly lobed, with rim flanged and crenate. Mid-season to late.  
Nomenclatural Standard: colour print supplied by registrant (WSY0126284)

Etymology: Cariad = Welsh for 'darling'. Tevita = Fijian word

**'Carl Sandburg' 9 W-YR**

(John R.Reed) John R.Reed, 2014  
'Tino Pai' × unknown *N. poeticus* ?hybrid; sdlg no. 2003-30-1  
Fl. rounded, <25mm wide; perianth segments roundish in outline, smooth.  
Etymology: Named to honour Carl Sandburg, author of the poem 'Chicago'

**'Carrot Nose' 1 W-O**

(John R.Reed) John R.Reed, 2014  
'Lutana' × 'Scott Joplin'; sdlg no. 2003-40-1  
Perianth segments narrow, overlapping a little; corona narrow, with rim rolled and even.

**'Castlewood' 2 W-P**

(Gordon Coombes, 2007) Gordon Coombes, 2014  
'Neon Blaze' × 'Ivory Glow'; sdlg no. G1-07  
Fl. 96mm wide; perianth segments 39mm long, roundish in outline, mucronate, white, spreading, plane or with margins incurved, with midrib showing, of heavy substance, overlapping half; the inner segments ovate in outline, shouldered at base; corona 22mm long, cup-shaped, angled, yellowish pink, with a broad band of a deeper tone at rim, mouth straight and wavy, with rim dentate. Strongly scented. Mid-season.  
Nomenclatural Standard: colour print supplied by registrant (WSY0126229)

**'Catspaw' 4 W-W**

(Jackson's Daffodils, 1999) Jackson's Daffodils, 2014  
Parentage unknown; sdlg no. 292/99  
Fl. 92mm wide, greenish white 155A; perianth and other petaloid segments in several whorls; the outer whorls 35mm long, roundish in outline, blunt at apex, scarcely mucronate, spreading, plane or with margins a little incurved, smooth and of heavy substance; the inner whorls narrower, successively shorter and more inflexed towards centre, concave and folded inwards from midrib; corona segments two-thirds the length of and interspersed among the petaloid segments successively shorter and clustered towards centre, frilled to a little crumpled. Mid-season.

**'Chaco Canyon' 2 W-YOO**

(Robert Spotts, 2001) Robert Spotts, 2014  
'Random Event' × 'Conestoga'; sdlg no. 2-333-14  
Fl. rounded, 87mm wide; perianth segments 32mm long, broadly ovate, blunt, prominently mucronate, white, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 15mm long, bowl-shaped, smooth, deep orange, with a band of bright yellow at base, mouth flared, frilled and irregularly lobed, with rim entire. Mid-season.  
Nomenclatural Standard: colour print supplied by B. Blake (WSY0126277)

**'Chagrin' 4 Y-Y**

(Jackson's Daffodils, 1997) Jackson's Daffodils, 2014  
Parentage unknown; sdlg no. 225/97

Fl. 84mm wide; perianth and other petaloid segments in three or more whorls, brilliant yellow 13C; the outer whorls 27mm long, roundish in outline, blunt at apex, spreading, plane to a little concave; the inner whorls narrower, successively shorter and more inflexed towards centre, folded inwards from midrib; corona segments two-thirds the length of and interspersed among the petaloid segments and clustered at centre, vivid yellow 14A, frilled to a little crumpled. Mid-season.

**'Chambersburg' 2 Y-P**

(Dr. William Bender) John R.Reed, 2014

Sdlg no. 88-4-13

Perianth segments light yellow, overlapping; corona cup-shaped, even.

Etymology: Named for Dr William Bender who lived in Chambersburg, Pennsylvania

**'Chivy' 2 YYW-P**

(Jackson's Daffodils, 2002) Jackson's Daffodils, 2014  
Parentage unknown; sdlg no. 25A/02

Fl. 100mm wide; perianth segments 42mm long, very broadly ovate, blunt, slightly mucronate, brilliant yellow 12B, with greenish white 155C at base, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, scarcely mucronate; corona 37mm long, cylindrical, smooth, strong yellowish pink 32D, mouth expanded, ribbed and a little wavy, with rim dentate and widely flanged. Early.

**'Christelle' 4 W-P**

(R.A.Scamp, 1996) R.A.Scamp, 2014

'Spaniards Inn' × 'Pol Dornie'; sdlg no. 943-1004A

Fl. rounded, 98mm wide; perianth and other petaloid segments in three or more whorls, white; the outer whorls 40mm long, roundish, very broad, truncate, slightly mucronate, spreading, plane or with margins incurving, with midrib showing, of heavy substance, overlapping half or more; the inner whorls shorter, more strongly inflexed, folded inwards from midrib; corona segments 16mm long, interspersed among the inner whorls of petaloid segments and clustered at centre, sometimes bi-lobed, pink, with a narrow band of a slightly darker tone at rim, frilled at centre. Mid-season to late.

Nomenclatural Standard: colour print supplied by registrant (WSY0126282)

**'Christine Berriman' 11a W-P**

(R.A.Scamp, 1996) R.A.Scamp, 2014

'Quiet Day' × 'Phantom'; sdlg no. 864

Fl. rounded, 100mm wide; perianth segments 40mm long, roundish, very broad, truncate, mucronate, white, plane or with margins incurving, creased, of heavy substance, overlapping half or more; the inner segments narrower, with midrib showing, margins wavy, less prominently mucronate, a little inflexed; corona 29mm long, split to base, the six segments

each closely overlying a perianth segment, forming an outer and an inner whorl three, a little narrower than the perianth segments, bi-lobed, with lobes overlapping, opening pink with yellow tones at centre, shading to pink at maturity, frilled. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126285)

Etymology: Named at the request of the Berriman family

**'Compulsion' 2 Y-O**

(Jackson's Daffodils, 1999) Jackson's Daffodils, 2014  
Sdlg 145/89 × sdlg 101/92; sdlg no. 321/99

Fl. 106mm wide; perianth segments 46mm long, roundish in outline, blunt at apex, slightly mucronate, vivid yellow 9A, spreading, plane or with margins a little incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower; corona 30mm long, cylindrical, smooth, strong orange 25A, mouth straight, ribbed and a little wavy, with rim entire. Late.

**'Cool Lady' 2 W-W**

(P.D.K.Ramsay, 2010) P.D.K.Ramsay, 2014

'Cameo Frost' × 'Cameo Lady'; sdlg no. 10:4

Fl. rounded, 115mm wide; perianth segments 42mm long, very broad, blunt, mucronate, spreading, plane or with margins incurving, smooth and of heavy substance, overlapping one-third; corona 37mm long, cylindrical, smooth, mouth straight and frilled, with rim rolled and dentate. Early.

**'Copybook' 1 W-W**

(Colin Crotty) Colin Crotty, 2014

'Silver Convention' × 'Blanco Sol'; sdlg no. 9-04

Fl. 105mm wide, yellowish white 155B; perianth segments 41mm long, very broadly ovate in outline, rounded at apex, prominently mucronate, slightly reflexed, plane or with margins a little incurved, with midrib showing, of membranaceous substance, overlapping half; the inner segments a little narrower, more nearly acute at apex, shouldered at base; corona 44mm long, cylindrical, smooth, mouth ribbed, widely flared, lobed and lightly frilled, with rim minutely crenate. Strongly scented. Sunproof. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126222)

**'Cottrell' 1 Y-Y**

(R.A.Scamp, 1992) R.A.Scamp, 2014

'Ristin' × *N. cyclamineus*; sdlg no. 652

Fl. forming a double triangle, 80mm wide, golden yellow; perianth segments 35mm long, ovate, blunt, with pale mucro, a little reflexed, plane, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 36mm long, funnel-shaped, smooth, mouth expanded, irregularly ribbed and lightly frilled, with rim dentate. Dwarf. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126280)

**'Crimson Princess' 2 W-R**

(John R.Reed) John R.Reed, 2014  
 'Magician' × sdlg 89-50-1; sdlg no. 97-101-2  
 Corona crimson red.

**'Cut Crystal' 11a W-W**

(Nial Watson) Ringhaddy Daffodils, 2014  
 'Silver Crystal' × 'Diversity'; sdlg no. W788  
 Mid-season to late.

**'Dear Lotte' 3 Y-O**

(Mrs J. Abel Smith) H.M.Meeuwissen, 2014  
 Parentage unknown  
 Fl. 83mm wide, facing upwards; perianth segments 35mm long, very broadly ovate, truncate, brilliant yellow 11A, paler towards apex, spreading, concave, with margins incurved, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 7mm long, bowl-shaped, ribbed, strong orange 25B, mouth expanded, lightly frilled and irregularly lobed, with rim crenate. Strongly scented. Mid-season.  
 Nomenclatural Standard: colour print supplied by KAVB (WSY0126269)

**'Denis Dailey' 2 O-R**

(John R.Reed) John R.Reed, 2014  
 'Spelter' × 'Sabine Hay'; sdlg no. 87-9-1  
 Fl. rounded; perianth segments roundish, very broad, truncate, slight white mucro, with midrib showing, overlapping half or more; the inner segments narrower; corona bowl-shaped, ribbed, mouth a little wavy, with rim crenate. Mid-season.  
 Etymology: Named for the late Denis Dailey of the Minnesota Daffodil Society

**'Dornoch' 7 Y-O**

(Kevin Crowe, 2004) Kevin Crowe, 2014  
 'Creag Dubh' × *N. jonquilla*; sdlg no. 38/04  
 Fls 1–2 per stem, 60mm wide; perianth segments 25mm long, ovate, blunt, deep yellow, with slight white mucro, slightly reflexed, plane or a little concave, with margins incurved, smooth and of heavy substance, overlapping a quarter; the inner segments narrower, scarcely mucronate; corona 11mm long, funnel-shaped, lightly ribbed, mid-orange, mouth expanded, even and irregularly lobed, with rim broadly flanged and minutely crenate. Sweetly scented. Early to mid-season.  
 Nomenclatural Standard: colour print supplied by registrant (WSY0126197)  
 Etymology: Named for a town near Creag Dubh

**'Dove Cottage' 2 W-W**

(Denise E.McQuarrie, 2008) Denise E.McQuarrie, 2014  
 'Sheelagh Rowan' × sdlg A17; sdlg no. M8  
 Fl. 118mm wide; perianth segments 49mm long, roundish, very broad, blunt, mucronate, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments narrower, less prominently mucronate; corona 41mm long, cylindrical, smooth, mouth expanded and lightly frilled, with rim lightly notched. Mid-season to late.

Nomenclatural Standard: colour print supplied by registrant (WSY0126315)  
 Etymology: Named after William Wordsworth's cottage in Grasmere, Cumbria

**'Dwish' 10 Y-Y**

(Lawrence Trevanion, 2007) Lawrence Trevanion, 2014  
 Sdlg 03\_59B × *N. bulbocodium*; sdlg no. 07\_35B  
 Fl. 42mm wide, facing upwards, brilliant greenish yellow 6B; perianth segments 17mm long, lanceolate in outline, acute at apex, inflexed, slightly twisted, smooth and of heavy substance, separated; corona 20mm long, cup-shaped, neatly ribbed, mouth straight and wavy, with rim minutely crenate. Dwarf. Very early.  
 Nomenclatural Standard: colour print supplied by registrant (WSY0126241)

**'Dyffryn' 11a Y-O**

(R.A.Scamp, 1997) R.A.Scamp, 2014  
 'Enfield' × 'Colorama'; sdlg no. 861  
 Fl. forming a double triangle, 89mm wide; perianth segments 27mm long, very broadly ovate, blunt, with slight white mucro, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 18mm long, split to more than half its length, the six segments each closely overlying a perianth segment, forming an outer and an inner whorl of three, a little narrower than the perianth segments, lobed, with lobes overlapping, lightly frilled, with margin narrowly and neatly ribbed. Early to mid-season.  
 Nomenclatural Standard: colour print supplied by registrant (WSY0126268)  
 Etymology: Dyffryn (meaning 'valley') was the home of Reginald Cory, the respected horticulturist. Named at the request of the National Trust at Dyffryn

**'Elegant Eye' 3 Y-O**

(Graeme and Faith Miller, 1999) Graeme and Faith Miller, 2014  
 'Ramar' × Brogden sdlg 186/21; sdlg no. 06-099  
 Fl. 118mm wide; perianth segments 49mm long, broadly ovate, truncate, with slight white mucro, yellow, spreading, plane or with margins a little incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower; corona 15mm long, cup-shaped, broadly ribbed, orange, with a band of reddish orange at rim, mouth straight and wavy, with rim rolled slightly inwards and dentate. Mid-season.  
 Nomenclatural Standard: colour print supplied by registrant (WSY0126327)

**'Elfina' 7 W-P**

(Wilfred Hall, 2007) Wilfred Hall, 2014  
 'Limequilla' × 'Elfin Delf'; sdlg no. LQ-17  
 Fls 1–3 per stem; perianth segments broadly ovate in outline, rounded at apex, opening pale yellow 158B, becoming white, spreading, plane, smooth and of heavy substance, overlapping half; corona cylindrical, angled, pale purplish pink 62D, deepening to 62C at rim, mouth straight, lightly ribbed and wavy. Early.

**'Eye Opener' 1 W-O**

(Jackson's Daffodils, 2004) Jackson's Daffodils, 2014  
Parentage unknown; sdlg no. 6/04

Fl. 98mm wide, facing slightly upwards; perianth segments 42mm long, broadly ovate, blunt, slightly mucronate, greenish white 155A, spreading, plane or with margins a little incurved, with midrib showing, of heavy substance, overlapping half; the inner segments narrower; corona 43mm long, cylindrical, smooth, vivid orange-yellow 23A, mouth flared, ribbed and lightly frilled, with rim dentate. Early.

**'Fiery Arrow' 2 O-O**

(R. & E. Havens) R. & E. Havens, 2014

'Red Sheen' × *N. jonquilla*; sdlg no. RH26/1

Fl. rounded, 52mm wide; perianth segments roundish, broad, slightly mucronate, orange with overtones of yellow, a little reflexed, plane, with margins incurving, smooth and of heavy substance, overlapping half or more; the inner segments narrower, more nearly spreading; corona bowl-shaped, smooth, vivid orange, mouth wavy, with rim entire. Late.

**'Firebright' 2 Y-R**

(Brian S. Duncan, 2006) Brian S. Duncan, 2014

Sdlg 2328 ('Solar System' × ['Amboseli' × Burning Bush']) × 'Tropical Hear'; sdlg no. 3475

Fl. 116mm wide, facing slightly upwards; perianth segments 49mm long, ovate, blunt, deep yellow, with slight white micro, spreading, plane or with margins a little incurved, smooth and of heavy substance; corona 20mm long, cup-shaped, broadly ribbed, orange-red, mouth a little expanded, wavy and lobed, with rim slightly dentate and narrowly flanged. Tall. Mid-season to late.

Nomenclatural Standard: colour print supplied by registrant (WSY0126328)

**'Fire From Heaven' 2 WWG-YOO**

(Gerard Knehans Jr, 2003) Gerard Knehans Jr, 2014

Evans sdlg W2 series × 'Ruby Rose'; sdlg no. 96-10-1

Fl. forming double triangle, 82mm wide, facing slightly downwards; perianth segments 33mm long, ovate, blunt, mucronate, white, with a narrow band of green at base, a little reflexed, plane or with margins incurving, smooth and of heavy substance, overlapping one-third; the inner segments narrower, less prominently mucronate, more nearly plane; corona 12mm long, cup-shaped, ribbed, light yellow 12C at base, strong orange 25B towards mouth, with a paler tone at rim, mouth straight, lightly frilled and irregularly lobed, with rim entire. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126308)

**'Flagrant' 11a W-W**

(Jackson's Daffodils, 2004) Jackson's Daffodils, 2014

Sdlg 112/96 × sdlg 175/89; sdlg no. 22/04

Fl. 102mm wide; perianth segments 37mm long, roundish in outline, blunt at apex, greenish white 155A, spreading, plane or with margins slightly incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, more nearly ovate;

corona 30mm long, split to the base, the six segments forming an outer and an inner whorl of three, of the same width as perianth segments, yellowish white 158C, margins lightly frilled and folded. Early.

**'Flammea' 2 Y-YYO**

(Brian S. Duncan, 2006) Brian S. Duncan, 2014

'Gold Ingot' × 'Crevenagh'; sdlg no. 3077

Fl. forming a double triangle, 110mm wide; perianth segments 44mm long, ovate, blunt, mucronate, yellow, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 22mm long, cylindrical, angled, yellow, with a broad band of deep orange at rim, mouth straight, narrowly and lightly ribbed, irregularly six lobed, with rim narrowly flanged and minutely crenate. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126205)

**'Flash in the Pan' 3 Y-O**

(R. G. Cull, 2003) Hokorawa Daffodils, 2014

'Red Era' open pollinated; sdlg no. HC/98/1

Fl. rounded, 100mm wide; perianth segments 42mm long, roundish in outline, brilliant yellow 10A, spreading, plane or with margins incurved, smooth and of membranaceous substance, overlapping half or more; corona disc-shaped, smooth, vivid orange 28B, mouth expanded and ribbed, with rim entire. Early to mid-season.

**'Foiled' 2 Y-Y**

(M. Brown, 2009) M. Brown, 2014

'Impeccable' × 'Nynja'; sdlg no. 04-16

Fl. forming a double triangle, 110mm wide, facing upwards, brilliant greenish yellow 6B; perianth segments 47mm long, broadly ovate, with slight white micro, spreading, plane or with margins a little incurved, smooth and of heavy substance, overlapping half; corona 45mm long, funnel-shaped, angled, mouth frilled and lightly ribbed, with rim dentate and narrowly flanged. Mid-season.

**'Four Ten' 5 W-W**

(R. G. Cull, 2012) Hokorawa Daffodils, 2014

'Hillstar' × *N. triandrus* var. *triandrus*; sdlg no. HC/T3

Fls up to 5 per stem, each forming a double triangle, 60mm wide, facing downwards; perianth segments 25mm long, ovate in outline, acute at apex, slightly reflexed, plane or with margins incurving, smooth and of heavy substance, overlapping one-third; corona 15mm long, cup-shaped, ribbed, mouth flared, ribbed and even, with rim notched. Early to mid-season.

**'Foxwist Freya' 3 W-YYO**

(Clive Postles) L. Tomlinson, 2013

Parentage unknown

Fl. 120mm wide; perianth segments 50mm long, broadly ovate, blunt, mucronate, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, truncate at apex, scarcely mucronate; corona 12mm long,

bowl-shaped, narrowly ribbed, mouth narrowly flared and lightly frilled, with rim dentate. Sweetly scented. Late.

Nomenclatural Standard: colour print supplied by registrant (WSY0126182)

### 'Foxwist Green' 3 W-YYR

(Clive Postles) L.Tomlinson, 2013

Parentage unknown

Fl. 95mm wide; perianth segments 41mm long, rounded in outline, truncate at apex, mucronate, white, spreading, concave, with margins a little incurved, with midrib showing, of heavy substance, overlapping one-third; the inner segments narrower, less prominently mucronate; corona 8mm long, bowl-shaped, broadly ribbed, yellow with a broad band of red at rim, mouth frilled and narrowly flared, with rim dentate. Sweetly scented. Late.

Nomenclatural Standard: colour print supplied by registrant (WSY0126181)

### 'Foxwist Maria' 3 Y-YOO

(L.Tomlinson, 2008) L.Tomlinson, 2013

'Triple Crown' × 'Stanway'

Fl. 110mm wide; perianth segments 45mm long, ovate, truncate, with slight white mucro, spreading to a little reflexed, concave, with margins a little incurved, smooth and of heavy substance, overlapping half; the inner segments a little narrower, shouldered at base, scarcely mucronate; corona 11mm long, bowl-shaped, mouth ribbed, frilled and narrowly flared, with rim minutely crenate. Sweetly scented. Late.

Nomenclatural Standard: colour print supplied by registrant (WSY0126183)

### 'Foxwist Milly' 1 W-Y

(L.Tomlinson, 2008) L.Tomlinson, 2013

'Larkhill' hybrid

Fl. 109mm wide; perianth segments 46mm long, ovate in outline, rounded at apex, scarcely mucronate, spreading, concave, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, blunt at apex; corona 37mm long, cylindrical, ribbed, mouth flared and lightly frilled, with rim dentate. Mid-season.

### 'Frontier Fanfare' 1 Y-YYO

(Graeme and Faith Miller, 2006) Graeme and Faith Miller, 2014

'Tangara' × 'Sobersides'; sdlg no. 06-018

Fl. 91mm wide; perianth segments 33mm long, broadly ovate, blunt, yellow, with slight white mucro, spreading, plane or with margins a little incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 37mm long, funnel-shaped, angled, yellow, with a broad band of orange at rim, mouth straight, ribbed and lightly frilled, with rim dentate. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126326)

### 'Frontier Fiesta' 2 W-WPP

(Graeme and Faith Miller, 2004) Graeme and Faith Miller, 2014

'Pink Silk' × 'Quasar'; sdlg no. 04-083

Fl. 117mm wide; perianth segments 48mm long, broadly ovate, truncate, slightly mucronate, white, spreading, plane or with margins incurved, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, scarcely mucronate; corona 38mm long, funnel-shaped, angled, deep pink 50B, with a band of white at base, mouth straight, lightly ribbed, frilled and lobed, with rim rolled and dentate. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126325)

### 'Full Throttle' 2 W-P

(Walter Blom & Son) Q,J.Vink & Zn BV, 2013

Fl. 110mm wide; perianth segments 43mm long, broadly ovate, truncate, mucronate, white (NN155A), spreading, plane to a little concave, with margins incurved, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, scarcely mucronate; corona 38mm long, funnel-shaped, angled, light orange-pink (22B), mouth broadly ribbed, lightly frilled and irregularly lobed, with rim flanged and minutely dentate. Strongly scented. Mid-season.

Nomenclatural Standard: colour print supplied by KAVB (WSY0126180)

### 'Gale Force' 6 Y-Y

(Mrs Anne Wright, 2010) Mrs Anne Wright, 2014

*N. rupicola* × *N. cyclamineus*; sdlg no. 2668

Fl. star-shaped, 25mm wide, facing slightly downwards; perianth segments 12mm long, oblong in outline, blunt at apex, mucronate, strongly reflexed, plane or with margins a little incurved, with midrib showing, of heavy substance, overlapping at base; the inner segments narrower; corona 10mm long, cylindrical, smooth, mouth a little expanded, lightly ribbed and wavy, deeply six-lobed, with rim crenate. Dwarf. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126292)

### 'Gardener's Delight' 6 Y-O

(Walter J.M.Blom, 2009) Walter J.M.Blom, 2014

*N. cyclamineus* × 'Peeping Tom' sdlg; sdlg no. 207-2

Fl. 60mm wide, facing slightly upwards; perianth segments 25mm long, oblong in outline, blunt at apex, vivid yellow 9A, reflexed, convex, with midrib showing, of heavy substance, overlapping one-third to a half; corona 20mm long, cylindrical, ribbed, yellow-orange, mouth slightly expanded and lightly frilled, with rim narrowly flanged and notched. Sweetly scented. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126331)

**'Gefk' 10 Y-W**

(Lawrence Trevanion, 2008) Lawrence Trevanion, 2014

Sdlg 00\_39B open pollinated; sdlg no. 08\_76B

Fl. 26mm wide, facing upwards; perianth segments 11mm long, lanceolate in outline, acute at apex, pale greenish yellow (4D), spreading, plane, smooth and of heavy substance, separated; the inner segments narrower; corona 14mm long, cup-shaped, broadly ribbed, whitish, mouth straight and wavy, with rim entire. Dwarf. Very early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126244)

**'Ghugai Yah' 10 Y-W**

(Lawrence Trevanion, 2008) Lawrence Trevanion, 2014

Sdlg 01-39B × sdlg 03\_68B; sdlg no. 08\_37B

Fl. 29mm wide; perianth segments 11mm long, lanceolate in outline, acute at apex, light greenish yellow 4B, with slight white mucro, spreading, plane, smooth and of heavy substance; corona 12mm long, cup-shaped, ribbed, whitish, mouth straight and even, with rim minutely crenate. Dwarf. Very early. Nomenclatural Standard: colour print supplied by registrant (WSY0126243)

**'Giselle' 10 W-W**

(Mrs Anne Wright, 2010) Mrs Anne Wright, 2014 Self-sown, probably *N. triandrus* × *N. cantabricus*

Fls 1-2 per stem, star-shaped, 45mm wide, facing downwards, white (NN155D); perianth segments 20mm long, lanceolate in outline, acute at apex, spreading to a little reflexed, plane or with margins incurling, smooth, separated; the inner segments a little narrower; corona 18mm long, cup-shaped, narrowly and lightly ribbed, mouth even and a little expanded, with rim minutely crenate. Dwarf. Early. Nomenclatural Standard: colour print supplied by registrant (WSY0126291) AM (c) 2014

**'Goldanne' 1 Y-Y**

(Colin Crotty, 2001) Colin Crotty, 2014

'Midas Touch' open pollinated

Fl. 102mm wide; perianth segments 42mm long, ovate, blunt, brilliant yellow 7B, spreading, plane or with margins a little incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 45mm long, cylindrical, angled, brilliant yellow 7A, mouth expanded, ribbed and frilled, with rim crenate and narrowly flanged. Strongly scented. Sunproof. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126223)

**'Golden Choice' 1 Y-Y**

(Brian S.Duncan, 2002) Brian S.Duncan, 2014

'Gold Bond' × 'Impeccable'; sdlg no. 2733

Fl. 118mm wide, deep golden yellow; perianth segments 45mm long, ovate, blunt, slightly mucronate, spreading, plane, smooth and of heavy substance, overlapping one-third to a half; the inner

segments narrower, scarcely mucronate; corona 45mm long, funnel-shaped, smooth, mouth a little expanded, narrowly ribbed and lightly frilled, with rim minutely crenate. Early to mid-season.

**'Golden Echo' 7 WWY-Y**

(B.C.Heath, pre-2003) Brent & Becky's Bulbs, 2014 Previous listed as unregistered.

'Ballygarvey' × *N. jonquilla*

Fls 1-3 per stem, forming a double triangle; perianth segments ovate, blunt, prominently mucronate; spreading, plane, smooth and of heavy substance, overlapping half; the inner segments a little narrower, less prominently mucronate; corona mouth flared and even, with rim entire.

**'Golden Elf' 2 Y-Y**

(Colin Crotty, 2010) Colin Crotty, 2014

Parentage unknown

Fl. 73mm wide; perianth segments 32mm long, broadly ovate in outline, rounded at apex, brilliant yellow 7A, with pale mucro, a little inflexed, slightly concave, with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, scarcely mucronate; corona 30mm long, funnel-shaped, angled, vivid yellow 9A, mouth straight and lightly frilled, with rim dentate. Strongly scented. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126224)

**'Golden Path' 7 Y-Y**

(Frank B.Galyon) R. & E.Havens, 2014

'Limequilla' × 'Hillstar'; sdlg no. FGO3/3

Fls 2 per stem, facing upwards, deep golden yellow; perianth segments very broadly ovate, mucronate, a little reflexed, plane or with margins incurling, smooth and of heavy substance, overlapping half; the inner segments narrower, scarcely mucronate, more nearly spreading; corona funnel-shaped, mouth ribbed and wavy, with rim minutely crenate. Late.

**'Gold Step' 10 Y-Y**

(Lawrence Trevanion, 2002) Lawrence Trevanion, 2014

'Alfriston' × *N. bulbocodium*; sdlg no. 02\_01MB

Fl. star-shaped, facing upwards; perianth segments lanceolate in outline, acute at apex, slightly inflexed, plane, smooth and of heavy substance, overlapping at base; the inner segments narrower; corona funnel-shaped, mouth straight, lightly ribbed and a little wavy, with rim entire. Mildly scented. Dwarf. Early. Nomenclatural Standard: colour print supplied by registrant (WSY0126547)

**'Goose Cook' 2 W-W**

(Jackson's Daffodils, 1993) Jackson's Daffodils, 2014

'Mercedes' × 'Heralding'; sdlg no. 21/93

Fl. 93mm wide, yellowish white 155B; perianth segments very broad, blunt, slightly mucronate, a little reflexed, plane or with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, more nearly

plane; corona funnel-shaped, smooth, mouth straight and even, with rim entire. Early.

#### **'Gramoneed' 8 Y-Y**

(Lawrence Trevanion, 2007) Lawrence Trevanion, 2014

'Taztep' × selection 98\_22T from Autumn Colors Group; sdlg no. 07\_02WT

Fls 10–15 per stem; perianth segments roundish, very broad, with white mucro, spreading, plane or with margins incurved, with midrib showing, of heavy substance, overlapping half or more; inner segments less prominently mucronate; corona cup-shaped, smooth, of a deeper tone than the perianth segments, mouth even and a little expanded, with rim entire. Moderately scented. Very early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126255)

#### **'Gramonella' 8 Y-Y**

(Lawrence Trevanion, 2007) Lawrence Trevanion, 2014

'Taztep' × selection 98\_22T from Autumn Colors Group; sdlg no. 07\_03WT

Fls 10–15 per stem; perianth segments roundish, very broad, blunt at apex, mucronate, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments scarcely mucronate; corona cup-shaped, lightly ribbed, of a deeper tone than the perianth segments, mouth even and a little expanded, with rim entire. Moderately scented. Very early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126257)

#### **'Gramonesque' 8 W-Y**

(Bill Welch, 2003) Lawrence Trevanion, 2014

Autumn Colors Group × tetraploid *N. papyraceus*?; sdlg no. 03\_01WT

Fls 10–15 per stem; perianth segments roundish, very broad, mucronate, spreading, plane or with margins incurved, with midrib showing, of heavy substance, overlapping half or more; the inner segments scarcely mucronate; corona cup-shaped, smooth, mouth straight and even, with rim entire. Moderately scented. Very early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126254)

#### **'Gramonex' 8 W-Y**

(Lawrence Trevanion, 2007) Lawrence Trevanion, 2014

'Taztep' × selection 98\_25T from Autumn Colors Group; sdlg no. 07\_06WT

Fls 10–15 per stem; perianth segments roundish, very broad, prominently mucronate, slightly reflexed, concave, with midrib showing, of heavy substance, overlapping half; the inner segments more nearly plane, less prominently mucronate; corona cup-shaped, smooth, mouth straight and even, with rim entire. Moderately scented. Very early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126259)

#### **'Gramonite' 8 W-Y**

(Lawrence Trevanion, 2007) Lawrence Trevanion, 2014

'Taztep' × selection 97\_01T from Autumn Colors Group; sdlg no. 07\_04WT

Fls 10–15 per stem; perianth segments roundish, very broad, prominently mucronate, spreading to a little reflexed, plane or with margins incurved, lightly creased, of heavy substance, overlapping half or more; the inner segments scarcely mucronate, more nearly spreading; corona cup-shaped, smooth, mouth straight and a little wavy, with rim entire. Moderately scented. Very early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126258)

#### **'Gramonora' 8 Y-O**

(Lawrence Trevanion, 2007) Lawrence Trevanion, 2014

'Taztep' × selection 98\_22T from Autumn Colors Group; sdlg no. 07\_05WT

Fls 10–15 per stem; perianth segments roundish, very broad, truncate, with white mucro, spreading, plane or with margins incurved, with midrib showing, of heavy substance, overlapping half or more; the inner segments less prominently mucronate; corona cup-shaped, smooth, mouth straight and a little wavy, with rim entire. Moderately scented. Very early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126256)

#### **'Green Hope' 2 W-GWW**

(John R.Reed) John R.Reed, 2014

'Angel' × 'Misty Glen'; sdlg no. 85-26-4

Mid-season to late.

#### **'Gwuv' 10 Y-Y**

(Lawrence Trevanion, 2003) Lawrence Trevanion, 2014

Sdlg 99\_11B × sdlg 00\_40B; sdlg no. 03\_51B

Fl. 31mm wide, facing upwards, light greenish yellow 4C; perianth segments 11mm long, lanceolate in outline, acute at apex, with slight white mucro, spreading, plane or with margins incurved, smooth and of heavy substance, separated; corona 13mm long, cup-shaped, ribbed, mouth straight and wavy, with rim crenate. Dwarf. Very early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126234)

#### **'Hawkwind' 2 Y-YYO**

(Gordon Coombes, 2005) Gordon Coombes, 2014

'Valley Glow' × 'Goldfinger'; sdlg no. G7-05

Fl. 85mm wide; perianth segments 32mm long, very broadly ovate, blunt, yellow, with slight white mucro, spreading, concave, smooth and of membranaceous substance, overlapping half or more; the inner segments narrower, scarcely mucronate, shouldered at base; corona 25mm long, cup-shaped, angled, yellow, with a broad band of orange at rim, mouth straight, ribbed and wavy, with rim crenate. Strongly scented. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0216230)

**'Hello Gorgeous' 11a W-O**

(Nial Watson, 2004) Ringhaddy Daffodils, 2014  
'Arctic Char' × 'Sovereign'; sdlg no. W376  
Fl. rounded, 100mm wide; perianth segments 39mm long, very broadly ovate, truncate, mucronate, white, spreading, plane, smooth and of heavy substance; the inner segments narrower; corona 28mm long, split, strong orange 26A, ribbed. Mid-season.

**'Imersh' 10 Y-Y**

(Lawrence Trevanion, 2005) Lawrence Trevanion, 2014  
Sdlg 99\_11B × *N. albidus* subsp.?; sdlg no. 05\_57B  
Fl. 38mm wide, facing upwards, pale greenish yellow 2D; perianth segments 13mm long, lanceolate in outline, acute at apex, with pale mucro, spreading, plane, smooth and of heavy substance, separated; corona cup-shaped, 19mm long, ribbed, mouth straight and even, with rim crenate. Dwarf. Very early. Nomenclatural Standard: colour print supplied by registrant (WSY0126238)

**'Ina Maclean' 1 Y-Y**

(D.C.MacArthur, 1996) D.C.MacArthur, 2014  
'Arkle' × 'Saint Duthus'; sdlg no. ED10991  
Fl. star-shaped, 121mm wide; perianth segments 54mm long, ovate in outline, acute at apex, vivid yellow 12A, spreading, twisted, with margins incurling, smooth and of heavy substance, overlapping at base only; the inner segments narrower; corona 55mm long, cylindrical, ribbed, vivid yellow 14A, mouth flared and wavy, with rim crenate. Strongly scented. Late.

**'Indian Star' 4 Y-Y**

(N.P.C.M.van Hage) N.P.C.M.van Hage, 2014  
Fl. 125mm wide, facing slightly upwards, orange yellow (13A); perianth and other petaloid segments in three or more whorls; the outer whorls 50mm long, very broadly ovate, blunt, slightly mucronate, spreading, concave, with margins incurling, with midrib showing, of heavy substance, overlapping half or more; the inner whorl shouldered at base, a little inflexed; corona segments in several whorls interspersed among the petaloid segments; the inner segments successively shorter, more inflexed and clustered towards centre. Sweetly scented. Early. Nomenclatural Standard: colour print supplied by KAVB (WSY0126303)

**'Irish Jaunt' 3 W-GYR**

(John Gibson) John Gibson, 2014  
'Astrid's Memory' open pollinated; sdlg no. 310-39-07  
Fl. rounded, 102mm wide; perianth segments 42mm long, very broadly ovate, truncate, mucronate, white, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments a little narrower, scarcely mucronate; corona 8mm long, disc-shaped, ribbed, brilliant yellow 7A, with strong yellow-green 144A at base and a narrow band of red (40C) at rim, mouth straight, neatly frilled, with rim irregularly crenate. Sweetly scented. Late. Nomenclatural Standard: colour print supplied by (WSY0126310)

**'Jack Stooks' 1 W-W**

(D.C.MacArthur, 2002) D.C.MacArthur, 2014  
'Panache' open pollinated; sdlg no. ED6602  
Fl. 94mm wide; perianth segments 41mm long, very broadly ovate, blunt, mucronate, greenish white 155C, spreading, plane or with margins incurling, creased, of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 42mm long, cylindrical, smooth, yellowish white 158C, mouth flared, ribbed and lightly frilled, with rim notched. Sweetly scented. Late. Nomenclatural Standard: colour print supplied by registrant (WSY0126271)

**'Ja May' 2 Y-R**

(Wayne G.Hughes, 2004) Wayne G.Hughes, 2014  
'Trudie May' × 'Jamore'; sdlg no. 99-14(4.3)  
Fl. 110mm wide; perianth segments ovate, slightly mucronate, bright yellow, spreading, plane or with margins a little incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, scarcely mucronate; corona cylindrical, broadly and neatly ribbed, red, mouth straight and wavy, with rim entire. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0126317)

**'Jill' 4 Y-Y Unregistered**

Syn. of 'Monewden'

**'Joy of Spring' 3 W-YOO**

(Denise E.McQuarrie, 2003) Denise E.McQuarrie, 2014  
'Tetherstones' × 'Shaz'; sdlg no. G33  
Fl. rounded, 106mm wide; perianth segments 45mm long, roundish in outline, blunt at apex, spreading, plane, smooth and of heavy substance, overlapping half or more; corona 14mm long, disc-shaped, smooth, mouth expanded and frilled, with rim notched. Mid-season to late. Etymology: Named for the registrant's late mother

**'Juergen' 1 Y-Y**

(John R.Reed) John R.Reed, 2014  
Sdlg 83-40-4 × sdlg 84-7-4; sdlg no. 98-63-1  
Fl. forming a double triangle; perianth segments broadly ovate, with slight white mucro, a little reflexed, smooth and of heavy substance; the inner segments narrower, more nearly plane, scarcely mucronate; corona funnel-shaped, smooth, with rim notched and broadly flanged. Etymology: Named for Juergen Steinger of Bloom-it.com

**'Kaffry' 6 Y-O**

(Brian S.Duncan, 2003) Brian S.Duncan, 2014  
'Surrey' × *N. cyclamineus*; sdlg no. 2716  
Fl. forming a double triangle, 67mm wide; perianth segments 23mm long, ovate, blunt, scarcely mucronate, deep yellow, a little reflexed, plane or with margins a little incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, apex acute to blunt; corona 16mm long, cylindrical,

broadly and regularly ribbed, mid-orange with a narrow band of yellow orange at rim, mouth straight and wavy, with rim dentate. Early to mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0126289)

**'Kevin Kerr' 1 Y-Y**

(P.D.K.Ramsay, 2009) P.D.K.Ramsay, 2014  
Sdlg PR00-16 × sdlg MH1YY; sdlg no. 09:3  
Fl. forming a double triangle, 116mm wide; perianth segments 48mm long, very broad, rounded at apex, spreading, plane or with margins incurling, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 50mm long, funnel-shaped, smooth, mouth flared and frilled, with rim rolled and dentate. Early.

**'Koshare' 8 W-Y**

(Robert Spotts, 1996) Robert Spotts, 2014  
'Festivity' × 'Matador'; sdlg no. 91-20-1  
Fls 1-3 per stem, 70mm wide; perianth segments 30mm long, broadly ovate, blunt, truncate, slightly mucronate, white, spreading, plane or with margins a little wavy, with midrib showing, of heavy substance, overlapping half; the inner segments narrower; corona 11mm long, funnel-shaped, irregularly ribbed, lemon yellow, mouth straight and lightly frilled. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0126275)

**'Lake Effect' 2 W-W**

(John R.Reed) John R.Reed, 2014  
'Louise Randall' × 'Lady Diana'; sdlg no. 2003-3-1  
Very smooth.

**'Lakeland Poet' 9 W-R**

(Frank B.Galyon) R.& E.Havens, 2014  
'Lights Out' × 'Bon Bon'; sdlg no. FG79  
Fl. forming a double triangle; perianth segments broadly ovate, truncate, mucronate, spreading, plane or with margins a little wavy or incurling towards apex, smooth and of heavy substance, overlapping half or more; the inner segments narrower, scarcely mucronate; corona disk-shaped, red, with a narrow band of a darker tone at rim, mouth ribbed and wavy, with rim crenate. Very late.

**'La Scala' 5 W-Y**

(Walter J.M.Blom, 2008) Walter J.M.Blom, 2014  
'Cosmic Dance' × *N. triandrus* subsp. *triandrus* var. *pulchellus*; sdlg no. 153-1  
Fls 1-2 per stem, 65mm wide; perianth segments 30mm long, oblong in outline, blunt at apex, greenish white 155A, spreading, plane, smooth and of heavy substance, overlapping one-third to a half; corona 10mm long, bowl-shaped, smooth, brilliant greenish yellow 6A, mouth expanded and wavy, with rim flanged and crenate. Sweetly scented. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0126330)

**'Laura G' 3 W-W**

(R.A.Scamp, 1989) Fentongollan Farm, 2014  
'Delos' × 'Cool Crystal'; sdlg no. 263B  
Fl. 72mm wide, facing slightly downwards; perianth segments roundish, very broad, scarcely mucronate, spreading, concave, with margins incurved, smooth and of heavy substance, overlapping one-third; the inner segments narrower, shouldered at base; corona bowl-shaped, ribbed, mouth expanded and frilled, with rim crenate. Sweetly scented. Late. Nomenclatural Standard: colour print supplied by registrant (WSY0126293)

**'Lemon Crystal' 2 YYW-WWY**

(R.& E.Havens) R.& E.Havens, 2014  
'Color Magic' × 'American Classic'; sdlg no. QH26/2  
Perianth segments broad, rounded, deep golden lemon yellow, with white at base, of heavy substance; corona white, with a band of deep golden lemon yellow at rim, heavily frilled. Late.

**'Lemon Dream' 1 Y-Y**

(John R.Reed) John R.Reed, 2014  
'Dream Prince' hybrid; sdlg no. 1993 cross  
Early to mid-season.

**'Le Sol' 2 Y-YYO**

(Colin Crotty, 2009) Colin Crotty, 2014  
'Rheban Red' × ('Sun Child' × 'Egmont Charm'); sdlg no. 19-09  
Fl. rounded, 115mm wide; perianth segments 47mm long, roundish, very broad, scarcely mucronate, brilliant greenish yellow 4A, spreading, plane to a little concave, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, more strongly inflexed, shouldered at base; corona 25mm long, bowl-shaped, angled, vivid yellow 14A, with vivid yellow 12A at base and a narrow band of yellow-orange (17B) at rim, mouth expanded, frilled and narrowly ribbed, with rim narrowly flanged. Strongly scented. Sunproof. Early. Nomenclatural Standard: colour print supplied by registrant (WSY0126225)

**'Like It' 3 W-YYR**

(John R.Reed) John R.Reed, 2014  
'La Paloma' × 'My Sweetheart'; sdlg no. 95-34-3  
Etymology: Name given by Mike Berrigan upon observing the flower

**'Lima's Winter Moon' 7 WWG-GWW**

(Manuel Lima, 2002) Robert Spotts, 2014  
'Easter Moon' × *N. viridiflorus*  
Fls 1-3 per stem, star-shaped, 66mm wide; perianth segments 28mm long, oblong in outline, rounded at apex, mucronate, opening green, becoming white with a band of green at base, spreading, plane, smooth, with midrib showing, overlapping at base only; corona 3mm long, cup-shaped, smooth, white, with a band of green at base, mouth straight and even, with rim entire. Sweetly scented. Very early.

**'Little Duncan' 1 Y-Y**

(Wayne G. Hughes) Wayne G. Hughes, 2014  
 'Uncle Duncan' open pollinated; sdlg no. UD-M  
 Fl. forming a double triangle, 70mm wide, light to mid-yellow; perianth segments broadly ovate, with slight white mucro, spreading, concave, with margins a little incurving, creased, of heavy substance, overlapping half; the inner segments narrower; corona funnel-shaped, mouth ribbed, with rim flanged and crenate. Mid-season.  
 Nomenclatural Standard: colour print supplied by registrant (WSY0126318)

**'Luna Lycanthrope' 2 Y-W**

(Gerard Knehans Jr, 1996) Gerard Knehans Jr, 2014  
 'Moonspell' × 'Camelot'; sdlg no. KN085  
 Fl. forming a double triangle, 95mm wide; perianth segments 40mm long, broadly ovate, blunt, light greenish yellow 5C, with white mucro, spreading, plane or with margins a little incurved, smooth and of heavy substance, overlapping one-third; the inner segments narrower, a little inflexed; corona 29mm long, cylindrical, angled, white, mouth expanded, ribbed and frilled, with rim entire and broadly flanged. Early.  
 Nomenclatural Standard: colour print supplied by registrant (WSY0126306)

**'Macilynn' 3 W-YR**

(John R. Reed) John R. Reed, 2014  
 'La Paloma' × 'My Sweetheart'; sdlg no. 95-34-2  
 Fl. rounded; perianth segments roundish, very broad, blunt, prominently mucronate, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments narrower, scarcely mucronate; corona bowl-shaped, smooth, mouth wavy and lightly ribbed, with rim crenate. Mid-season.  
 Etymology: Named for Chrissy Wagoner's baby

**'Maricopa' 8 W-Y**

(Robert Spotts, 2008) Robert Spotts, 2014  
 'Matador' × DuBose sdlg ('Soleil d'Or' o.p.); sdlg no. 1-13-62  
 Fls 3-5 per stem, 50mm wide; perianth segments 21mm long, ovate in outline, rounded at apex, mucronate, white, spreading, plane to a little concave, with margins incurved or wavy, smooth and of heavy substance, overlapping half; the inner segments a little narrower, scarcely mucronate; corona 5mm long, cup-shaped, irregularly ribbed, mouth straight and a little wavy, with rim entire. Early.  
 Nomenclatural Standard: colour print supplied by registrant (WSY0126274)

**'Mariemont' 1 Y-O**

(John R. Reed) John R. Reed, 2014  
 'Uncle Duncan' × sdlg 87-19-4 ('Trumpet Call' × 'Glenfarclas'); sdlg no. 95-110-1  
 Perianth segments smooth and overlapping. Tall. Very early.  
 Etymology: Named for a community near Cincinnati, Ohio

**'Mary Gay Lirette' 11a W-P**

(J. Gerritsen) W. van Lierop & Sons, 2013  
 Fl. 95mm wide; perianth segments 35mm long, roundish, very broad, mucronate, yellowish white 155B, spreading, plane or with margins a little incurved, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, broadly ovate, blunt, scarcely mucronate, shouldered at base, slightly inflexed; corona segments split to base, the six segments each closely overlying a perianth segment, forming an outer and an inner whorl of three, the outer whorl of the same width as the perianth segments, the inner whorl a little narrower and three quarters the length of the inner perianth segments, deeply lobed, with lobes overlapping, yellowish-pink, smooth, frilled. Sweetly scented. Early.  
 Nomenclatural Standard: colour print supplied by KAVB (WSY0126210)

**'Marylise' 2 W-P**

(Brian S. Duncan, 2008) John Campbell, 2014  
 'Chanson' × 'Catalyst'; sdlg no. 3739  
 Fl. rounded, 107mm wide, facing slightly upwards; perianth segments 45mm long, very broad, blunt, slightly mucronate, white, spreading, plane or with margins a little incurved, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, scarcely mucronate, shouldered at base; corona 43mm long, funnel-shaped, angled, deep pure pink, mouth expanded, lobed and irregularly ribbed, with rim crenate and narrowly flanged. Mid-season.  
 Nomenclatural Standard: colour print supplied by registrant (WSY0126287)

**'Memorial Gold' 1 Y-Y**

(John R. Reed) John R. Reed, 2014  
 'Gold Convention' × 'Goldfinger'; sdlg no. 91-54-1  
 Early to mid-season.  
 Etymology: Named for hospital where registrant was born and works

**'Meunna' 2 W-P**

(P.J. Radcliff, 2004) P.J. Radcliff, 2014  
 'Des Oldham' × 'Pink Belladonna'; sdlg no. 70/04  
 Perianth segments 45mm long, broadly ovate, blunt, slightly mucronate, greenish white 155C, a little reflexed, plane or with margins slightly incurved, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, less prominently mucronate, more nearly plane; corona 37mm long, funnel-shaped, angled, moderate pink 49B, mouth flared, irregularly ribbed and lightly frilled, with rim notched. Tall. Mid-season.  
 Nomenclatural Standard: colour print supplied by registrant (WSY0126217)

**'Mighty Mo' 2 Y-Y**

(O. David Niswonger, 2000) O. David Niswonger, 2014  
 'Gold Convention' × 'Inca Gold'; sdlg no. 1-00  
 Fl. 114mm wide; perianth segments 51mm long, broadly ovate, blunt, with slight white mucro, spreading, plane or with margins incurving, smooth

and of heavy substance; the inner segments significantly narrower; corona 38mm long, cup-shaped, smooth, mouth frilled, with rim entire. Tall. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126324)

#### **'Miss Iris' 10 Y-Y**

(Graham Fleming, 2006) C.Higgins, 2014

*N. bulbocodium* subsp. *bulbocodium* var. *conspicuus* × *N. bulbocodium* subsp. *obesus*; sdlg no. KS/BH/273/03  
Fl. star-shaped, 37mm wide, facing upwards, deep yellow; perianth segments 11mm long, lanceolate in outline, acute at apex, with slight white mucro, inflexed, plane, smooth, separated; the inner segments slightly narrower; corona 33mm long, cup-shaped, mouth wavy and broadly ribbed, with rim rolled slightly inwards and entire. Dwarf. Mid-season. Etymology: Named for registrant's sister

#### **'Miss Mabel' 6 W-P**

(R.A.Scamp, 1996) R.A.Scamp, 2014

'Foundling' × 'Tangent'; sdlg no. 730  
Fl. rounded, 87mm wide, facing downwards; perianth segments 37mm long, roundish, very broad, mucronate, reflexed, plane, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, less prominently mucronate, with margins incurling; corona 24mm long, cup-shaped, smooth, mouth slightly flared, wavy and irregularly ribbed, with rim crenate. Dwarf. Mid-season to late. Nomenclatural Standard: colour print supplied by registrant (WSY0126283)

#### **'Monewden' 4 Y-Y**

Paul Chapman, Suffolk Wildlife Trust, 2014

Parentage unknown

Fl. 50mm wide; perianth segments 22mm long, ovate in outline, acute at apex, vivid yellow 9B or brilliant yellow 9C, slightly lighter in tone than corona, with white mucro, spreading or somewhat inflexed, plane or a little twisted, overlapping at base only; corona 20mm long, cylindrical or somewhat funnel-shaped, smooth, vivid yellow 9A, mouth flared, deeply 6-lobed, with lobes more or less distinctly bi-lobed; the corona tightly filled with alternate whorls of petaloid and corona segments. Resembles double forms of *N. pseudonarcissus* but with the flower almost self yellow. Dwarf. Early to mid-season. Etymology: Pronounced mon-a-den

Nomenclatural Standard: colour print supplied by registrant (WSY0126322)

#### **'Mount Adams' 2 W-W**

(Mary Lou Gripshover, 1992) Mary Lou Gripshover, 2014

'Inverpollly' × 'Angel'; sdlg no. 83-20-2

Fl. 85mm wide, facing slightly downwards, pure white; perianth segments 33mm long, very broadly ovate, blunt, mucronate, a little reflexed, plane or with margins incurling, smooth and of heavy substance, overlapping one-third to a half; the inner

segments narrower, more nearly spreading, shouldered at base, with margins a little wavy; corona 32mm long, cylindrical, smooth, mouth slightly expanded, narrowly and irregularly ribbed, with rim rolled and minutely crenate. Late.

Nomenclatural Standard: colour print supplied by registrant (WSY0126295)

#### **'Mr Snooty' 1 Y-Y**

Stephen Jackson, 2014

Parentage unknown

Fl. star-shaped, 115mm wide; perianth segments 50mm long, lanceolate in outline, acute at apex, slightly mucronate, lemon yellow, a little inflexed, convex, strongly twisted or folded along midrib at apex, smooth and of heavy substance; corona 60mm long, cylindrical, angled, golden yellow, mouth expanded, lightly ribbed and irregularly lobed, with rim crenate and narrowly flanged. Lightly scented. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126286)

#### **'Muiranna' 1 Y-Y**

(Nial Watson, 2005) Ringhaddy Daffodils, 2014

'Gold Convention' × 'Goldfinger'; sdlg no. 153

Fl. 113mm wide; perianth segments 47mm long, roundish in outline, mucronate, vivid yellow 12A, spreading, plane, smooth and of heavy substance; the inner segments slightly narrower; corona 48mm long, cylindrical, smooth, vivid yellow 13A, mouth expanded, wavy, with rim flanged and crenate. Mid-season.

#### **'Music Maker' 2 Y-Y**

(Nial Watson, 2006) Ringhaddy Daffodils, 2014

'Trumpet Warrior' × 'Barnum'; sdlg no. 680

Fl. rounded, 105mm wide; perianth segments 42mm long, very broadly ovate in outline, rounded at apex, mucronate, spreading, plane or with margins incurling, smooth and of heavy substance; the inner segments a little narrower, shouldered at base; corona 40mm long, cylindrical, smooth, mouth flared, ribbed and wavy, with rim rolled and crenate. Sweetly scented. Early to mid-season.

#### **'Myalla' 1 Y-O**

(P.J.Radcliff, 2006) P.J.Radcliff, 2014

Sdlg 37/95 × 'Corbiere'; sdlg no. 37/06

Fl. forming a double triangle, 108mm wide; perianth segments 39mm long, broadly ovate, truncate, brilliant yellow 7A, with pale mucro, spreading, plane or with margins a little incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate; corona 40mm long, cylindrical, smooth, strong reddish orange 31A, mouth wavy, a little expanded and broadly ribbed, with rim narrowly flanged and minutely dentate. Tall. Early to mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126216)

**'Mzungu' 2 W-W**

(Nial Watson, 2002) Ringhaddy Daffodils, 2014  
 'Empress of Ireland' × 'Silver Sabre'; sdlg no. 254  
 Fl. forming a double triangle, 119mm wide; perianth segments 50mm long, very broad, mucronate, spreading, plane, smooth and of heavy substance; the inner segments narrower, shouldered at base; corona 47mm long, funnel-shaped, smooth, mouth expanded and lobed, with rim flanged and crenate. Sweetly scented. Early.

**'Nedth' 10 Y-Y**

(Lawrence Trevanion, 2005) Lawrence Trevanion, 2014  
 Sdlg 99\_14B × sdlg 99\_11B; sdlg no. 05\_49B  
 Fl. 37mm wide, facing upwards; perianth segments 14mm long, lanceolate in outline, acute at apex, slightly mucronate, brilliant yellow 7B, spreading, plane, lightly creased, of heavy substance, separated; corona bowl-shaped, 18mm long, smooth, vivid yellow 9A, mouth straight and even, with rim minutely crenate. Dwarf. Very early.  
 Nomenclatural Standard: colour print supplied by registrant (WSY0126237)

**'Nev Sez' 3 W-YYO**

(Clive Postles) L.Tomlinson, 2013  
 Parentage unknown  
 Fl. 95mm wide; perianth segments 40mm long, very broadly ovate in outline, rounded at apex, mucronate, spreading, concave, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, scarcely mucronate; corona 10mm long, bowl-shaped, ribbed, mouth flared and wavy, with rim dentate. Late.  
 Nomenclatural Standard: colour print supplied by registrant (WSY0126186)

**'New Kid' 3 W-YYR**

(John R.Reed) John R.Reed, 2014  
 'La Paloma' × 'My Sweetheart'; sdlg no. 95-34-4  
 Fl. rounded; perianth segments smooth and overlapping. Mid-season.

**'New Way' 2 Y-Y**

(M.E.Brogden, 2009) M.E.Brogden, 2014  
 'New Penny' × 'New Image'; sdlg no. BB03-6-3  
 Fl. rounded, 115mm wide; perianth segments 53mm long, very broad, blunt, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments shouldered at base; corona 22mm long, cylindrical, smooth, mouth straight and even, with rim flanged and entire. Mid-season.

**'Niamh' 2 W-P**

(P.D.K.Ramsay, 2012) P.D.K.Ramsay, 2014  
 Lea sdlg 8-8-76 × 'Winchester Pride'; sdlg no. 12:63  
 Fl. rounded, 105mm wide; perianth segments 38mm long, roundish, very broad, blunt at apex, spreading, plane or with margins incurling, smooth and of heavy substance; corona 36mm long, bowl-shaped, smooth, mouth straight and even, with rim rolled and dentate. Mid-season.

**'Nikki Koko' 2 W-WYP**

(C.Higgins, 2003) C.Higgins, 2014  
 'Geometrics' × 'Pink Silk'; sdlg no. 02-03  
 Fl. 78mm wide, facing slightly upwards; perianth segments 30mm long, very broadly ovate, blunt, slightly mucronate, white, spreading, plane or with margins incurved towards apex, with midrib showing, of heavy substance; the inner segments narrower, shouldered at base, less prominently mucronate; corona 33mm long, cylindrical, angled, yellow, with a broad band of white at base and a band of pink at rim, mouth narrowly flared, broadly ribbed and lightly frilled, with rim entire. Early.  
 Nomenclatural Standard: colour print supplied by registrant (WSY0126276)  
 Etymology: Named for the childhood name of registrant's daughter

**'Ninepins' 3 W-YOO**

(Malcolm Wheeler, 2008) Malcolm Wheeler, 2014  
*N. atlanticus* × McQuarrie sdlg A42 (9W-R); sdlg no. M95B  
 Fl. rounded, 43mm wide; perianth segments 18mm long, roundish, very broad, truncate at apex, mucronate, white, spreading, plane, smooth and of heavy substance, overlapping one-third; the inner segments narrower, less prominently mucronate, margins a little wavy; corona 6mm long, bowl-shaped, ribbed, brilliant orange 29A, with light greenish yellow towards base, mouth ribbed and lightly frilled, with rim dentate. Sweetly scented. Mid-season.  
 Nomenclatural Standard: colour print supplied by registrant (WSY0126233)

**'Nordic White' 5 W-W**

(R.& E.Havens) R.& E.Havens, 2014  
 'Limequilla' × *N. triandrus* var. *triandrus*; sdlg no. HH20/2  
 Fls 3-5 per stem, facing downwards; perianth segments broad and reflexed; corona cup-shaped. Mid-season to late.

**'Nug Nutsch' 10 Y-W**

(Lawrence Trevanion, 2007) Lawrence Trevanion, 2014  
 Sdlg 99\_05B × sdlg 03\_60B; sdlg no. 07\_48B  
 Fl. 40mm wide, facing upwards; perianth segments 15mm long, lanceolate in outline, acute at apex, pale greenish yellow 2D, spreading, plane or with margins slightly incurved, smooth and of heavy substance, separated; the inner segments narrower; corona 18mm long, funnel-shaped, smooth, white, mouth even and narrowly flared, with rim entire. Dwarf. Very early.  
 Nomenclatural Standard: colour print supplied by registrant (WSY0126242)

**'Oliver Carne' 4 Y-Y**

(R.A.Scamp, 1997) R.A.Scamp, 2014  
 'Celtic Gold' × 'Menabilly'; sdlg no. 777  
 Fl. rounded, 100mm wide; perianth and other petaloid segments in three or more whorls; the outer whorls

42mm long, roundish, very broad, with white mucro, spreading, plane or with margins incurling, smooth and of heavy substance, overlapping half or more; the inner whorls significantly shorter, strongly inflexed, concave, scarcely mucronate; corona segments in several whorls; the outer whorl 32mm long, enclosing the inner whorls of petaloid and corona segments, broad, sometimes bi-lobed, with margins lightly ribbed and wavy; the inner whorls shorter, more deeply inflexed, lightly crumpled and clustered at centre. Mid-season. The colour of the corona segments may vary, sometimes developing orange tones. Nomenclatural Standard: colour print supplied by registrant (WSY0126281)  
Etymology: Named at request of family and friends for many years' service to Constantine Village, Cornwall

#### 'Olly's Medal' 1 W-Y

(Brian S.Duncan, 2004) Brian S.Duncan, 2014  
'Fiona MacKillop' × 'Queen's Guard'; sdlg no. 3080  
Fl. rounded, 118mm wide; perianth segments 47mm long, broadly ovate, blunt, slightly mucronate, white, touched yellow at base, spreading, plane or with margins a little incurved, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 48mm long, cylindrical, angled, deep yellow, mouth a little expanded, narrowly ribbed and slightly wavy, with rim crenate and broadly flanged. Mid-season.  
Nomenclatural Standard: colour print supplied by registrant (WSY0126202)

#### 'Pantaloon' 4 W-YP

(Nial Watson, 2004) Ringhaddy Daffodils, 2014  
Parentage unknown; sdlg no. 490  
Fl. rounded, 76mm wide; perianth segments 27mm long, very broadly ovate in outline, rounded at apex, mucronate, white, spreading, plane or with margins incurling, smooth and of heavy substance; corona segments 17mm long, pink (31B), with brilliant yellow 10A at base. Mid-season

#### 'Paujen Gold' 7 Y-GYY

(R.A.Scamp, 1996) R.A.Scamp, 2014  
'Emily' × *N. jonquilla*; sdlg no. 709  
Fls 1-2 per stem, 59mm wide; perianth segments 25mm long, roundish in outline, blunt at apex, with slight white mucro, spreading, concave, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, with margins incurling; corona 10mm long, cup-shaped, angled, mouth wavy and broadly ribbed, with rim crenate. Strongly scented. Mid-season to late.  
Nomenclatural Standard: colour print supplied by registrant (WSY0126279)

#### 'Paul's Glory' 2 W-R

(John R.Reed) John R.Reed, 2014  
'Magician' × 'Pink Silk'; sdlg no. 94-8-4  
Etymology: Named to honour Mary Lou Gripshover's late husband

#### 'Peaceful Hollow' 6 Y-O

(John R.Reed) John R.Reed, 2014  
'Monal' × *N. cyclamineus*; sdlg no. 84-49-2  
Perianth segments ovate, blunt, strongly reflexed, smooth and of heavy substance; corona cup-shaped, mouth ribbed and lightly frilled. Very early.

#### 'Peach Cobbler' 4 Y-Y

(K.van der Veek) W.van Lierop & Sons, 2014  
Parentage unknown  
Fl. 45mm wide, facing upwards; perianth and other petaloid segments in three or more whorls, pale yellow 8D, 35mm long; the outer whorls broadly ovate, slightly mucronate, spreading, concave, with midrib showing, of heavy substance, overlapping half; the inner whorls less prominently mucronate, successively shorter towards centre, folded inwards along midrib, strongly inflexed; corona segments 20mm long, vivid yellow 14A, with brilliant greenish yellow 6B at base, interspersed among the middle and inner whorls of perianth segments and clustered at centre, with margins notched and wavy. Early.  
Nomenclatural Standard: colour print supplied by KAVB (WSY0126270)

#### 'Peter' 3 W-P

(John R.Reed) John R.Reed, 2014  
'Kerstin' × 'Clouds Rest'; sdlg no. 2000-21-1  
Fl. forming a double triangle; perianth segments broadly ovate, mucronate, white, spreading, plane, with midrib showing, of heavy substance, overlapping half; the inner segments narrower; corona bowl-shaped, reddish pink, mouth ribbed and wavy.  
Etymology: Named for Dr Peter Ramsay

#### 'Pima' 8 Y-Y

(Robert Spotts, 2008) Robert Spotts, 2014  
'Matador' × DuBose sdlg ('Soleil d'Or' o.p.); sdlg no. 1-13-63  
Fls 3-8 per stem, rounded, 51mm wide; perianth segments 20mm long, ovate, blunt, prominently mucronate, very pale lemon yellow, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, less prominently mucronate; corona 6mm long, bowl-shaped, irregularly ribbed, golden yellow, mouth straight, ribbed and wavy, with rim minutely dentate. Sweetly scented. Early to mid-season.  
Nomenclatural Standard: colour print supplied by registrant (WSY0126273)

#### 'Pinkie Lee' 2 P-P

(John R.Reed) John R.Reed, 2014  
Sdlg 86-31-1 ('Decoy' × 'Culmination') × 'Magician'; sdlg no. 97-66-1  
Mid-season.  
Etymology: Named for 1950's TV host

**'Portela' 2 Y-YYO**

(John Gibson, 2001) John Gibson, 2014  
Sdlg 2-7-89 ('Craig Stiel' × 'Perimeter') × 'Badbury Rings'; sdlg no. 3-13-96

Fl. forming a double triangle, 80mm wide; perianth segments 34mm long, broadly ovate, brilliant greenish yellow 5B, with slight white mucro, spreading, plane or with margins slightly incurling, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower; corona 12mm long, bowl-shaped, ribbed, vivid yellow 12A, with a band of strong orange 25B at rim, mouth straight, wavy, with rim irregularly notched. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0126311)

**'Prior's Hall' 2 W-YYO**

(John Gibson, 2004) John Gibson, 2014  
'Purbeck' × Clive Postles sdlg 5-148-90; sdlg no. 96-60-99

Fl. forming a double triangle, 110mm wide; perianth segments 48mm long, broadly ovate, mucronate, white, plane to a little concave, midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, scarcely mucronate; corona 17mm long, bowl-shaped, vivid yellow 9A, with a band of vivid orange 28B at rim, mouth straight, wavy and neatly ribbed, with rim minutely crenate. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0126312)

**'Quedell' 7 W-P**

(Wilfred Hall, 2006) Wilfred Hall, 2014  
'Limequilla' × 'Elfin Dell'; sdlg no. LQ-4

Fls 1-3 per stem; perianth segments broadly ovate, blunt, spreading, plane or with margins incurling, with midrib showing, of heavy substance, overlapping half; the inner segments narrower; corona funnel-shaped, angled, mouth straight, lightly ribbed and wavy, with rim minutely crenate. Early.

**'Quen Dor' 10 Y-Y**

(Lawrence Trevanion, 2007) Lawrence Trevanion, 2014

Sdlg 03\_45B × sdlg 03\_46B; sdlg no. 07\_14B  
Fl. 40mm wide, facing upwards, brilliant yellow 7B; perianth segments 12mm long, lanceolate in outline, acute at apex, spreading, plane, smooth and of heavy substance, separated; the inner segments slightly inflexed; corona 15mm long, funnel-shaped, broadly ribbed, mouth wavy to lightly frilled, with rim crenate and broadly flanged. Dwarf. Very early. Nomenclatural Standard: colour print supplied by registrant (WSY0126240)

**'Queue Jumper' 7 W-WWP**

(Wilfred Hall, 2008) Wilfred Hall, 2014  
'Limequilla' × 'Elfin Dell'; sdlg no. LQ-38

Fls 1-3 per stem; perianth segments ovate in outline, acute at apex, white, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments a little narrower; corona funnel-shaped, angled, white, with a band of light yellowish pink

38C at rim, mouth straight, ribbed and even, with rim crenate. Early.

**'Quiet Man Sam' 2 Y-O**

(Kevin Kerr, 2007) Hokorawa Daffodils, 2014  
'Kasia' × 'Redlands Too'; sdlg no. KK97/16A

Fl. rounded, 112mm wide; perianth segments 50mm long, very broad in outline, rounded at apex, brilliant yellow 13B, spreading, plane, smooth and of heavy substance, overlapping half or more; corona 24mm long, cylindrical, ribbed, vivid orange 28B, mouth straight and wavy, with rim entire. Early to mid-season.

**'Rain Forest' 3 W-GYO**

(Denise E. McQuarrie, 2003) Denise E. McQuarrie, 2014

'Cool Crystal' × 'Cairntoul'; sdlg no. G35

Fl. rounded, 108mm wide; perianth segments 47mm long, rounded in outline, truncate at apex, scarcely mucronate, white, spreading, plane or with margins a little incurved, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower; corona 13mm long, bowl-shaped, ribbed, yellow with green at base and a narrow band of orange at rim, mouth expanded and lightly frilled, with rim notched. Mid-season to late.

Nomenclatural Standard: colour print supplied by registrant (WSY0126316)

**'Rardle' 10 W-W**

(Lawrence Trevanion, 2003) Lawrence Trevanion, 2014

Sdlg 99\_25B × *N. cantabricus* subsp. *luteolentus*; sdlg no. 03\_100B

Fl. 41mm wide, facing upwards; perianth segments 15mm long, lanceolate in outline, acute at apex, spreading, plane, smooth and of heavy substance, separated; corona 18mm long, cup-shaped, smooth, mouth straight, ribbed and wavy, with rim crenate. Dwarf. Very early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126235)

**'Red Barn' 2 Y-R**

(Denise E. McQuarrie, 2003) Denise E. McQuarrie, 2014

'Some Day' × 'Cowboy'; sdlg no. G71

Fl. rounded, 110mm wide; perianth segments 48mm long, broadly ovate, blunt, spreading, plane, smooth and of heavy substance, overlapping half; corona 24mm long, cup-shaped, smooth, mouth wavy and a little expanded, with rim entire. Mid-season to late.

**'Red Flash' 2 Y-R**

(Brian S. Duncan, 2005) Brian S. Duncan, 2014  
'Lennymore' × 'Sportsman'; sdlg no. 3075

Fl. 106mm wide; perianth segments 41mm long, very broadly ovate, blunt, slightly mucronate, mid-yellow, spreading, plane or with margins slightly incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, scarcely mucronate, shouldered at base; corona 15mm long, cup-shaped, angled, deep orange-red, mouth straight, broadly

ribbed and slightly wavy, with rim minutely crenate. Early to mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126204)

#### **'Red Gate' 2 Y-R**

(Denise E. McQuarrie, 2004) Denise E. McQuarrie, 2014

'Sabre' × 'Jamore'; sdlg no. G8

Fl. rounded, 112mm wide; perianth segments 49mm long, broadly ovate in outline, rounded at apex, spreading, plane, smooth and of heavy substance, overlapping half; corona 25mm long, funnel-shaped, smooth, mouth wavy and narrowly flared, with rim notched. Mid-season to late.

#### **'Relativity' 2 YYW-Y**

(R. & E. Havens) R. & E. Havens, 2014

'American Classic' × 'Disquiet'; sdlg no. LH64/2

Perianth segments lemon yellow, with a narrow band of white at base, spreading, plane, smooth; corona cylindrical, deep lemon yellow. Mid-season to late.

#### **'Roaring Roubidoux' 3 Y-YYO**

(Gerard Knehans Jr, 1995) Gerard Knehans Jr, 2014

Parentage unknown; sdlg no. KN215

Fl. rounded, 90mm wide, facing slightly upwards; perianth segments 32mm long, roundish, very broad, truncate, pale greenish yellow 13D, with slight white mucro, a little inflexed, plane, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, scarcely mucronate; corona 10mm long, bowl-shaped, light orange-yellow (16C), with a broad band of brilliant orange 29A at rim, mouth ribbed, irregularly lobed, with lobes overlapping in places, lightly frilled, with rim entire. Late.

Nomenclatural Standard: colour print supplied by registrant (WSY0126307)

Etymology: Pronounced roo-be-doo

#### **'Rosanna's Pride' 2 W-P**

(Brian S. Duncan, 2007) John Campbell, 2014

'Frosted Pink' × 'Alto'; sdlg no. 3753

Fl. rounded, 115mm wide, facing slightly upwards; perianth segments 44mm long, broadly ovate in outline, rounded at apex, scarcely mucronate, white, spreading, plane or with margins slightly incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 29mm long, funnel-shaped, smooth, deep coral pink, mouth ribbed and irregularly lobed, with lobes overlapping in places, with rim crenate and widely flanged. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126288)

#### **'Rozzi's Yellow' 7 Y-Y**

(Kevin Crowe, 2006) Kevin Crowe, 2014

*N. fernandesii* × 'Killara Pink'; sdlg no. 19/06

Fls 1–2 per stem, 62mm wide; perianth segments 26mm long, broadly ovate, blunt, butter yellow, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping one-third; the

inner segments narrower, shouldered at base; corona 12mm long, cup-shaped, angled, golden yellow, mouth straight, ribbed and slightly wavy, with rim narrowly flanged and entire. Sweetly scented. Early to mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126200)

Etymology: Named for registrant's daughter, Rosalind

#### **'Rummen' 4 Y-PPY**

(Jackson's Daffodils, 1988) Jackson's Daffodils, 2014

Parentage unknown; sdlg no. 143/88

Fl. 84mm wide; perianth and other petaloid segments in three whorls, light greenish yellow 2C; the outer whorls very broadly ovate, blunt, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half or more; the inner whorl narrower, shorter, strongly inflexed, more nearly concave; corona segments in several whorls, pale pastel pink (18C), with a narrow band of brilliant yellow 13B at rim; the outer whorl half the width of and interspersed among the petaloid segments, smooth; the inner whorl strongly inflexed, clustered at centre, frilled to a little crumpled. Mid-season.

#### **'Rural Belle' 2 Y-YOO**

(Alistair Davey, 1997) Alistair Davey, 2014

'Arkle' open pollinated; sdlg no. 120-97

Fl. forming a double triangle, 90mm wide; perianth segments 40mm long, ovate in outline, blunt at apex, mucronate, yellow, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 37mm long, cylindrical, smooth, light orange, with a deeper tone at rim and yellow at base, mouth straight, ribbed and even, with rim crenate. Strongly scented. Mid-season.

#### **'Rural Bingo' 2 Y-Y**

(Alistair Davey, 1998) Alistair Davey, 2014

'Celtic Gold' × 'Daydream'; sdlg no. 188-98

Fl. forming a double triangle, 70mm wide; perianth segments 28mm long, very broadly ovate in outline, rounded at apex, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 24mm long, funnel-shaped, angled, mouth ribbed and frilled, with rim flanged and dentate. Strongly scented. Late.

#### **'Rural Bumble' 3 Y-YYO**

(Alistair Davey, 2009) Alistair Davey, 2014

'Badbury Rings' open pollinated; sdlg no. 212-09

Fl. forming a double triangle, 75mm wide; perianth segments 31mm long, very broadly ovate in outline, rounded at apex, mucronate, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower; corona 9mm long, bowl-shaped, ribbed, mouth expanded and frilled, with rim crenate. Strongly scented. Mid-season.

**'Rural Delight' 2 Y-Y**

(Alistair Davey, 2002) Alistair Davey, 2014  
'Golden Aura' × 'Daydream'; sdlg no. 402-02  
Fl. forming a double triangle, 72mm wide; perianth segments 30mm long, ovate in outline, blunt at apex, vivid greenish yellow 2A, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments shouldered at base; corona 27mm long, cup-shaped, smooth, brilliant greenish yellow 3A, mouth expanded, ribbed and lobed, with rim rolled and crenate. Strongly scented. Mid-season.

**'Sabatini' 1 Y-Y**

(C.A.van der Wereld) World Flower, Holland, 2013  
'Primeur' hybrid × sdlg; sdlg no. 13058 SAB 13010  
Fl. 110mm wide; perianth segments 40mm long, broadly ovate, blunt, brilliant greenish yellow 5B, with slight white mucro, spreading, plane or with margins incurved, with midrib showing, of heavy substance, overlapping half; the inner segments, narrower, less prominently mucronate; corona 40mm long, funnel-shaped, angled, brilliant greenish yellow 6A, mouth ribbed and irregularly lobed, with rim flanged and crenate. Sweetly scented. Mid-season. Nomenclatural Standard: colour print supplied by KAVB (WSY0126179)

**'Salzburg' 1 W-W**

(K.van der Veek) Narveco, 2013  
Parentage unknown; sdlg no. 99-231  
Fl. 120mm wide, white (NN155D); perianth segments 50mm long, broadly ovate, blunt, mucronate, spreading, concave, with margins incurving, creased and of heavy substance, overlapping half; the inner segments narrower, less prominently mucronate; corona 55mm long, funnel-shaped, angled, mouth a little expanded, frilled and lobed, with rim flanged and entire. Sweetly scented. Mid-season. Nomenclatural Standard: colour print supplied by KAVB (WSY0126177)

**'Scuffle Hill' 2 Y-O**

(William G.Pannill) William G.Pannill, 2014  
'Altruist' × 'Zanzibar'; sdlg no. 67/16A  
Fl. rounded, 82mm wide, facing downwards; perianth segments 35mm long, roundish in outline, slightly mucronate, warm yellow, a little reflexed, plane, with midrib showing, of heavy substance, overlapping half or more; corona 13mm long, bowl-shaped, ribbed, dark orange, mouth lobed, with rim crenate. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0126309)

**'Shawnee Run' 7 YYW-W**

(Mary Lou Gripshover, 2002) Mary Lou Gripshover, 2014  
'Quick Step' sdlg × 'Fertile Crescent'; sdlg no. 95-20-2  
Fls 1-3 per stem; perianth segments very broadly ovate, truncate, lemon yellow, with a narrow band of white at base, with slight white mucro, a little reflexed, plane to slightly concave, smooth and of heavy substance, overlapping one-third to a half; the inner segments

narrower, more nearly spreading; corona cup-shaped, smooth, mouth straight, wavy and lightly ribbed, with rim entire. Strongly and sweetly scented. Very late. Nomenclatural Standard: colour print supplied by registrant (WSY0126296)

**'Shaw's Gift' 9 W-GYR**

Larry Force, 2014  
Parentage unknown; sdlg no. SNR4M  
Fl. 38mm wide; perianth segments rounded, very broad, truncate, slightly mucronate, white, slightly reflexed, plane or with margins a little incurved, smooth and of heavy substance, overlapping one-third to a half; the inner segments narrower, scarcely mucronate, more nearly spreading; corona disc-shaped, narrowly ribbed, greenish yellow, with green at base and a narrow band of red at rim, mouth even, with rim dentate. Late. Nomenclatural Standard: colour print supplied by registrant (WSY0126297)

**'Shaw's Legacy' 9 W-GYO**

Larry Force, 2014  
Parentage unknown; sdlg no. SNR3M  
Fl. 43mm wide; perianth segments rounded, very broad, truncate, prominently mucronate, white, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, scarcely mucronate; corona disc-shaped, ribbed, yellow, with green at base and a band of orange at rim, mouth lightly frilled, with rim entire. Late. Nomenclatural Standard: colour print supplied by registrant (WSY0126298)

**'Sheelagh's Party' 2 W-WWP**

(John Gibson, 1997) John Gibson, 2014  
'Highland Spring' × 'Fragrant Rose'; sdlg no. 2-7-93  
Fl. rounded, 83mm wide; perianth segments 35mm long, broadly ovate, slightly mucronate, white, a little reflexed, plane, creased, of heavy substance, overlapping half or more; the inner segments narrower, scarcely mucronate, more nearly spreading; corona 15mm long, funnel-shaped, angled, white, with a band of vivid yellowish pink 30C at rim, mouth straight and a little wavy, with rim sometimes notched. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0126313)

**'Shirley's Art' 7 Y-O**

(John Gibson, 2005) John Gibson, 2014  
*N. jonquilla* × 'Rowell Fair'; sdlg no. 182-40-99  
Fls 1-3 per stem, forming a double triangle, 53mm wide; perianth segments 25mm long, ovate, vivid yellow 12A, with slight white mucro, a little inflexed, plane or with margins incurving, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 12mm long, cup-shaped, ribbed, strong orange 25A, mouth straight, wavy and irregularly lobed. Sweetly scented. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0126314)

**'Simba' 4 Y-Y**

(Nial Watson, 2002) Ringhaddy Daffodils, 2014  
'Aslan' × 'Barnum'; sdlg no. 268  
Fl. 100mm wide; perianth and other petaloid segments 37mm long, roundish in outline, mucronate, vivid yellow 12A, spreading, plane, smooth and of heavy substance; corona segments vivid yellow 14B. Sweetly scented. Mid-season.

**'Sizzle' 2 Y-R**

(Jackson's Daffodils, 2001) Jackson's Daffodils, 2014  
'Gallactica' × sdlg 10/92; sdlg no. 26/01  
Fl. rounded, 85mm wide; perianth segments 41mm long, very broadly ovate in outline, rounded at apex, scarcely mucronate, vivid yellow 14B, spreading, plane or with margins slightly incurved, smooth and of heavy substance, overlapping half or more; the inner segments a little narrower; corona 28mm long, funnel-shaped, angled, strong reddish orange 32B, mouth expanded and lightly ribbed, with rim narrowly flanged and crenate. Early.

**'Skype' 2 W-P**

(K.van der Veek) Maters Bloembollen, 2013  
Sdlg no. KV 94/21  
Fl. 90mm wide, facing slightly upwards; perianth segments 40mm long, broadly ovate, blunt to truncate, mucronate, white (NN155A), slightly reflexed, plane or with margins a little incurved, creased, with midrib showing, of heavy substance, overlapping one-third; the inner segments narrower, more nearly spreading; corona 30mm long, funnel-shaped, angled, orange-pink (24D) with a deeper tone (25C) at rim, mouth frilled, a little expanded, narrowly ribbed and irregularly lobed, with rim crenate and narrowly flanged. Sweetly scented. Mid-season.  
Nomenclatural Standard: colour print supplied by KAVB (WSY0126199)

**'Snow Baby' 1 W-W**

(Brent & Becky Heath) Brent & Becky's Bulbs, 2014  
Parentage unknown; sdlg no. 2007-1-w  
Fl. star-shaped, 60mm wide, facing slightly upwards; perianth segments 25mm long, ovate in outline, rounded at apex, mucronate, opening light yellow-green 150D, becoming greenish white 157D, spreading, slightly twisted, with margins recurved, with midrib showing, membranaceous, touching at the base only; corona 25mm long, cylindrical, ribbed, opening light yellow-green 150D at base and pale greenish yellow 1D at apex, becoming greenish white 157D, mouth expanded and lightly frilled, with rim dentate and narrowly flanged. Dwarf. Sweetly scented. Very early.  
Nomenclatural Standard: colour print supplied by KAVB (WSY0126301)

**'Snowboard' 2 W-GWW**

(K.van der Veek) Narveco, 2013  
Parentage unknown  
Fl. 93mm wide, facing slightly upwards; perianth segments 41mm long, very broadly ovate in outline, rounded at apex, mucronate, white (NN155D), spreading, plane or with margins a little incurving,

with midrib showing, of heavy substance, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate; corona 35mm long, funnel-shaped, white (NN155D), touched green at base, mouth straight, broadly ribbed, a little wavy, with rim narrowly flanged and entire. Strongly scented. Mid-season.

Nomenclatural Standard: colour print supplied by KAVB (WSY0126195)

**'Snowy Canyon' 4 W-W**

(Brian S.Duncan, 2001) Brian S.Duncan, 2014  
'Serena Beach' × 'Soprano'; sdlg no. 2491  
Fl. 107mm wide; perianth and other petaloid segments in two or more whorls; the outer whorl broadly ovate, blunt, slightly mucronate, spreading, plane or with margins a little incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, concave, successively shorter and more strongly inflexed towards centre; corona segments opening yellow, becoming white, half the width and length of the petaloid segments, interspersed among them and clustered toward centre, the innermost crumpled and folded. Mid-season to late.

**'Stanghow' 3 W-Y**

(R.Beckwith, 2006) R.Beckwith, 2014  
'Moon Shadow' × 'Nonchalant'; sdlg no. 10-12-01  
Fl. 92mm wide; perianth segments 39mm long, very broadly ovate in outline, blunt at apex, scarcely mucronate, white, slightly reflexed, plane to a little concave, with margins incurving, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, more nearly spreading; corona 11mm long, bowl-shaped, brilliant greenish yellow 6A, mouth ribbed and lightly frilled, with rim dentate and narrowly flanged. Sweetly scented. Mid-season.  
Nomenclatural Standard: colour print supplied by registrant (WSY0126294)  
Etymology: Named for the village of Stanghow, three times winner of Britain in Bloom

**'Starcrest' 7 Y/W-Y**

(R.& E.Havens) R.& E. Havens, 2014  
*N. jonquilla* open pollinated; sdlg no. HH05/1  
Fl. star-shaped; perianth segments ovate, blunt, mucronate, deep yellow with white towards midrib, spreading to a little reflexed, plane or with margins a little wavy, smooth and of heavy substance, overlapping a quarter; corona bowl-shaped, smooth, deep lemon yellow, mouth broadly ribbed and a little wavy, with rim minutely crenate. Late.

**'Statement' 1 W-W**

(M.E.Brogden, 2007) M.E.Brogden, 2014  
'Ice House' × 'Neahkahnie'; sdlg no. BB01-13-2  
Fl. forming a double triangle; perianth segments ovate in outline, acute at apex, mucronate, spreading, plane, smooth and of heavy substance, overlapping half; corona cylindrical, mouth even, with rim flanged and entire. Early.  
Nomenclatural Standard: colour print supplied by registrant (WSY0126323)

**'Straylight Run' 2 WWY-Y**

(Gerard Knehans Jr, 2004) Gerard Knehans Jr, 2014  
Parentage unknown; sdlg no. KN194  
Fl. forming a double triangle, 90mm wide; perianth segments broadly ovate, truncate, mucronate, white, with yellow at base and at margins, spreading, plane or with margins a little incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, scarcely mucronate; corona funnel-shaped, yellow, mouth lightly frilled, with rim entire. Mid-season.  
Nomenclatural Standard: colour print supplied by registrant (WSY0126305)

**'Sun Warrior' 2 Y-WWY**

(Gordon Coombes, 2007) Gordon Coombes, 2014  
'Trumpet Warrior' × 'Sun Child'; sdlg no. G3-07  
Fl. 115mm wide; perianth segments 47mm long, ovate, blunt, lemon yellow, with white mucro, spreading, plane or with margins slightly incurved, a little creased, of membranaceous substance, overlapping half; the inner segments narrower, acute at apex, shouldered at base, less prominently mucronate; corona 38mm long, funnel-shaped, angled, white, flushed lemon yellow at base, with a narrow band of yellow at rim, mouth flared, ribbed and irregularly lobed, with rim dentate. Strongly scented. Mid-season.  
Nomenclatural Standard: colour print supplied by registrant (WSY0126231)

**'Suzy Q' 10 Y-Y**

(C.Higgins, 2008) C.Higgins, 2014  
*N. fernandesii* var. *fernandesii* × possibly *N. bulbocodium* var. *bulbocodium*; sdlg no. 10-61  
Fl. star-shaped, 33mm wide, facing upwards; perianth segments 10mm long, lanceolate in outline, acute at apex, with slight white mucro, spreading, plane, smooth and of heavy substance, separated; the inner segments a little narrower; corona 17mm long, cup-shaped, mouth expanded, broadly ribbed and wavy, with rim entire. Dwarf. Mid-season.  
Nomenclatural Standard: colour print supplied by registrant (WSY0126278)  
Etymology: Named for childhood name of registrant's sister

**'Tarkine' 1 W-OOY**

(P.J.Radcliff, 2004) P.J.Radcliff, 2014  
'Compute' × 'Lutana'; sdlg no. 12/04  
Perianth segments 48mm long, very broadly ovate, blunt, mucronate, yellowish white 155B, spreading to a little reflexed, plane or with margins a little incurved, with slight midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 48mm long, cylindrical, angled, strong yellowish orange (23B) with a very narrow band of orange-yellow (12A) at rim, mouth slightly expanded, lightly frilled and irregularly lobed, with rim narrowly flanged and entire. Tall. Early to mid-season.  
Nomenclatural Standard: colour print supplied by registrant (WSY0126213)

Etymology: Named for a national park in Tasmania

**'Tayforth Charm' 2 W-YYO**

(Wayne G.Hughes, 2007) Wayne G.Hughes, 2014  
Sdlg × McQuarrie sdlg D54.McQ; sdlg no. 02-203(7.1)  
Fl. rounded, 78mm wide; perianth segments roundish, very broad, prominently mucronate, white, spreading, plane, with midrib showing, of membranaceous substance, overlapping half or more; the inner segments with margins incurving; corona bowl-shaped, smooth, yellow, with a narrow band of orange at rim, mouth expanded and ribbed, with rim crenate. Mid-season.  
Nomenclatural Standard: colour print supplied by registrant (WSY0126319)

**'Tayforth Gold' 2 Y-Y**

(Wayne G.Hughes, 2006) Wayne G.Hughes, 2014  
'Gold Convention' × 'Goldhanger'; sdlg no. 99-24(6.1)  
Fl. rounded, 75mm wide, deep yellow; perianth segments very broadly ovate, blunt, a little reflexed, plane, smooth and of heavy substance, overlapping half; the inner segments narrower; corona cylindrical, smooth, mouth flared, ribbed and wavy, with rim entire. Early.

**'Tayforth Jewel' 2 Y-YOO**

(Wayne G.Hughes, 2010) Wayne G.Hughes, 2014  
'Bonnie's Jewel' × McQuarrie sdlg 2Y-R; sdlg no. 03-107(10.1)  
Fl. 75mm wide; perianth segments broadly ovate, blunt, mucronate, deep golden yellow, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base; corona funnel-shaped, orange, with golden yellow at base, mouth expanded and ribbed, with rim dentate. Early.

**'Tayforth Joy' 2 Y-YOO**

(Wayne G.Hughes, 2008) Wayne G.Hughes, 2014  
'Bonnie's Jewel' × McQuarrie 2Y-R sdlg; sdlg no. 03-107(8.2)  
Fl. 78mm wide; perianth segments ovate, blunt, mucronate, golden yellow, spreading, plane or with margins incurving, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, scarcely mucronate; corona funnel-shaped, orange, with golden yellow at base, mouth expanded, ribbed and wavy, with rim crenate. Early.

**'Tayforth May' 2 Y-O**

(Wayne G.Hughes) Wayne G.Hughes, 2014  
'Lennymore' × 'Trudie May'; sdlg no. L-TM (96-2)  
Fl. rounded, 75mm wide; perianth segments roundish, very broad, blunt, mucronate, mid-yellow, spreading, plane or with margins a little incurved, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, scarcely mucronate; corona cup-shaped, ribbed, mouth flared and wavy, with rim crenate. Mid-season.  
Nomenclatural Standard: colour print supplied by registrant (WSY0126320)

**‘Tayforth Orange Cup’ 2 W-O**

(Wayne G.Hughes, 2008) Wayne G.Hughes, 2014  
‘Glaston’ × ‘Bravoure’; sdlg no. 20-11(8.1)  
Fl. rounded, 78mm wide; perianth segments  
roundish in outline, blunt at apex, mucronate,  
spreading, plane, creased, of membranaceous  
substance, overlapping half or more; the inner  
segments narrower; corona funnel-shaped, mouth a  
little flared, broadly and neatly ribbed, wavy, with rim  
crenate. Mid-season.  
Nomenclatural Standard: colour print supplied by  
registrant (WSY0126321)

**‘Tayforth Small One’ 2 Y-O**

(Wayne G.Hughes, 2008) Wayne G.Hughes, 2014  
Sdlg 98-40 × sdlg 98.62; sdlg no. 03-109(8.1)  
Fl. 70mm wide; perianth segments broadly ovate,  
truncate, spreading, plane, with midrib showing, of  
heavy substance, overlapping half; the inner segments  
narrower; corona cup-shaped, mouth straight, ribbed  
and even, with rim crenate. Mid-season.

**‘Tayforth Wee Gold’ 1 Y-Y**

(Wayne G.Hughes, 2004) Wayne G.Hughes, 2014  
‘Bulbarrow’ × ‘Francolin’; sdlg no. 98-124(4.1)  
Fl. 78mm wide; perianth segments roundish in  
outline, blunt at apex, bright golden yellow,  
spreading, plane, smooth and of heavy substance,  
overlapping half; the inner segments narrower;  
corona cylindrical, ribbed, golden yellow, mouth  
wavy and slightly flared, with rim entire. Mid-season.

**‘Taztep’ 8 W-Y**

(Lawrence Trevanion, pre-1999) Lawrence  
Trevanion, 2014  
‘White Pearl’ type hybrid × ‘Soleil d’Or’?; sdlg no.  
99\_02WT  
Fls 10–15 per stem; perianth segments very broad,  
rounded in outline, blunt at apex, mucronate,  
spreading to a little reflexed, slightly concave, with  
margins a little incurved, smooth and of heavy  
substance, overlapping half; the inner segments  
scarcely mucronate; corona cup-shaped, smooth,  
mouth wavy and a little expanded, with rim entire.  
Moderately scented. Early.  
Nomenclatural Standard: colour print supplied by  
registrant (WSY0126252)

**‘T’Desh’ 10 Y-Y**

(Lawrence Trevanion, 2005) Lawrence Trevanion,  
2014  
Sdlg 00\_39B × sdlg 99\_11B; sdlg no. 05\_11B  
Fl. 30mm wide, facing upwards, opening vivid yellow  
9A, becoming light greenish yellow 8B; perianth  
segments 12mm long, lanceolate in outline, acute at  
apex, with slight pale mucro, spreading, plane, smooth  
and of heavy substance, separated; the inner segments  
narrower; corona 14mm long, cup-shaped, lightly  
ribbed, mouth a little wavy, with rim rolled slightly  
inwards and minutely crenate. Dwarf. Very early.  
Nomenclatural Standard: colour print supplied by  
registrant (WSY0126236)

**‘Temma’ 1 W-O**

(P.J.Radcliff, 2004) P.J.Radcliff, 2014  
‘Lutana’ × sdlg 14/96 (‘Flash Affair’ × ‘Compute’);  
sdlg no. 40/04  
Fl. 121mm wide; perianth segments 44mm long,  
roundish in outline, truncate at apex, slightly  
mucronate, greenish white 155A, spreading, plane or  
with margins slightly recurved, smooth and of heavy  
substance, overlapping half; the inner segments  
narrower, shouldered at base; corona 44mm long,  
funnel-shaped, angled, yellow-orange (23B), mouth  
narrowly ribbed and a little wavy, with rim crenate  
and narrowly flanged. Tall. Early.  
Nomenclatural Standard: colour print supplied by  
registrant (WSY0126218)

**‘Tentatif’ 7 W-W**

(Brian S.Duncan) Brian S.Duncan, 2014  
‘Quick Step’ open pollinated; sdlg no. 2811  
Fls 2–3 per stem. Slightly scented. Dwarf to standard.  
Late.

**‘Toretta’ 3 W-GYP**

(Brian S.Duncan, 2000) Brian S.Duncan, 2014  
Sdlg 1560 (‘Cupid’s Eye’ × [‘High Society’ ×  
‘Valinor’]) × sdlg 1561 ([‘Ken’s Favourite’ × ‘Fragrant  
Rose’] × ‘High Society’); sdlg no. 2444  
Fl. 100mm wide; perianth segments 37mm long, very  
broadly ovate in outline, truncate to blunt at apex,  
slightly mucronate, white, spreading, plane or with  
margins a little incurved, smooth and of heavy  
substance, overlapping one-third; the inner segments  
much narrower, shouldered at base, scarcely  
mucronate; corona bowl-shaped, 10mm long,  
broadly ribbed, lemon yellow, with green at base and  
a broad band of deep reddish pink at rim, mouth  
flared and lightly frilled, with rim crenate and  
shallowly notched. Mid-season to late.  
Nomenclatural Standard: colour print supplied by  
registrant (WSY0126208)

**‘To The Nines’ 9 W-GYR**

(Gerard Knehans Jr) Gerard Knehans Jr, 2014  
Sdlg no. KN159  
Fl. forming a double triangle, 60mm wide; perianth  
segments 25mm long, ovate, truncate, minutely  
mucronate, white, spreading, plane or with margins  
incurving from midrib towards apex, smooth and of  
heavy substance, overlapping a quarter to a half; the  
inner segments narrower; corona 4mm long, disc-  
shaped, ribbed, yellow, with green at base and a  
narrow band of red at rim, sometimes separated from  
the yellow by a band of white, mouth even, with rim  
crenate. Late.  
Nomenclatural Standard: colour print supplied by  
registrant (WSY0126304)

**'Tracey's Butterfly Kisses' 4 W-O**

(Brian S.Duncan, 2011) Tracey Boyd, 2014  
Sdlg 2329 ('Brindle Pink' × 4W-P) × 'Burt House';  
sdlg no. 05/153

Fl. rounded, 102mm wide; perianth and other petaloid segments in three whorls; the outer whorls 40mm long, roundish in outline, truncate at apex, mucronate, opening white, becoming creamy white, spreading, plane or with margins a little incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, blunt at apex, less prominently mucronate; the inner whorl deeply inflexed, concave, with margins incurved or folded along midrib; corona segments in two or more whorls, interspersed among the petaloid segments, pinkish orange, paler at rim, folded and lightly frilled. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126290)

**'Trousdale' 1 W-W**

(Walter J.M.Blom, 2009) Walter J.M.Blom, 2014  
'Little Beauty' × sdlg 227-9; sdlg no. 661-9  
Fl. 50mm wide; perianth segments 20mm long, ovate in outline, acute at apex, greenish white 157B, spreading, plane or a little twisted, smooth and of heavy substance, overlapping a quarter; the inner segments narrower; corona 20mm long, cylindrical, ribbed, greenish white 157A, mouth a little expanded and lightly frilled, with rim rolled and dentate. Sweetly scented. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126329)

**'Twinset' 5 W-Y**

(Brian S.Duncan, 2000) Brian S.Duncan, 2014  
*N. triandrus* × 'Young Blood'; sdlg no. 2508  
Fls 2 per stem, 80mm wide, facing downwards; perianth segments 35mm long, oblong in outline, rounded at apex, mucronate, white, touched yellow at base, somewhat reflexed, plane or with margins incurved, smooth and of heavy substance; the inner segments a little narrower, more nearly spreading; corona cup-shaped, 15mm long, smooth, lemon yellow, touched green at base, mouth wavy, a little expanded and irregularly lobed, with rim entire. Dwarf to standard. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126209)

**'Tygo' 1 WWY-Y**

(K.van der Veek) VOF Th.A.Pennings & Son, 2014  
Parentage unknown  
Fl. 95mm wide, facing slightly upwards; perianth segments 38mm long, broadly ovate in outline, blunt at apex, mucronate, greenish white 155C, with light greenish yellow 6D at base, spreading, plane or with margins incurving, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, a little inflexed; corona 40mm long, funnel-shaped, ribbed, vivid yellow 12A, mouth wavy and irregularly lobed, with rim flanged and crenate. Sweetly scented. Early.

Nomenclatural Standard: colour print supplied by KAVB (WSY0126300)

**'Untshen' 10 W-W**

(Lawrence Trevanion, 2007) Lawrence Trevanion, 2014  
Sdlg 99\_05B × sdlg 03\_60B; sdlg no. 07\_08B  
Fl. 40mm wide, facing upwards; perianth segments 15mm long, lanceolate in outline, acute at apex, spreading, plane, smooth and of heavy substance, separated; inner segments narrower, slightly inflexed; corona 18mm long, cup-shaped, neatly ribbed, mouth a little expanded and wavy, with rim crenate and irregularly lobed. Dwarf. Very early.  
Nomenclatural Standard: colour print supplied by registrant (WSY0126239)

**'Vale Royal' 1 W-W**

(Clive Postles) L.Tomlinson, 2013  
Parentage unknown  
Fl. forming a double triangle, 115mm wide; perianth segments 49mm long, ovate, blunt, mucronate, spreading to slightly reflexed, plane, smooth and of heavy substance, overlapping one-third; the inner segments narrower, shouldered at base, scarcely mucronate and more nearly spreading; corona 45mm long, funnel-shaped, ribbed, mouth wavy and shallowly lobed, with rim flanged and crenate. Mid-season.  
Nomenclatural Standard: colour print supplied by registrant (WSY0126185)

**'Valley King' 2 Y-YYO**

(Gordon Coombes, 2009) Gordon Coombes, 2014  
'Egmont King' × 'Fever Pitch'; sdlg no. G3-09  
Fl. forming a double triangle, 107mm wide; perianth segments 40mm long, broadly ovate, blunt, brilliant yellow 7A, with slight white micro, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, acute at apex; corona 22mm long, cup-shaped, ribbed, yellow, with a band of strong orange 25A at rim, mouth straight and frilled, with rim dentate and narrowly flanged. Strongly scented. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126232)

**'Vanya Noeletta' 2 W-P**

(R.A.Scamp, 1992) R.A.Scamp, 2014  
'Snooie' × 'Raspberry Ring'; sdlg no. 511A  
Fl. 96mm wide; perianth segments 40mm long, ovate, blunt, mucronate, white, spreading, plane or with margins incurving, smooth and of heavy substance, overlapping half; the inner segments narrower, less prominently mucronate; corona 22mm long, cup-shaped, ribbed, pink, paling towards base, mouth expanded, even and shallowly lobed, with rim crenate and narrowly flanged. Mid-season.  
Nomenclatural Standard: colour print supplied by registrant (WSY0126299)

**‘Viriquilla’ 7 W-Y**

(Lawrence Trevanion, 2003) Lawrence Trevanion, 2014

‘Limequilla’ × ‘Emerald Sea’; sdlg no. 03\_01MJ  
Fls 3 per stem; perianth segments ovate, blunt, mucronate, spreading, plane or with margins slightly incurling, with midrib showing, of heavy substance, overlapping a third; corona cup-shaped, ribbed, mouth straight and wavy, with rim entire. Scented. Very early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126248)

**‘Viristar’ 7 W-W**

(Lawrence Trevanion, 2007) Lawrence Trevanion, 2014

‘Hillstar’ × ‘Emerald Sea’; sdlg no. 07\_04MJ  
Fls 3 per stem; perianth segments ovate, blunt, mucronate, spreading, plane or with margins slightly incurling to a little twisted, smooth and of heavy substance, overlapping one-third; the inner segments narrower, less prominently mucronate; corona cup-shaped, ribbed, mouth straight and wavy, with rim crenate. Scented. Very early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126250)

**‘Virtion’ 7 W-Y**

(Lawrence Trevanion, 2007) Lawrence Trevanion, 2014

(‘Hillstar’ × ‘Quick Step’) × ‘Emerald Sea’; sdlg no. 07\_06MJ

Fls 5 per stem; perianth segments ovate, blunt, mucronate, spreading to a little reflexed, plane or with margins slightly incurling, creased, of heavy substance, overlapping one-third to a half; the inner segments narrower, less prominently mucronate; corona cup-shaped, mouth straight, ribbed and wavy, with rim entire. Scented. Very early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126251)

**‘Viriverse’ 7 YYW-Y**

(Lawrence Trevanion, 2007) Lawrence Trevanion, 2014

‘Hillstar’ × ‘Emerald Sea’; sdlg no. 07\_03MJ  
Fls 3 per stem; perianth segments ovate, blunt, slightly mucronate, spreading to a little reflexed, plane or with margins incurved, smooth and of heavy substance, overlapping one-third; the inner segments slightly narrower, scarcely mucronate; corona cup-shaped, broadly and irregularly ribbed, mouth straight and wavy, with rim entire. Scented. Very early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126249)

**‘Virivest’ 7 W-G**

(Lawrence Trevanion, 2001) Lawrence Trevanion, 2014

‘Westholme’ × *N. viridiflorus*; sdlg no. 01\_01MJ  
Fls 3 per stem, star-shaped; perianth segments lanceolate in outline, acute at apex, spreading, plane or with margins slightly incurved, smooth and of

heavy substance, overlapping a quarter; the inner segments narrower; corona cup-shaped, mouth straight and wavy, with rim lobed and entire. Scented. Very early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126246)

**‘Way Out’ 4 Y-P**

(Jackson’s Daffodils, 1998) Jackson’s Daffodils, 2014  
Sdlg 419/88 × sdlg 48/86; sdlg no. 197/88

Fl. 78mm wide; perianth and other petaloid segments in three whorls; the outer whorls 33mm long, roundish in outline, blunt at apex, brilliant yellow 13C, spreading, plane or with margins a little incurved, smooth and of heavy substance, overlapping half; the inner whorls more strongly inflexed, more nearly concave; corona segments interspersed among petaloid segments and loosely clustered at centre, orange-pink (25C), of a deeper tone at rim, frilled. Mid-season.

**‘White Chocolate’ 1 W-W**

(Denise E. McQuarrie, 2003) Denise E. McQuarrie, 2014

‘Ebony’ × ‘Glendermott’; sdlg no. D8  
Fl. 112mm wide, opening lemon yellow, becoming white; perianth segments 48mm long, ovate, blunt, spreading, plane or with margins slightly incurved, smooth and of heavy substance, overlapping half; corona 50mm long, cylindrical, smooth, mouth straight, wavy and lobed, with rim rolled and notched. Early.

**‘White Lantern’ 1 W-W**

(John R. Reed) John R. Reed, 2014

‘Kathy Andersen’ × Pannill sdlg 92/3A (‘Leesburg’ × ‘Virginia Walker’); sdlg no. 2002-27-1  
Early.

**‘White Paradise’ 5 W-W**

(Walter J.M. Blom, 2006) Walter J.M. Blom, 2014  
*N. triandrus* var. *triandrus* × ‘Savoir Faire’; sdlg no. 773-1

Fls 1–2 per stem, 65mm wide, facing slightly downwards; perianth segments 28mm long, broadly ovate, blunt, mucronate, greenish white 155C, spreading, plane or a little convex, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 15mm long, cup-shaped, ribbed, greenish white 155A, mouth a little expanded and lightly frilled, with rim flanged and notched. Sweetly scented. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126332)

**'Whitewood' 1 W-W**

(Colin Crotty, 2004) Colin Crotty, 2014  
 'Blanco Sol' × sdlg (1 W-W); sdlg no. 15-04  
 Fl. forming a double triangle, 110mm wide, white;  
 perianth segments 45mm long, broadly ovate, blunt,  
 spreading, plane to a little concave, smooth and of  
 heavy substance, overlapping half; the inner segments  
 narrower, acute at apex; corona 48mm long,  
 cylindrical, smooth, mouth flared and even, with rim  
 minutely crenate. Strongly scented. Sunproof. Mid-  
 season.  
 Nomenclatural Standard: colour print supplied by  
 registrant (WSY0216226)

**Winter Colors Group 10**

(Lawrence Trevanion) Lawrence Trevanion, 2014  
 Perianth segments lanceolate in outline, acute at  
 apex, spreading, plane, smooth and of heavy

substance, separated; corona cup-shaped, mouth  
 straight. Dwarf. Very early.

Etymology: The Group includes a mixture of  
 colours (whites, creams, yellows, faint bicolors and  
 reverse bicolors) distinguished by their winter  
 flowering season.

**'With-It' 2 Y-YOO**

(Jackson's Daffodils, 2000) Jackson's Daffodils, 2014  
 'Gallactica' × sdlg 101/92; sdlg no. 168/2000  
 Fl. 100mm wide; perianth segments 43mm long,  
 roundish in outline, blunt at apex, vivid yellow 14B,  
 spreading, plane or with margins a little incurved,  
 smooth and of heavy substance, overlapping half; the  
 inner segments narrower; corona 30mm long, cup-  
 shaped, smooth, strong orange 25A, vivid yellow 14B  
 at base, mouth straight, ribbed and lightly frilled,  
 with rim crenate. Mid-season.

## ADDITIONS AND AMENDMENTS TO SUPPLEMENTS AND THE INTERNATIONAL DAFFODIL REGISTER (2008)

The compilers are grateful to those who have drawn attention to omissions from the International Daffodil Register and its Supplements, pointed out errors, suggested changes or supplied new information.

Amendments to cultivar names, divisions, colour codes, parentages, originators and registrants will usually be published in an annual Supplement. Amendments to descriptions will usually only be published in a new edition of the Register. However, all amendments will be published on the internet, in a regular updating of the Register posted on the RHS website at:

[www.rhs.org.uk/plants/plantsmanship/plant-registration/Daffodil-cultivar-registration](http://www.rhs.org.uk/plants/plantsmanship/plant-registration/Daffodil-cultivar-registration)

**SUPPLEMENTS****Amendment to the Second Supplement (2008–2009)**

'Tantalising' Add Award: PC (NZ) 2013

**Amendment to the Fifth Supplement (2011–2012)**

'Frontier Glow' Alter colour code to: Y-O

**Amendment to the Fourth Supplement (2010–2011)**

'Harrogate Centenary' Alter Division to: Division 3

**Amendments to the Sixth Supplement (2012–2013)**

'Cheep' Amend classification to: 6 W-Y  
 'Gipsy Vale' Add Award: PC 2014

**INTERNATIONAL DAFFODIL REGISTER (2008)****Amendments to the Register**

**NB** Notes of variability do not alter the classification; see p2, Note 1)

'Albicans' 1 W-W Remove: Syn. of *N. albescens*. Add to list of synonyms: *N. albescens* Pugsley, *Ajax albicans* Haworth, *Ajax albidus* Heynhold

'Celia' Alter first flowering to: pre-1903

'Cinderella' 3W- Remove entry: There was no cultivar of this name bred by Mrs R.O. Backhouse. It was a mistake for the one bred by W. Backhouse that remains in the Register.  
 (Mrs R.O. Backhouse, pre-1921)

'Crown Prince' Alter first flowering to: pre-1903

'Cotinga' Remove from description: 'somewhat resembles 'Dove Wings' in form' and 'a little' from 'Perianth segments...a little reflexed'

'Doris' Alter first flowering date to: pre-1903

'Flamingo' Alter first flowering to: pre-1903

'Herald' Alter first flowering to: pre-1903

'Ione'	Alter first flowering to: pre-1903
'La Argentina'	Alter Division to: 11b
'Lemon Silk'	Add: Pannill Award (USA) 2014
<i>N. albescens</i> Pugsley	In List of Botanical Names: amend entry to <i>albescens</i> Pugsley, in <i>J. Roy. Hort. Soc.</i> 58 (1) 82 (1933) ( <i>Narcissus</i> ) = 'Albicans'
<i>N. albicans</i> (Haworth) hort.	In List of Botanical Names: replace entry with <i>albicans</i> Haworth, <i>Monogr. Narcissin.</i> 2 (1831) ( <i>Ajax</i> ) = 'Albicans'
<i>N. albidus</i> Heynhold	In List of Botanical Names: remove = <i>N. albescens</i> and replace with = 'Albicans'
<i>N. pseudonarcissus</i> subsp. <i>albescens</i>	In List of Botanical Names: remove = <i>N. albescens</i> and replace with = 'Albicans'
'Norma'	Alter first flowering to: pre-1903
'Pink Sunday'	Alter diameter: to 70mm
'President Harrison'	Alter first flowering to: pre-1903
'Queen Wilhelmina'	Alter first flowering to: pre-1903
'Scarlet Tanager'	Add: Pannill Award (USA) 2013
Section <i>Pseudonarcissus</i> de Candolle	In Botanical Classification: remove <i>albescens</i> Pugsley
'Silver Phoenix'	Remove date. Remove published note. Add classification and colour code 4 W-Y. Add syn. of 'Sulphre Kroon'
'Solfatare'	Alter first flowering to: pre-1903
'South Bend Memorial'	Alter parentage to: 'Barnesgold' × 'Chicago Hope'
'Sulphre Kroon'	Add syn. 'Silver Phoenix'
'Sulphur Phoenix'	Alter spelling of syn. ?'Sulphur Kroon' to syn. ?'Sulphre Kroon'
'Tête-à-Tête'	Add: Wister Award (USA) 2014
'Thalia'	Add: Wister Award (USA) 2013
'Warden'	Alter first flowering to: pre-1903

#### **Additions to the List of Originators and Registrants**

Boyd, Tracey	Aghalee, Co. Antrim, N. Ireland
Campbell, John	Sprotbrough, Doncaster, England
Force, Larry	Southaven, Mississippi, USA
Jackson, Stephen	Ilkeston, Derbyshire, England
Kerr, Kevin	Richmond, New Zealand
Maters Blumenbollen	Anna Paulowna, the Netherlands
Pennings & Son, VOF Th. A	Breezand, the Netherlands
Suffolk Wildlife Trust	c/o Paul Chapman, Suffolk
Van Hage, N.P.C.M.	Noordwijkerhout, the Netherlands
World Flower	Breezand, the Netherlands

#### **Amendments to the List of Originators and Registrants**

Pat Sully	Amend Name: Pat Foster. Amend Address: Swanage, Dorset
William G. Pannill	d. 2014
Ian H. Dyson	d. 2014


#### **ADDITIONS TO THE LIST OF BOTANICAL NAMES IN THE GENUS *NARCISSUS***

*N. homochroos* Schultes & Schultes f., in *Syst. Veg.* 7ii: 955 (1830) (*Narcissus*) = *N. triandrus* var. *concolor*

## Illustrations of descriptive terms

© Nikki Simpson 2007

### FLOWER



*star-shaped*



*double triangle*




*rounded*

### PERIANTH SEGMENTS



*reflexed*



*inflexed*



*spreading*



*plane*



*concave*



*twisted*



*ovate*



*very broadly  
ovate*



*oblong*



*obovate*



*shouldered  
at base*



*spatulate*



*acute*



*blunt*



*mucronate*



*truncate*

### CORONA - from the side

### - section



*cylinder*



*funnel*



*cup*



*bowl*



*disc*



*smooth*



*angled*



*ribbed*

### CORONA MOUTH - from the side

### - section



*straight*



*flared*



*even*



*wavy*



*frilled*



*lobed*

### CORONA RIM - from the side

### - section



*flanged*



*rolled*



*entire*



*dentate*



*crenate*



ISBN 9781907057557



9 781907 057557