



RHS

The International
Daffodil Register
& Classified List
(2008)

Seventeenth Supplement



© 2024 The Royal Horticultural Society
80 Vincent Square, London SW1P 2PE, United Kingdom
www.rhs.org.uk

Charity registration number 222879 / SC038262

International Daffodil Registrar: Melanie Underwood
email daffodil@rhs.org.uk

All rights reserved. No part of this book may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the copyright holder

ISBN 9 789111 666 394

Previous supplement (16th) published 4 September 2023

Cover: "Narcissus cyclamineus, Johnstoni and Triandrus albus" from 1887 Barr and Son daffodil catalogue. Image courtesy of RHS Lindley Library

SEVENTEENTH SUPPLEMENT (2023 – 2024) to the INTERNATIONAL DAFFODIL REGISTER AND CLASSIFIED LIST (2008)

The daffodil names listed here are supplementary to the International Daffodil Register (2008) and were registered between **12th August 2023 and 10th September 2024**.

Registrations are followed by a list of some other recent additions and amendments to the Register & Supplements.

Registration — page 1

Notes on classification and description — page 2

Registrations 2023-2024 — pages 3–14

Additions & amendments to the *International Daffodil Register* (2008) — page 15

Additions & amendments to the *List of Originators & Registrants* — page 15–16

Amendments to previous *Supplements* — page 16

AGMs retained following RHS Trial — page 16

Cultivar name to replace misapplied botanical name — page 17

Useful Links — page 17

Horticultural Classifications — page 18–19

Illustrations of Descriptive Terms — page 20

REGISTRATION

Hybridisers, raisers and other introducers of daffodils are urged to ensure that the names of new plants are registered and are reminded that registration should preferably take place before plants are released or catalogued. Registration is conducted by The Royal Horticultural Society, International Cultivar Registration Authority for the genus *Narcissus*. Application forms are available from:

- The International Daffodil Registrar: Melanie Underwood
RHS Wisley, Woking, Surrey GU23 6QB, UK
Email daffodil@rhs.org.uk
- The National Daffodil Registrar (the Netherlands): Saskia Bodegom
KAVB, Postbus 175, 2180 AD Hillegom, the Netherlands
Fax (31) 2525 369 51
Email bodegom@kavb.nl
- The National Daffodil Registrar (USA): Nancy Tackett
Email nancy@tackettblade.com
- The National Daffodil Registrar (Australia): Graeme Davis
Email graemecDavis@hotmail.com

Once registered, names and classifications may be changed only with the agreement of the International Cultivar Registration Authority, upon application to the International Registrar.

NOTES ON CLASSIFICATION AND DESCRIPTION

Note 1 – on classification

The combination of division and colour code assigned here (or as amended in any future Supplement) is the registered classification, to be observed, for example, when schedules require cultivars to be shown “as registered”. The registered classification is not altered by any note of variable measurement or colour.

Note 2 – on colour coding

Guidelines on colour coding, including those on distinguishing between Yellow and Orange and between Orange and Red, appear in the Register and on registration forms. It is at the registrant's discretion to distinguish White from Yellow or Green, Yellow from Green, or Pink from the paler tones of Orange or Red.

In addition:

- Green at corona base
The green at the base of a corona, whether in the tube or in the corona itself, may be included in the colour code if it is prominent and plain to see. Registrants are advised to include it only if it is consistent from year to year.
- Non-concentric colours
When coding colours in perianth or corona that appear in radial rather than concentric bands, or in a flare from the base, or in flecks or splashes: start with a letter for the predominant colour; proceed with an oblique line; follow with the letter(s) (in any order) for the non-predominant colour(s).

For example, a yellow flower with a white streak along the midrib of the perianth segments would be Y/W-Y; a white flower with radial bands of orange and yellow on the corona segments would be W-W/OY.

Note 3 – on colour terms

Colour Chart numbers in registered descriptions, e.g. ‘Albia’ light greenish yellow 5C, are from the RHS Colour Chart (1966, 1986, 1995, 2001, 2007, 2015). Colour names followed by Chart numbers without brackets are equivalents adopted by the RHS for all its international registers. They are taken from the Universal Colour Language in the Inter-Society Color Council-National Bureau of Standards colour-name system. Colour names followed by Chart numbers with brackets or by no numbers at all are those supplied by the registrant.

Note 4 – on description

Registered descriptions are drawn up from application forms and, whenever possible, from photographs and specimens. The Registrar would welcome readers' comments on the accuracy of all descriptions. Illustrations of descriptive terms appear on page 30.

Note 5 – on height

Stem heights in registered descriptions may be taken to be Standard (325–675mm) unless otherwise stated, when they will be described as Dwarf (less than 325mm) or Tall (more than 675mm).

Note 6 – on Nomenclatural Standards

The Standard noted at the end of some descriptions is the designated herbarium specimen or illustration forming a permanent record of the distinguishing characteristics of the cultivar and fixing the cultivar name. These are maintained at the RHS Herbarium, Wisley.

Note 7 – on unregistered names

Names listed as ‘unregistered’ are those post-1955 that have not been accepted by the RHS or have not yet been submitted for registration. They are included as part of the Check List and they gain no registered status by being listed. They are included in order to prevent confusion between daffodils of the same name and to help prevent further duplication.

REGISTRATIONS 2023–2024

The following 93 cultivar names were registered between **12th August 2023 to 10th September 2024** by The Royal Horticultural Society, International Cultivar Registration Authority for the genus *Narcissus*. Entries follow the style of those in the *International Daffodil Register and Classified List (2008)* and may be interpreted accordingly (see p10 in the Register). Hybridiser and/or registrant information has been withheld for entries where personal data consent has not been given.

The seed parent is given before the pollen parent.

‘Albia’ 12 Y-Y/W

(Mrs Anne Wright, 2022) Mrs Anne Wright, 2024
N. rupicola subsp. *watieri* × *N. albimarginatus*;
sdlg no. 4254-E

Fl. forming a double triangle, 46mm wide; perianth segments 20mm long, ovate to obovate, blunt, light greenish yellow 5C, with pale mucro, reflexed, plane, with margins slightly wavy, smooth and of membranaceous substance, overlapping one-third; the inner segments narrower; corona 9mm long, cup-shaped, smooth, light greenish yellow 5C, with broad band of greenish white 157D at rim, mouth straight, smooth and even, with rim crenate. Dwarf. Early. Strongly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0170747)

‘Alden Lane’ 1 W-Y

(withheld) Susan Duncan, 2023

Parentage unknown

Fl. rounded, 85mm wide; perianth segments 37mm long, roundish, very broad, white, prominently mucronate, spreading or a little reflexed, shallowly concave either side of the midrib, of heavy substance, overlapping half or more; the inner segments a little narrower; corona 37mm long, bowl-shaped, smooth, yellow, sometimes touched orange at rim, mouth expanded, irregularly lobed, with lobes overlapping in places, heavily frilled, with rim crenate. Mid-season to late.

Nomenclatural Standard: colour print supplied by K. Fong (WSY0170606)

Etymology: named for the Alden Lane Nursery, Livermore, CA, where the Northern California Daffodil Society has been holding the Livermore Daffodil Show for many years

‘Anne Wilkinson’ 2 Y-O

(Brian S.Duncan, 2011) Michael Pitcher, 2023
‘Disquiet’ × ‘Longitude’; sdlg no. 3898

Fl. forming a double triangle, 108mm wide; perianth segments 40mm long, very broadly ovate, blunt, scarcely mucronate, spreading plane, with margins incurved towards apex, creased and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, margins scarcely incurved; corona 38mm long, cylindrical, angled, mouth wavy and narrowly flared, with rim minutely crenate. Mid-season. Sunproof.

Nomenclatural Standard: colour print supplied by hybridiser (WSY0170614)

‘ArchDog William’ 2 W-YOY

(Brian S.Duncan, 2016) Pearl & William Stewart, 2023
‘Red Reed’ × ‘Lutana’; sdlg no. 4402

Fl. 90mm wide; perianth segments 35mm long, broadly ovate, blunt, white, spreading, plane or with margins a little incurved, creased and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 33mm long, funnel-shaped, smooth, orange, with a broad band of yellow at base and a fine band of yellow at rim, mouth ribbed and slightly flared, with rim notched. Mid-season. Sunproof. Nomenclatural Standard: colour print supplied by registrant (WSY0170807)

Etymology: In celebration of wonderful grandchild Archie William Forrest

‘Aughtaine’ 2 P-P

(Brian S.Duncan, 2011) Brian S.Duncan, 2024
‘Inner Glow’ × ‘Better Still’; sdlg no. 3884

Fl. forming a double triangle, 85mm wide; perianth segments 34mm long, broadly ovate, blunt, amber-pink, spreading, shallowly concave, smooth and of membranaceous substance, overlapping half; corona 20mm long, cup-shaped, ribbed, salmon pink, mouth straight, wavy, shallowly lobed, with rim crenate. Dwarf. Mid-season. Sunproof.

Nomenclatural Standard: colour print supplied by registrant (WSY0170675)

‘Autumn Snowflake’ 12 W-GWW

(H. Koopowitz, 2005) H. Koopowitz, 2024
N. cavanillesii × ‘Emerald Sea’; sdlg no. 01-003

Fls 1–3 per stem, star-shaped, 43mm wide, facing upwards; perianth segments 15mm long, lanceolate, rounded, slightly mucronate, greenish white 155A, spreading, plane, smooth and of membranaceous substance, separated; the inner segments a little wider; corona 1.5mm long, cup-shaped, ribbed, greenish white 155A, moderate yellowish green 136C at base, mouth straight and wavy, with rim entire. Dwarf. Autumn. Strongly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0170786)

‘Baby Bliss’ 4 Y-Y

(H. Koopowitz, 2010) H. Koopowitz, 2024

‘Orange Marmalade’ × *N. dubius*; sdlg no. 2003-029-1
Fls 1–3 per stem, rounded, 43mm wide; perianth and other petaloid segments in several whorls, smooth, brilliant greenish yellow 4D, slightly mucronate; the outer whorls 20mm long, spreading, plane, broadly

ovate, blunt, overlapping half or more; the inner whorls narrower, successively shorter and more inflexed towards centre, margins strongly wavy or irregularly folded along midrib; corona segments 9mm long, interspersed between the inner petaloid whorls and clustered at centre, brilliant greenish yellow 4A, with rim entire. Dwarf. Early. Slightly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0170784)

'Baby Stretch' 12 W-W

(Satoshi Komoriya, 2013) Satoshi Komoriya, 2024
N. rupicola × *N. papyraceus*

Fls 3 per stem, 20mm wide, facing upwards, opening yellow, maturing to white; perianth segments 10mm long, broadly ovate or roundish, blunt, prominently mucronate, spreading, shallowly concave, with margins somewhat incurling, smooth and of membranaceous substance, overlapping to half; the inner segments slightly narrower; corona 3mm long, cup-shaped, smooth, white, mouth flared and even, with rim entire. Very early. Strongly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0170792)

'Ballymiscaw' 1 Y-Y

(Brian S.Duncan, 2014) Claire Woods, 2024

'Goldfinger' × 'Disquiet'; sdlg no. 4454

Fl. 105mm wide, golden yellow; perianth segments 42mm long; corona 46mm long. Early to mid-season. Sunproof

'Barnegat Bay' 2 Y-YYO

(C.Higgins, 2014) C.Higgins, 2024

Sdlg no. 14-315D

'Royal Marine' open pollinated

Fl. forming a double triangle, 88mm wide; perianth segments 37mm long, broadly ovate, blunt, yellow, with pale mucro, spreading, plane or with margins incurving at apex, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, scarcely mucronate, shouldered at base; corona 27mm long, narrow funnel shaped, angled, mouth straight and wavy, with rim minutely crenate. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0170625)

Etymology: a bay on the Atlantic Ocean off southern New Jersey and its large watershed

'Barracuda Smiles' 2 W-P/W

(O. David Niswonger, 2002) J.A.Delaney, 2024

Sdlg no. 06-96

Involves 'Early to Rise', 'Precedent', 'Chiquita', 'Tyee' and a Misch sdlg (sibling to 'Eclat')

Fl. rounded, 89mm wide, facing upwards; perianth segments 56mm long, rounded, very broad, mucronate, white, spreading, plane or with margins somewhat incurved, creased and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 38mm long, bowl-shaped,

lying close to perianth segments, ribbed, light salmon pink, stronger salmon pink at base and at rim, with some areas of white at rim, mouth expanded, broadly ribbed and strongly frilled, with rim deeply notched and dentate. Mid-season. Sweet musk scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0160984)

Etymology: Named by Eric Breed for its 'toothy' appearance, like a barracuda

'Bendhu' 3 Y-R

(Brian S.Duncan, 2018) Yvonne Penpraze, 2024

'Burning Ring' × 'Influence'; sdlg no. 5031

Fl. 70mm wide; perianths yellow; corona orange-red. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0170780)

Etymology: named for an exceptional house at Ballintoy Harbour, Northern Ireland

'Bertrand Triangle' 3 W-WWO

(John R.Reed) Cindy Haeffner, 2024

'Coral Light' × 'My Word'; sdlg no. 81.123.2

Fl. forming a double triangle, 80mm wide; perianth segments 30mm long, very broadly ovate, blunt, mucronate, white, glistening, spreading, plane, smooth and of membranaceous substance, overlapping half; the inner segments narrower; corona 10mm long, cup-shaped, smooth, mouth a little expanded and slightly wavy, with rim crenate. Mid-season. Sunproof.

Nomenclatural Standard: colour print supplied by registrant (WSY0160010)

'Bradshaw' 3 Y-Y

(Malcolm Wheeler, 2006) Malcolm Wheeler, 2023

'New Penny' × 'Nonchalant' × 'Lemon Spice'; sdlg no. M90B

Fl. forming a double triangle, 105mm wide; perianth segments 46mm long, broadly ovate, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments narrower; corona 15mm long, cup-shaped and lightly ribbed, mouth flared and wavy with rim dentate. Mid to late season.

Etymology: the arm of a sound in Fiordland, New Zealand

'Breaksea' 1 Y-Y

(Malcolm Wheeler, 2016) Malcolm Wheeler, 2023

'Comal' × 'Gympie'; sdlg no. M171

Fl. forming a double triangle, 110mm wide; perianth segments 46mm long, broadly ovate, truncate, spreading, plane, smooth and of heavy substance, overlapping half or more; corona 48mm long, funnel-shaped and lightly ribbed, mouth flared and even, with rim dentate. Mid-season

'Calor Sam' 2 W-P

(Brian S.Duncan, 2017) Pearl & William Stewart, 2023
 'Amazing Grace' × 'Extremore'; sdlg no. 5024
 Fl. forming a double triangle, 100mm wide; perianth segments 33mm long, roundish, very broad, white, spreading, plane, smooth and of membranaceous substance, overlapping half; the inner segments narrower, more nearly ovate; corona 22mm long, narrow funnel-shaped, angled, coral pink, mouth straight, ribbed and wavy, with rim notched. Mid-season to late. Sunproof.
 Nomenclatural Standard: colour print supplied by registrant (WSY0170810))
 Etymology: In celebration of wonderful friend Sam Crawford. He was also an exemplary Calor Gas supplier

'Coinjock' 2 Y-Y

(C.Higgins, 2013) C.Higgins, 2024
 'Chilmark' × 'Celtic Gold'; sdlg no. 18-75
 Fl. 79mm wide, facing upwards; perianth segments 35mm long, roundish, very broad, blunt, yellow, with slight pale mucro, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 30mm long, funnel-shaped, angled, mouth straight and finely ribbed, with rim crenate. Mid-season.
 Nomenclatural Standard: colour print supplied by registrant (WSY0170626)
 Etymology: the native word for mulberry, also the name of a small community on the inland waterway in North Carolina

'Coinjock Bay' 2 W-Y

(C.Higgins, 2014) C.Higgins, 2024
 'Goldhanger' × 'Cyrus'; sdlg no. 14-15A
 Fl. forming a double triangle, 79mm wide; perianth segments 34mm long, roundish, truncate, scarcely mucronate, white, touched yellow, spreading, plane or concave at apex, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, somewhat shouldered at base; corona 29mm long, narrow funnel-shaped, angled, mouth straight, broadly ribbed, lightly frilled and shallowly lobed, with rim crenate. Mid-season.
 Nomenclatural Standard: colour print supplied by registrant (WSY0170628)
 Etymology: the bay towards the northern part of the Currituck Sound in North Carolina

'Dainty Dancer' 5 W-W

(H.Koopowitz, 2017) H.Koopowitz, 2024
 'Cold Play' × *N. triandrus* subsp. *triandrus* var. *albus*; sdlg no. 12-087
 Fls 1–3 per stem, yellowish white 155B, 58mm wide, facing downwards; perianth segments 34mm long, ovate, acute, reflexed, smooth and of membranaceous substance, overlapping half; the inner segments narrower; corona 25mm long, cylindrical, lightly ribbed, mouth flared and wavy, with rim flanged and entire.
 Nomenclatural Standard: colour print supplied by registrant (WSY0170601)
 Etymology: flowers dancing in the breeze

'Dainty Doll' 8 Y-Y

Sara L.van Beck, 2023
 Parentage unknown
 Fls 6–9 per stem, rounded, 28mm wide; perianth segments roundish, very broad, blunt, prominently mucronate, opening lemon yellow, becoming pale sulphur yellow at maturity, spreading or somewhat reflexed, shallowly concave, creased and of membranaceous substance, overlapping half or more; the inner segments more nearly plane; corona shallow cup to bowl-shaped, smooth, golden yellow, mouth straight and even, with rim minutely crenate. Autumn. Resembles 'Minnow' but is pale yellow and blooms in late autumn. Seed fertile
 Collected from an old garden in Natchez, MS, USA
 Nomenclatural Standard: colour print supplied by registrant (WSY0170594)

'David Corbett Tyrella' 2 Y-O

(Brian S.Duncan, 2016) Mrs I.Erskine, 2023
 'Longitude' × 'Kingstanding'; sdlg no. 4991
 Fl. forming a double triangle, 95mm wide; perianth segments 40mm long, broadly ovate, blunt, mucronate, spreading, creased and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 38mm long, narrow funnel-shaped, smooth, mouth straight and even, with rim notched and minutely crenate. Mid-season. Sunproof.
 Nomenclatural Standard: colour print supplied by hybridiser (WSY0170603)
 Etymology: in memory of David Corbett of Tyrella House. Died 18th September 2023. Registrant's partner and love of her life

'Diddy' 2 Y-YYO

(Jeremy P.E.Wilkes, 2020) Jeremy P.E.Wilkes, 2024
 'Burning Ring' × 'Winks'; sdlg no. 5/15
 Fl. forming a double triangle, 70mm wide; perianth segments 28mm long, broadly ovate, blunt, brilliant greenish yellow 6A, with slight pale mucro, slightly reflexed, plane or with margins somewhat incurved from midrib, smooth and of membranaceous substance, overlapping half or more; the inner segments narrower, more nearly plane, shouldered at base, with midrib showing; corona 24mm long, cup-shaped, lightly ribbed, yellow with orange (28A) at rim, mouth flared and wavy, with rim crenate. Early to mid-season. Sunproof. Lightly scented.
 Nomenclatural Standard: colour print supplied by registrant (WSY0170681)
 Etymology: nickname of hybridiser's father-in-law

'Dora's Chapel' 3 Y-Y

(Clive Postles) Michiel de Waard, 2024
 Parentage unknown
 Fl. forming a double triangle, 110mm wide; perianth segments very broadly ovate, blunt, yellow, with pale mucro, spreading, plane, smooth and of membranaceous substance, overlapping half; the inner segments narrower, somewhat truncate; corona

disc-shaped, ribbed, mouth flared and frilled, with rim crenate. Mid-season to late. Sunproof.
Nomenclatural Standard: colour print supplied by registrant (WSY0170874)
Etymology: named for a volunteer of the First Hour of the Foundation of the chapel in which the inaugural Egmond Daffodil Show was held

'Duckling' 6 Y-Y

(Mrs Anne Wright, 2016) Mrs Anne Wright, 2024
N. rupicola × 'Second Fiddle'; sdlg no. 3783-2-17
Fl. 34mm wide, facing slightly downwards; perianth segments 14mm long, ovate to oblong, blunt, brilliant yellow 7A, reflexed, somewhat concave, smooth and of heavy substance, overlapping one-third to half; the inner segments narrower and more nearly oblong; corona 14mm long, cylindrical, smooth, vivid yellow 9A, mouth flared, ribbed and lobed, with rim dentate. Dwarf. Early. Sunproof. Sweetly scented.
Nomenclatural Standard: colour print supplied by registrant (WSY0170779)

'Easter Party' 2 Y-YY

(K.van der Veek) C. Th.Ammerlaan & Son, 2023
Parentage unknown
Fl. rounded, 105mm wide, facing upwards; perianth segments 45mm long, very broadly ovate, blunt or truncate, slightly mucronate, light greenish yellow 3D, with pale greenish yellow 4D at base and apex, spreading, twisted, with margins wavy, creased and of membranaceous substance; corona 40mm long, bowl-shaped, ribbed, somewhat bi-lobed, light yellowish pink (19C), a little paler (19D) at base, with orange-pink (23C/24C) at rim, mouth flared and frilled, with rim flanged and crenate. Early to mid-season. Sweetly scented.
Nomenclatural Standard: colour print supplied by KAVB (WSY0160004)

'Eliza Annie' 2 Y-ORR

(Brian S.Duncan, 2017) Claire Woods, 2024
'Burning Ring' × 'Boulder Bay'; sdlg no. 5019
Fl. 90mm wide; perianth segments 35mm long, deep yellow; corona 14mm long, red with orange at base. Mid-season

'Elsbeth Florence' 2 Y-O

(Alan J.Brown, 2015) Alan J.Brown, 2024
'Uncle Duncan' × 'Glenfarclas'; sdlg no. 09AB24A
Fl. forming a double triangle, 114mm wide; perianth segments 48mm long, very broadly ovate, blunt, vivid yellow 9A, with slight white mucro, spreading, plane, hooded at apex, with midrib faintly showing, of heavy substance, overlapping half or more; the inner segments narrower, more nearly plane, shouldered at base, scarcely mucronate; corona 44mm long, cylindrical, angled, orange (23A), mouth ribbed and frilled, with rim crenate and somewhat flanged. Early to mid-season. Sweetly scented.
Nomenclatural Standard: colour print supplied by registrant (WSY0170667)

'Esteban' 4 Y-O

(Clive Postles) Michiel de Waard, 2024
Parentage unknown
Fl. rounded, 108mm wide, facing upwards; perianth and other petaloid segments in several whorls, more or less regularly arranged one upon the other, smooth, yellow; the outer whorls very broadly ovate, with slight mucro, spreading, plane, with margins incurved to incurling, overlapping half or more; the inner segments a little narrower; the inner whorls becoming successively shorter and more strongly inflexed towards centre, those clustered at the centre irregularly folded or crumpled and very short; corona segments very short, interspersed among inner perianth segments, with margins minutely crenate. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0170805)
Etymology: named in honour of the registrant's girlfriend's brother who sadly passed away in 2023

'Five Mile Hill' 2 Y-O

(C.Higgins, 2014) C.Higgins, 2024
Sdlg no. 14-15C
'Goldhanger' open pollinated
Fl. forming a double triangle, 83mm wide, facing upwards; perianth segments 34mm long, broadly ovate, blunt or somewhat truncate, yellow, with scarce pale mucro, spreading, plane, smooth and of heavy substance; the inner segments narrower, with margins a little incurved; corona 33mm long, funnel-shaped, smooth, orange, some seasons more yellow, mouth straight, ribbed and lightly frilled, with rim notched and broadly flanged. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0170629)
Etymology: from registrant's childhood, a steep hill on the highway five miles north of Monticello, Arkansas

'Floret' 1 Y-P

(John R.Reed) J.A.Delaney, 2024
'Oregon Pioneer' × Reed sdlg 93-9-4 ('Memento' × 'Magician'); sdlg no. 2002-65/0-25
Fl. forming a double triangle, 83mm wide, facing upwards; perianth segments 32mm long, ovate, blunt, slightly mucronate, warm amber and honey-toned yellow, spreading or slightly reflexed, plane, smooth and of heavy substance, overlapping half; the inner segments a little narrower; corona 33mm long, funnel-shaped, smooth, mouth straight, wavy and lobed, with lobes overlapping in places, with rim flanged and crenate. Mid-season. Sunproof. Sweet musk scented.
Nomenclatural Standard: colour print supplied by registrant (WSY0160981)
Etymology: Named in honour of Floret Flower Farm and owner Erin Benzakein's love of daffodils

'Folletta' 6 Y-Y

(Mrs Anne Wright, 2011) Mrs Anne Wright, 2024
 'Candlepower' × 'Second Fiddle'; sdlg no. 2940-1-15
 Fl. 42mm wide, facing downwards; perianth segments 17mm long, ovate, acute, mucronate, brilliant greenish yellow 6A, reflexed, convex, slightly creased, of heavy substance, overlapping at base only; the inner segments narrower; corona 18mm long, cylindrical, lightly ribbed, vivid yellow 9A, mouth flared, ribbed and frilled, with rim dentate. Dwarf. Early. Sunproof. Faintly scented.
 Nomenclatural Standard: colour print supplied by registrant (WSY0170775)
 Etymology: Italian for imp

'George Williamson' 2 W-GYP

(Brian S.Duncan, 2013) Withheld, 2024
 'Pink Haze' × 'Camilla Clara Kate'; sdlg no. 4482
 Fl. forming a double triangle, 95mm wide; perianth segments 38mm long, roundish, very broad, blunt or truncate, mucronate, pure white, spreading, plane, smooth and of membranaceous substance, overlapping half or more; the inner segments narrower, more nearly ovate, truncate, with midrib showing, somewhat shouldered at base; corona 16mm long, cup-shaped, ribbed, yellow, with a broad band of deep reddish pink at rim and green at base, mouth expanded and lightly frilled, with rim crenate. Mid-season. Sunproof.
 Nomenclatural Standard: colour print supplied by hybridiser (WSY0170704)
 Etymology: named in memory of Antrim Castle Gardens Park Supervisor

'Ginger Tom' 2 O-R

(Denise E.McQuarrie, 2014) Denise E. McQuarrie, 2024
 Sdlg MCQ-J42 ('Some Day' × 'Cowboy') × 'Well Read'; sdlg no. MCQ-OC004
 Fl. rounded, 75mm wide; perianth segments 28mm long, ovate, blunt, spreading, plane, smooth, overlapping half or more; corona 17mm long, funnel-shaped, smooth, mouth slightly flared and lightly frilled, with rim crenate. Mid-season

'Greenhill Chalice' 2 W-W

(Denise E.McQuarrie, 2010) Denise E.McQuarrie, 2024
 'Silver Kiwi' × 'Stoke Doyle'; sdlg no. MCQ-OC093
 Fl. rounded, 106mm wide; perianth segments 40mm long, very broadly ovate, blunt, mucronate, spreading, plane, smooth and of heavy substance, overlapping half or more; corona 25mm long, cup-shaped, smooth, mouth slightly expanded and a little wavy, with rim entire. Mid-season to late

'Harbinger Ridge' 2 WWY-YYO

(C.Higgins, 2014) C.Higgins, 2024
 Sdlg no. 14-33A
 'Dusky Lad' open pollinated
 Fl. forming a double triangle, 107mm wide, facing downwards; perianth segments 44mm long, very broadly ovate, blunt, mucronate, opening yellow, maturing to white touched yellow at base, spreading, plane, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, somewhat shouldered at base; corona 43mm long, narrow funnel-shaped, angled, yellow with orange at rim, mouth straight, even and lightly frilled, with rim crenate. Mid-season.
 Nomenclatural Standard: colour print supplied by registrant (WSY0170630)
 Etymology: main road through the community of Harbinger NC

'Hillsborough Castle' 1 Y-Y

(Brian S.Duncan, 2014) Claire Woods, 2024
 'Goldfinger' × 'Disquiet'; sdlg no. 4320
 Fl. 122mm wide; perianth segments 52mm long; corona 52mm long. Early to Mid-season. Sunproof

'Ian Young' 12 W-W

(Mrs Anne Wright, 2021) Mrs Anne Wright, 2024
N. triandrus × *N. cantabricus* var. *eu-albidus*;
 sdlg no. 4504-1-21
 Fls 1-2 per stem, star-shaped, 52mm wide, facing downwards; perianth segments 19mm long, lanceolate, acute, spreading, plane, with margins somewhat twisted or folded inwards along midrib, smooth and of membranaceous substance, separated; the inner segments narrower; corona 14mm long, funnel-shaped, ribbed, mouth straight and wavy, with rim minutely crenate. Dwarf. Early. Sunproof.
 Nomenclatural Standard: colour print supplied by registrant (WSY0170766)
 Etymology: Ian Young is the writer of the Scottish Rock Garden Club Bulb Log and eminent bulb grower

'Icebox Pie' 8 W-Y

Sara L.van Beck, 2023
 Parentage unknown
 Fls 9 per stem, rounded, 35-38mm wide; perianth segments roundish, very broad, blunt, scarcely mucronate, white, spreading or somewhat reflexed, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, ovate, more nearly spreading; corona bowl-shaped, smooth, lemon yellow, touched green at base, mouth expanded, lightly ribbed, a little wavy, shallowly and irregularly lobed, with rim crenate. Autumn.
 Blooms late autumn to very early winter; robust plant; offsets on large bulbs will produce a second stem, good for lengthening flowering period.
 Collected from an old garden in Natchez, MS, USA.
 Nomenclatural Standard: colour print supplied by registrant (WSY0170679)
 Etymology: Named for an old southern US dessert

'Indian River' 2 W-Y

(C.Higgins, 2014) C.Higgins, 2024

'Geometrics' × 'Pops Legacy'; sdlg no. 14-43

Fl. forming a double triangle, 100mm wide; perianth segments 41mm long, very broadly ovate, blunt, mucronate, white, spreading, plane or with margins somewhat incurling, smooth and of heavy substance, overlapping half; the inner segments narrower, somewhat shouldered at base, slightly inflexed; corona 39mm long, narrow funnel-shaped, angled, mouth straight and even, with rim narrowly flanged and shallowly notched. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0170631)

Etymology: of the many Indian Rivers in the USA this one is in Saugus MA. Renamed on Google Maps, but known by locals as Indian River and for its great flounder fishing

'Intercom' 2 W-P

(Nial Watson, 2012) Ringhaddy Daffodils, 2024

'Edenderry' × 'Pink Silk'; sdlg no. W913

Fl. forming a double triangle, 74mm wide; perianth segments 28mm long, very broadly ovate, rounded, mucronate, white, spreading, plane, with margins incurling, with midrib showing, of heavy substance, separated at base; corona 26mm long, cylindrical, smooth, pink (29B), mouth expanded, even and lobed, rim flared and crenate. Early

'Interpret' 2 Y-YOO

(Nial Watson, 2007) Ringhaddy Daffodils, 2024

'Filoli' × ('Rose Umber' × 'Thistin'); sdlg no. W687

Fl. forming a double triangle, 72mm wide; perianth segments 28mm long, very broadly ovate, rounded, mucronate, yellow 8B, spreading, plane, with margins slightly incurling, smooth and of heavy substance; the inner segments shouldered at base; corona 26mm long, cylindrical, smooth, orange (26B), with yellow at base, mouth straight, ribbed, even and lobed, with rim crenate. Early. Sunproof

'Iolani Palace' 2 W-Y

(Denise E.McQuarrie, 2008) Denise E.McQuarrie, 2024

'Stormy Weather' × 'Snowy Morn'; sdlg no. MCQ-F13B

Fl. forming a double triangle, 120mm wide; perianth segments 50mm long, ovate, acute, spreading, plane, smooth and of heavy substance, overlapping half or more; corona 47mm long, cylindrical, smooth, mouth flared and wavy, with rim dentate. Mid-season.

Etymology: for the beautiful royal palace in Honolulu

'Ivory Belle' 12 W-W

(Mrs Anne Wright, 2018) Mrs Anne Wright, 2024

N. triandrus × *N. cantabrigus* subsp. *cantabrigus* var. *petunioides*; sdlg no. 4216-3-18

Fls 1–2 per stem, star-shaped, 55mm wide, greenish white 155C; perianth segments 26mm long, narrowly ovate to lanceolate, acute, spreading, plane, with margins narrowly incurved, smooth and of membranaceous substance, separated; the inner

segments very slightly narrower; corona 17mm long, widely funnel-shaped, broadly ribbed, mouth straight and wavy, with rim minutely crenate. Dwarf. Early. Good scent.

Nomenclatural Standard: colour print supplied by registrant (WSY070738)

'Jamaica Plain' 2 Y-Y

(C.Higgins, 2013) C.Higgins, 2024

Sdlg no. 14-360

'Broadway Village' open pollinated

Fl. forming a double triangle, 87mm wide, slightly facing upwards; perianth segments 36mm long, broadly ovate, truncate, yellow, with slight pale mucro, spreading, plane, with margins narrowly incurling, smooth and of membranaceous substance, overlapping half; the inner segments narrower, shouldered at base, scarcely mucronate; corona 26mm long, narrow funnel-shaped, angled, mouth broadly ribbed, lightly frilled and shallowly lobed, with mouth crenate.

Nomenclatural Standard: colour print supplied by registrant (WSY0170632)

Etymology: a small community in Boston that was originally Catholic Irish. It is where registrant's first wife grew up and where she and the registrant married

'Judy Matthews' 1 W-Y

(Alan J.Brown, 2017) Alan J.Brown, 2024

'Regal Bliss' open pollinated; sdlg no. 12AB173A

Fl. rounded, 93mm wide; perianth segments 40mm long, very broadly ovate, blunt, slightly mucronate, white, spreading, plane, with margins slightly incurling, with midrib faintly showing, of heavy substance, overlapping half or more; the inner segments narrower, truncate and scarcely mucronate; corona 40mm long, funnel-shaped, angled, brilliant greenish yellow 5A, mouth ribbed, wavy and slightly flared, with rim crenate. Early to mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0170663)

'K's Choice' 11a W-O

(C.van der Salm)Bloembollenbedrijf P. Pennings, 2023

Parentage unknown

Fl. rounded, 80mm wide; perianth segments 40mm long, greenish white, roundish, very broad, truncate, mucronate, plane or with margins a little incurved, smooth and of heavy substance; the outer segments somewhat reflexed; the inner segments more nearly spreading; corona segments 20–25mm long, split to base into six segments, each closely overlying a perianth segment and almost as wide, forming an outer and an inner whorl of three, shallowly bi-lobed, yellow-orange, with brilliant yellow at base and yellow-orange at rim, fading to light yellow, with rim becoming paler to close to greenish white, ribbed and lightly frilled. Mid-season.

Nomenclatural Standard: colour print supplied by KAVB (WSY0160001)

'Lemon Goal' 6 YYW-WWY

(J.de Winter) Michiel de Waard, 2023

Parentage unknown

Fl. star-shaped, facing downwards; perianth segments ovate, truncate or blunt, scarcely mucronate, lemon yellow, with a broad band of white at base, reflexed, plane, with margins incurved or somewhat twisted, smooth and of heavy substance, overlapping a quarter; the inner segments a little narrower, more nearly plane; corona narrow funnel-shaped, smooth, white, with a very narrow band of lemon yellow at rim, mouth straight and broadly ribbed, with rim notched. Early. Nomenclatural Standard: colour print supplied by registrant (WSY0160007)

'Lemon Love' 10 Y-Y

(H.Koopowitz, 2020) H.Koopowitz, 2024

'Gold Step' × unknown sdlg; sdlg no. 2016-012-1

Fl. star-shaped, 45mm wide, yellow 4C; perianth segments 18mm long, lanceolate, acute, spreading, plane, smooth, separated; the inner segments narrower; corona 21mm long, funnel-shaped, slightly ribbed, mouth flared, even, with rim entire. Dwarf. Very early. Sunproof.

Nomenclatural Standard: colour print supplied by registrant (WSY0170677)

'Lifestyle' 4 W-Y

(M.H.van der Zon & Sons) M.H.van der Zon & Sons, 2023

Parentage unknown

Fl. rounded, 105mm wide, facing upwards; perianth and other petaloid segments in several whorls, greenish white 150D, touched vivid yellow 4A along margins at base; the outer whorls 40mm long, broadly ovate, blunt, slightly mucronate, spreading, plane or with margins incurved, with midrib showing, creased and of membranaceous substance, overlapping half or more; the inner whorls successively shorter and more strongly inflexed towards centre, folded or strongly wavy, scarcely mucronate; corona segments 30mm long, in several whorls, vivid yellow 9A; outer whorls interspersed among inner perianth segments; inner whorls clustered at centre, frilled and minutely crenate. Mid-season. Strongly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0170597)

'Lima's Green Stars' 12 G-G

(Manuel Lima,) Larry Force, 2024

N. viridiflorus selection

Fls 3–5 per stem, star-shaped, 55mm wide, strong green; perianth segments lanceolate, acute, spreading to reflexed, plane, smooth and of heavy substance, separated; corona cup-shaped, smooth, mouth straight and lobed, with rim entire. Dwarf. Autumn. Strongly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0170806)

Etymology: Honouring Manuel Lima for his *viridiflorus* crosses

'Little Friend' 3 Y-YY

(Denise E.McQuarrie, 2011) Denise E.McQuarrie, 2024

'Ferndown' 0215 Sdlg ('Merlin' × 'Trelay');

sdlg no. MCQ-OC514

Fl. rounded, 75mm wide; perianth segments 30mm long, very broad, blunt, mucronate, spreading, plane, smooth, overlapping half or more; corona 8mm long, shallow bowl-shaped, smooth, mouth expanded and lightly frilled, with rim crenate. Mid-season to late. Nomenclatural Standard: for the little animal friends that have kept the registrant company in her daffodil patch over the years

'Lord Bramcote' 1 W-W

(Clive Postles) Michiel de Waard, 2024

Sdlg no. CPS 901

Parentage unknown

Fl. rounded, 120mm wide, facing upwards; perianth segments roundish, very broad, blunt, mucronate, spreading, plane, with margins somewhat incurved, creased and of heavy substance, overlapping half; the inner segments ovate, slightly narrower, shouldered at base, scarcely mucronate; corona cylindrical to narrow funnel-shaped, smooth, mouth straight and even, with rim slightly and narrowly flanged, minutely crenate. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0170801)

'Love You More' 2 W-W

(withheld) withheld, 2024

Sdlg no. F 70

Parentage unknown

Fl. forming a double triangle, 108mm wide, facing upwards; perianth segments 45mm long, very broadly ovate, blunt, slightly mucronate, spreading, plane, with margins narrowly incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, scarcely mucronate; corona 36mm long, funnel-shaped, angled, mouth expanded, broadly ribbed and lightly frilled, with rim shallowly lobed, overlapping in places, minutely crenate. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0170790)

'Maggi Young' 1 Y-Y

(Mrs Anne Wright, 2015) Mrs Anne Wright, 2024

'Candlepower' × 'Lara Lovely' (unreg);

Sdlg no. 3110-1-16

Fl. star-shaped, 45mm wide; perianth segments 18mm long, ovate, brilliant greenish yellow 6A, with pale slight micro, spreading, plane, with margins slightly and narrowly incurved, smooth and of heavy substance, overlapping one-third; the inner segments very slightly narrower; corona 20mm long, cylindrical, smooth, brilliant yellow 7A, with brilliant greenish yellow 6A at base, mouth flared and frilled, with rim dentate. Dwarf. Early. Sunproof. Scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0170676)

Etymology: Maggi Young is a mainstay of the Scottish Rock Garden Club and a dear friend of the registrant

'Mai First' 8 W-W

(W.R.P.Welch, 2019) Malcolm Lind, 2024
 'Autumn Sol' × 'Ballymarlow'; sdlg no. ML19/1
 Fls 13–16 per stem, star-shaped, pure white; perianth segments ovate, rounded, mucronate, spreading, concave, with midrib showing, of membranaceous substance, overlapping one-third; the inner segments shouldered at base; corona cup-shaped, smooth, mouth straight and even, with rim flanged. Dwarf. Autumn to very early. Sweetly honeysuckle scented. Etymology: Registrant's Danish family name

'Marie Pollard' 2 Y-YYO

(Brian S.Duncan, 2016) Brian S.Duncan, 2023
 'Longitude' × 'Kingstanding'; sdlg no. 4931
 Fl. forming a double triangle, 95mm wide; perianth segments 35mm long, broadly ovate, blunt or somewhat truncate, scarcely mucronate, deep yellow, spreading, plane, with midrib showing, of membranaceous substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 34mm long, funnel-shaped, smooth, yellow, with a broad band of orange at rim, mouth straight and a little wavy. Mid-season. Sunproof.
 Nomenclatural Standard: colour print supplied by hybridiser (WSY0170620)
 Etymology: named in memory of a much loved nurse who died in an accident

'Mary Walsh' 2 W-P

(Brian S.Duncan, 2010) Martin Walsh, 2023
 'Narrative' × 'Hyperbole'; sdlg no. 3605
 Fl. rounded; perianth segments roundish, very broad, rounded at apex, mucronate, white, spreading, plane, creased and of heavy substance, overlapping half or more; the inner segments narrower, scarcely mucronate, somewhat shouldered at base; corona funnel-shaped, angled, deep reddish pink, mouth flared and wavy, with rim crenate. Mid-season. Sunproof.
 Nomenclatural Standard: colour print supplied by hybridiser (WSY0170904)
 Etymology: To commemorate the registrant's mother, Mary Walsh

'Mirror Mirror' 4 W-W

(withheld) P.Pennings Bloembollenbedrijf, 2024
 Parentage unknown
 Fl. rounded, 80mm wide, white 157D; perianth and other petaloid segments in two or more whorls, midrib showing and of membranaceous substance; the outer whorls ovate, rounded, reflexed, twisted, with margins incurved, overlapping half or more; the inner segments plane or somewhat inflexed, narrower; corona 25mm long, in several whorls, strongly inflexed, interspersed among the inner perianth segments. Mid-season. Sunproof. Sweetly scented. Nomenclatural Standard: colour print supplied by KAVB (WSY01700170804)

'Mister Mouse' 2 W-Y

(Denise E.McQuarrie, 2016) Denise E.McQuarrie, 2024
 Parentage unknown
 Fl. rounded, 76mm wide; perianth segments 28mm long, broadly ovate, spreading, plane, smooth and of heavy substance, overlapping half or more; corona 24mm long, funnel-shaped, smooth, mouth expanded, wavy and lobed, with rim dentate. Mid-season.
 Nomenclatural Standard: named for the cat belonging to the registrant's daughter

'Mistook' 2 Y-Y

(David Adams) David Adams, 2023
 Sdlg no. FIP20/08
 Parentage unknown
 Fl. double triangle, 90mm wide; perianth segments 33mm long, ovate, blunt, mucronate, spreading, plane, smooth and of heavy substance, overlapping one-third; the inner segments somewhat inflexed; corona 26mm long, cylindrical, smooth, mouth straight, ribbed and frilled, with rim crenate. Early. Sunproof

'Morgen Stanze' 2 Y-Y

(George M.Johnston,) George M.Johnston, 2024
 Parentage unknown
 Fl. forming a double triangle, 100mm wide; perianth segments 45mm long, broadly ovate, truncate, mucronate, spreading, plane, creased and of heavy substance, overlapping half; the inner segments narrower, blunt, scarcely mucronate, shouldered at base; corona 25mm long, funnel-shaped, ribbed, mouth straight and frilled, with rim flanged and crenate. Early. Sweetly scented.
 Nomenclatural Standard: colour print supplied by registrant (WSY0170785)
 Etymology: maiden name of registrant's late wife Konstanze Morgenroth

'Old Tavern Road' 2 Y-O

(C.Higgins, 2014) C.Higgins, 2024
 Sdlg no. 14-315
 'Royal Marine' open pollinated
 Fl. forming a double triangle, 91mm wide, facing upwards; perianth segments 37mm long, very broadly ovate, truncate, yellow with slight pale mucro, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, slightly inflexed; corona 28mm long, cylindrical, angled, opening yellow, maturing to orange, mouth flared, and even, with rim crenate.
 Nomenclatural Standard: colour print supplied by registrant (WSY0170633)
 Etymology: a street in Monmouth County NJ

'Orange Moon' 2 O-R

(Jeremy P.E.Wilkes, 2019) Jeremy P.E.Wilkes, 2024
 'Creag Dubh' × 'Rory's Glen'; sdlg no. 6/14
 Fl. forming a double triangle, 85mm wide; perianth segments 36mm long, broadly ovate, blunt, orange (21B), with pale mucro, spreading, plane, smooth,

with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower; corona 14mm long, cup-shaped, ribbed, red (32A), mouth slightly flared, wavy to lightly frilled, with rim dentate. Early to mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0170669)

'Pat Donnellan' 2 Y/O-R

(Brian S.Duncan, 2018) withheld, 2023
'Stubborn' × unknown sdlg; sdlg no. 5008
Fl. 105mm wide; perianth segments 41mm long; corona 23mm long

'Perkins Lemon Cordial' 8 Y-Y

(Sara L.van Beck) Sara L.van Beck, 2024
Parentage unknown
Fls 8-11 per stem, 35mm wide; perianth segments roundish, very broad, blunt, mucronate, pale yellow, spreading or a little reflexed, plane or with margins slightly incurved, with midrib showing, of membranaceous substance, overlapping to one-third; the inner segments narrower, more nearly spatulate, somewhat shouldered at base, spreading; corona 7mm long, cup-shaped, strong yellow, broadly ribbed, mouth wavy and slightly expanded, with rim entire. Dwarf. Very early. Sunproof. Lightly sweet lemon scented. Blooms winter season. Robust dwarf plant. Offsets produce secondary stems lengthening blooming season. Distinct colour. Very rarely seed fertile.
Nomenclatural Standard: colour print supplied by registrant (WSY0160997)
Etymology: collected from old garden remnant at Palmer-Perkins House in Monticello, Florida in 1996

'Popsicle' 6 W/P-P

(Malcolm Wheeler, 2015) Malcolm Wheeler, 2023
'Little Ruby' × *N. cyclamineus*; sdlg no. M178D
Fl. forming a double triangle, 66mm wide, facing downwards; perianth segments 27mm long, oblong, blunt, prominently mucronate, white, flushed pink, reflexed, plane, with margins slightly incurving, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 22mm long, cylindrical, ribbed, pink, mouth flared, ribbed and even, with rim dentate. Dwarf. Early to mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0170605)

'Precursor' 2 Y-Y

(Brian S.Duncan, 2022) Brian S.Duncan, 2024
N. triandrus subsp. *pallidulus* × 'Cedric Morris'; sdlg no. 5294
Fl. star-shaped, 38mm wide, pale greenish lemon yellow, facing downwards; perianth segments 15mm long, lanceolate or narrowly ovate, inflexed, plane, smooth and of heavy substance, separated; corona 13mm long, narrow funnel-shaped, mouth slightly expanded, broadly ribbed and wavy, with rim notched. Dwarf. Autumn to very early. Sunproof.
Nomenclatural Standard: colour print supplied by registrant (WSY0170798)

'Pushkin Pathway' 11a Y-P

(Brian S.Duncan, 2016) Pearl Stewart, 2023
'Tickled Pink' × 'Rocoza'; sdlg no. 4911
Fl. rounded, 78mm wide; perianth segments 25mm long, rounded, very broad, blunt, mucronate, lemon yellow, slightly reflexed, plane, smooth and of heavy substance, overlapping half or more; the inner segments narrower, ovate, shouldered at base, scarcely mucronate, more nearly spreading, plane or with margins incurved; corona 24mm long, peachy pink, split into six segments, each closely overlying a perianth segment forming and inner and an outer whorl of three, lobed, with lobes overlapping, wavy or lightly frilled. Mid-season. Sunproof.
Nomenclatural Standard: colour print supplied by registrant (WSY0170827)
Etymology: In celebration of the Pushkin Pathway launched in May 2013, a secondary school project grounded in the ethos of all other Pushkin projects inspired by Sacha, Duchess of Abercorn

'Rosie's Choice' 1 W-W

(Brian S.Duncan, 2018) Rosie Campbell, 2024
'Sherpa' × 'Queen's Guard'; sdlg no. 4963
Fl. forming a double triangle, 110mm wide; perianth segments 45mm long, ovate, blunt, mucronate, spreading, plane, creased and of membranaceous substance, overlapping half; the inner segments narrower, shouldered at base, scarcely mucronate; corona 48mm long, funnel-shaped, angled, mouth straight and even, with rim broadly flanged and minutely crenate. Early to mid-season. Sunproof.
Nomenclatural Standard: colour print supplied by hybridiser (WSY0170808)

'Sally Foggo' 1 Y-Y

(Malcolm S.Bradbury, 2011) Malcolm S.Bradbury, 2024
'Rijnveld's Early Sensation' × 'Cedric Morris'
Fl. 55mm wide. Dwarf to standard (30.5-35.5cm tall). Very early. Sunproof

'Sarah Tomlinson' 4 Y-O

(Len Tomlinson) Len Tomlinson, 2024
Sport of 'Helios'
Fl. 97mm wide; perianth and other petaloid segments in three whorls, yellow (602, HCC 1942); the outer whorl 42mm long, broadly ovate, blunt, with slight pale mucro, spreading, plane or somewhat twisted, with midrib showing, of membranaceous substance, overlapping half or more; the inner whorls 37mm long, narrower, shouldered at base, becoming shorter and more strongly inflexed towards the centre; the innermost perianth segments very much narrower, interspersed among the corona segments, frilled or wavy; corona segments 32mm long, inflexed, clustered at centre, orange (5, HCC 1942), narrower than perianth segments, frilled or wavy, irregularly lobed. Early.
Nomenclatural Standard: colour print supplied by registrant (WSY0170672)
Etymology: named for the hybridiser's daughter

‘Savvy Seniors’ 2 W-W

(David Adams) David Adams, 2023

Sdlg no. FIP20/5

Parentage unknown

Fl. star-shaped, 109mm wide; perianth segments 48mm long, ovate, blunt, spreading, plane, with margins recurved, creased and of heavy substance, overlapping one-third; the inner segments narrower; corona 43mm long, funnel-shaped, smooth, mouth flared, ribbed and frilled, with rim rolled and dentate. Early to mid-season.

Etymology: named for a group which visits the registrant annually

‘Show Manager’ 2 W-W

(Alan J. Brown, 2018) Alan J. Brown, 2024

‘River Queen’ open pollinated; sdlg no. 13AB34C

Fl. forming a double triangle, 93mm wide; perianth segments 42mm long, very broadly ovate, blunt, mucronate, spreading, plane, with margins slightly incurved, with midrib faintly showing, of heavy substance, overlapping half or more; the inner segments narrower, somewhat shouldered at base, scarcely mucronate; corona 31mm long, cylindrical, smooth, mouth ribbed and even, with rim crenate and slightly flanged. Early to mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0170665)

‘South Mountain’ 2 W-GYO

(W.A. Bender, 1991) Jonathan S. Griffiths, 2024

Sdlg no. 84/2

Parentage unknown

Fl. forming a double triangle, 90mm wide; perianth segments 40mm long, roundish, very broad, blunt, scarcely mucronate, white, spreading, plane or with margins slightly incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, ovate, somewhat shouldered at base; corona 22mm long, disc-shaped, ribbed, pale yellow (variable, sometimes stronger yellow or white), with green eye and broad band of orange at rim, mouth straight, wavy, finely ribbed and shallowly lobed, with rim crenate. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0160998)

Etymology: bred and grown by hybridiser in Chambersburg, just west of South Mountain, Pennsylvania, USA

‘Sparks Fly’ 2 W-P

(Brian S. Duncan, 2017) Rosie Campbell, 2024

‘Alto’ × ‘Extempore’; sdlg no. 4933

Fl. rounded; perianths white, smooth; corona deep reddish pink. Mid-season. Sunproof

‘Spott’s Micro’ 7 Y-Y

(Robert Spott) Harold Koopowitz, 2024

Sdlg 7G-G open pollinated

Fls 1–2 flowers per stem, 21mm wide; perianth segments 11mm long, oblong, rounded, scarcely

mucronate, brilliant yellow 7A, spreading, smooth and of heavy substance, overlapping at base only; the inner segments narrower; corona 5mm long, cup-shaped, smooth, vivid yellow 14A, mouth straight and even, with rim entire. Dwarf. Early to mid-season. Sunproof. Sweetly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0170783)

Etymology: for the hybridiser and for the very small flowers

‘Starina’ 7 W-W

(Mrs Anne Wright, 2015) Mrs Anne Wright, 2024

Crème Fraiche Group × Keira sdlg KB-M-1-2007; sdlg no. 3110-1-16

Fl. star-shaped, 28mm wide, facing upwards; perianth segments 9mm long, broadly ovate to somewhat roundish, mucronate, pinkish white N155C, spreading, plane, with midrib showing, of membranaceous substance, overlapping to one-third; the inner segments narrower, more nearly ovate; corona 4mm long, disc-shaped, pinkish white N155C, touched greenish yellow at base, mouth widely expanded, deeply and nearly lobed, with rim entire. Dwarf. Early. Scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0170751)

‘Sula’ 6 W-Y/W

(Mrs Anne Wright, 2015) Mrs Anne Wright, 2024

Pledge (unregistered) × Keira sdlg KB-M-16-02;

sdlg no. 3587-2-15

Fl. 52mm wide, facing downwards; perianth segments 22mm long, ovate to oblong, acute, greenish white 155C, tinged green at base upon opening, plane, with margins slightly and narrowly incurving, surface very lightly and narrowly ribbed, of heavy substance, overlapping at base only; the inner segments, slightly narrower; corona cylindrical, 25mm long, smooth, light greenish yellow 4B, with greenish white 155C towards base, mouth straight, ribbed and irregularly lobed, with rim flanged and dentate. Dwarf. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0170742)

Etymology: Sula is the former name of the Gannet, whose neck has a similar grading of white to yellow

‘Sunny Joppa’ 2 Y-R

(Brian S. Duncan, 2013) Stuart Anderson, 2024

‘Lennymore’ × ‘Terminator’; sdlg no. 3821

Fl. forming a double triangle, 102mm wide; perianth segments 41mm long, broadly ovate, blunt, orangish yellow, with white mucro, spreading, plane, smooth and of membranaceous substance, overlapping half, the inner segments narrower, somewhat shouldered at base; corona 25mm long, funnel-shaped, angled, deep orange-red, straight, wavy and shallowly lobed, with rim crenate and somewhat flanged. Early to mid-season.

Nomenclatural Standard: colour print supplied by hybridiser (WSY0170671)

Etymology: as a birthday tribute to Mr George Anderson from his children

'Sweet Baby' 8 W-Y

(W.R.P.Welch) Jaminia Colliard, 2023

Parentage unknown

Forming a double triangle; perianth segments ovate, blunt, mucronate, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping one-third; the inner segments scarcely mucronate; corona cup-shaped, smooth, mouth straight and even, with rim entire. Very early. Sunproof. Intensely sweetly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0170889)

'Sweetest Dream' 2 W-P

(K.van der Veek) J.de Waard Bloembollenkwekerij, 2023

Parentage unknown

Fl. forming a double triangle, 120mm wide, facing upwards; perianth segments 50mm long, very broadly ovate, blunt, mucronate, greenish white 157D, spreading, plane, with margins incurved, creased and of membranaceous substance, overlapping half; corona 40mm long, funnel-shaped, ribbed, orange-pink (29C), with orange-pink (27C) at base, mouth straight and frilled, with rim flanged and crenate. Mid-season. Sweetly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0170592)

'Tayforth Aurum' 1 Y-Y

(Wayne G.Hughes, 2012) Wayne G.Hughes, 2024

'Aunt Betty' open pollinated; sdg no. 0410(12.1)

Fl. forming a double triangle, 76mm wide; perianth segments 29mm long, ovate, spreading, plane, smooth and of heavy substance; corona 31mm long, cylindrical, smooth, mouth straight and wavy. Mid-season

'Tayforth White' 2 W-W

(Wayne G.Hughes) Wayne G.Hughes, 2024

Parentage unknown

Fl. forming a double triangle, 74mm wide; perianth segments 30mm long, broadly ovate, spreading, plane, smooth and of heavy substance; corona 21mm long, bowl-shaped, mouth ribbed. Mid-season

'Teach's Hole' 2 Y-O

(C.Higgins, 2010) C.Higgins, 2024

Sdlg no. 10-17

'Garden News' open pollinated

Fl. forming a double triangle, 103mm wide; perianth segments 40mm long, very broadly ovate, blunt, yellow, with pale mucro, spreading, plane or with margins a little incurved, with midrib showing, of membranaceous substance, overlapping half or more; the inner segments narrower, somewhat shouldered at base, margins a little wavy; corona 25mm long, funnel-shaped, angle, mouth straight, narrowly ribbed, wavy and frilled, with rim notched. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0170634)

Etymology: the sound on the northwest side of Ocracoke Island, NC in which Blackbeard the Pirate, believed to be Edward Teach, was captured by the British

'Templeton Loam' 2 Y-Y/O

(David Adams, 2021) David Adams, 2023

Sdlg no. FIP21/08

Parentage unknown

Fl. rounded, 93mm long; perianth segments 38mm long, very broadly ovate, blunt, mucronate, yellow, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments shouldered at base; corona 22mm long, cup-shaped, ribbed, yellow blending to orange from mid-way along corona towards rim, mouth straight and frilled, with rim crenate. Early to mid-season. Sunproof. Slightly scented

'Tête de Luxe' 4 Y-Y

(John Huiberts) Maveridge International B.V., 2024

Sport of 'Tête-à-tête'

Fl. rounded, 60mm wide; perianth and other petaloid segments in many whorls, brilliant greenish yellow 6A; the outer whorls 30mm long, ovate, blunt, spreading, shallowly concave, smooth and of membranaceous substance, overlapping one-third; the inner whorls narrower, becoming successively shorter and more strongly inflexed towards the centre, with margins wavy; corona segments 20mm long, vivid yellow 14B, interspersed among the perianth segments and clustered at centre, concave or irregularly folded along midrib. Dwarf. Mid-season. Flowers of the 'mop-head' type (description above) predominate. However, sometimes the corona does not split resulting in 'filled-cup' flowers; the outer perianth segments ovate, acute, prominently mucronate, brilliant greenish yellow 6A, reflexed, plane, overlapping at base only; the inner segments contained within the corona; corona funnel-shaped, smooth, vivid yellow 14B, mouth straight and even, with rim entire. Distinct from 'Tête Bouclé' in its later flowering, fewer and larger flowers each with more segments, flower bud onion-shaped and leaves longer. Nomenclatural Standard: colour print supplied by KAVB (WSY0170662)

'The Saginaw Lady' 1 W-Y

(John R.Reed, 2008) J.A.Delaney, 2024

Sdlg 97-129-1 ('Charlbury' × 'Three Oaks') ×

Sdlg 97-31-1 ('Dayton Lake' × 'Three Oaks');

Sdlg no. 2003-56-24

Fl. forming a double triangle, 84mm wide, facing upwards; perianth segments 38mm long, broadly ovate, blunt, mucronate, white, slightly reflexed, plane, creased and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 41mm long, funnel-shaped, smooth, rich golden yellow, mouth flared, a little wavy and shallowly lobed, with rim minutely crenate. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0160982)

Etymology: Named in honour of the Saginaw Branch of the Woman's National Farm & Garden Association

‘Top Order’ 1 Y-Y

(David Adams) David Adams, 2023

‘Demand’ × Bell 1Y-Y sdlg; sdlg no. 87/07W

Fl. forming a double triangle, 90mm wide; perianth segments 36mm long, ovate, mucronate, spreading, plane, with margins incurved, smooth and of heavy substance, overlapping one-third; the inner segments shouldered at base; corona 36mm long, cylindrical, smooth, mouth straight, ribbed and frilled, with rim crenate. Early to mid-season. Sunproof. Mildly scented.

‘Ultraluminary’ 2 YYW-W

(Clive Postles) Michiel de Waard, 2024

Sdlg no. CPS 1367

Parentage unknown

Fl. rounded; perianth segments roundish, very broad, blunt, yellow, with slight white mucro, touched white at base, spreading, plane, smooth, with midrib slightly showing, of heavy substance, overlapping half or more; the inner segments narrower, broadly ovate, shouldered at base, scarcely mucronate; corona funnel-shaped, smooth, mouth expanded, creased, broadly ribbed and shallowly lobed, with rim crenate. Early to mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0170795)

‘Una Phillips’ 2 Y-R

(Brian S.Duncan, 2014) Withheld, 2023

‘Red Reed’ × ‘Corby Candle’; sdlg no. 4325

Fl. forming a double triangle, 95mm wide; perianth segments 40mm long, broadly ovate, blunt, scarcely mucronate, deep yellow, spreading, plane, with margins narrowly incurving, smooth, overlapping half or more; the inner segments narrower, shouldered at base, with margins somewhat incurved; corona 37mm long, cylindrical, angled, deep orange red, mouth straight, ribbed, even, with rim notched. Mid-season. Sunproof. Nomenclatural Standard: colour print supplied by hybridiser (WSY0160005)

‘Wild Goose’ 2 Y-YOO

(C.Higgins, 2014) C.Higgins, 2024

Sdlg no. 14-13

‘Goldhanger’ open pollinated

Fl. forming a double triangle, 86mm wide; perianth segments 30mm long, broadly ovate, blunt, mucronate, spreading, plane or with margins slightly incurving at apex, smooth and of heavy substance, overlapping half; the inner segments much narrower, more nearly oblong, with midrib showing; corona 23mm long, funnel-shape, angled, mouth expanded, even and lightly frilled, with rim minutely crenate. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0170635)

Etymology: Caratoke is the native name for wild goose and its English translation is the name for NC’s Currituck County

‘Zinzi’ 11a W-YYO

(withheld) J.G.Weijers & Son, 2024

Parentage unknown

Fl. rounded, 110mm wide; perianth segments 42mm long, roundish, very broad, blunt or somewhat truncate, white, prominently mucronate, spreading, shallowly concave, margins a little wavy, smooth and of heavy substance, overlapping half or more; the inner segments a little narrower, scarcely mucronate; corona 21mm long, split almost to the base into six segments, each closely overlying a perianth segment, smooth, lobed and lightly frilled, yellow blending into a broad band of orange at rim, with rim entire. Mid-season

‘Zypani’ 2 Y-O

(withheld) withheld, 2024

Parentage unknown

Fl. forming a double triangle, 110mm wide; perianth segments 43mm long, roundish, very broad, blunt or truncate, yellow, with scarce pale mucro, somewhat reflexed, plane, with margins incurving, creased, with midrib showing, of membranaceous substance, overlapping half; the inner segments narrower, more nearly spreading, ovate, blunt, shouldered at base; corona 34mm long, cylindrical, angled, orange, mouth broadly ribbed and lightly frilled, with rim crenate. Mid-season. Sunproof.

Nomenclatural Standard: colour print supplied by registrant (WSY0170787)

Etymology: previous name of the Polder Zijpe in North Holland

ADDITIONS AND AMENDMENTS TO THE INTERNATIONAL DAFFODIL REGISTER (2008) AND SUPPLEMENTS

The compilers are grateful to those who have drawn attention to omissions from the International Daffodil Register and its Supplements, pointed out errors, suggested changes or supplied new information.

Amendments to cultivar names, divisions, colour codes, parentages, originators and registrants will usually be published in an annual Supplement. Amendments to descriptions will usually only be published in a new edition of the Register. However, all amendments will be published on the internet, in a regular updating of the Register posted at: www.rhs.org.uk/plants/plantsmanship/plant-registration/Daffodil-cultivar-registration

ADDITIONS TO THE INTERNATIONAL DAFFODIL REGISTER (2008)

- ‘Recurvus’ 9 W-GYR** See page 17 for details
“Old Pheasant’s Eye” Popular name for *N. poeticus* or varieties

AMENDMENTS TO THE INTERNATIONAL DAFFODIL REGISTER (2008)

- ‘Angel’s Whisper’** Add: AGM (H6) 2023
‘Bantam’ Add: ADS Wister Award 2024
‘Cameo Joy’ Add: AM(e) 2022
‘Chappie’ Add: AGM (H6) 2023
‘Crofty’ Add: AGM (H6) 2023
‘Englander’ Add: AGM (H6) 2023
‘Medway Gold’ Add: AGM (H6) 2023
“Pheasant’s Eye” Change: from Syn. of *N. poeticus* var. *recurvus* to Popular name for *N. poeticus* or varieties
‘Snipe’ Add: AGM (H6) 2023
‘Tom Terrific’ Add: ADS Pannill Award 2024
‘Winter Waltz’ Add: AGM (H6) 2023

ADDITIONS TO THE LIST OF ORIGINATORS AND REGISTRANTS

- | | |
|-------------------------------|---|
| Anderson, Stuart | Lisburn, Northern Ireland |
| Barr, Peter | London, England |
| Campbell, Rosie | Kilkeel, Northern Ireland |
| Griffiths, Jonathan S. | Gettysburg, Pennsylvania, USA |
| Huiberts, John | Sint Maartensbrug, The Netherlands |
| Johnston, George M. | Newtownards, Northern Ireland |
| Lind, Malcolm | Huntly, New Zealand |
| Penpraze, Yvonne | Islandmagee, Northern Ireland |
| Pitcher, Michael | Sutton, Surrey, England |
| Walsh, Martin | Ashford, Co. Wicklow, Republic of Ireland |
| Woods, Claire | Banbridge, Northern Ireland |

AMENDMENTS TO THE LIST OF ORIGINATORS AND REGISTRANTS

Akers, James L.	d. November 2023
Brumley, Graeme	d. September 2023
Goddard, John H.J.	d. February 2024
Gripshover, Mary Lou	d. July 2024

MARY LOU GRIPSHOVER

It is with much sadness that we report the death of Mary Lou Gripshover who passed way in July 2024. Mary Lou was a key figure in the world of daffodils. She was a member of the American Daffodil Society for many years. As a daffodil hybridiser Mary Lou registered 39 cultivars across seven horticultural divisions. Mary Lou was the daffodil National Registrar for the USA for close to 30 years and in that time provided valuable assistance to three International Daffodil Registrars. Since the late 1990's she was a member of the RHS Narcissus Classification Advisory Group. The RHS recognised the contribution Mary Lou made to the genus *Narcissus* in 1993 by awarding her the Peter Barr Memorial Cup. She will be greatly missed.

AMENDMENTS TO PREVIOUS SUPPLEMENTS

1st Supplement

‘Tête Bouclé’ add: AGM (H6) 2023

2nd Supplement

‘Tiny Bubbles’ add: AGM (H6) 2023

5th Supplement

‘Royal Jubilee’ change to: Late season

6th Supplement

‘Grafton Gold’ add: AM(e) 2022

8th Supplement

‘Winks’ add: FCC(e) 13 April 2022

9th Supplement

‘Moonlight Sensation’ add: AGM (H6) 2023

10th Supplement

‘More and More’ add: AGM (H6) 2023

11th Supplement

‘Yellow Sailboat’ add: AGM (H6) 2023

‘Sweet Petite’ add: AM(e) 2023

16th Supplement

‘Artie’s Sister’ change seed parent to: ‘Spoirot’

‘Petite Prince’ change to ‘Petit Prince’ (in accordance with Art. 35.3 ICNCP 9th ed.)

‘Bad Habit’ change pollen parent to: ‘Cameo Gem’

SHORTER DAFFODIL TRIAL 2021-2023 HELD AT RHS GARDEN, WISLEY

Following trial 12 cultivars were awarded an AGM (as noted in the Amendments to the Register & Supplements above) and 15 cultivars retained the AGM as follows:

‘Angel’s Breath’	AGM (H6) 2011	‘Pixie’s Sister’	AGM (H6) 1996
‘Cornish Chuckles’	AGM (H6) 2007	‘Sailboat’	AGM (H6) 2006
‘Eaton Song’	AGM (H6) 2001	‘Small Talk’	AGM (H6) 2009
‘Elka’	AGM (H6) 2011	‘Sun Disc’	AGM (H6) 1996
‘Hawera’	AGM (H6) 1996	‘Tête-à-tête’	AGM (H6) 1993
‘Jack Snipe’	AGM (H6) 1995	‘Toto’	AGM (H6) 1997
‘Jetfire’	AGM (H6) 1995	‘Twinkling Yellow’	AGM (H6) 2008
‘Mite’	AGM (H6) 2001		

CULTIVAR NAME TO REPLACE MISAPPLIED BOTANICAL NAME

Outlined below for information is a decision on *Narcissus poeticus* var. *recurvus* recently taken by the RHS Narcissus Classification Advisory Group (NCAG). This decision is based on the findings published in Dr James Compton's paper on *Narcissus recurvus* Haw. (*Curtis's Botanical Magazine* 40: 249-261, 2023) and Mrs Sally Kington's paper to the NCAG (8 June 2021).

The decision is to rename as a cultivar a plant introduced by Peter Barr in 1891 as Poeticus of Gardens, named Old Pheasant's Eye in Barr catalogues from 1898, and given the additional name of *Poeticus recurvus* from 1910 to at least 1936. It seems to be the origin of the plant currently in commerce under the botanical name *N. poeticus* var. *recurvus* which has been found to be different from the original *N. recurvus* of Haworth. To minimise disruption to the naming of the plant in cultivation, NCAG has agreed that it would now take the cultivar name *Narcissus poeticus* 'Recurvus'.

Narcissus poeticus 'Recurvus' 9 W-GYR

(Peter Barr, 1891) Supposed selection from *N. poeticus*

Flower forming a double triangle; perianth segments broadly ovate, blunt or shallowly truncate, with slight mucro, white, with a hint of yellow at base, slightly reflexed, with margins more or less deeply incurved, smooth and of heavy substance, overlapping a quarter to one-third; the inner segments more nearly spreading; corona disc-shaped, or with sides slightly upstanding, finely ribbed, yellow, with green eye zone at base and a well-defined narrow band of red at rim, mouth lightly wavy, with rim minutely crenate. Late. Pleasantly scented.

Full background to the decision may be obtained from Melanie Underwood, International Daffodil Registrar, at email: melanieunderwood@rhs.org.uk

USEFUL LINKS

To download an application form to register a daffodil cultivar name visit:

<https://www.rhs.org.uk/plants/pdfs/plant-registration-forms/daffodil-name-registration.pdf>

To search the Daffodil database visit:

<https://apps.rhs.org.uk/horticulturaldatabase/daffodilregister/daffsearch.asp>

To view/download the following documents visit:

<https://www.rhs.org.uk/plants/plantsmanship/plant-registration/daffodil-cultivar-registration>

- Cumulative list of registrations, post 2008
- Introduction
- First flowering dates
- Illustrations and glossary of descriptive terms
- Abbreviations
- Horticultural classification
- Botanical classification
- Botanical names in the genus *Narcissus*
- Early divisions and groups
- Segregate genera
- List of originators and registrants
- Barr Cup recipients


HORTICULTURAL CLASSIFICATION

Whether of wild or cultivated origin, once a selection has been distinguished by a cultivar name it should be assigned to Divisions 1–12. Daffodils distinguished solely by botanical name should be assigned to Division 13.

Notes


1. The characteristics for Divisions 5 to 10 are given for guidance only; they are not all necessarily expected to be present in every cultivar assigned to those divisions
2. Divisions 12 and 13 are not illustrated owing to the wide variation in shape and size between the flowers involved

DIVISION 1 - TRUMPET DAFFODIL CULTIVARS




One flower to a stem; corona ("trumpet") as long as, or longer than the perianth segments ("petals")

DIVISION 2 - LARGE-CUPPED DAFFODIL CULTIVARS




One flower to a stem; corona ("cup") more than one-third, but less than equal to the length of the perianth segments ("petals")

DIVISION 3 - SMALL-CUPPED DAFFODIL CULTIVARS




One flower to a stem; corona ("cup") not more than one-third the length of the perianth segments ("petals")

DIVISION 4 - DOUBLE DAFFODIL CULTIVARS




One or more flowers to a stem, with doubling of the perianth segments or the corona or both

DIVISION 5 - TRIANDRUS DAFFODIL CULTIVARS




Characteristics of *N. triandrus* clearly evident: usually two or more pendent flowers to a stem; perianth segments reflexed

DIVISION 6 - CYCLAMINEUS DAFFODIL CULTIVARS




Characteristics of *N. cyclamineus* clearly evident: one flower to a stem; perianth segments significantly reflexed; flower at an acute angle to the stem, with a very short pedicel ("neck")

DIVISION 7 - JONQUILLA AND APODANTHUS DAFFODIL CULTIVARS




Characteristics of Sections Jonquilla or Apodanthi clearly evident: one to five (rarely eight) flowers to a stem; perianth segments spreading or reflexed; corona cup-shaped, funnel-shaped or flared, usually wider than long; flowers usually fragrant

DIVISION 8 - TAZETTA DAFFODIL CULTIVARS



Characteristics of Section Tazettae clearly evident: usually three to twenty flowers to a stout stem; perianth segments spreading not reflexed; flowers usually fragrant

DIVISION 9 - POETICUS DAFFODIL CULTIVARS



Characteristics of *N. poeticus* and related species clearly evident; perianth segments pure white; corona very short or disc-shaped, not more than one-fifth the length of the perianth segments; corona usually with a green and/or yellow centre and red rim, but sometimes wholly or partly of other colours; anthers usually set at two distinct levels; flowers fragrant


DIVISION 10 - BULBODIUM DAFFODIL CULTIVARS




Characteristics of Section Bulbodium clearly evident: usually one flower to a stem; perianth segments insignificant compared with the dominant corona; anthers dorsifixed (ie attached more or less centrally to the filament); filament and style usually curved

DIVISION 11 - SPLIT-CORONA DAFFODIL CULTIVARS

Corona split - usually for more than half its length



a) Collar Daffodils
Split-corona daffodils with the corona segments opposite the perianth segments; the corona segments usually in two whorls of three



b) Papillon Daffodils
Split-corona daffodils with the corona segments alternate to the perianth segments; the corona segments usually in a single whorl of six

DIVISION 12 - OTHER DAFFODIL CULTIVARS

Daffodil cultivars which do not fit the definition of any other division

DIVISION 13 - DAFFODILS DISTINGUISHED SOLELY BY BOTANICAL NAME

SOME ILLUSTRATIONS OF DESCRIPTIVE TERMS

