



Royal
Horticultural
Society

Sharing the best in Gardening

The International Daffodil Register & Classified List (2008)

Tenth Supplement



© 2017 The Royal Horticultural Society
80 Vincent Square, London SW1P 2PE, United Kingdom
www.rhs.org.uk

Charity registration number 222879 / SC038262

International Daffodil Registrar: Melanie Underwood

All rights reserved. No part of this book may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the copyright holder

ISBN 9781907057809

Printed and bound in the UK by Page Bros, Norwich
Compiled by MRU

The previous supplement (Ninth Supplement) was published on 20th December 2016

Cover: “Narcissus cyclamineus, Johnstoni and Triandrus albus”
from 1887 Barr and Son daffodil catalogue.
Image courtesy of RHS Lindley Library

TENTH SUPPLEMENT
to
THE INTERNATIONAL DAFFODIL REGISTER AND CLASSIFIED LIST (2008)
2016–2017

The daffodil names listed here are supplementary to the *International Daffodil Register (2008)*; they were registered between 1 July 2016 and 30 June 2017. They are followed by a list of some other recent additions and amendments to the Register.

Registration — page 1

Notes on classification and description — page 2

Registrations 2016–2017 — page 3

Additions and amendments to the International Daffodil Register (2008)
and its Supplements — page 28

Additions to the RHS List of Botanical Names in the Genus *Narcissus* and
RHS Botanical Classification — page 30

Illustrations of Descriptive Terms — inside back cover

REGISTRATION

Hybridizers, raisers and other introducers of daffodils are urged to ensure that the names of new plants are registered and are reminded that registration should preferably take place before plants are released or catalogued. Registration is conducted by The Royal Horticultural Society, International Cultivar Registration Authority for the genus *Narcissus*. Application forms are available from:

- The International Daffodil Registrar: Mrs Melanie Underwood
RHS Wisley, Woking, Surrey GU23 6QB, UK
Fax (44) 01483 211750
Email melanieunderwood@rhs.org.uk
- The National Daffodil Registrar (the Netherlands): Drs J. van Scheepen
KAVB, Postbus 175, 2180 AD Hillegom, the Netherlands
Fax (31) 2525 369 51
Email vanscheepen@kavb.NL
- The National Daffodil Registrar (Czech Republic): Ing. Ivan Karakoz
ul. Zizkova cp. 1539, 274 01 Slaný, Czech Republic
Email Karakoz@seznam.cz
- The National Daffodil Registrar (USA): Mrs Mary Lou Gripshover
1686 Grey Fox Trail, Milford, Ohio 45150, USA
Tel 001 513 248 9137
Email mgripshover@cinci.rr.com
- The National Daffodil Registrar (Japan): Miss Eri Komoriya
1196 Ohkido-Cho, Midori-ku, Chiba-City, Chiba 267-0057, Japan
Fax 81-43-294-8504
Email rxe12572@nifty.ne.jp
- The National Daffodil Registrar (Australia): Mrs Jennie Jamieson
11 Bromley Place, Kingsley, WA 6026, Australia
Fax (61) 89 409 1156
Email ndaaliaison@hotmail.com
- The National Daffodil Registrar (New Zealand): Mr Wilfred Hall
105 Wallace Loop Rd, Ihakara, RD1 Levin, New Zealand 5571
Email wilshe@xtra.co.nz

Once registered, names and classifications may be changed only with the agreement of the International Cultivar Registration Authority, upon application to the International Registrar.

NOTES ON CLASSIFICATION AND DESCRIPTION

Note 1 – on classification

The combination of division and colour code assigned here (or as amended in any future Supplement) is the registered classification, to be observed, for example, when schedules require cultivars to be shown “as registered”. The registered classification is not altered by any note of variable measurement or colour. (See page 28 for any notes of variability in previous registrations).

Note 2 – on colour coding

Guidelines on colour coding, including those on distinguishing between Yellow and Orange and between Orange and Red appear in the Register and on registration forms. It is at the registrant’s discretion to distinguish White from Yellow or Green, Yellow from Green, or Pink from the paler tones of Orange or Red.

In addition:

– Green at corona base

The green at the base of a corona, whether in the tube or in the corona itself, may be included in the colour code if it is prominent and plain to see. Registrants are advised to include it only if it is consistent from year to year.

– Non-concentric colours

When coding colours in perianth or corona that appear in radial rather than concentric bands, or in a flare from the base, or in flecks or splashes: start with a letter for the predominant colour; proceed with an oblique line; follow with the letter(s) (in any order) for the non-predominant colour(s).

For example, a yellow flower with a white streak along the midrib of the perianth segments would be Y/W-Y; a white flower with radial bands of orange and yellow on the corona segments would be W-W/OY.

Note 3 – on colour terms

Colour Chart numbers in registered descriptions, e.g. 9A in ‘Amico’ are from the *RHS Colour Chart* (1966, 1986, 1995, 2001, 2007, 2015). Colour names followed by Chart numbers without brackets are equivalents adopted by the RHS for all its international registers. They are taken from the Universal Colour Language in the Inter-Society Color Council-National Bureau of Standards colour-name system. Colour names followed by Chart numbers with brackets or by no numbers at all are those supplied by the registrant.

Note 4 – on description

Registered descriptions are drawn up from application forms and, whenever possible, from photographs and actual specimens too. The Registrar would welcome readers’ comments on the accuracy of all descriptions.

Illustrations of descriptive terms appear on the inside back cover.

Note 5 – on height

Stem heights in registered descriptions may be taken to be Standard (325–675mm) unless otherwise stated, when they will be described as Dwarf (less than 325mm) or Tall (more than 675mm).

Note 6 – on Standards

The Standard noted at the end of some descriptions is the designated herbarium specimen or illustration forming a permanent record of the distinguishing characteristics of the cultivar and fixing the cultivar name. These are maintained at the RHS Herbarium, Wisley.

Note 7 – on unregistered names

Names listed as ‘unregistered’ are those post-1955 that have not been accepted by the RHS or have not yet been submitted for registration. They are included as part of the Check List and they gain no registered status by being listed. They are included in order to prevent confusion between daffodils of the same name and to help prevent further duplication.

REGISTRATIONS 2016–2017

The following 239 cultivar names were registered between 1 July 2016 and 30 June 2017 by The Royal Horticultural Society, International Cultivar Registration Authority for the genus *Narcissus*.

To access the *International Daffodil Register and Classified List* (2008) and to download the PDF document *Supplements 1-10 Cumulative List of Registrations (Abridged)* go to:

www.rhs.org.uk/plants/plantsmanship/plant-registration/Daffodil-cultivar-registration

Entries follow the style of those in the *International Daffodil Register and Classified List* (2008) and may be interpreted accordingly (see p10 in the Register).

The seed parent is given before the pollen parent.

'After Hours' 2 W-P

(Larry Wier, 1995) Larry Wier, 2017
'Arctic Char' × 'Spritely'; sdlg no. 90-5
Fl. rounded, 86mm wide; perianth segments 37mm long, roundish in outline, spreading, plane, smooth and of heavy substance; the inner segments narrower; corona 26mm long, funnel-shaped, smooth, mouth straight and wavy, with rim crenate. Early

'Alyash' 12 W-Y

(June Pesterfield) R.A.Scamp, 2017
'Beryl' × 11A sdlg; sdlg no. 92-R-1
Fl. 80mm wide, facing downwards; perianth segments 30mm long, broadly ovate, slightly mucronate, reflexed, plane, with margins incurling, smooth and of membranaceous substance, overlapping half; the inner segments narrower; corona 18mm long, split almost to base into six segments, each overlying a perianth segment forming an inner and an outer whorl of three, the inner whorl inflexed, the outer whorl more nearly spreading and overlying the outer perianth segments, bi-lobed, wavy to lightly frilled. Dwarf. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126909)

'Amico' 2 Y-Y

(Testcentrum) W.van Lierop & Sons, 2016
Parentage unknown
Fl. 94mm wide, facing upwards; perianth segments 40mm long, broadly ovate, blunt, prominently mucronate, vivid yellow 9A, spreading, plane or with margins incurved, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, scarcely mucronate, margins incurling; corona 34mm long, funnel-shaped, angled, orange-yellow (14B), mouth ribbed and wavy, with rim entire and broadly flanged. Strongly scented. Mid-season.

Nomenclatural Standard: colour print supplied by KAVB (WSY0126744)

'Anna Akhmatova' 2 W-W

(Daniel Bellinger, 2008) Daniel Bellinger, 2017
'Stoke Charity' × 'Lady Diana' unregistered; sdlg no. 01-14-20
Fl. forming a double triangle, 120mm wide, white (157D); perianth segments 53mm long, broadly ovate, blunt, mucronate, spreading, plane, with

margins a little incurved, smooth and of heavy substance, overlapping one-third; the inner segments narrower, scarcely mucronate; corona 32mm long, cylindrical, angled, mouth expanded, wavy and broadly ribbed, with rim entire. Early.
Nomenclatural Standard: colour print supplied by Mr T.Stettner (WSY0126848)
Etymology: Named for Russian poet

'Antoni van Leeuwenhoek' 1 Y-Y

(K.van der Veek) Fluwel, 2016
Parentage unknown
Fl. 100mm wide, facing upwards; perianth segments 40mm long, very broadly ovate, blunt, brilliant yellow 7A, with pale mucro, spreading, plane or with margins incurved, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 40mm long, funnel-shaped, smooth, orange-yellow (13A), mouth ribbed and wavy, with rim entire and broadly flanged. Strongly scented. Early.
Nomenclatural Standard: colour print supplied by KAVB (WSY0126732)

'Arvid's Guard' 1 W-Y

(J.A.Hunter, 2010) J.A.Hunter, 2017
'Arvid' × 'Queen's Guard'; sdlg no. 5/50A
Fl. 110mm wide; perianth segments 47mm long, broadly ovate, white, spreading, plane, smooth and of heavy substance; corona 47mm long, funnel-shaped, light greenish yellow 4B, mouth flared and wavy. Mid-season

'Auchlea Beauty' 3 WWY-GYY

(D.C.MacArthur, 2012) D.C.MacArthur, 2017
'Merlin' open pollinated
Fl. forming a double triangle, 90mm wide, facing upwards; perianth segments 41mm long, broadly ovate, blunt, prominently mucronate, yellowish white 155B with vivid yellow 9B at base, spreading, concave, with margins incurving towards apex, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, scarcely mucronate; corona 13mm long, bowl-shaped, ribbed, brilliant yellow 11A with vivid yellow 14B at rim and strong yellowish green 144A at base, mouth straight and frilled, with rim crenate. Late. Sweetly scented.
Nomenclatural Standard: colour print supplied by registrant (WSY0126853)

'Aureolin' 7 Y-Y

(Brian S.Duncan) Brian S.Duncan, 2017
N. jonquilla × *N. scaberulus*; sdlg no. 3688
 Fls 3–4 per stem, 22mm wide, deep yellow; perianth segments 10mm long, roundish, blunt or truncate, prominently mucronate, a little reflexed, plane or with margins slightly incurved, smooth and of membranaceous substance, overlapping half; the inner segments less prominently mucronate; corona 7mm long, cup-shaped, smooth, mouth straight and even, with rim minutely crenate. Dwarf. Early to mid-season.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126950)

'Ballydorn Gem' 9 W-OOR

(F.A.L.Harrison) Ringhaddy Daffodils, 2016
 'Red Hugh' open pollinated; sdlg no. H2
 Fl. 65mm wide; perianth segments 28mm long, roundish, very broad, truncate, mucronate, white, spreading, plane, with margins incurving, smooth and of heavy substance; the inner segments narrower; corona 3mm long, disc-shaped, ribbed, pinkish orange (28A) with orange-red (30A) at rim, mouth filled, with rim dentate. Sweetly scented. Late

'Ballyduff Beauty' 2 WWY-Y

(L.Tomlinson, 2007) L.Tomlinson, 2017
 'Larkhill' × Postles 1W-W sdlg
 Fl. forming a double triangle, 110mm wide; perianth segments 45mm long, broadly ovate, blunt, slightly mucronate, white, touched yellow at base, spreading, plane, with margins somewhat incurved, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 40mm long, funnel-shaped, smooth, yellow, mouth straight and filled, with rim crenate. Mid-season.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126825)
 Etymology: Named for village in County Waterford, Eire

'Bbob Drake' 1 Y/W-Y

(Daniel Bellinger, 2009) Daniel Bellinger, 2017
 'Scipio' × 'Sargeant's Caye'; sdlg no. 02-05-3
 Fl. forming a double triangle, 94mm wide; perianth segments 39mm long, very broadly ovate, light greenish yellow 5D, with greenish white 157D at base and along midrib, with slight white micro, spreading, plane, with margins narrowly incurving, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, scarcely mucronate; corona 39mm long, cylindrical, angled, brilliant yellow 7B, with vivid yellow 9A at rim, mouth broadly ribbed, straight and wavy, with rim somewhat notched. Mid-season.
 Nomenclatural Standard: colour print supplied by T.Stettner (WSY0126849)
 Etymology: Named for Cleveland musician and poet

'Belle Anne' 5 W-W

(Brian S.Duncan) Brian S.Duncan, 2017
 'Hillstar' × *N. triandrus* subsp. *triandrus*; sdlg no. 3723
 Fls 2–3 per stem, 60mm wide, facing downwards; perianth segments 27mm long, lanceolate in outline, acute at apex, white, spreading, plane or with margins incurved, smooth and of membranaceous substance, overlapping one-third; corona 15mm long, cup-shaped, smooth, pale creamy white, mouth straight, broadly ribbed and a little wavy, with rim entire. Dwarf. Mid-season.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126954)

'Big Love' 1 W-Y

(C. van der Veek) Meelebo BV, 2017
 Parentage unknown; sdlg no. BIC 2
 Fl. 115mm wide; perianth segments 46mm long, broadly ovate, blunt, slightly mucronate, spreading, plane or with margins incurved, creased and of heavy substance, overlapping half; the inner segments narrower, margins wavy; corona 47mm long, funnel-shaped, angled, mouth flared and frilled, with rim minutely crenate. Mid-season.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126821)

'Big Red Honker' 2 W-R

(John R.Reed) John R.Reed, 2017
 Sdlg 99-48-1 ('Larry's Gift' × sdlg 87-10-1 ['Magician' × 'Obsession']); sdlg no. 99-144-1

'Biondina' 1 Y-Y

(Mrs Anne Wright, 2013) Mrs Anne Wright, 2017
 'Second Fiddle' hybrid; sdlg no. 3346
 Fl. 54mm wide; perianth segments 22mm long, lanceolate to narrowly ovate, acute to blunt, scarcely mucronate, brilliant greenish yellow 4A, spreading, plane, smooth and of heavy substance, separated; the inner segments narrower; corona 22mm long, cylindrical, angled, pale greenish yellow (4D), mouth flared and wavy, with rim irregularly notched. Dwarf. Early.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126894)

'Bishop of Saint Germans' 2 W-W

(R.A.Scamp, 1995) R.A.Scamp, 2017
 'Croila' × 'Immaculate'; sdlg no. S761
 Fl. 100mm wide; perianth segments 40mm long, broadly ovate, blunt, prominently mucronate, spreading, plane, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, less prominently mucronate; corona 25mm long, funnel-shaped, smooth, mouth straight, broadly ribbed, wavy and somewhat lobed, with rim minutely crenate. Mid-season.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126917)
 Etymology: To celebrate the Bishops of St Germans

'Braveheart' 1 Y-Y

(J.A.Hunter, 2004) J.A.Hunter, 2017

Sdlg [(‘Camelot’ × ‘Director’) × ‘Gold Tan’] × ‘Sulphur Monarch’; sdlg no. 32/99A

Fl. 118mm wide; perianth segments 50mm long, broadly ovate, blunt, bright greenish yellow 6A with slight pale mucro, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 50mm long, smooth, vivid yellow 9A, funnel-shaped, mouth a little flared, wavy and lobed, with rim entire. Early

'Breath of Spring' 1 Y-Y

(C.van der Veek) C.van der Veek, 2017

Parentage unknown; sdlg no. F94

Fl. 105mm wide; perianth segments 48mm long, roundish, very broad, yellow with prominent pale mucro, spreading, plane or with margins incurved, with midrib showing, creased and of membranaceous substance, overlapping half or more; the inner segments narrower, shouldered at base, truncate, less prominently mucronate; corona 52mm long, funnel-shaped, smooth, yellow, mouth expanded and frilled, with rim deeply notched. Early.

Nomenclatural Standard: colour prints supplied by registrant (WSY0126787)

'Brink' 9 WWG-GOO

(V.Brink) Cindy Haeffner, 2017

Parentage unknown

Fl. rounded, 52mm wide; perianth segments roundish, very broad, rounded or truncate at apex, prominently mucronate, white, touched green at base, somewhat reflexed, plane, with slight midrib showing, of heavy substance, overlapping two-thirds; the inner segments narrower, more nearly ovate, scarcely mucronate, more nearly spreading; corona disc-shaped, ribbed, orange with green at base, mouth flared and frilled, with rim crenate. Sweetly scented. Late.

Nomenclatural Standard: colour print supplied Mr T.Stettner (WSY0126845)

'Brisdee' 4 Y-O

(Brian S.Duncan, 2010) Narveco, 2017

'Innovator' × 'Paradigm'; sdlg no. 3671

Fl. 105mm wide; perianth and other petaloid segments in several whorls, yellow; the outer whorls broadly ovate, blunt, spreading, plane to a little concave, with margins narrowly incurving, with midrib showing, of heavy substance, overlapping half or more; the inner whorls successively shorter and more inflexed towards centre, concave or folded inwards along midrib; corona segments in several whorls, one-third the length of the outer petaloid segments and interspersed among the inner petaloid whorls, deep orange, frilled. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126836)

'British Gamble' 1 W-YP

M.H.van der Zon & Son, 2017

Parentage unknown

Fl. 150mm wide, facing upwards; perianth segments 60mm long, broadly ovate, blunt, slightly mucronate, greenish white 157C, spreading, plane or with margins a little incurved, with midrib showing, creased and of heavy substance, overlapping half or more; the inner segments narrower, scarcely mucronate, shouldered at base; corona 60mm long, funnel-shaped, ribbed, pale yellowish pink (158D), with a broad band of orange-pink (29C) at rim and yellow at base, mouth expanded, lobed and wavy, with rim notched and widely flanged. Mid-season. Strongly scented.

Nomenclatural Standard: colour print supplied by KAVB (WSY0126758)

'Burdeos' 7 Y-R

(Brian S.Duncan, 2004) Brian S.Duncan, 2017

'Surrey' × *N. fernandesii* var. *cordubensis*; sdlg no. 2880

Fl. 70mm wide; perianth segments 29mm long, ovate, slightly mucronate, deep yellow, sometimes flushed orange, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping one-third; the inner segments narrower; corona 13mm long, angled, funnel-shaped, deep orange-red, mouth straight and a little wavy, with rim crenate. Dwarf to standard. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126978)

'Butter Pladdy' 11a W-Y

(Nial Watson, 2009) Ringhaddy Daffodils, 2016

'Pampaluna' × 'Trumpet Warrior'; sdlg no. W740

Fl. 100mm wide; perianth segments 40mm long, broadly ovate, blunt, mucronate, white, spreading, plane, with midrib showing, of heavy substance, overlapping half; corona 35mm long, split almost to base into six segments, forming an outer and an inner whorl of three, each closely overlying a perianth segment, light greenish yellow 4B with brilliant greenish yellow 4A at rim. Sweetly scented. Early to mid-season.

Etymology: Named for a rock in the Irish Sea

'Buzzy Bee' 2 Y-O

(Denise E.McQuarrie, 2010) Denise E.McQuarrie, 2017

'Cowboy' × 'Ollie'; sdlg no. OC511

Fl. rounded, 76mm wide; perianth segments 28mm long, rounded, very broad, blunt, slightly mucronate, spreading, plane, with margins slightly incurving towards apex, smooth and of heavy substance, overlapping half or more; the inner segments more nearly ovate, shouldered at base; corona 15mm long, bowl-shaped, smooth, mouth flared, wavy and shallowly lobed, with rim crenate and somewhat rolled. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126839)

'Callisto' 10 Y-Y

(Mrs Anne Wright, 2011) Mrs Anne Wright, 2017
N. cantabrigus var. *petunioides* × 'Atlas Gold';
 sdlg no. 2762-3

Fl. 41mm wide, facing upwards, light greenish yellow
 4C; perianth segments 11mm long, lanceolate in
 outline, acute at apex, spreading, plane, creased and
 of heavy substance, separated; corona 17mm long,
 funnel-shaped, ribbed, mouth straight and wavy, with
 rim flanged and shallowly lobed. Dwarf. Very early.
 Nomenclatural Standard: colour print supplied by
 registrant: WSY0126862

'Camp Nine' 2 W-Y

(C.Higgins, 2013) C.Higgins, 2017

'Geometrics' open pollinated

Fls 1–2 per stem, forming a double triangle, 100mm
 wide; perianth segments 43mm long, ovate, blunt,
 prominently mucronate, spreading, plane, with
 margins incurved, with midrib showing, of heavy
 substance, overlapping half; the inner segments
 narrower, scarcely mucronate; corona 35mm long,
 funnel-shaped, angled, mouth ribbed, even and
 shallowly lobed, with rim flanged and entire.
 Mid-season.

Nomenclatural Standard: colour print supplied by
 registrant (WSY0126830)

'Caramel Cream' 11a W-WWP

(Gordon Coombes, 2007) Gordon Coombes, 2017
 'Pearl Drift' × 'Lotus Eater' unregistered;

sdlg no. G4-07

Fl. 98mm wide; perianth segments 35mm long,
 broadly ovate, blunt, mucronate, white, spreading,
 plane, with margins incurved, smooth and of heavy
 substance, overlapping half; the inner segments
 narrower; corona 23mm long, split into six segments,
 each three-quarters the length of and closely
 overlying a perianth segment, with rim lobed,
 opening creamy white, with overtones of pink,
 becoming creamy white with pink at rim. Early.
 Strongly scented

'Caratal' 11a W-YYO

(R.A.Scamp) R.A.Scamp, 2017

'Canasta' × 'Bobolink'; sdlg no. 30x36

Fl. star-shaped, 95mm wide; perianth segments
 35mm long, oblong to roundish, blunt, mucronate,
 reflexed, twisted, with midrib showing, of heavy
 substance, overlapping a quarter; the inner segments
 narrower; corona 20mm long, split almost to the base
 into six segments, each loosely overlying a perianth
 segment, bi-lobed, ribbed and wavy to lightly frilled.
 Mid-season.

Nomenclatural Standard: colour print supplied by
 registrant (WSY0126857)

Etymology: Cornish, meaning 'castle on the mine'

'Carice' 6 PWY-P

(J.de Winter) M.H.van der Zon, 2016

Parentage unknown

Fl. 100mm wide; perianth segments 40mm long,
 ovate, blunt, slightly mucronate, greenish white

155A, with light yellowish pink (159A) at apex and
 along margins and flushed greenish yellow (4D)
 towards base, reflexed, plane or with margins
 incurved, with midrib showing, of heavy substance,
 overlapping half; the inner segments narrower;
 corona 30mm long, funnel-shaped, light yellowish
 pink (159A), mouth ribbed, wavy and shallowly
 lobed, with rim flanged. Dwarf. Strongly scented.
 Mid-season.

Nomenclatural Standard: colour print supplied by
 KAVB (WSY0126737)

'Carol's Favorite' 1 W-Y

(Mrs G.Link) Joe Hamm, 2017

('Wee Bee' × 'Divine') × 'Georgie Girl'; sdlg no. 2193

Fl. facing upwards; perianth segments broadly ovate,
 blunt, slightly mucronate, spreading, concave, with
 margins incurved or a little wavy, with midrib
 showing, of heavy substance, overlapping half; the
 inner segments narrower; corona funnel-shaped,
 angled, mouth flared and ribbed, with rim lightly
 frilled and lobed, with lobes overlapping, with rim
 minutely crenate. Mid-season.

Nomenclatural Standard: colour print supplied by
 registrant (WSY0126936)

'Cascade Dawn' 7 W-P

(Malcolm Wheeler, 2010) Malcolm Wheeler, 2017

'Limequilla' × 'Elfin Dell'; sdlg no. M84

Fls 3 per stem, 78mm wide; perianth segments 32mm
 long, oblong in outline, blunt at apex, mucronate,
 spreading, plane, smooth and of heavy substance,
 overlapping half or more; the inner segments
 narrower; corona 20mm long, cup-shaped, mouth
 wavy and a little flared, with rim entire. Mid-season.
 Sweetly scented.

Etymology: Named for Cascade Valley Fiordland
 National Park, New Zealand

'Catriona MacDonald' 3 WWY-Y

(D.C.MacArthur, 2012) D.C.MacArthur, 2017

'Merlin' open pollinated; sdlg no. ED0312

Fl. 80mm wide; perianth segments 35mm long, very
 broadly ovate, blunt, truncate, greenish white 155C
 with brilliant greenish yellow 6A at base, spreading,
 shallowly concave, with margins incurving, with
 midrib showing, of heavy substance, overlapping half;
 the inner segments narrower; corona 11mm long,
 bowl-shaped, ribbed, vivid yellow 9A, mouth straight
 and lightly frilled, with rim crenate. Late.
 Sweetly scented.

Nomenclatural Standard: colour print supplied by
 registrant (WSY0126915)

'Chantilly Lace' 11a W-YW/P

(Colin Crotty, 2011) Colin Crotty, 2017

'Cindicee' × 'Cherry Pink'; sdlg no. CC42-11

Fl. 85mm wide; perianth segments 29mm long,
 roundish, blunt, mucronate, white, spreading, plane,
 with margins incurved, creased and of
 membranaceous substance, overlapping half or more;
 the inner segments narrower; corona 14mm long,
 split into six segments, each half the length of and

closely overlying a perianth segment, lobed and heavily frilled, white, with broad, longitudinal bands of mid-pink, with yellow at base. Mid-season. Strongly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0126775)

'Cheerful Charlie' 10 Y-Y

(Brian S.Duncan) Brian S.Duncan, 2017
Collection RW-M84-26 open pollinated; sdlg no. 2517
Fl. 52mm wide, pale lemon yellow; corona 30mm long. Dwarf. Very early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126773)

'Chiva' 7 Y-Y

De Goede Bulbivaria, 2016
Parentage unknown (of English origin); sdlg no. SG-4
Fl. 35mm wide, facing upwards; perianth segments 15mm long, broadly ovate, blunt, mucronate, vivid greenish yellow 2A, spreading or a little reflexed, shallowly concave, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, more nearly ovate, truncate; corona 5mm long, cup-shaped, smooth, brilliant greenish yellow 5A, mouth expanded and even, deeply six lobed, with rim flanged and entire. Sweetly scented. Dwarf. Late.

Nomenclatural Standard: colour print supplied by KAVB (WSY0126748)

'Church Wilne' 4 Y-O

(Clive Postles) Roger Braithwaite, 2017
Parentage unknown; sdlg no. 16-1
Fl. 105mm wide. Late

'Colin's Gem' 1 Y-R

(Colin Crotty, 2010) Colin Crotty, 2017
Sdlg ('Valley Flame' open pollinated) × sdlg PR95-25A; sdlg no. CC33-10

Fl. 103mm wide; perianth segments 39mm long, ovate, blunt, mucronate, mid-yellow, spreading, plane, with margins incurved, smooth and of heavy substance, overlapping half; the inner segments shouldered at base, scarcely mucronate; corona 41mm long, funnel-shaped, smooth, orange-red, mouth flared and frilled, with rim notched. Mid-season. Strongly scented

'Colleen's Pick' 8 Y-O

(W.R.P.Welch) W.R.P.Welch, 2017
'Matador' × Lima sdlg (hybrid × *N. viridiflorus*)
Fls 2–3 per stem, 68mm wide; perianth segments 30mm long, ovate, blunt, deep yellow with prominent, white mucro, spreading, concave or a little wavy, creased and of heavy substance, overlapping half; the inner segments narrower, scarcely mucronate; corona 8mm long, bowl-shaped, ribbed, deep orange, mouth straight and wavy, with rim entire. Early. Sweetly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0126774)

'Congratulations' 3 W-Y

(Nial Watson, 2009) Ringhaddy Daffodils, 2016
'Limpopo' × 'Evesham'; sdlg no. W785

Fl. 112mm wide; perianth segments 49mm long, broadly ovate, truncate, white, spreading, plane, with margins incurved, smooth and of heavy substance; the inner segments narrower, shouldered at base; corona 12mm long, disc-shaped, ribbed, brilliant yellow 10A, mouth frilled, with rim notched. Sweetly scented. Mid-season to late

'Coplw Dale' 1 W-Y

(Clive Postles) Roger Braithwaite, 2017

Parentage unknown; sdlg no. 350

Fl. 112mm wide; perianth segments broadly ovate, blunt, mucronate, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, scarcely mucronate; corona funnel-shaped, smooth, mouth straight, wavy and shallowly lobed, with rim entire. Late.

Nomenclatural Standard: colour print supplied by registrant (WSY0126929)

'Copper Star' 11a W-P

(Colin Crotty, 2011) Colin Crotty, 2017

'Copper Blaze' × 'Wild Star'; sdlg no. CC27-11

Fl. 95mm wide; perianth segments 35mm long, roundish, blunt, mucronate, white, spreading, plane, with margins incurved, creased and of membranaceous substance, overlapping half; the inner segments narrower, more nearly ovate; corona 25mm long, split into six segments, each three-quarters the length of and closely overlying a perianth segment, lobed and heavily frilled, bright pink, lighter in tone towards the base. Mid-season. Strongly scented

'Copper Valley' 2 Y/R-O

(Gordon Coombes, 2010) Gordon Coombes, 2017
'Rheban Red' × 'Omeomy'; sdlg no. G3-10

Fl. 118mm wide; perianth segments 49mm long, broadly ovate, blunt, mucronate, yellow, heavily flushed red, spreading, plane, with margins incurved, smooth and of membranaceous substance, overlapping half or more; corona 23mm long, cup-shaped, angled, reddish orange, mouth straight and frilled, with rim notched. Mid-season. Strongly scented

'Cosmopolitan' 7 W-YYP

(Testcentrum) W.van Lierop & Sons, 2016

Parentage unknown

Fls 3–4 per stem, 67mm wide; perianth segments 27mm long, broadly ovate, blunt, slightly mucronate, greenish white 155C, spreading, plane, with margins incurving or a little wavy, with midrib showing, of membranaceous substance, overlapping half or more; the inner segments narrower, scarcely mucronate; corona 19mm long, funnel-shaped, ribbed, pale orange-yellow, with a broad band of orange-pink (25D) at rim, mouth broadly ribbed and irregularly lobed, with rim entire and narrowly flanged. Sweetly scented. Mid-season.

Nomenclatural Standard: colour print supplied by KAVB (WSY0126746)

'Crazy Diamond' 2 W-W

(Gordon Coombes, 2010) Gordon Coombes, 2017
'Ashmore' sdlg × 'Steffi'; sdlg no. G19-10
Fl. 72mm wide; perianth segments 30mm long, broadly ovate, blunt, mucronate, white, spreading, plane, with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments shouldered at base; corona 20mm long, funnel-shaped, smooth, opening pale yellow, becoming creamy white, mouth flared and frilled, with rim notched. Mid-season. Strongly scented

'Cream Freeze' 3 Y-W

(David Adams) David Adams, 2017
'Aircastle' × 'Emerald Pink'; sdlg no. 97/107D
Fl. rounded, 87mm wide; perianth segments 36mm long, roundish, very broad, lemon yellow, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 10mm long, bowl-shaped, ribbed, white, mouth straight, ribbed and frilled, with rim crenate. Late

'Cut-Off Creek' 2 Y-Y

(C.Higgins, 2013) C.Higgins, 2017
Scamp sdlg 56 (2Y-Y) open pollinated; sdlg no. 13-34
Fl. 115mm wide, facing upwards; perianth segments 42mm long, roundish, very broad, blunt, slightly mucronate, spreading, plane, with margins incurving, smooth and of heavy substance, overlapping one-third to a half; the inner segments narrower, ovate, scarcely mucronate, shouldered at base; corona 31mm long, funnel-shaped, angled, mouth straight, ribbed, frilled and lobed, with rim flanged and entire. Mid-season.
Nomenclatural Standard: colour image supplied by registrant (WSY0126831)

'Cyllene' 10 W-W

(Mrs Anne Wright, 2011) Mrs Anne Wright, 2017
N. cantabricus var. *petunioides* × *N. romieuxii* subsp. *albidus* SF110; sdlg no. 2773-B
Fl. 40mm wide, facing upwards, greenish white 155C; perianth segments 17mm long, lanceolate in outline, acute at apex, spreading, plane, creased and of heavy substance, separated; corona 20mm long, funnel-shaped, ribbed, mouth straight and wavy, with rim flanged and shallowly notched. Dwarf. Very early.
Nomenclatural Standard: colour print supplied by registrant (WSY0126867)

'Czardas' 2 W-O

(Leenen Innovation) Leenen Innovation, 2016
Parentage unknown
Fl. rounded, 95mm wide, facing upwards; perianth segments 40mm long, very broad, mucronate, yellowish white 155D, spreading, concave, with margins incurving, creased and of membranaceous substance; the inner segments shouldered at base; corona 25mm long, bowl-shaped, ribbed, yellowish orange (23A/24A), mouth expanded, lobed and heavily frilled, with rim flanged and crenate. Sweetly scented. Mid-season

'Dance With Me' 11a W-YPP

(C.van der Veek) C.van der Veek, 2017
Parentage unknown; sdlg no. F20
Fl. 100mm wide; perianth segments 42mm long, broadly ovate, blunt or truncate, prominently mucronate, white, somewhat reflexed, plane, with margins incurving at apex, creased and of heavy substance, overlapping half; the inner segments narrower, more nearly spreading, shouldered at base, apex sometimes acute, scarcely mucronate; corona 33mm long, split to base into six segments, forming an outer and an inner whorl of three, each closely overlying a perianth segment, bi-lobed, with lobes frilled and overlapping, opening yellow becoming strong vivid pink, maturing to a softer pink, with yellow at base. Early.
Nomenclatural Standard: colour print supplied by registrant (WSY0126789)

'Daphnis' 10 Y-Y

(Mrs Anne Wright, 2011) Mrs Anne Wright, 2017
'Julia Jane' unregistered × *N. bulbocodium* subsp. *praecox* Moulay Brahim; sdlg no. 2767-1
Fl. 42mm wide, light greenish yellow 3C; perianth segments 17mm long, lanceolate in outline, acute at apex, spreading, plane, creased and of heavy substance, separated; corona 19mm long, funnel-shaped, ribbed, mouth straight and wavy, with rim narrowly flanged and minutely crenate. Dwarf. Very early.
Nomenclatural Standard: colour print supplied by registrant (WSY0126871)

'Darker Shades' 3 Y-Y

(John R.Reed) John R.Reed, 2017
'Irish Mint' × 'Green Hope'; sdlg no. 98-125-3

'Dee Bee' 2 Y-YPP

(David Adams) David Adams, 2017
Bell 2Y-YPP sdlg × Bell 2 Y-P sdlg; sdlg no. 93/118K
Fl. 85mm wide; perianth segments 34mm long, ovate, rounded, spreading, plane, smooth and of heavy substance, overlapping half; corona 25mm long, funnel-shaped, smooth, mouth straight, ribbed and frilled, with rim dentate. Late

'Deer Skin' 2 Y-Y

(John R.Reed) John R.Reed, 2017
'Louise Randall' × 'Lady Diana' unregistered; sdlg no. 2003-3-Fawn

'Delicate Design' 10 Y-Y

(Walter J.M.Blom, 2006) Walter J.M.Blom, 2017
N. bulbocodium sdlg no. 629-2 × 'Silver Palace'; sdlg no. 111-16
Fl. star-shaped, 25mm wide, facing upwards, light greenish yellow 8B; perianth segments 25mm long, lanceolate to oblong in outline, acute at apex, spreading, plane with margins incurved, with midrib showing, of heavy substance, separated; corona 15mm long, cup- to bowl shaped, smooth, mouth expanded and frilled, with rim crenate. Very early to early

'Delltone' 7 Y-O

(Wilfred Hall, 2007) Wilfred Hall, 2017
 'Limequilla' × 'Elfin Dell'; sdlg no. LQ21
 Fls 2–3 per stem, 60mm wide; perianth segments 25mm long, ovate, blunt, mucronate, pale greenish yellow 10D, spreading, plane, with margins slightly incurved, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 20mm long, cup-shaped, angled, orange (29C), mouth flared and even, with rim slightly crenate. Mid-season

'Double Impact' 4 W-Y

(J.A.Hunter, 2001) J.A.Hunter, 2017
 'Tropic Isle' × sdlg 32/80 ('Precedent' × 'Rose Royale'); sdlg no. 27/96A
 Fl. 110mm wide; perianth and other petaloid segments in two or more whorls, 45mm long, white; corona segments interspersed among the inner perianth segments, orange-yellow. Mid-season

'Dr Pol' 2 W-O

(John R.Reed) John R.Reed, 2017
 'Orange Tint' × 'Lutana'; sdlg no. 98-32-10

'Easter Chick' 4 Y-WWY

(Nial Watson, 2007) Ringhaddy Daffodils, 2017
 'Crackington' × 'Daydream'; sdlg no. W701
 Fl. 102mm wide; perianth and other petaloid segments in three whorls, broadly ovate, blunt or truncate, brilliant greenish yellow 3A, with white from the slight mucro to a quarter the length of the midrib; the outer whorl 45mm long, spreading, plane or with margins a little incurved; the inner whorls successively a little shorter and more inflexed towards centre; corona segments 39mm long, interspersed among the inner perianth whorls, successively more inflexed towards centre, white, with brilliant greenish yellow 3A at rim, frilled. Early to mid-season. Sweetly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0126906)

'Easy Livin' 2 Y-R

(Gordon Coombes, 2011) Gordon Coombes, 2017
 'Rheban Red' × 'Omeomy'; sdlg no. G15-11
 Fl. 114mm wide; perianth segments 48mm long, broadly ovate, blunt, mucronate, spreading, plane, with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 28mm long, cup-shaped, ribbed, mouth straight and frilled, with rim crenate. Mid-season. Strongly scented

'Esperito' 8 W-Y

(Wilfred Hall, 2006) Wilfred Hall, 2017
 'Grand Monarque' × 'Merridee'; sdlg no. GMX197
 Fls 3–5 per stem, 55mm wide; perianth segments 23mm long, broadly ovate, blunt, white, spreading, plane, with margins incurved, smooth or sometimes with midrib showing, of heavy substance, overlapping half; the inner segments narrower; corona 9mm long, cup-shaped, smooth, light greenish yellow 4C, mouth straight and even, with rim entire. Mid-season

'Extravagante' 6 Y-Y

(Brian S.Duncan, 2010) Brian S.Duncan, 2017
N. asturiensis (0031) × *N. cyclamineus*; sdlg no. 3683
 Fl. star-shaped, 43mm wide, deep yellow; perianth segments 17mm long, oblong in outline, acute at apex, mucronate, reflexed, plane, with midrib showing, of heavy substance, separated; the inner segments a little narrower, scarcely mucronate; corona 20mm long, cylindrical, angled, mouth ribbed and a little constricted, with rim irregularly notched and widely flanged. Dwarf. Very early. Nomenclatural Standard: colour print supplied by registrant (WSY0126760)

'Fat Rascal' 12 Y-Y

(Mrs Anne Wright, 2007) Mrs Anne Wright, 2017
N. bulbocodium subsp. *obesus* × *N. triandrus*; sdlg no. 2374
 Fls 1–2 per stem, 55mm wide, light greenish yellow 4B; perianth segments 21mm long, lanceolate in outline, acute at apex, spreading, plane, with margins wavy, smooth and of heavy substance, separated; corona 24mm long, cup-shaped, broadly ribbed, mouth expanded and more or less even, with rim entire. Dwarf. Early. Nomenclatural Standard: colour print supplied by registrant (WSY0126897)

'Firestarter' 3 O-O

(John R.Reed) John R.Reed, 2017
 Sdlg 93-81-2 ('Sabine Hay' × 'Red Haze') × 'Copper Harbor'; sdlg no. 2002-47-2
 Mid-season

'First Flight' 6 W-WYO

(John R.Reed) John R.Reed, 2017
 'First Born' hybrid; sdlg no. 2001-A

'Fling' 6 W-W

(Brian S.Duncan, 2010) Brian S.Duncan, 2017
N. cyclamineus × 'My Word'; sdlg no. 3387
 Fl. star-shaped, 36mm wide; perianth segments 16mm long, lanceolate in outline, acute at apex, mucronate, white, somewhat reflexed, plane or with margins a little incurved, creased and of heavy substance, overlapping at base only; the inner segments narrower, scarcely mucronate; corona 17mm long, cylindrical, angled, opening pale yellow, becoming white, mouth slightly flared, with rim wavy and somewhat notched. Dwarf. Very early. Nomenclatural Standard: colour print supplied by registrant (WSY0126761)

'Foretell' 5 W-W

(Brian S.Duncan) Brian S.Duncan, 2017
 'Hillstar' × *N. triandrus* subsp. *triandrus*; sdlg no. 4079
 Fls 3–4 per stem, 70mm wide, facing downwards, pure white; perianth segments 29mm long, lanceolate in outline, blunt at apex, mucronate, spreading, concave, with midrib showing, of membranaceous substance, overlapping one-third; the inner segments narrower, somewhat twisted; corona 17mm long, cup-shaped, smooth, mouth straight, broadly ribbed and a little wavy, with rim entire or shallowly notched. Mid-season to late.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126955)

'Gentleman at Arms' 2 Y-R

Taylor's Bulbs, 2016
 Fl. forming a double triangle; perianth segments ovate, blunt, scarcely mucronate, spreading, plane or a little incurved, with midrib showing, of heavy substance, overlapping half; the inner segments narrower; corona smooth, wavy and broadly ribbed.
 Nomenclatural Standard: colour print supplied by registrant (WSY0136187)

'Ghost Rider' 1 W-W

(J.A.Hunter, 2010) J.A.Hunter, 2017
 'Arvid' self-pollinated; sdlg no. 23/05A
 Fl. 110mm wide; perianth segments 44mm long, broadly ovate, spreading, plane, smooth and of heavy substance; corona 46mm long, funnel-shaped, mouth flared, with rim notched

'Gilly D' 5 W-W

(J. de Winter, 2010) Ivor Fox, 2017
N. triandrus hybrid; sdlg no. JdW-Tri
 Fl. 35mm wide, facing downwards, greenish white 157C; perianth segments lanceolate in outline, blunt at apex, slightly mucronate, reflexed, concave, with margins incurved, smooth and of membranaceous substance, overlapping a quarter; the inner segments narrower; corona funnel-shaped, angled, mouth a little expanded, ribbed, wavy and very shallowly lobed, with rim entire. Dwarf. Mid-season.
 Nomenclatural Standard: colour print supplied by RHS (WSY0126785)

'Glowing Orange' 4 Y-O

(Arno Kroon) Narveco, 2017
 Parentage unknown; sdlg no. 03-22
 Fl. 96mm wide; perianth and other petaloid segments in several whorls, pale orange-yellow; the outer whorls roundish, very broad, blunt, slight pale mucro, spreading, plane, with margins narrowly incurling, smooth and of heavy substance, overlapping half or more; the inner whorls successively shorter and more inflexed towards centre, concave or irregularly folded inwards from midrib; corona segments two-thirds the length of the outer petaloid segments and interspersed among the inner petaloid whorls, successively shorter and more strongly inflexed towards centre, sometimes densely clustered at centre, lightly frilled or a little

crumpled, strong orange. Mid-season.
 Nomenclatural Standard: colour print supplied by hybridizer (WSY0126837)

'Glow Torch' 1 Y-O

(Brian S.Duncan, 2005) Brian S.Duncan, 2017
 Sdlg 2085 ('Hero' × sdlg 1682) × 'Tyrree'; sdlg no. 3258
 Fl. 105mm wide; perianth segments 40mm long, very broadly ovate, blunt, deep yellow with slight, white mucro, spreading, plane, with margins incurved, creased and of membranaceous substance, overlapping half; the inner segments narrower, shouldered at base, scarcely mucronate; corona 42mm long, funnel-shaped, angled, reddish orange, mouth lightly ribbed, even, with rim flanged and notched. Early to mid-season.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126763)

'Gold Country' 2 Y-Y

(Walter J.M.Blom, 2010) Walter J.M.Blom, 2017
 Parentage unknown; sdlg no. 449-1
 Fl. forming a double triangle, 100mm wide, facing upwards; perianth segments 44mm long, ovate, mucronate, brilliant greenish yellow 6A, spreading, plane, smooth and of heavy substance; the inner segments shouldered at base; corona 42mm long, cylindrical, ribbed, vivid yellow 14A, mouth straight and lobed, with rim crenate. Early to mid-season.
 Sweetly scented

'Goldline' 6 Y-Y

(Brian S.Duncan) Brian S.Duncan, 2017
N. cyclamineus × ?'My Word'; sdlg no. 3527
 Fl. star-shaped, 40mm wide, deep yellow; perianth segments 18mm long, lanceolate in outline, acute at apex, somewhat reflexed, plane or with margins a little incurved, smooth and of heavy substance, overlapping a quarter; corona 19mm long, cylindrical, angled, mouth ribbed and flared, with rim notched. Dwarf. Very early.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126762)

'Gorge Hill' 4 W-YYP

(David Adams) David Adams, 2017
 'Summer Hill' open pollinated; sdlg no. 97/114A
 Fl. rounded, 85mm wide; perianth and other petaloid segments in two or more whorls, white; the outer segments 36mm long, roundish, blunt, mucronate, spreading, plane, with margins incurling, smooth and of heavy substance, overlapping half or more; the inner segments narrower; corona segments yellow with light pink at rim, even and entire. Mid-season

'Great Try' 5 Y-O

(Brian S.Duncan, 2011) Brian S.Duncan, 2017
 'Maria' × *N. triandrus* subsp. *triandrus* var. *concolor*; sdlg no. 3814
 Fl. 50mm wide, facing downwards; perianth segments 22mm long, lanceolate in outline, blunt at apex, deep yellow with slight, white mucro, reflexed, plane or with margins a little incurved, with midrib

showing, of heavy substance, overlapping one-third to a half; corona funnel-shaped, angled, orange, mouth straight, broadly ribbed and a little wavy, with rim entire. Dwarf. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126957)

'Green Day' 7 G-GGY

(Arno Kroon) Narveco, 2017

Parentage unknown

Fls 2 per stem, star-shaped, 85mm wide; perianth segments 36mm long, oblong in outline, blunt or truncate at apex, scarcely mucronate, pale green, spreading, plane, with margins incurling, with midrib showing, of heavy substance, overlapping one-third to a half; the inner segments narrower; corona 5mm long, cup-shaped, ribbed, deep green with yellow at rim, mouth straight, wavy and sometimes lobed, with lobes overlapping, rim crenate. Late.

Nomenclatural Standard: colour print supplied by hybridizer (WSY0126838)

'Gunnedoo' 5 W-Y

(Brian S.Duncan) Brian S.Duncan, 2017

N. triandrus subsp. *triandrus* × *N. poeticus*; sdlg no. 4110

Fl. 60mm wide, facing downwards; perianth segments 26mm long, lanceolate in outline, blunt at apex, white, spreading, twisted, smooth and of membranaceous substance, overlapping a quarter; corona bowl-shaped, smooth, lemon yellow, mouth straight, broadly ribbed and a little wavy, with rim even and somewhat in-rolled. Dwarf. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0126961)

'Hampton Delight' 1 W-Y

(John R.Reed) John R.Reed, 2017

'Three Oaks' × 'Irish Affair'; sdlg no. 97-129-1

'Happy Hana Banana' 2 Y-Y

(W.R.P.Welch) W.R.P.Welch, 2017

'Inca Gold' hybrid

Fl. forming a double triangle, 110mm wide, facing upwards, deep golden yellow; perianth segments 46mm long, mucronate, spreading, plane, smooth and of heavy substance; corona 40mm long, cylindrical, smooth, mouth expanded, ribbed and frilled, with rim flanged. Tall. Mid-season. Sweetly scented

'Heart to Heart' 7 Y-Y

(B.C.Heath) Kwekerij de Schüllhorn, 2017

Parentage unknown; sdlg no. BB2012

Fls 3 per stem, star-shaped, 42mm wide; perianth segments 18mm long, lanceolate in outline, acute at apex, vivid yellow 9A, reflexed, plane or with margins a little incurved, with midrib showing, of heavy substance, separated; corona 14mm long, cylindrical, angled, orange-yellow (14B), mouth slightly expanded and a little wavy, with rim shallowly lobed and narrowly flanged. Strongly scented. Mid-season. Dwarf.

Nomenclatural Standard: colour print supplied by KAVB (WSY0126752)

'Helene' 10 W-W

(Mrs Anne Wright, 2011) Mrs Anne Wright, 2017
N. romieuxii subsp. *albidus* SF110 open pollinated; sdlg no. 2769-2

Fl. 37mm wide, greenish white 155C; perianth segments 16mm long, lanceolate in outline, acute at apex, spreading, plane, creased and of heavy substance, separated; corona 18mm long, funnel-shaped, ribbed, mouth straight and wavy, with rim narrowly flanged and minutely crenate. Dwarf. Very early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126875)

'Hello!' 1 W-Y

(John R.Reed) John R.Reed, 2017

Sdlg 97-129-1 ('Charlbury' × 'Three Oaks') × Sdlg 97-31-1 ('Dayton Lake' × 'Three Oaks'); sdlg no. 2003-56-1

'Howe's Pink' 2 W-P

(Royceston John Howe, 2015) Royceston John Howe, 2016

'Naomi' × 'Twerp'

Fl. 90mm wide; perianth segments 41mm long, roundish, very broad, truncate, mucronate, yellowish white 155D, spreading, plane, with margins incurved, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, less prominently mucronate; corona 35mm long, funnel-shaped, ribbed, light yellowish pink 29C becoming pale yellowish pink 29D at base, with strong yellowish pink 37B at rim, mouth lightly frilled, with rim dentate and narrowly flanged. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126740)

'Icescape' 2 W-W

(J.A.Hunter, 1998) J.A.Hunter, 2017

Sdlg ('Penguin' × ['Glendermott' × 'Kotuku']) × 'Canisp'; sdlg no. 3/93D

Fl. 122mm wide; perianth segments 50mm long, broadly ovate, spreading, plane, smooth and of heavy substance; the inner segments a little narrower; corona 43mm long, funnel-shaped, mouth wavy, with rim narrowly flanged. Early

'I Love You' 2 W-W

(C.van der Veek) C.van der Veek, 2017

Parentage unknown; sdlg no. F41

Fl. 98mm wide; perianth segments 40mm long, roundish, very broad, blunt, mucronate, spreading, concave, smooth and of membranaceous substance, overlapping half; the inner segments ovate, shouldered at base, scarcely mucronate, more nearly plane, with margins incurling; corona 38mm long, funnel-shaped, angled, mouth expanded, ribbed and wavy, with rim crenate and narrowly flanged. Early. Nomenclatural Standard: colour print supplied by registrant (WSY0126791)

'Ingleby' 3 W-YYO

(Clive Postles) Roger Braithwaite, 2017

Parentage unknown; sdlg no. 425

Fl. 115mm wide; perianth segments oblong in outline, truncate at apex, mucronate, spreading, plane or with margins a little incurved, with midrib showing, of membranaceous substance, overlapping one-third; the inner segments narrower, scarcely mucronate; corona bowl-shaped, angled, mouth expanded, ribbed, lightly frilled and shallowly lobed. Late.

Nomenclatural Standard: colour print supplied by registrant (WSY0126932)

'Iola' 4 W-Y

(R.A.Scamp, 1998) R.A.Scamp, 2017

'Pitchroy' × 'Gay Kybo'; sdlg no. 873

Fl. 100mm wide; perianth and other petaloid segments in three or more whorls; the outer whorls 38mm long, very broadly ovate, prominently mucronate, plane or with margins incurved, smooth and of membranaceous substance, overlapping half or more; the inner whorls successively shorter and more inflexed towards centre, concave or folded inwards along midrib; corona segments half the length of the outer petaloid segments, interspersed among the inner petaloid segments and tightly clustered at centre, frilled.

Nomenclatural Standard: colour print supplied by registrant (WSY0126912)

'Ironstone' 11a W-YYP

(Colin Crotty, 1998) Colin Crotty, 2017

Parentage unknown; sdlg no. CC34-98

Fl. 105mm wide; perianth segments 35mm long, ovate, blunt, mucronate, white, plane, with margins incurved, creased and of membranaceous substance; the inner segments narrower; corona 25mm long, split into six segments, each almost as long as and closely overlying a perianth segment, lobed and heavily frilled, creamy yellow, with a band of pale pink at rim. Mid-season. Strongly scented

'Jaffauna' 4 Y-O

(Th.van der Hulst) H.Wijnhout & Son, 2016

Parentage unknown

Fl. 100mm wide, facing upwards; perianth and other petaloid segments in 3-4 whorls; the two outer whorls 35mm long, roundish, very broad, truncate, bright greenish yellow 5B with pale mucro, spreading, concave, with margins incurving, with midrib showing, creased and of heavy substance, overlapping half or more; the inner whorls shorter and narrower than the outer segments, successively more inflexed towards the centre, concave or folded inwards along midrib; corona segments one-third the length of the outer perianth segments and interspersed among the inner petaloid segments, yellowish orange (23B), folded and frilled. Strongly scented. Mid-season.

Nomenclatural Standard: colour print supplied by KAVB (WSY0126738)

'Jaxon' 2 Y-O

(Colin Crotty, 2008) Colin Crotty, 2017

'Rheban Red' × 'Ormeomy'; sdlg no. CC1-08

Fl. 112mm wide; perianth segments 46mm long, very broadly ovate, blunt, mucronate, golden yellow, spreading, plane, with margins incurved, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 19mm long, bowl-shaped, ribbed, bright reddish orange, mouth flared and frilled, with rim notched. Early. Strongly scented

'Jeu d'Amour' 2 W-YPP

(C.van der Veek) C.van der Veek, 2017

Parentage unknown; sdlg no. F498

Fl. 110mm wide; perianth segments 45mm long, roundish, blunt to truncate, prominently mucronate, somewhat reflexed, plane, with margins incurved, with midrib showing, creased and of heavy substance, overlapping half; the inner segments narrower, more nearly spreading, shouldered at base, blunt, scarcely mucronate; corona 33mm long, funnel-shaped, angled, mouth straight, broadly ribbed, frilled and lobed, with rim entire. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126793)

'Johnny Quest' 3 Y-R

(John R.Reed) John R.Reed, 2017

'Redlands Too' × 'Cassopolis'; sdlg no. 98-14-1

'Josina Elisabeth' 6 W-Y

(R.van der Salm) VOF van Kampen, 2017

Parentage unknown

Fl. 85mm wide, facing downwards; perianth segments 38mm long, ovate, truncate, mucronate, greenish white 155A, reflexed, convex, with margins incurved, with midrib showing, of heavy substance, overlapping one-third; the inner segments narrower; corona 30mm long, cup-shaped, ribbed, pale greenish yellow 10D, with brilliant greenish yellow 5B/C at base, mouth flared, wavy and shallowly lobed, with rim entire. Dwarf. Early.

Nomenclatural Standard: colour print supplied by KAVB (WSY0126949)

'Joyce Fish' 1 W-Y

(R.Beckwith, 2014) R.Beckwith, 2017

'Apple Honey' × Sdlg 1-16-10 (2W-O);

sdlg no. 1-10-2009

Fl. rounded, 90mm wide; perianth segments 30mm long, roundish, very broad, scarcely mucronate, white, spreading, plane, with margins incurving, with midrib showing, of membranaceous substance, overlapping half; the inner segments narrower; corona 35mm long, funnel-shaped, angled, brilliant greenish yellow 3A, mouth straight, frilled and broadly ribbed, with rim crenate. Early. Sweetly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0126823)

Etymology: Named for the mother of broadcaster and RHS judge Martin Fish

'Julie Ann' 3 Y-GYY

(R.Beckwith, 2006) R.Beckwith, 2017

'Moon Shadow' × 'Nonchalant'; sdlg no. 2-12-01
Fl. forming a double triangle, 91mm wide; perianth segments 35mm long, broadly ovate, blunt, light greenish yellow 8B with slight, white mucro, spreading, plane, with margins incurved, with midrib showing, of membranaceous substance, overlapping half; the inner segments narrower, more nearly ovate, with margins incurving; corona 8mm long, bowl-shaped, ribbed, vivid yellow 9A with strong yellowish green 143A at base, mouth straight, wavy and lobed, with lobes overlapping, rim flanged and crenate. Late. Sweetly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0126905)

'Kapiti Peach' 8 W-O

(J.F.McLennan) M.H.van der Zon & Sons, 2017

'Dear Me' × sdlg ('Soleil d'Or' hybrid);
sdlg no. JFM93-20

Fls 4 per stem, facing upwards; perianth segments roundish, blunt, prominently mucronate, greenish white 155A, spreading, plane, with margins incurved, with midrib showing, of heavy substance, overlapping half; the inner segments a little narrower, shouldered at base, less prominently mucronate; corona cup-shaped, ribbed, light yellow-orange (20C), mouth a little expanded and wavy, with rim entire and narrowly flanged. Mid-season. Strongly scented.

Nomenclatural Standard: colour print supplied by KAVB (WSY0126778)

'Katharine Hepburn' 2 W-P

(Mrs G.Link) Joe Hamm, 2017

'Glenside' × 'Tangent'; sdlg no. 1679A

Fl. 78mm wide; perianth segments 32mm long, broadly ovate, blunt, slightly mucronate, white, spreading, concave, creased and of membranaceous substance, overlapping half; the inner segments narrower, a little inflexed, shouldered at base; corona 20mm long, funnel-shaped, angled, pink, stronger in tone towards rim, mouth expanded, ribbed and wavy to lightly frilled, with rim flanged and crenate. Mid-season to late.

Nomenclatural Standard: colour print supplied by registrant (WSY0126939)

'Keith Owen' 2 W-YP

(R.A.Scamp, 1994) Sidmouth Daffodil Society, 2017

'Regal Bliss' × 'Dailmanach'; sdlg no. 662A-566
Fl. 101mm wide; perianth segments 42mm long, broadly ovate, blunt, white, spreading, plane, with margins incurving, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 31mm long, funnel-shaped, angled, orangey-pink with yellow at base, mouth straight and wavy, with rim crenate. Mid-season.
Nomenclatural Standard: colour print supplied by hybridizer (WSY0126985)

Etymology: Named in honour of the late Keith Owen, who donated one million daffodils to the town of Sidmouth, Devon

'Kentish Beauty' 11a W-GYY

(June Pesterfield, ?2005) R.A.Scamp, 2017

'Palette' hybrid; sdlg no. 98-50-4

Fl. 110mm wide; perianth segments broadly ovate, prominently mucronate, spreading, plane or with margins slightly incurved, smooth and of membranaceous substance, overlapping half; the inner segments narrower, less prominently mucronate; corona split almost to base into six segments, forming an outer and an inner whorl of three, each closely overlying and two-thirds the length of the perianth segments, smooth, bi-lobed, with lobes overlapping, lightly frilled, with rim minutely crenate. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126916)

'Kingsday' 1 Y-O

(Brian S.Duncan, 2002) Narveco, 2017

'Dutch Delight' × Reed sdlg 17-75-5; sdlg no. 2917

Fl. 98mm wide; perianth segments 38mm long, yellow; corona 39mm long, deep orange. Late

'Kings Heath' 3 W-W

(Clive Postles, 1990) Roger Braithwaite, 2017

Parentage unknown; sdlg no. 3-55-90

Fl. 110mm wide; perianth segments very broadly ovate, blunt or truncate, slightly mucronate, spreading, plane or with margins incurved, with midrib showing, of membranaceous substance, overlapping half; the inner segments narrower, scarcely mucronate; corona bowl-shaped, angled, mouth expanded, lobed and lightly frilled, with rim minutely crenate. Late.

Nomenclatural Standard: colour print supplied by registrant (WSY0126933)

'La Delicatsesse' 2 W-W

(C.van der Veek) C.van der Veek, 2017

Parentage unknown; sdlg no. F88

Fl. 105mm wide; perianth segments 43mm long, broadly ovate, blunt, mucronate, spreading to a little reflexed, plane, with margins incurved, smooth and of membranaceous substance, overlapping half; the inner segments narrower, more nearly spreading, shouldered at base, scarcely mucronate; corona 41mm long, funnel-shaped, angled, mouth even and narrowly ribbed, with rim crenate and broadly flanged. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126795)

'Ladelle' 7 Y-Y

(C.Higgins, 2007) C.Higgins, 2017
N. willkommii × *N. jonquilla* var. *jonquilla*;
 sdlg no. 11-11

Fls 2–3 per stem, 30mm wide; perianth segments 10mm long, ovate, blunt, yellow, paler towards apex, slight white mucro, spreading, plane, with margins a little wavy, smooth and of heavy substance, overlapping one-third to a half; the inner segments narrower, scarcely mucronate; corona 3mm long, bowl-shaped, angled, yellow, mouth expanded and even, with rim entire. Dwarf. Late.

Nomenclatural Standard: colour print supplied by registrant (WSY0126784)

'Lady Grove' 2 W-P

(Clive Postles, 1988) Roger Braithwaite, 2017
 Parentage unknown; sdlg no. 2-3-88

Fl. 110mm wide; perianth segments roundish, very broad, blunt, slightly mucronate, spreading, concave, creased and of membranaceous substance, overlapping half or more; the inner segments more nearly ovate, narrower, shouldered at base; corona funnel-shaped, angled, mouth straight and even, with rim flanged and notched. Late.

Nomenclatural Standard: colour print supplied by registrant (WSY0126934)

'Late Flight' 9 W-OOR

(Colin Crotty, 2010) Colin Crotty, 2017

'Hoot Owl' × *N. poeticus* sdlg; sdlg no. CC29-10
 Fl. 60mm wide; perianth segments 24mm long, very broadly ovate, blunt, mucronate, spreading, plane, with margins incurved, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 3mm long, disc-shaped, ribbed, mouth expanded and frilled, with rim crenate. Late. Sweetly scented

'Lavender Bell' 1 Y-P

(John R.Reed) John R.Reed, 2017
 'Qantasia' × 'Fidelity'; sdlg no. 92-169.9

'Leisa' 11a W-YPP

(Colin Crotty, 1981) Colin Crotty, 2017
 'Pearlshell' × 'Accent'; sdlg no. CC135-81
 Fl. 115mm wide; perianth segments 42mm long, ovate, blunt, mucronate, white, spreading, plane, with margins incurved, creased and of heavy substance, overlapping half; the inner segments narrower; corona 30mm long, split into six segments, each three-quarters the length of and closely overlying a perianth segment, lobed and heavily frilled, opening pale creamy pink, becoming pale whitish pink, with yellow at base. Mid-season. Strongly scented

'Lemon Blush' 3 W/Y-WWY

(A.Harper, 2008) R.A.Scamp, 2017
 Parentage unknown; sdlg no. AH3
 Fl. 100mm wide; perianth segments 42mm long, roundish, very broad, blunt, mucronate, opening

white becoming heavily flushed with yellow, spreading, plane, with margins narrowly incurving at apex, with midrib showing, of membranaceous substance, overlapping half or more; the inner segments narrower, more nearly ovate, scarcely mucronate; corona 12mm long, bowl-shaped, smooth, white with a band of lemon yellow at rim, mouth straight and wavy, with rim entire. Mid-season to late. Nomenclatural Standard: colour print supplied by registrant (WSY0126920)

'Lemon Choice' 3 Y-Y

(Brian S.Duncan, 2008) Brian S.Duncan, 2017
 'Moon Shadow' × 'Lemma'; sdlg no. 3503

Fl. 105mm wide; perianth segments 40mm long, roundish, very broad, blunt, slightly mucronate, greenish lemon yellow, spreading, plane or with margins a little incurved, creased and of membranaceous substance, overlapping half or more; the inner segments narrower, truncate, scarcely mucronate; corona 10mm long, bowl-shaped, angled, deep lemon yellow, mouth expanded and wavy, with rim crenate. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126764)

'Leola' 5 Y-Y

(C.Higgins, 2007) C.Higgins, 2017

N. triandrus subsp. *triandrus* var. *triandrus* × *N. fernandesii* var. *cordubensis*; sdlg no. 14-08
 Fls 2–4 per stem, 38mm wide, facing downwards; perianth segments 10mm long, narrowly ovate, blunt, reflexed, concave, with margins incurved, smooth and of heavy substance, overlapping at base only; corona 23mm long, cup-shaped, ribbed, mouth straight and wavy with rim entire. Dwarf. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0126782)

'Little Droplet' 12 Y-Y

(Brian S.Duncan) Brian S.Duncan, 2017
N. bulbocodium var. *nivalis* × *N. triandrus* subsp. *triandrus* var. *concolor*; sdlg no. 4238a

Fl. 38mm wide, facing downwards; perianth segments 16mm long, lanceolate in outline, blunt at apex, mid-yellow with slight white mucro, spreading, twisted, smooth and of heavy substance, overlapping at base only; corona 15mm long, cup-shaped, smooth, mid-yellow, mouth even and broadly ribbed, with rim entire and slightly constricted. Dwarf. Early. Nomenclatural Standard: colour print supplied by registrant (WSY0126962)

'Little Dryad' 6 W-W

(Mrs Anne Wright, 2009) Mrs Anne Wright, 2017
 'Candlepower' × Keira hybrid KB/M/1/98;
 sdlg no. 2953-2
 Fl. 35mm wide, greenish white 157D; perianth segments 14mm long, oblong in outline, rounded at apex, prominently mucronate, reflexed, plane or with margins slightly incurved, smooth and of heavy

substance, overlapping at base only; the inner segments narrower, scarcely mucronate; corona 17mm long, cylindrical, smooth, mouth flared and even, with rim deeply notched. Dwarf. Early.
Nomenclatural Standard: colour print supplied by registrant (WSY0126892)
Etymology: Named for registrant's plant nursery

'Little Finn' 6 W-W

(Mrs Anne Wright, 2010) Mrs Anne Wright, 2017
'Candlepower' × *N. cyclamineus*; sdlg no. 2759 Clone 1
Fl. 37mm wide; perianth segments 15mm long, oblong in outline, rounded at apex, slightly mucronate, greenish white 157D, a little reflexed, plane or with margins somewhat recurved, smooth and of heavy substance, overlapping at base only; the inner segments narrower; corona 17mm long, cylindrical, smooth, opening yellow, maturing to white, mouth a little expanded and lightly frilled, with rim notched. Dwarf. Early.
Nomenclatural Standard: colour print supplied by registrant (WSY0126893)

'Little Spring King' 2 W-Y

(C.van der Veek) C.van der Veek, 2017
Parentage unknown; sdlg no. F56
Fl. forming a double triangle, 78mm wide; perianth segments 30mm long, ovate, blunt, white, slightly mucronate, spreading, plane, with margins incurling towards apex, smooth and of heavy substance, overlapping a quarter; the inner segments narrower, scarcely mucronate; corona 27mm long, cylindrical, angled, yellow, a little paler towards base, mouth flared, wavy to lightly frilled, with rim notched and irregularly lobed. Dwarf. Early.
Nomenclatural Standard: colour print supplied by registrant (WSY0126797)

'Little Toff' 1 YYW-WYY

(Colin Crotty, 2012) Colin Crotty, 2017
'Trumpet Warrior' × 'Lemon Snow'; sdlg no. CC7-12
Fl. 78mm wide; perianth segments 32mm long, very broadly ovate, mucronate, lemon yellow, with white at base, spreading, plane, with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 34mm long, cylindrical, smooth, yellow with a broad band of white at base, mouth flared and frilled. Mid-season. Strongly scented

'Lovely Lass' 6 Y-Y

(Brian S.Duncan, 2007) Brian S.Duncan, 2017
N. asturiensis (0031) × *N. cyclamineus*; sdlg no. 3680
Fl. star-shaped, 38mm wide; perianth segments 19mm long, lanceolate in outline, acute at apex, deep yellow with prominent white mucro, reflexed, plane or with margins a little incurved, smooth and of heavy substance, overlapping at base only; the inner segments a little narrower, less prominently mucronate; corona 20mm long, cylindrical, angled, deep yellow, mouth ribbed and flared, with rim

notched. Dwarf. Very early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126765)

'Loving Her' 2 Y-YOO

(C.van der Veek) C.van der Veek, 2017
Parentage unknown; sdlg no. F18
Fl. forming a double triangle, 107mm wide; perianth segments 50mm long, ovate, blunt, yellow with prominent pale mucro, spreading, plane, with midrib showing, creased and of heavy substance, overlapping one-third; the inner segments narrower, acute at apex, less prominently mucronate; corona 45mm long, funnel-shaped, smooth, orange, with yellow at base, mouth wavy and broadly ribbed, with rim notched and narrowly flanged. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126799)

'Lowena' 4 Y-P

(M.Hamilton, 2000) R.A.Scamp, 2017
Parentage unknown; sdlg no. 19-96
Fl. 99mm wide; perianth and other petaloid segments yellow with prominent white mucro, in three or more whorls; the outer whorl 35mm long, broadly ovate, blunt, spreading, plane or slightly concave, with margins incurling, smooth and of heavy substance, overlapping half or more; the inner whorls successively more inflexed towards centre, inner most segments concave or crumpled; corona segments 33mm long, interspersed among perianth segments, pink, crumpled or folded, with margins wavy and crenate. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126858)
Etymology: Cornish, meaning 'joy'

'Luvyu' 2 W-GWP

(Colin Crotty, 2012) Colin Crotty, 2017
Sdlg ('Presidential Pink' × 'Debs Jewel') × sdlg ('Debs Jewel' × 'Presidential Pink'); sdlg no. CC27-12
Fl. 98mm wide; perianth segments 39mm long, roundish, blunt, mucronate, white, spreading, plane, with margins incurved, with midrib showing, of membranaceous substance, overlapping half or more; the inner segments shouldered at base; corona 21mm long, bowl-shaped, ribbed, pure white, with a band of deep pink at rim and green at base, mouth flared and frilled, with rim notched. Mid-season. Strongly scented.
Nomenclatural Standard: colour print supplied by registrant (WSY0126779)

'Mairi bho Dhail' 2 Y-O

(D.C.MacArthur, 2005) D.C.MacArthur, 2017
 'Achduart' open pollinated; sdlg no. ED61605
 Fl. forming a double triangle, 93mm wide, facing upwards; perianth segments 40mm long, broadly ovate, blunt, mucronate, brilliant yellow 13C, spreading, concave, with margins narrowly incurling, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, scarcely mucronate; corona 21mm long, cup-shaped, ribbed, brilliant yellowish orange (23B) with vivid yellowish orange (23A) at rim, mouth expanded, frilled and lobed, with rim minutely crenate. Early. Sweetly scented.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126856)
 Etymology: Gaelic, meaning 'Mairi from Dell'

'Mandarin Orange' 2 W-O

(John R.Reed) John R.Reed, 2017
 'Quench' × 'George Gershwin'; sdlg no. 95-109-1

'Maria' 6 Y-O Unregistered

(R.van der Salm)
 Resembles 'Jetfire' but slightly larger and of a brighter colour

'Mariah' 8 Y-Y

(W.R.P.Welch) W.R.P.Welch, 2017
 Parentage unknown
 Fls 12–18 per stem, 42mm wide; perianth segments 17mm long, broadly ovate, blunt, light yellow with prominent white mucro, spreading, concave, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, scarcely mucronate; corona 7mm long, cup-shaped, smooth, deep yellow, mouth a little constricted at rim, even, with rim entire. Very early. Sweetly scented.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126776)

'Mariolein' 2 W-O

(Arno Kroon, 2008) Narveco, 2017
 Parentage unknown; sdlg no. 03-26
 Fl. 128mm wide; perianth segments 50mm long, ovate, blunt, scarcely mucronate, creamy white, spreading, plane, with margins incurling towards apex, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, sometimes with ridges either side of the midrib; corona 32mm long, funnel-shaped, angled, strong orange, mouth expanded, ribbed and lightly frilled, with rim notched. Mid-season.
 Nomenclatural Standard: colour print supplied by hybridizer (WSY0126840)

'Martha Stewart' 1 W-WPP

(C.van der Veek) J.G.Weijers & Son, 2017
 Parentage unknown
 Fl. 95mm wide; perianth segments 35mm long, roundish, truncate, prominently mucronate, white, spreading, plane, with margins a little incurved, with midrib showing, creased and of heavy substance, overlapping half; the inner segments narrower;

corona 37mm long, funnel-shaped, broadly ribbed, white, with a broad band of pink at rim, mouth straight and frilled with rim entire. Mid-season.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126801)
 Etymology: Named for Martha Stewart, friend of introducer, John T Scheepers

'Mary Rutledge' 2 W-W

(Daniel Bellinger, 2010) Daniel Bellinger, 2017
 'Ghost' × 'Denali'; sdlg no. 02-12-1
 Fl. 93mm wide, greenish white 155C; perianth segments 40mm long, broadly ovate, blunt, prominently mucronate, spreading, shallowly concave, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, less prominently mucronate; corona 33mm long, cylindrical, smooth, mouth expanded, ribbed and wavy, with rim entire. Mid-season.
 Nomenclatural Standard: colour print supplied by T.Stettner (WSY0126850)
 Etymology: Named for registrant's friend and mentor

'Maybe Baby' 9 W-GYR

(Colin Crotty, 2012) Colin Crotty, 2017
 'Hoot Owl' × *N. poeticus* sdlg; sdlg no. CC20-12
 Fl. 50mm wide; perianth segments 20mm long, roundish, blunt, mucronate, reflexed, convex, with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 3mm long, disc-shaped, ribbed, mouth expanded and frilled, with rim crenate. Late. Sweetly scented

'Meehni' 5 W-Y

(Brian S.Duncan, 2010) Brian S.Duncan, 2017
N. triandrus subsp. *triandrus* × *N. poeticus*;
 sdlg no. 3729
 Fls 2 per stem, 60mm wide, facing downwards; perianth segments 27mm long, lanceolate in outline, acute at apex, pure white, reflexed, plane or a little twisted, smooth and of membranaceous substance, overlapping one-third; corona cup-shaped, ribbed, lemon yellow, mouth straight, broadly ribbed and a little wavy, with rim minutely crenate. Dwarf. Mid-season.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126965)

'Me Haul' 9 W-GYR

(F.A.L.Harrison) Burrenavon Daffodils, 2016
 'Cantabile' open pollinated; sdlg no. H3
 Fl. forming a double triangle, 65mm wide; perianth segments 30mm long, broadly ovate, truncate, slightly mucronate, spreading, plane, with margins incurved, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 4mm long, disc-shaped, narrowly ribbed, mouth expanded and lightly frilled, with rim crenate. Sweetly scented. Late.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126750)

'Mini Pearl' 5 W-W

(Walter J.M.Blom, 2006) Walter J.M.Blom, 2017
N. triandrus var. *triandrus* hybrid × 'S. Arnott';
 sdlg no. 164

Fl. star-shaped, 45mm wide, greenish white 155A,
 facing upwards; perianth segments 20mm long,
 lanceolate to oblong in outline, acute at apex,
 spreading, plane or with margins incurved, smooth
 and of heavy substance, separated; the inner segments
 narrower; corona 20mm long, funnel-shaped, ribbed,
 mouth flared and frilled, with rim rolled and dentate.
 Early. Sweetly scented

'Moonwalker' 3 Y-Y

(J.A.Hunter, 2011) J.A.Hunter, 2017
 Sdlg 41/97A × sdlg 75/01A; sdlg no. 15/06A

Fl. 115mm wide; perianth segments 50mm long,
 ovate, brilliant greenish yellow 5B, spreading, plane,
 smooth and of heavy substance; the inner segments
 narrower; corona 15mm long, bowl-shaped, vivid
 yellow 12A with vivid yellow 13A at rim, mouth
 flared and wavy. Mid-season

'More and More' 7 Y-Y

(Kwekerij de Schüllhorn) Kwekerij de Schüllhorn, 2017
N. assoanus sdlg open pollinated; sdlg no. S-N 14

Fls 2 per stem, 24mm wide, facing upwards; perianth
 segments 10mm long, roundish, very broad, truncate,
 vivid yellow 13A with slight pale mucro, spreading,
 concave, with margins a little incurved towards apex,
 with midrib showing, of membranaceous substance,
 overlapping half; the inner segments scarcely
 mucronate; corona cup-shaped, 11mm long, ribbed,
 vivid yellow 14A, mouth expanded and wavy, with
 rim entire. Sweetly scented. Dwarf. Mid-season.
 Nomenclatural Standard: colour print supplied by
 KAVB (WSY0126846)

'Mount Campbell' 1 YYW-WWY

(J.A.Hunter, 2014) J.A.Hunter, 2017
 Sdlg ('Lighthouse Reef' × 'Cosmic Dream') × sdlg
 ('Rich Reward' × 'Special Offer') × 'Trumpet
 Warrior'; sdlg no. 1/09A

Fl. 120mm wide; perianth segments 48mm long,
 broadly ovate, truncate, brilliant yellow 7A with pale,
 slight mucro and white at base, spreading, plane,
 smooth and of heavy substance, overlapping half or
 more; the inner segments narrower, shouldered at
 base, blunt at apex; corona 48mm long, cylindrical,
 angled, white with brilliant yellow 7A at rim, mouth
 straight and lightly frilled, with rim notched and
 broadly flanged. Early

'My Goodness' 2 Y-P

(John R.Reed) John R.Reed, 2017
 'Pink Sun' hybrid; sdlg no. 2000-82-5

'My Sister Genie' 2 WWY-OOY

(Mrs G.Link) Joe Hamm, 2017
 'Golden Jewel' open pollinated; sdlg no. 2791
 Fl. 86mm wide, facing upwards; perianth segments
 36mm long, broadly ovate, blunt or truncate, slightly

mucronate, a little reflexed, plane or with margins
 incurved, with midrib showing, of heavy substance,
 overlapping half; the inner segments narrower, more
 nearly spreading, scarcely mucronate, shouldered at
 base; corona 20mm long, cylindrical, angled, mouth
 narrowly ribbed, a little expanded, lobed and lightly
 frilled, with rim flanged and notched. Mid-season to late.
 Nomenclatural Standard: colour print supplied by
 registrant (WSY0126942)

'Nanapush' 12 O-O

(Daniel Bellinger, 2001) Daniel Bellinger, 2017
 'Red Hugh' open pollinated; sdlg no. 95-30-11

Fl. 56mm wide; perianth segments 25mm long, very
 broadly ovate, truncate, mucronate, orange (19D),
 spreading, plane, with margins a little incurved,
 smooth and of heavy substance, overlapping half or
 more; the inner segments narrower, more nearly
 ovate, scarcely mucronate; corona 4mm long, disc to
 bowl-shaped, ribbed, vivid orange (28B), mouth
 flared and lightly frilled, with rim dentate. Late.
 Nomenclatural Standard: colour print supplied by
 registrant (WSY0126847)

'Near Miss' 5 W-W

(Brian S.Duncan, 2011) Brian S.Duncan, 2017
 'Hillstar' × *N. triandrus* subsp. *triandrus*; sdlg no. 4107

Fls 3–4 per stem, 78mm wide, facing downwards;
 perianth segments 33mm long, ovate, blunt,
 prominently mucronate, spreading, plane, with
 margins narrowly incurving, smooth and of
 membranaceous substance, overlapping one-third;
 the inner segments a little narrower, scarcely
 mucronate; corona 16mm long, cup-shaped, angled,
 mouth straight, broadly ribbed and a little wavy, with
 rim entire. Dwarf. Mid-season.
 Nomenclatural Standard: colour print supplied by
 registrant (WSY0126966)

'Oakwood Fire' 2 O-R

(John R.Reed) John R.Reed, 2017
 'Copper Harbor' × 'Quantum Leap'; sdlg no. 2002-3-1

'OGS' 2 Y-O

(Brian S.Duncan, 2009) Terry Haley, 2016
 'Hocus Pocus' × 'Terminator'; sdlg no. 3981
 Fl. 104mm wide; perianth segments 41mm long,
 ovate, blunt, deep yellow with slight white mucro,
 spreading, plane, margins narrowly incurving, with
 midrib showing, of heavy substance, overlapping one-
 third to a half; the inner segments narrower,
 shouldered at base, truncate, scarcely mucronate;
 corona 25mm long, cup-shaped, smooth, reddish
 orange, mouth a little expanded and wavy, with rim
 crenate. Mid-season.
 Nomenclatural Standard: colour print supplied by
 registrant (WSY0126781)
 Etymology: Acronym of Omagh Gardening Society

'Onota' 7 W-W

(Daniel Bellinger, 2009) Daniel Bellinger, 2017
'Limequilla' × Weir sdlg 88/1 ('Inishmore' × 'Brierglass'); sdlg no. 02-22-2

Fls 1–2 per stem, forming a double triangle, 77mm wide, greenish white 157B, facing upwards; perianth segments 32mm long, roundish, very broad, blunt, slightly mucronate, spreading, plane or with margins a little incurved, smooth and of heavy substance, overlapping half; the inner segments ovate, narrower, scarcely mucronate; corona 23mm long, funnel-shaped, ribbed, mouth expanded and wavy, with rim crenate. Mid-season. Sweetly scented.
Nomenclatural Standard: colour print supplied by registrant (WSY0126851)

'Orange Picotee' 3 W-Y/O

(John R.Reed) John R.Reed, 2017
'Hampstead' hybrid; sdlg no. 81-197-4

'Orange Sunrise' 2 WWY-O

(A.Harper) R.A.Scamp, 2017
'Crown Gold' × 2W-O sdlg

Fl. 11.5mm wide, facing downwards; perianth segments 50mm long, ovate, blunt, white, with yellow at base, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 35mm long, cylindrical, angled, orange, mouth straight, wavy and broadly ribbed, with rim notched and narrowly flanged. Mid-season to late.

Nomenclatural Standard: colour print supplied by registrant (WSY0126921)

'Otumoti' 2 Y-R

(Wayne G.Hughes, 2007) Wayne G.Hughes, 2017
Parentage unknown; sdlg no. 02M07-1

Fl. rounded, 130mm wide; perianth segments 50mm long, very broad, vivid yellow 9A, plane, smooth and of heavy substance, overlapping half or more; corona 20mm long, cup-shaped, ribbed, orange-red (28A), mouth filled, with rim crenate. Mid-season

'Oundle' 2 W-W

(A.J.R.Pearson, 1989) R.A.Scamp, 2017
'Stoke Charity' × 'Panache'; sdlg no. 85-11J35

Fl. 105mm wide; perianth segments 46mm long, very broadly ovate, rounded, scarcely mucronate, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, blunt; corona 41mm long, funnel-shaped, smooth, mouth expanded and wavy, with rim flanged and crenate. Early to mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126860)

'Pacific Joy' 7 W-WWY

(J.A.Hunter, 2000) J.A.Hunter, 2017
'Pure Joy' × 'Emerald Sea'; sdlg no. 62/95M

Fls 3 per stem, 75mm wide; perianth segments 30mm

long, ovate, blunt, spreading, plane, smooth and of heavy substance; corona 11mm long, cup-shaped, lightly ribbed, with mouth wavy. Very early. Strongly and sweetly scented

'Paternal Blessing' 2 Y-YYP

(P.Phillips, c.1981) Donald Sauvain, 2017
P.Phillips sdlg open pollinated; sdlg no. 78-1

Fl. forming a double triangle, 92mm wide, facing downwards; perianth segments 41mm long, ovate, blunt, mucronate, pale greenish yellow 4D, spreading, plane, with margins narrowly incurving, creased and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, scarcely mucronate; corona 35mm long, cylindrical, smooth, light greenish yellow 5D, with light yellowish pink 27B at rim, mouth a little expanded, even and shallowly lobed, with rim rolled and minutely crenate. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126756)

'Petite Ruby' 2 W-R

(Colin Crotty, 2011) Colin Crotty, 2017
'Neon Blaze' × 'Sky Song'; sdlg no. CC12-11

Fl. 76mm wide; perianth segments 29mm long, very broadly ovate, blunt, mucronate, white, spreading, plane, with margins incurved, smooth and of heavy substance, overlapping half; corona 17mm long, cup-shaped, ribbed, pinkish red, mouth straight and frilled, with rim notched. Mid-season. Strongly scented

'Pink Circle' 3 W-WWP

(John R.Reed) John R.Reed, 2017
'Kerstin' × sdlg VH 20/5; sdlg no. 98-32-3

'Pink Flash' 2 P-P

(John R.Reed) John R.Reed, 2017
'Pink Panda' × 'Pink Flush'; sdlg no. 2009-29-1
Late season

'Pink Honeycomb' 2 P-P

(John R.Reed) John R.Reed, 2017
'Pink Perry' × 'Pink Flush'; sdlg no. 2000-15-7
Late season

'Pink Puppy' 2 W-P

(C.van der Veek) C.van der Veek, 2017
Parentage unknown; sdlg no. F721
Fl. 78mm wide; perianth segments 29mm long, broadly ovate, blunt, white, spreading, concave, with margins incurving at apex, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 24mm long, funnel-shaped, angled, pink, paler towards base, mouth ribbed and wavy, with rim irregularly and shallowly notched. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126803)

'Pirongia Dusk' 2 YYW-YYP

(Graeme and Faith Miller, 2007) Graeme and Faith Miller, 2017
'Tauhoa' × 'Oregon Pioneer'; sdlg no. 07-041

Fl. 104mm wide; perianth segments 40mm long, ovate, blunt, bright greenish yellow 4A, with white at base, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 36mm long, funnel-shaped, smooth, light yellow (4D), with pale purplish pink 56C at rim, mouth ribbed and frilled, with rim flanged and dentate. Mid-season

'Pirongia Fire' 3 Y-YOO

(Graeme and Faith Miller, 2007) Graeme and Faith Miller, 2017

'Trudie May' × 'Tiaman'; sdlg no. 07-111

Fl. 106mm wide; perianth segments 44mm long, ovate, truncate, light greenish yellow 8C, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 14mm long, cup-shaped, ribbed, vivid orange 28B, with vivid yellow 12A at base, mouth straight, ribbed and frilled, with rim dentate. Mid-season

'Pirongia Tulle' 2 Y-YYO

(Graeme and Faith Miller, 2007) Graeme and Faith Miller, 2017

'Tomarata' × 'Corbiere'; sdlg no. 07-084

Fl. 78mm wide; perianth segments 31mm long, ovate, blunt, brilliant greenish yellow 6A, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 27mm long, funnel-shaped, angled, brilliant greenish yellow 6A with strong orange 24A at rim, mouth flared, ribbed and frilled, with rim dentate. Mid-season

'Pirongia Vibrancy' 3 Y-R

(Graeme and Faith Miller, 2013) Graeme and Faith Miller, 2017

'Dateline' × sdlg GM 06-135; sdlg no. 13-50

Fl. 107mm wide; perianth segments 45mm long, ovate, blunt, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 15mm long, cup-shaped, ribbed, mouth straight and frilled, with rim dentate. Mid-season

'Pleasant Dream' 2 Y-YYO

(Gordon Coombes, 2013) Gordon Coombes, 2017
Crotty sdlg CC21-04 × 'Goldfinger'; sdlg no. G14-13

Fl. 102mm wide; perianth segments 44mm long, ovate, blunt, mucronate, yellow, spreading, concave, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 30mm long, funnel-shaped, smooth, yellow, with a broad band of reddish orange at rim, mouth straight and frilled, with rim shallowly notched. Mid-season. Strongly scented

'Plicato' 1 Y-Y

(Brian S.Duncan) Brian S.Duncan, 2017

N. asturiensis (0023) × 'Candlepower'; sdlg no. 3230
Fl. star-shaped, 47mm wide; perianth segments

19mm long, lanceolate in outline, acute at apex, deep yellow with slight white mucro, spreading, plane, with midrib showing, of heavy substance, overlapping at base only; the inner segments narrower; corona 20mm long, cylindrical, smooth, deep yellow, mouth flared, ribbed and wavy, with rim irregularly notched. Dwarf. Very early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126766)

'Podrageen' 3 W-YYO

(F.A.L.Harrison) Burrenavon Daffodils, 2016

'Witch Hunt' open pollinated; sdlg no. H8

Fl. forming a double triangle, 98mm wide; perianth segments 44mm long, broadly ovate, truncate, mucronate, white, spreading, plane, with margins incurving, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower; corona 11mm long, bowl-shaped, ribbed, yellow with a broad band of strong orange at rim, mouth expanded and a little wavy, with rim crenate. Sweetly scented. Late.

Nomenclatural Standard: colour print supplied by registrant (WSY0126749)

'Pokagon' 1 YYW-P

(John R.Reed) John R.Reed, 2017

Parentage unknown; sdlg no. 2001-114-1

'Pom Pom Rose' 4 W-P

(Brian S.Duncan) Narveco, 2017

'Serena Beach' × 'California Rose'; sdlg no. 97-57

Fl. 102mm wide; perianth and other petaloid segments in several whorls, white; the outer whorls ovate, blunt, slightly mucronate, spreading, plane, with margins incurving towards apex, smooth and of heavy substance, overlapping half; the inner whorls successively shorter and more strongly inflexed towards centre, irregularly folded along midrib; corona segments in several whorls, half as long as the outer petaloid segments and interspersed among the inner petaloid whorls, rose pink, wavy to lightly frilled, with rim crenate. Late.

Nomenclatural Standard: colour print supplied by the hybridizer (WSY0126842)

'Pop Andrew' 1 W-W

(Malcolm Wheeler, 2009) Malcolm Wheeler, 2017

Wheeler sdlg Q9 × 'Fiordland Star'; sdlg no. M78A

Fl. 110mm wide; perianth segments 47mm long, broadly ovate, mucronate, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments a little narrower, shouldered at base; corona 48mm long, cylindrical, lightly ribbed, mouth even and a little flared, with rim entire. Mid-season.

Etymology: Named in honour of the Works Overseer, killed in an avalanche at Homer Tunnel, Fiordland, New Zealand

'Postern' 5 Y-Y

(Brian S.Duncan, 2006) Brian S.Duncan, 2017
 'Hillstar' × *N. triandrus* subsp. *triandrus*; sdlg no. 3776
 Fls 4 per stem, 75mm wide, luminous lemon yellow;
 perianth segments 33mm long, lanceolate in outline,
 blunt at apex, reflexed, plane or with margins
 incurved, smooth and of heavy substance,
 overlapping a quarter; corona 20mm long, cup-
 shaped, smooth, mouth a little expanded, ribbed and
 slightly wavy, with rim entire. Dwarf. Mid-season.
 Nomenclatural Standard: colour print supplied by
 registrant (WSY0126951)

'Pretty Belle' 2 YYW-PYP

(Colin Crotty, 2011) Colin Crotty, 2017
 Sdlg ('Lorikeet' hybrid) × sdlg ('Steffi' hybrid);
 sdlg no. CC22-11
 Fl. 105mm wide; perianth segments 41mm long, very
 broadly ovate in outline, rounded at apex, mucronate,
 mid-yellow, with white at base, spreading, plane, with
 margins incurved, with midrib showing, of heavy
 substance, overlapping half or more; the inner
 segments narrower, shouldered at base; corona 34mm
 long, cylindrical, angled, pinkish yellow, with bright
 pink at rim and pale pink at base, mouth straight and
 frilled, with rim notched. Mid-season. Strongly scented

'Prolifica' 5 Y-Y

(Brian S.Duncan, 2006) Brian S.Duncan, 2017
 Parentage unknown; sdlg no. 3158
 Fls 3-4 per stem, 70mm wide, facing downwards,
 deep lemon yellow; perianth segments 30mm long,
 ovate, blunt, prominently mucronate, spreading,
 plane or with margins incurved, smooth and of heavy
 substance, overlapping one-third; corona 18mm long,
 cup-shaped, smooth, mouth straight, broadly ribbed
 and a little wavy, with rim entire. Dwarf. Mid-season.
 Nomenclatural Standard: colour print supplied by
 registrant (WSY0126970)

'Pukeariki' 1 Y-Y

(Wayne G.Hughes, 2010) Wayne G.Hughes, 2017
 'Corbriere' × 'Kinghorn'; sdlg no. C-K-10-1
 Fl. rounded, 105mm wide; perianth segments 40mm
 long, very broad, vivid yellow 9B, spreading, plane,
 smooth and of heavy substance, overlapping half or
 more; corona 42mm long, funnel-shaped, ribbed,
 vivid yellow 9A, mouth flared and frilled, with rim
 crenate. Mid-season

'Pure Genius' 1 Y/P-R

(John R.Reed) John R.Reed, 2017
 'Pink Sun' × Sdlg 95-168-2 ('Kabonova' × sdlg 83-
 30-3 ['Lorikeek' × 'Memento']); sdlg no. 2003-32-2

'Pure Poetry' 9 W-GYY

(Nial Watson, 2009) Ringhaddy Daffodils, 2017
 Parentage unknown; sdlg no. W810
 Fl. rounded, 64mm wide; perianth segments 28mm
 long, very broadly ovate, truncate, white,
 prominently mucronate, spreading, concave, smooth
 and of heavy substance, overlapping half or more; the

inner segments a little narrower, scarcely mucronate;
 corona 4mm long, disc-shaped, ribbed, brilliant
 greenish yellow 4A with green at base, mouth straight
 and wavy to lightly frilled, with rim dentate. Late.
 Sweetly scented.

Nomenclatural Standard: colour print supplied by
 registrant (WSY0126908)

'Purshall Green' 3 W-Y

(Clive Postles) Roger Braithwaite, 2017
 Parentage unknown; sdlg no. 666
 Fl. 115mm wide; perianth segments roundish, very
 broad, truncate, scarcely mucronate, spreading, plane,
 with midrib showing, of membranaceous substance,
 overlapping half; the inner segments more nearly
 ovate, narrower; corona bowl-shaped, smooth, mouth
 straight and frilled, with rim minutely crenate. Late.
 Nomenclatural Standard: colour print supplied by
 registrant (WSY0126935)

'Quapaw' 2 Y-O

(C.Higgins, 2008) C.Higgins, 2017
 'Goldhanger' open pollinated; sdlg no. 14-18
 Fl. 88mm wide; perianth segments 41mm long,
 broadly ovate, blunt, yellow with slight pale mucro,
 spreading, plane, with margins a little incurving,
 smooth and of heavy substance, overlapping half; the
 inner segments narrower, scarcely mucronate,
 somewhat shouldered at base; corona 28mm long,
 cup-shaped, angled, orange, mouth straight, with rim
 flanged and a little wavy. Mid-season.
 Nomenclatural Standard: colour print supplied by
 registrant (WSY0126834)
 Etymology: Named for native tribes of Arkansas

'Queen's Jewels' 2 Y-O

(Walter J.M.Blom) Walter J.M.Blom, 2017
 Parentage unknown; sdlg no. ST10
 Fl. 100mm wide, facing upwards; perianth segments
 40mm long, roundish, truncate, brilliant yellow 7A,
 spreading, plane, with margins wavy, smooth and of
 heavy substance, overlapping half or more; the inner
 segments narrower, shouldered at base; corona 30mm
 long, funnel-shaped, ribbed, vivid yellowish orange
 (23A), mouth frilled, with rim flanged and dentate.
 Early to mid-season. Sweetly scented

'Red Peak' 4 Y-O

(David Adams) David Adams, 2017
 'Tarday' × 'Norma Anderson'; sdlg no. 97/16A
 Fl. 95mm wide; perianth and other petaloid segments
 in two or more whorls, 42mm long, very broad, blunt,
 spreading, plane, smooth and of membranaceous
 substance. Mid-season. Strongly scented

'Red Reflection' 1 P-R

(John R.Reed) John R.Reed, 2017
 Parentage unknown; sdlg no. 2007-86-1

'Ricochet' 6 Y-Y

(Brian S.Duncan) Brian S.Duncan, 2017
N. cyclamineus × 'Camborne'; sdlg no. 3383

Fl. 48mm wide, deep yellow; perianth segments 20mm long, lanceolate in outline, acute at apex, reflexed, plane or with margins incurved, smooth and of membranaceous substance, overlapping at base only; the inner segments a little narrower; corona 20mm long, cylindrical, angled, mouth straight, even and lobed, with rim broadly flanged. Dwarf. Early. Nomenclatural Standard: colour print supplied by registrant (WSY0126971)

'Ringhaddy Sunrise' 3 W-O

(Nial Watson, 2009) Ringhaddy Daffodils, 2017
'Lisbarnet' × 'Hawangi'; sdlg no. W758
Fl. 109mm wide; perianth segments 45mm long, broadly ovate, blunt, mucronate, white, spreading, plane or with margins incurved, smooth and of heavy substance; the inner segments narrower, ovate; corona 13mm long, disc-shaped, ribbed, vivid orange 28B, mouth straight, lobed and lightly frilled, with lobes somewhat overlapping, with rim notched. Early to mid-season. Sweetly scented.
Nomenclatural Standard: colour print supplied by registrant (WSY0126910)

'Riverton Rebel' 3 W-YYR

(Gordon Coombes, 2007) Gordon Coombes, 2017
'Painted Desert' × 'Picasso'; sdlg no. G17-07
Fl. 100mm wide; perianth segments 40mm long, broadly ovate, rounded, mucronate, white, spreading, plane, with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 12mm long, disc-shaped, smooth, yellow with a narrow band of red at rim, mouth expanded, frilled and lobed, with rim shallowly notched. Late. Strongly scented

'Rockin' Goose' 2 O-O

(Nial Watson, 2004) Ringhaddy Daffodils, 2016
'Creag Dubh' × 'Rio Bravo'; sdlg no. W517
Fl. 102mm wide; perianth segments 44mm long, very broadly ovate, rounded, mucronate, yellowish orange (22A), spreading, plane, with margins incurving, smooth and of heavy substance; the inner segments narrower, shouldered at base; corona 28mm long, cup-shaped, smooth, vivid orange (28B), mouth straight and wavy, with rim notched and crenate. Sweetly scented. Early to mid-season.
Etymology: Local name for Rock Angus in the Irish Sea

'Saint Bede' 1 W-PPY

(Mrs G.Link) Joe Hamm, 2017
Parentage unknown; sdlg no. J2216
Fl. 88mm wide; perianth segments 32mm long, broadly ovate, blunt, mucronate, spreading, plane, creased and of heavy substance, overlapping half or more; the inner segments narrower; corona 43mm long, funnel-shaped, ribbed, mouth expanded, lobed and lightly frilled, with rim flanged and notched. Mid-season to late.
Nomenclatural Standard: colour print supplied by registrant (WSY0126944)

'Salou' 4 W-Y

(Rosewarne EHS) H.W.van Saase & Son, 2017
Parentage unknown
Fl. 85mm wide; perianth and other petaloid segments in 3-4 whorls; the outer whorls 38mm long, roundish, very broad, truncate, mucronate, greenish white 155C, spreading, plane, with margins incurved, with midrib showing, of heavy substance, overlapping half; the inner whorls shorter, inflexed, scarcely mucronate; corona segments half the length of the outer perianth segments, interspersed among the inner perianth segments, vivid yellow 12A with orange-yellow (13A) towards rim, wavy, shallowly lobed, crenate. Mid-season. Sweetly scented.
Nomenclatural Standard: colour print supplied by KAVB (WSY0126759)

'Samuel Frederick Glover' 2 Y-R

(K. van der Veek) Greenyard Flowers UK Ltd, 2017
Parentage unknown
Fl. 80mm wide; perianth segments 35mm long, very broadly ovate, blunt, yellow with pale mucro, spreading, concave, creased and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 12mm long, bowl-shaped, ribbed, bright red, mouth straight and wavy, with rim notched and narrowly flanged. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126783)

'Sandy Lane' 2 Y-O

(Clive Postles) Roger Braithwaite, 2017
Parentage unknown; sdlg no. 406
Fl. 108mm wide. Late

'Sangria' 9 W-GOR

(Colin Crotty, 2009) Colin Crotty, 2017
'Hoot Owl' × *N. poeticus* sdlg; sdlg no. CC13-09
Fl. rounded, 65mm wide, facing upwards; perianth segments 27mm long, very broadly ovate, blunt, mucronate, white, spreading, plane, with margins incurved, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower; corona 3mm long, disc-shaped, ribbed, orange, with a band of deep red at rim and green at base, mouth expanded and frilled, with rim dentate. Late. Strongly scented.
Nomenclatural Standard: colour print supplied by registrant (WSY0126777)

'Say Cheese' 1 Y-Y

(C.van der Veek) C.van der Veek, 2017
Parentage unknown; sdlg no. F3
Fl. star-shaped, 60mm wide; perianth segments 27mm long, ovate, blunt, yellow with slight pale mucro, spreading, plane, with margins a little wavy, creased and of heavy substance, overlapping one-third; the inner segments narrower; corona 27mm long, funnel-shaped, angled, yellow, mouth broadly ribbed and lightly frilled, with rim entire and irregularly lobed. Dwarf. Early.
Nomenclatural Standard: colour print supplied by registrant (WSY0126805)

'Senara' 2 Y-R

(R.A.Scamp, 2006) R.A.Scamp, 2017
Hamilton sdlg open pollinated; sdlg no. 2096X
Fl. 104mm wide; perianth segments 41mm long, broadly ovate, truncate, yellow with slight pale mucro, spreading, plane, smooth and of heavy substance; the inner segments narrower, more nearly ovate, scarcely mucronate; corona 20mm long, cup-shaped, smooth, red, mouth expanded and wavy, with rim crenate. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126924)
Etymology: Cornish, Saint of Zennor

'Shy Lass' 5 Y-Y

(Brian S.Duncan, 2011) Brian S.Duncan, 2017
'Hillstar' × *N. triandrus* subsp. *triandrus*; sdlg no. 3725
Fls 3 per stem, 60mm wide; perianth segments 25mm long, ovate, blunt, mid-yellow with slight pale mucro, spreading, concave, smooth and of membranaceous substance, overlapping one-third; the inner segments a little narrower, scarcely mucronate; corona 13mm long, cup-shaped, angled, mid-yellow, mouth straight and even, with rim entire. Slightly scented. Dwarf. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126972)

'Sidmouth' 7 Y-R

(R.A.Scamp, 1996) Sidmouth Daffodil Society, 2017
'Suntory' × *N. jonquilla*; sdlg no. 810
Fls 2–3 per stem, 70mm wide; perianth segments 30mm long, broadly ovate, blunt, yellow with pale mucro, spreading, plane, smooth and of membranaceous substance, overlapping half; the inner segments narrower, less prominently mucronate; corona 10mm long, bowl-shaped, ribbed, red, mouth expanded and wavy, with rim dentate. Mid-season. Sweetly scented.
Nomenclatural Standard: colour print supplied by hybridizer (WSY0126981)

'Silk Bay' 1 W-P

(Brian S.Duncan, 2006) F.Charlton, 2017
Sdlg 2060 ('Pink Silk' × 'Chanson') × 'Korora Bay'; sdlg no. 3444
Fl. rounded, 110mm wide; perianth segments 43mm long, broadly ovate, blunt or sometimes truncate, mucronate, white, spreading, plane or with margins a little incurved, creased and of membranaceous substance, overlapping half or more; the inner segments narrower, shouldered at base, scarcely mucronate; corona 44mm long, funnel-shaped, smooth, rosy mid-pink. Mid-season.
Nomenclatural Standard: colour print supplied by hybridizer (WSY0126768)

'Silver Choice' 3 W-W

(Brian S.Duncan, 2008) Brian S.Duncan, 2017
'Birchwood' × 'Yum-Yum'; sdlg no. 3487
Fl. rounded, 110mm wide; perianth segments 49mm long, roundish, very broad, blunt or sometimes truncate, slightly mucronate, spreading, plane or with

margins a little incurved, creased and of membranaceous substance, overlapping half or more; the inner segments narrower, scarcely mucronate; corona 11mm long, bowl-shaped, smooth, mouth expanded, ribbed and wavy, with rim crenate. Mid-season to late.

Nomenclatural Standard: colour print supplied by registrant (WSY0126770)

'Silver Dollar' 7 W-W

(Brian S.Duncan) Ivor Fox, 2017
'Quick Step' sdlg open pollinated; sdlg no. BC2504
Fls 3 per stem, 62mm wide, facing upwards, greenish white 157C; perianth segments 32mm long, broadly ovate, truncate, very slightly mucronate, a little reflexed, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, not noticeably mucronate; corona 11mm long, bowl-shaped, angled, mouth expanded, ribbed and wavy, with rim notched. Sweetly scented. Mid-season to late.
Nomenclatural Standard: RHS colour print (WSY0126819)

'Simplicity Pattern' 2 W-P

(John R.Reed) John R.Reed, 2017
'Valinor' × 'Verran Rose' × 'Millennium Pink'; sdlg no. 2000-60-1

'Sleepy Hollow' 6 Y-O

(John R.Reed) John R.Reed, 2017
'Monal' × *N. cyclamineus*; sdlg no. 84-4-9-3

'Smile-a-while' 2 WWY-YYO

(Brian S.Duncan) C.van der Veek, 2017
N. primigenius × *N. poeticus*
Fl. star-shaped, 55mm wide; perianth segments 24mm long, ovate, blunt, prominently mucronate, spreading, plane or a little wavy, creased and of heavy substance, overlapping a quarter; the inner segments a little narrower; corona 12mm long, cylindrical, angled, mouth straight, narrowly ribbed, wavy to lightly frilled, with rim minutely crenate. Dwarf. Early.
Nomenclatural Standard: colour print supplied by registrant (WSY0126807)

'Smiley' 1 Y-Y

(C.van der Veek) C.van der Veek, 2017
Parentage unknown; sdlg no. F75
Fl. 90mm wide; perianth segments 36mm long, roundish, very broad, blunt, yellow with pale mucro, spreading, concave, creased and of membranaceous substance, overlapping half; the inner segments narrower, ovate, scarcely mucronate, margins incurving; corona 38mm long, funnel-shaped, smooth, yellow, mouth flared and irregularly lobed, wavy to lightly frilled, with rim minutely crenate. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126809)

'Smooth 'n' Silky' 2 Y-Y

(Graeme and Faith Miller, 2011) Graeme and Faith Miller, 2017

'Clouded Yellow' × 'Impeccable'; sdlg no. 11-016
Fl. 98mm wide; perianth segments 41mm long, ovate, blunt, vivid yellow 12A, touched green at base, with slight pale mucro, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments narrower, more nearly truncate; corona 36mm long, funnel-shaped, angled, yellow, mouth straight, ribbed, frilled and shallowly lobed, with rim flanged and crenate. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126980)

'Snow Disc' 11a W-W

(K.van der Veek) W.van Lierop & Sons, 2017
Parentage unknown

Fl. 100mm wide; perianth segments 40mm long, broadly ovate, truncate or blunt, very slightly mucronate, greenish white 155A, spreading, plane or with margins incurved, creased and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, scarcely mucronate; corona 35mm long, split more than half way to the base into six segments, forming an outer whorl of three spreading segments each overlying a perianth segment and an inner whorl of three inflexed, deeply frilled segments, all segments very broad, two-thirds the length of the perianth segments, opening greenish white 155A with pale yellow-green 4D at rim, maturing to greenish white 155A. Strongly scented. Mid-season
Nomenclatural Standard: colour print supplied by KAVB (WSY0126753)

'Snow Lady' 4 W-W

(Arno Kroon, ?2005) Narveco, 2017

Parentage unknown; sdlg no. 00-58
Fl. 112 mm wide; perianth and other petaloid segments in three whorls; the outer whorls broadly ovate, blunt to truncate, mucronate, spreading, plane, with midrib showing, of heavy substance, overlapping half; the inner whorl scarcely mucronate, shorter and a little inflexed, concave or folded along midrib; the corona segments half as long as the outer petaloid segments, clustered at centre, wavy to lightly frilled, bi-lobed, with rim crenate. Mid-season.
Nomenclatural Standard: colour print supplied by hybridizer (WSY0126841)

'Spoilt Choice' 2 W-P

(Brian S.Duncan, 2003) Brian S.Duncan, 2017

'Soprano' × 'Lady Ann'; sdlg no. 2899
Fl. forming a double triangle, 110mm wide; perianth segments 45mm long, broadly ovate, blunt or sometimes truncate, white, slightly mucronate, spreading, plane or with margins incurved, creased and of membranaceous substance, overlapping half; the inner segments narrower, scarcely mucronate; corona 22mm long, cup-shaped, angled, deep apple blossom pink, mouth straight, even and narrowly

ribbed, with rim narrowly flanged. Mid-season to late.
Nomenclatural Standard: colour print supplied by registrant (WSY0126771)

'Spotless' 2 W-W

(John R.Reed) John R.Reed, 2017

'Inverpolly' × 'Misty Glen'; sdlg no. 89-16-2
Etymology: In honour of daffodil hybridizer Bob Spotts

'Stacie Humm' 7 W-W

(Daniel Bellinger, 2009) Daniel Bellinger, 2017

'Limequilla' × 'Weir' sdlg 88/1 ('Inishmore' × 'Brierglass'); sdlg no. 02-22-3
Fls 1-2 per stem, 80mm wide; perianth segments 33mm long, roundish, very broad, blunt, slightly mucronate, spreading, plane or with margins incurved, with midrib showing, of heavy substance, overlapping half; the inner segments more nearly ovate, narrower, scarcely mucronate; corona 24mm long, funnel-shaped, ribbed, mouth expanded and wavy, with rim crenate. Mid-season. Sweetly scented.
Nomenclatural Standard: colour print supplied by registrant (WSY0126852)
Etymology: Named for athlete and ultra-runner

'Standing Tall' 2 W-R

(John R.Reed) John R.Reed, 2017

'Magician' × Sdlg 87-94-1; sdlg no. 97-15-1

'Sugar Dipped' 6 W-Y

(Testcentrum) W.van Lierop & Sons, 2016

Parentage unknown; sdlg no. 01-53-BR1
Fl. 84mm wide; perianth segments 35mm long, roundish, very broad, truncate, slightly mucronate, opening vivid yellow becoming greenish white 155A, reflexed, plane with margins incurved, with midrib showing, creased and of heavy substance, overlapping half or more; the inner segments narrower, more nearly ovate; corona 35mm long, funnel-shaped, angled, vivid yellow, paler towards rim, mouth ribbed, frilled and irregularly lobed, with rim crenate and broadly flanged. Sweetly scented. Dwarf. Early to mid-season.
Nomenclatural Standard: colour print supplied by KAVB (WSY0126747)

'Sun Explosion' 4 Y-O

(Arno Kroon) Narveco, 2017

Parentage unknown
Fl. 130mm wide; perianth and other petaloid segments in several whorls; the outer whorls broadly ovate, blunt, spreading, plane, with margins narrowly incurving, with midrib showing, of heavy substance, overlapping half; the inner whorls successively shorter and more strongly inflexed towards centre, crumpled or folded inwards from midrib; corona segments half the length of and narrower than the outer petaloid segment and interspersed among the inner petaloid whorls, lightly frilled. Mid-season.
Nomenclatural Standard: colour print supplied by the hybridizer (WSY0126843)

‘Susan Beckwith’ 3 W-YYO

(R.Beckwith, 2009) R.Beckwith, 2017
 ‘Loch Alsh’ × ‘Astrid’s Memory’; sdlg no. 3-3-04
 Fl. 110mm wide; perianth segments 46mm long, roundish, very broad, blunt, white, spreading, plane, with margins narrowly incurling towards apex, with midrib showing, of membranaceous substance, overlapping half or more; the inner segments narrower; corona 12mm long, disc-shaped, vivid yellow 9A with a band of strong orange 24A at rim, mouth straight, ribbed and somewhat lobed, with rim flanged and crenate. Mid-season. Sweetly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0126907)
 Etymology: Named for registrant’s wife

‘Sweet Jennie’ 1 YYW-P

(W.G.Pannill, pre-2014) Lucy Carter Wilson, 2017
 Parentage unknown
 Fl. 72mm wide, facing upwards; perianth segments 22mm long, roundish, very broad, blunt or truncate, yellow with white at base and pale, slight mucro, spreading, plane, with midrib showing, creased at margins and of heavy substance, overlapping half; the inner segments more nearly ovate, shouldered at base, blunt, scarcely mucronate; corona 23mm long, cylindrical, angled, pink, mouth flared, ribbed and frilled, with rim minutely crenate. Mid-season. Sweetly scented.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126828)

‘Taco Factory’ 2 Y-YYO

(C.Higgins, 2009) C.Higgins, 2017
 ‘Chilmark’ × ‘Celtic Gold’; sdlg no. 14-20
 Fl. forming a double triangle, 88mm wide; perianth segments 41mm long, ovate, blunt, yellow with white mucro, spreading, plane, with midrib showing, of heavy substance, overlapping one-third; corona 28mm long, cup-shaped, ribbed, yellow with orange at rim, mouth straight, lightly frilled and irregularly lobed, with rim flanged and entire. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0126835)

‘Tamar Belle’ 2 Y-R

(June Pesterfield, 2000?) R.A.Scamp, 2017
 ‘Bantam’ × unknown miniature; sdlg no. 93-T-13
 Fl. 55mm wide; perianth segments 22mm long, roundish, very broad, blunt, yellow with pale mucro, reflexed, plane, creased and of membranaceous substance, overlapping half or more; the inner segments narrower; corona 9mm long, bowl-shaped, red, mouth straight, ribbed, lightly frilled and shallowly lobed, with rim dentate. Dwarf. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0126926)

‘Tangerine Beauty’ 2 WWY-O

(C.van der Veek) C.van der Veek, 2017
 Parentage unknown; sdlg no. F64
 Fl. star-shaped, 75mm wide; perianth segments 31mm long, ovate, blunt, white, touched yellow at base, prominently mucronate, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping one-third to a half; the inner segments a little narrower, scarcely mucronate; corona 23mm long, cup-shaped, angled, orange, mouth ribbed, a little expanded, lightly frilled and deeply lobed, with rim crenate. Scented. Dwarf. Early. Nomenclatural Standard: colour print supplied by registrant (WSY0126811)

‘Tegen’ 2 W-P

(June Pesterfield) R.A.Scamp, 2017
 ‘Tiger Moth’ × unknown sdlg; sdlg no. 98-13C-2
 Fl. 78mm wide, facing downwards; perianth segments 33mm long, oblong in outline, blunt at apex, inflexed, plane, with margins incurling, smooth and of membranaceous substance, overlapping one-third; corona 24mm long, funnel-shaped, ribbed, mouth flared and lightly frilled, with rim dentate. Dwarf. Mid-season to late.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126927)
 Etymology: Cornish, meaning ‘pretty thing’

‘Telesto’ 10 W-W

(Mrs Anne Wright, 2011) Mrs Anne Wright, 2017
N. cantabricus var. *petunioides* × *N. romieuxii* subsp. *albidus* SF110; sdlg no. 2773-A
 Fl. 37mm wide, greenish white 155C, facing upwards; perianth segments 16mm long, lanceolate in outline, acute at apex, spreading, plane, smooth and of heavy substance, separated; corona 16mm long, funnel-shaped, mouth straight, a little wavy and shallowly lobed, with rim even and broadly flanged or rolled. Dwarf. Very early.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126901)

‘Tenderness’ 2 W-P

(J.A.Hunter, 2008) J.A.Hunter, 2017
 Sdlg 96/93G (‘Pol Voulin’ × ‘Polar Sky’) × ‘Cosmic Glow’; sdlg no. 58/03C
 Fl. 115mm wide; perianth segments 47mm long, ovate, white, spreading, plane, smooth and of heavy substance; corona 30mm long, funnel-shaped, lightly ribbed, strong yellowish pink 38A with light yellowish pink 38D at base, mouth wavy and a little expanded, with rim flanged. Mid-season

‘Tethys’ 10 W-W

(Mrs Anne Wright, 2011) Mrs Anne Wright, 2017
N. cantabricus var. *petunioides* × *N. romieuxii* subsp. *albidus* SF110; sdlg no. 2773-1
 Fl. 40mm wide, greenish white 155C; perianth segments 17mm long, lanceolate in outline, acute at apex, spreading or a little reflexed, plane, creased and of heavy substance, separated; corona 18mm long,

funnel-shaped, ribbed, mouth straight and even, with rim crenate, broadly and neatly rolled. Dwarf. Very early. Nomenclatural Standard: colour print supplied by registrant (WSY0126885)

‘The Booster’ 1 Y-Y

(C.van der Veek) C.van der Veek, 2017

Parentage unknown; sdlg no. F13

Fl. 122mm wide; perianth segments 49mm long, broadly ovate, blunt, yellow with slight pale mucro, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 55mm long, cylindrical, angled, yellow, mouth expanded and wavy, irregularly lobed, with rim minutely crenate and broadly flanged. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126813)

‘The Expert’ 1 WWY-W

(C.van der Veek) C.van der Veek, 2017

Parentage unknown; sdlg no. F11

Fl. 106mm wide; perianth segments 48mm long, ovate, blunt, mucronate, white, touched yellow at base, spreading, concave, smooth and of heavy substance, overlapping one-third; the inner segments narrower, somewhat inflexed; corona 48mm long, cylindrical, angled, white, mouth straight, wavy and narrowly ribbed, with rim broadly flanged and irregularly notched. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126815)

Etymology: Named in memory of Mr Cees Breed, one of the greatest experts in the bulb industry

‘The Godfather’ 2 W-Y

(C.van der Veek) C.van der Veek, 2017

Parentage unknown; sdlg no. F62

Fl. 137mm wide; perianth segments 56mm long, very broadly ovate, blunt, slightly mucronate, spreading, plane, with margins incurving at apex, creased and of membranaceous substance, overlapping half; the inner segments narrower, shouldered at base; corona 40mm long, funnel-shaped, smooth, mouth straight and lightly frilled, with rim minutely crenate. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126817)

‘The Lone Ranger’ 2 W-R

(John R.Reed) John R.Reed, 2017

Sdlg 98-85-1 (sdlg 88-93-1 × ‘Magician’) × ‘Celestial Flame’; sdlg no. 2003-44-1

‘Themisto’ 10 W-W

(Mrs Anne Wright, 2011) Mrs Anne Wright, 2017

‘Atlas Gold’ × *N. romieuxii* subsp. *albidus* SF110; sdlg no. 2755-1

Fl. 40mm wide, greenish white 155C; perianth segments 14mm long, lanceolate in outline, acute at apex, spreading, plane or a little concave, creased and

of heavy substance, separated; corona 20mm long, funnel-shaped, ribbed, mouth straight and even, with rim crenate and neatly rolled. Dwarf. Very early. Nomenclatural Standard: colour print supplied by registrant (WSY0126880)

‘Torcher’ 11a Y-Y

(Gordon Coombes, 2011) Gordon Coombes, 2017

‘Solar Disc’ × ‘Corbiere’; sdlg no. G3-11

Fl. 103mm wide; perianth segments 48mm long, broadly ovate, blunt, mucronate, yellow, spreading, plane, with margins incurved, creased and of heavy substance, overlapping half or more; the inner segments narrower; corona 28mm long, split into six segments, each three-quarters the length of and opposite the perianth segments, golden yellow, lobed and heavily frilled. Mid-season. Strongly scented

‘Torrmore’ 2 Y-O

(Gordon Coombes, 2013) Gordon Coombes, 2017

‘Torrison’ × ‘Jamore’; sdlg no. G10-13

Fl. 95mm wide; perianth segments 40mm long, broadly ovate, blunt, mucronate, golden yellow, spreading, plane, with margins incurved, smooth and of heavy substance, overlapping half; the inner segments a little narrower, shouldered at base; corona 22mm long, cup-shaped, ribbed, orange, mouth straight and frilled, with rim notched. Mid-season. Strongly scented

‘Torrino’ 4 W-O

(Brian S.Duncan, 2000) Narveco, 2017

‘Serena Beach’ × ‘Piraeus’; sdlg no. 2478

Fl. rounded, 92mm wide; perianth and other petaloid segments in several whorls, white; the outer whorls very broad, rounded at apex, with white or green mucro, spreading, plane, with margins narrowly incurving, smooth and of heavy substance, overlapping half or more; the inner whorls successively shorter and more strongly inflexed and clustered towards centre, concave; corona segments shorter than the outer petaloid segments, clustered among the inner petaloid whorls, pale orange, concave or loosely folded inwards along midrib, with margins wavy. Scented. Late.

Nomenclatural Standard: colour print supplied by registrant (WSY0126844)

‘Torromy’ 2 Y-YRR

(Gordon Coombes, 2011) Gordon Coombes, 2017

‘Torrison’ × ‘Omeomy’; sdlg no. G5-11

Fl. 100mm wide; perianth segments 40mm long, broadly ovate, blunt, mucronate, yellow, spreading, plane, with margins incurved, smooth and of heavy substance, overlapping half; the inner segments slightly narrower, shouldered at base; corona 19mm long, cup-shaped, ribbed, red, with yellow at base, mouth straight and wavy, with rim crenate. Mid-season. Strongly scented

‘Trevarrack’ 4 W-O

(R.A.Scamp, 1996) R.A.Scamp, 2016
Div 4 W-P sdlg × ‘Gay Kybo’; sdlg no. 983
Fl. rounded, 98mm wide; perianth and other petaloid segments in three or more whorls, roundish, very broad, truncate, slightly mucronate, with midrib showing, of heavy substance; the two outer whorls 32mm long, spreading, plane or with margins a little incurved, overlapping half or more; the inner whorls successively more inflexed towards centre, with margins incurved, less prominently mucronate; corona segments in several whorls, 20mm long, interspersed among the inner perianth segments, frilled. Mid-season to late.
Nomenclatural Standard: colour print supplied by registrant (WSY0126745)

‘Triton Pink’ 2 W-P

(Brian S.Duncan, 2007) Brian S.Duncan, 2017
‘Amazing Grace’ × ‘Cape Point’; sdlg no. 3457
Fl. 123mm wide; perianth segments 50mm long, ovate, blunt, slightly mucronate, white, spreading, plane, with margins incurving at apex, smooth and of heavy substance, overlapping one-third; the inner segments narrower, shouldered at base, not noticeably mucronate; corona 26mm long, cup-shaped, ribbed, apple blossom pink, mouth a little expanded, ribbed and wavy, with rim crenate and narrowly flanged. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0127000)

‘Twin Cam’ 12 Y-Y

(Brian S.Duncan, 2010) Brian S.Duncan, 2017
N. cyclamineus × *N. assoanus* (a selection by M.L.Gripshover); sdlg no. 3690
Fls 2 per stem, 38mm wide; perianth segments 16mm long, lanceolate in outline, blunt at apex, deep yellow with slight white mucro, somewhat reflexed, plane or a little incurved, with midrib showing, of heavy substance, separated; corona 11mm long, cylindrical, broadly ribbed, deep yellow, mouth wavy and slightly expanded, with rim entire. Dwarf. Very early.
Nomenclatural Standard: colour print supplied by registrant (WSY0126780)

‘Twin Drop’ 12 Y-Y

(Brian S.Duncan, 2010) Brian S.Duncan, 2017
N. lagoi × *N. assoanus* or *N. jonquilla*; sdlg no. 4363
Fls 2 per stem, star-shaped, 47mm wide; perianth segments 14mm long, lanceolate in outline, acute at apex, deep yellow with prominent pale mucro, inflexed, a little twisted, creased and of heavy substance, overlapping at base only; corona 14mm long, cylindrical, ribbed, deep yellow, mouth flared and even, with rim irregularly notched. Dwarf. Very early.
Nomenclatural Standard: colour print supplied by registrant (WSY0126772)

‘Under the Apple Tree’ 2 W-GPP

(Mrs G.Link) Joe Hamm, 2017
Parentage unknown
Fl. 82mm long, facing upwards; perianth segments

30mm long, broadly ovate, blunt, mucronate, reflexed, plane, with margins narrowly incurving, smooth and of heavy substance, overlapping half or more; the inner segments narrower, more nearly spreading; corona 20mm long, cup-shaped, angled, mouth expanded, ribbed and lightly frilled, with rim dentate. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126947)

‘Valley Beacon’ 2 Y-R

(Gordon Coombes, 2011) Gordon Coombes, 2017
‘Rheban Red’ × ‘Omeomy’; sdlg no. G10-11
Fl. 115mm wide; perianth segments 50mm long, broadly ovate, blunt, mucronate, yellow, spreading, plane, with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments slightly narrower, shouldered at base; corona 22mm long, bowl-shaped, ribbed, orange-red, mouth expanded and frilled, with rim notched. Mid-season. Strongly scented

‘Valley Gem’ 11a W-P

(Colin Crotty, 2012) Colin Crotty, 2017
‘Cindicee’ × ‘Cherry Pink’; sdlg no. CC16-12
Fl. 76mm wide; perianth segments 26mm long, very broadly ovate, blunt, mucronate, white, spreading, plane, with margins incurved, creased and of membranaceous substance, overlapping half or more; the inner segments narrower; corona 20mm long, split into six segments, each three-quarters the length of and closely overlying a perianth segment, lobed and heavily frilled, creamy pink, deeper in tone at rim. Mid-season. Strongly scented

‘Valley Secret’ 2 W-PRR

(Colin Crotty, 2010) Colin Crotty, 2017
‘Hot Secret’ × ‘Valley Blaze’; sdlg no. CC22-10
Fl. 103mm wide; perianth segments 41mm long, broadly ovate, blunt, mucronate, spreading, plane, with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 21mm long, cup-shaped, angled, mouth frilled and a little expanded, with rim notched. Mid-season. Strongly scented

‘Vantage Point’ 2 W-P

(J.A.Hunter, 2000) J.A.Hunter, 2017
‘Polar Glow’ × (‘Drumbo’ × ‘Vahu’); sdlg no. 36/95B
Fl. 125mm long; perianth segments 52mm long, broadly ovate, white, spreading, plane, smooth and of heavy substance; corona 40mm long, funnel-shaped, smooth, light yellowish pink 36A, mouth flared and wavy. Mid-season

‘Washington Gold’ 1 Y-Y

(John R.Reed) John R.Reed, 2017

‘Celtic Gold’ × ‘Dream Prince’; sdlg no. 65

Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126930)

Etymology: Named in honour of the longest standing daffodil group of the ADS

‘Wee Cracker’ 11a Y-YYO

(Nial Watson, 2009) Ringhaddy Daffodils, 2016

‘Angelito’ × ‘Pampaluna’; sdlg no. W789

Fl. 76mm wide; perianth segments 29mm long, roundish in outline, truncate, vivid yellow 9A with paler mucro, spreading, plane, with margins incurved, smooth and of heavy substance; the inner segments narrower, shouldered at base; corona 16mm long, split almost to base into six segments, forming an outer and an inner whorl of three, each closely overlying a perianth segment, vivid yellow 15A, with a broad band of strong orange (25A) at rim, frilled, with rim crenate. Sweetly scented. Mid-season

‘Welcome Back’ 3 W-R

(Edward W.Cotter) David Adams, 2017

Parentage unknown; sdlg no. 77/80B

Fl. 92mm wide; perianth segments 41mm long, obovate, blunt, spreading, plane, with margins incurving, smooth and of heavy substance, overlapping half or more; the inner segments narrower; corona 11mm long, bowl-shaped, mouth straight, ribbed, frilled and lobed, with rim crenate. Mid-season

‘Whippet’ 6 Y-Y

(Mrs Anne Wright, 2009) Mrs Anne Wright, 2017

N. rupicola × *N. cyclamineus*; sdlg no. 2668A

Fl. 35mm wide, brilliant yellow 7A; perianth segments 8mm long, oblong in outline, rounded at apex, mucronate, reflexed, plane or with margins slightly incurved, smooth and of heavy substance, overlapping at base only; the inner segments narrower; corona 11mm long, funnel-shaped, angled, mouth broadly ribbed and a little expanded, with rim deeply notched. Dwarf. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126889)

‘White Petticoat’ 10 W-W

(W.van Lierop & Sons) W.van Lierop & Sons, 2017

N. cantabricus × ‘Diamond Ring’; sdlg no. CD 2

Fl. 40mm wide, facing upwards; perianth segments 15mm long, lanceolate in outline, acute at apex, opening pale greenish yellow 10D with light brownish yellow (160C) at rim, becoming greenish white 155A, spreading, plane, with margins incurved, creased and of membranaceous substance, separated; corona 20mm long, funnel-shaped, ribbed, opening pale greenish yellow 10D with pale yellow 10C at rim, becoming greenish white 155A, mouth widely expanded, a little wavy, with rim minutely

crenate. Dwarf. Sweetly scented. Early.

Nomenclatural Standard: colour print supplied by KAVB (WSY0126755)

‘Wimlah’ 5 W-Y

(Brian S.Duncan, 2010) Brian S.Duncan, 2017

Parentage unknown; sdlg no. 3975

Fls 2 per stem, 67mm wide, facing downwards; perianth segments 31mm long, ovate, blunt, pure white, reflexed, concave or a little twisted, smooth and of heavy substance, overlapping a quarter; corona 11mm long, cup-shaped, broadly ribbed, lemon yellow, mouth wavy and a little expanded, with rim crenate. Dwarf. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126973)

‘Winning Try’ 5 Y-O

(Brian S.Duncan, 2011) Brian S.Duncan, 2017

‘Maria’ unregistered × *N. triandrus* subsp. *triandrus* var. *concolor*; sdlg no. 3824

Fl. 50mm wide, facing downwards; perianth segments 23mm long, ovate, blunt, deep yellow with pale mucro, reflexed, concave, with margins somewhat wavy, smooth and of heavy substance, overlapping one-third to a half; the inner segments a little narrower, less prominently mucronate; corona 15mm long, funnel-shaped, smooth, mid-orange, mouth straight or a little expanded, wavy and broadly ribbed, with rim entire. Dwarf. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126975)

‘Wood Fire’ 2 W-P

(John R.Reed) John R.Reed, 2017

‘Fragrant Rose’ × ‘Rosewood’ × ‘Millennium Pink’; sdlg no. 200-96-1

Mid-season

‘Yellow Brick Road’ 2 Y-P

(John R.Reed) John R.Reed, 2017

‘Fragrant Rose’ × ‘Ruby Red’; sdlg no. 98-65-1

‘Yellow Propeller’ 2 Y-Y

(Graeme and Faith Miller, 2009) Graeme and Faith Miller, 2017

‘Gold Bond’ × ‘Frontier Gold’; sdlg no. 09-40

Fl. 112mm wide; perianth segments 46mm long, ovate, blunt, vivid yellow 12A, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 43mm long, funnel-shaped, ribbed, orange-yellow (14A), mouth flared, ribbed and frilled, with rim crenate. Mid-season

'Young Devotion' 4 W-Y

(Th.van der Hulst) H.Wijnhout & Son, 2016

Parentage unknown

Fl. 120mm wide, facing upwards; perianth and other petaloid segments in several whorls; the two outer whorls 52mm long, very broadly ovate, truncate, mucronate, greenish white 155A, spreading, plane, with margins a little incurling, with midrib showing, of heavy substance, overlapping half or more; the inner whorls a little shorter and narrower, inflexed towards centre, concave or somewhat folded inwards along midrib; corona segments half the length of the outer perianth segments and interspersed among the inner perianth segments, light yellow (4D) becoming darker in tone, light yellow (8C) towards apex, with rim notched and lightly frilled. Strongly scented. Mid-season.

Nomenclatural Standard: colour print supplied by KAVB (WSY0126734)

'Zaragoza' 4 Y-O

(Th.van der Hulst) H.Wijnhout & Son, 2016

Parentage unknown

Fl. 90mm wide, facing upwards; perianth and other petaloid segments in several whorls; the two outer whorls 37mm long, roundish, very broad, blunt, brilliant greenish yellow 6A with slight pale mucro, spreading, plane, with margins incurling, creased and of heavy substance, overlapping half or more; the inner whorls narrower, a little shorter, inflexed towards centre, concave or folded inwards along midrib; corona segments half the length of the outer perianth segments and interspersed among the inner perianth segments, strong orange (N25B), with rim notched and lightly frilled. Strongly scented. Mid-season. Nomenclatural Standard: colour print supplied by KAVB (WSY0126736)

ADDITIONS AND AMENDMENTS TO THE INTERNATIONAL DAFFODIL REGISTER (2008) AND SUPPLEMENTS

The compilers are grateful to those who have drawn attention to omissions from the International Daffodil Register and its Supplements, pointed out errors, suggested changes or supplied new information.

Amendments to cultivar names, divisions, colour codes, parentages, originators and registrants will usually be published in an annual Supplement. Amendments to descriptions will usually only be published in a new edition of the Register. However, all amendments will be published on the internet, in a regular updating of the Register posted on the RHS website at:

www.rhs.org.uk/plants/plantsmanship/plant-registration/Daffodil-cultivar-registration

INTERNATIONAL DAFFODIL REGISTER (2008)

Amendments

'Bristol Pink'	Alter colour code to: W-R
'Charles's Pride'	Alter colour code to: YYW-Y
'Pink Parasol'	Alter colour code to: W-P
'Maewyn Moore'	Alter division to: Division 3
'Rubra'	Alter colour code to: W-YYO

Additions

'Cinnamon Ring'	Add: ADS Pannill Award 2017
'Fencourt Jewel'	Add: PC 2017
'Pink Charm'	Add: ADS Wister Award 2017
'Tyree'	Add: Syn. 'Tyree'

SUPPLEMENTS

Amendments to the Ninth Supplement (2015-2016)

'Oregon Spring' Add: fl. 30mm wide

Amendments to the Eighth Supplement (2014-2015)

'Nanny Anne' Alter division to: Division 1
 'Nantucket Red' Alter registrant to: Ringhaddy Daffodils

Amendments to the Seventh Supplement (2013-2014)

'Golden Choice' Add: PC 2017

Amendments to the Second Supplement (2008-2009)

'Great Lakes'	Alter division to: Division 2
'Prime Target'	Alter seed parent to: 'Red Reed'
'Sudden Impact'	Alter division to: Division 3
'Sweet Angel'	Add: PC 2017

Amendments to the First Supplement (2007-2008)

'Casual Elegance'	Add: PC 2017
-------------------	--------------

LIST OF ORIGINATORS AND REGISTRANTS

Additions

Burrenavon Daffodils	Co. Down, Northern Ireland
Carter Wilson, Lucy	Virginia, USA
de Schüllhorn, Kwekerij	Anna Paulowna, the Netherlands
Favell, Richard Molyneux	Penberth, Cornwall, England
Haeffner, Cindy	Hermann, Missouri, USA
Haley, Terry	Omagh, Northern Ireland
Howe, Royceston John	Tasmania, Australia
Kroon, Arno	Julianadorp, the Netherlands
Meelebo V.B.	Breezand, the Netherlands
Sauvain, Donald	Indiana, USA
Sidmouth Daffodil Society	Devon, England
Testcentrum	Lisse, the Netherlands
van Kampen, V.O.F.	Julianadorp, the Netherlands

Amendments

Breed, C.P.J.	d 2017
Brook, Richard L.	d 2017
Burr, Noel A.	d 2017
Favell, Dr R.V.	Amend to: Favell, Dr Richard Vernon d 1936, Penberth, Cornwall, England
van der Salm, Rinus	Amend to: van der Salm, Q.C.W.
Winchester Growers Ltd	Alter to: Greenyard Flowers UK Ltd (as from January 2017)

CHANGES TO THE RHS LIST OF BOTANICAL NAMES IN THE GENUS *NARCISSUS* AND RHS BOTANICAL CLASSIFICATION

The Royal Horticultural Society, on advice from the Working Party on Narcissus Names¹, has accepted the treatment published by Díaz Lifante & Camacho in 2007² of plants that were once all named *Narcissus serotinus*. Alongside other morphological characters, those with a yellow corona remain under the name *N. serotinus* Linnaeus, while those with an orange or brownish orange corona are identified with *N. obsoletus* (Haworth) Steudel. As shown below, changes have therefore been made to both the List of Botanical Names and the Botanical Classification in the *International Daffodil Register and Classified List* (2008). The updated List and Classification can be downloaded (under *Publications*) at:

www.rhs.org.uk/plants/plantsmanship/plant-registration/Daffodil-cultivar-registration

- 1 Members, RHS Working Party on Narcissus Names: JW Blanchard, CD Brickell, J David, BS Duncan, S Kington.
- 2 Díaz Lifante, Z. & Camacho, C.A. (2007). Morphological variation of *Narcissus serotinus* L. s.l. (Amaryllidaceae) in the Iberian Peninsula. *Botanical Journal of the Linnean Society* **154**: 237-257.

<i>ahmerensis</i>	
List changed from:	† × <i>ahmerensis</i> M.Salmon, in Monocot Nursery Seed List 1993/4 (parentage: <i>N. elegans</i> × <i>N. serotinus</i> [as var. <i>deficiens</i>]) = <i>N. × obsoletus</i>
to:	† × <i>ahmerensis</i> M.Salmon, in Monocot Nursery Seed List 1993/4 (parentage: <i>N. elegans</i> × <i>N. serotinus</i> [as var. <i>deficiens</i>]) = <i>N. × perangustus</i>
<i>alentejanus</i>	
List changed from:	× <i>alentejanus</i> Fernández Casas, in Fontqueria 55 (67) 555-557 (2008) (<i>Narcissus</i>) (parentage: <i>N. cavanillesii</i> Barra & G.López × <i>N. serotinus</i> Linnaeus) = <i>N. × perezlarae</i>
to:	× <i>alentejanus</i> Fernández Casas, in Fontqueria 55 (67) 555-557 (2008) (<i>Narcissus</i>) = <i>N. cavanillesii</i> Barra & López × <i>N. serotinus</i> Linnaeus
Added to Classification (intersectional hybrids)	× <i>alentejanus</i> Fernández Casas (<i>cavanillesii</i> × <i>serotinus</i>)
<i>alleniae</i>	
List changed from:	× <i>alleniae</i> Donnison-Morgan, in New Plantsman 7 (1) 42 (2000) (<i>Narcissus</i>) = <i>N. serotinus</i> Linnaeus × <i>N. viridiflorus</i> Schousboe
to:	× <i>alleniae</i> Donnison-Morgan, in New Plantsman 7 (1) 42 (2000) (<i>Narcissus</i>) = <i>N. obsoletus</i> Haworth × <i>N. viridiflorus</i> Schousboe
Classification (intersectional hybrids) changed to:	× <i>alleniae</i> Donnison-Morgan (<i>obsoletus</i> × <i>viridiflorus</i>)
<i>chevassutii</i>	
List changed from:	× <i>chevassutii</i> Gorenflot, Guinochet & Quézel, in Bull. Soc. Hist. Nat. Afr. Nord 42: 120 (1952) (<i>Narcissus</i>) = <i>N. bertolonii</i> Parlatores × <i>N. serotinus</i> Linnaeus
to:	× <i>chevassutii</i> Gorenflot, Guinochet & Quézel, in Bull. Soc. Hist. Nat. Afr. Nord 42: 120 (1952) (<i>Narcissus</i>) = <i>N. bertolonii</i> Parlatores × <i>N. obsoletus</i> Haworth
Classification (intersectional hybrids) changed to:	× <i>chevassutii</i> Gorenflot, Guinochet & Quézel (<i>bertolonii</i> × <i>obsoletus</i>)

<i>deficiens</i>	
List changed from:	<i>deficiens</i> Herbert, in Edwards's Bot. Reg. 33: t. 22 (1847) (<i>Narcissus</i>) = <i>N. serotinus</i> var. <i>deficiens</i>
to:	<i>deficiens</i> Herbert, in Edwards's Bot. Reg. 33: t. 22 (1847) (<i>Narcissus</i>) = <i>N. obsoletus</i>
List (under <i>serotinus</i>) changed from:	var. <i>deficiens</i> (Herbert) Baker, Handb. Amaryll.: 10 (1888)
to:	var. <i>deficiens</i> (Herbert) Baker, Handb. Amaryll.: 10 (1888) = <i>N. obsoletus</i>

<i>intermedius</i>	
List changed from:	<i>intermedius</i> = <i>N. elegans</i> var. <i>intermedius</i>
to:	<i>intermedius</i> Gay, Bull. Soc. Bot. France 6: 12 (1859) = <i>N. × perangustus</i>
List (under <i>elegans</i>) changed from:	var. <i>intermedius</i> Gay, Bull. Soc. Bot. France 6: 12 (1859)
to:	var. <i>intermedius</i> Gay, Bull. Soc. Bot. France 6: 12 (1859) = <i>N. × perangustus</i>
Removed from Classification (Section Tazettae):	var. <i>intermedius</i> from <i>elegans</i>

<i>knochei</i>	
List changed from:	<i>knochei</i> Fernández Casas, in Fontqueria 56 (12) 101-108 (2010) (<i>Narcissus</i>) = <i>N. × perezlarae</i>
to:	<i>knochei</i> Fernández Casas, in Fontqueria 56 (12) 101-108 (2010) (<i>Narcissus</i>) = <i>N. × alentejanus</i>

<i>major</i>	
Added to List:	<i>major</i> Pérez-Lara, Anales Soc. Esp. Hist. Nat. 15: 446 (1886) (<i>Narcissus</i>) = <i>N. obsoletus</i>
Added to List (under <i>serotinus</i>):	var. <i>major</i> Pérez-Lara, Anales Soc. Esp. Hist. Nat. 15: 446 (1886) = <i>N. obsoletus</i>

<i>miniatus</i>	
List changed from:	<i>miniatus</i> Donnison-Morgan, Koopowitz & Zonneveld, in Daffodils with Snowdrops & Tulips 2005-2006: 19 (<i>Narcissus</i>) Section Serotini
to:	<i>miniatus</i> Donnison-Morgan, Koopowitz & Zonneveld, in Daffodils with Snowdrops & Tulips 2005-2006: 19 (<i>Narcissus</i>) = <i>N. obsoletus</i>
Removed from Classification (Section Serotini):	<i>miniatus</i> Donnison-Morgan, Koopowitz & Zonneveld

<i>moronensis</i>	
List changed from:	× <i>moronensis</i> Knoche, in Herbertia 62: 45-58 (2008) (<i>Narcissus</i>) (parentage: <i>N. cavanillesii</i> Barra & López × <i>N. serotinus</i> Linnaeus) = <i>N. × perezlarae</i>
to:	× <i>moronensis</i> Knoche, in Herbertia 62: 45-58 (2008) (<i>Narcissus</i>) (parentage: <i>N. cavanillesii</i> Barra & López × <i>N. serotinus</i> Linnaeus) = <i>N. × alentejanus</i>

<i>obsoletus</i> (1)	
List changed from:	× <i>obsoletus</i> (Haworth) Spach, Hist. Nat. Vég. 12: 452 (1846) (<i>Narcissus</i>) = <i>N. elegans</i> (Haworth) Spach × <i>N. serotinus</i> Linnaeus
to:	× <i>obsoletus</i> (Haworth) Spach, Hist. Nat. Vég. 12: 452 (1846) (<i>Narcissus</i>) = <i>N. × obsoletus</i> (Haworth) Steudel sensu Maire & Weiller, in Fl. Afr. Nord 6: 66 (1959)
Removed from Classification (intersectional hybrids):	× <i>obsoletus</i> (Haworth) Spach (<i>elegans</i> × <i>serotinus</i>)

<i>obsoletus</i> (2)	
Added to List:	<i>obsoletus</i> (Haworth) Steudel, Nomencl. Bot., ed. 2, 2: 182 (1841) (<i>Narcissus</i>) Section Serotini
Added to Classification (Section Serotini):	<i>obsoletus</i> (Haworth) Steudel

<i>obsoletus</i> (3)	
Added to List:	× <i>obsoletus</i> (Haworth) Steudel sensu Maire & Weiller, in Fl. Afr. Nord 6: 66 (1959) (<i>Narcissus</i>) = <i>N. × perangustus</i>


<i>orientalis</i>	
Added to List:	† <i>orientalis</i> (as subsp. of <i>N. obsoletus</i>) M.Salmon, A Survey of the Genus <i>Narcissus</i> : 197 (2017) = <i>N. obsoletus</i>

<i>perangustus</i>	
List changed from:	× <i>perangustus</i> Fernández Casas, in Fontqueria 55 (69) 572 (2008) (parentage: <i>N. elegans</i> [as <i>N. obsoletus</i> (Haworth) Steudel] × <i>N. serotinus</i> Linnaeus) = <i>N. × obsoletus</i>
to:	× <i>perangustus</i> Fernández Casas, in Fontqueria 55 (69) 572 (2008) (<i>Narcissus</i>) = <i>N. elegans</i> (Haworth) Steudel × <i>N. serotinus</i> Linnaeus
Added to Classification (intersectional hybrids):	× <i>perangustus</i> Fernández Casas (<i>elegans</i> × <i>serotinus</i>)

<i>perezlarae</i>	
List changed from:	× <i>perezlarae</i> Font Quer, in Bol. Real Soc. Esp. Hist. Nat. 27: 39 (1927) (<i>Narcissus</i>) = <i>N. cavanillesii</i> Barra & López × <i>N. serotinus</i> Linnaeus
to:	× <i>perezlarae</i> Font Quer, in Bol. Real Soc. Esp. Hist. Nat. 27: 39 (1927) (<i>Narcissus</i>) = <i>N. cavanillesii</i> Barra & López × <i>N. obsoletus</i> (Haworth) Steudel
Parentage in Classification (intersectional hybrids) changed to:	(<i>cavanillesii</i> × <i>obsoletus</i>)

ILLUSTRATIONS OF DESCRIPTIVE TERMS

FLOWER



star-shaped



double triangle



rounded


PERIANTH SEGMENTS



reflexed



inflexed



spreading



plane



concave



twisted



ovate



*very broadly
ovate*



oblong



obovate



*shouldered
at base*



spatulate



acute



blunt



mucronate



truncate

CORONA - from the side

- section



cylinder



funnel



cup



bowl



disc



smooth




angled



ribbed

CORONA MOUTH - from the side

- section



straight



flared



even



wavy



frilled



lobed

CORONA RIM - from the side

- section



flanged



rolled



entire



dentate



crenate

ISBN 9781907057809



9 781907 057809