

Botanical names in the genus *Narcissus*

Updated 18.12.2017

NOTES

Status of botanical names

- All botanical names in this list are in *italic* (eg *aequilimba*)
- Botanical names with a dagger (†) have been established to be contrary to the provisions of the *International Code of Botanical Nomenclature - 2006* and thus invalid
- All other botanical names meet the provisions of the *International Code of Botanical Nomenclature - 2006*
- Botanical names in **bold** are accepted names (eg ***abscissus***). That is to say that in this Register they are considered to be the correct name for a taxon at species or infraspecific rank. The accepted names listed in alphabetical sequence below are laid out in classified order in the botanical classification
- An unresolved name (eg *gallaecicus*) is one that needs further investigation to determine its status, as the required information is not available in the place of publication

NB Botanical names are not validated merely by their appearance in the International Daffodil Register

Double quotes

- Double quotes indicate uncertainty about the identity of the taxon concerned (eg "*N. obvallaris*" in the parentage of *N. x lopezii*)

Classification

- The accepted names in this list are laid out in the botanical classification. In the horticultural classification, they are assigned to Division 13

†× *abilii* Rivas Martínez, *Anales Inst. Bot. Cavanilles* 27: 150 (1969-70) (*Narcissus*) (parentage: *N. cantabricus* de Candolle × *N. triandrus* Linnaeus [as subsp. *pallidulus*]) = *N. x litigiousus*

× *abilioi* Fernández Casas, *Bol. Soc. Brot.* 53: 645 (1980) (*Narcissus*) = *N. bulbocodium* Linnaeus × *N. fernandesii* Pedro

abscissus (Haworth) Schultes & Schultes f., in *Syst. Veg.* 7ii: 941 (1830) (*Narcissus*) Section Pseudonarcissus ("The Clipt Trunk", "The Greater Clipt Trunk")

var. ***abscissus***

var. ***graciliflorus*** Pugsley, in *J. Roy. Hort. Soc.* 58 (1) 89 (1933)

var. ***serotinus*** (Jordan) Pugsley, in *J. Roy. Hort. Soc.* 58 (1) 88 (1933)

var. ***tubulosus*** (Jordan) Pugsley, in *J. Roy. Hort. Soc.* 58 (1) 89 (1933)

× *aedoi* Fernández Casas, in *Fontqueria* 56 (20) 171-174 (2011) (*Narcissus*) (parentage: *N. nobilis* (Haworth) Schultes & Schultes f. [as var. *leonensis*] × *N. triandrus* Linnaeus) = *N. x galdoanus*

aequilimba Herbert, *Amaryllidaceae*: 404 (1837) (*Hermione*) = *N. tazetta* (wild form from Malta)

†× *ahmerensis* M. Salmon, in *Monocot Nursery Seed List 1993/4* (parentage: *N. elegans* × *N. serotinus* [as var. *deficiens*]) = *N. x perangustus*

ajax Sweet, *Hort. Suburb. Lond.*: 67 (1818) (*Narcissus*) = *N. pseudonarcissus* subsp. *pseudonarcissus*

albescens Pugsley, in *J. Roy. Hort. Soc.* 58 (1) 82 (1933) (*Narcissus*) = 'Albicans'

albicans Haworth, *Monogr. Narcissin.*: 1 (1831) (*Corbularia*) = *N. cantabricus* subsp. *monophyllus*

albicans Haworth, *Monogr. Narcissin.*: 2 (1831) (*Ajax*) = 'Albicans'

albido-tepaloideus = *N. portensis* var. *albido-tepaloideus*

albidus Schultes & Schultes f., in *Syst. Veg.* 7ii: 949 (1830) (*Narcissus*) = *N. x incomparabilis*

albidus Heynhold, *Nom. Bot. Hort.* 1: 539 (1840) (*Ajax*) = 'Albicans'

albidus Emberger & Maire, *Pl. Marocc. Nov.*: 6 (1929) = *N. romieuxii* subsp. *albidus*

albimarginatus D. & U. Müller-Doblies, in *Flowering Plants of Africa* 50 (2) t. 1986 (1989) (*Narcissus*) Section Apodanthi

albulus Levier in *Janka*, in *Természetrázi Füzet.* 10 (1) 45 (1886) (*Narcissus*) = ?

albus Miller, *Gard. Dict.*, ed. 8: no. 5 (1768) (*Narcissus*) = *N. x medioluteus*

albus Haworth, in *Trans. Linn. Soc. London* 5: 243 (1800) (*Narcissus*) = *N. moschatus*

albus Haworth, Monogr. Narcissin.: 5 (1831) (*Ganymedes*) = *N. triandrus* var. *triandrus*
albus (Haworth) Spach, Hist. Nat. Vég. 12: 440 (1846) (*Narcissus*) = *N. × incomparabilis*
†*albus* (as var. of *N. zaianicus*) M.Salmon, in Monocot Nursery Plant List 1993/4
alcaracensis Ríos, D.Rivera, Alcaraz & Obón, in Bot. J. Linn. Soc. 131 (2)160 (1999) (*Narcissus*) Section Pseudonarcissus
× **alejandrei** Fernández Casas, in Fontqueria 11: 22 (1986) (*Narcissus*) = *N. bulbocodium* Linnaeus (as subsp. *bulbocodium* var. *citrinus*) × *N. jacetanus* (as subsp. *vasconicus*)
alejandrei = *N. triandrus* var. *alejandrei*
× **alentejanus** Fernández Casas, in Fontqueria 55 (67) 555-557 (2008) (*Narcissus*) = *N. cavanillesii* Barra & López × *N. serotinus* Linnaeus
× **algarbiensis** Fernández Casas, in Fontqueria 55 (55) 445-446 (2007) (*Narcissus*) = *N. gaditanus* Boissier & Reuter × *N. willkommii* (Sampaio) A.Fernandes
algerica M.Roemer, Fam. Nat. Syn. Monogr. 4: 223 (1847) = *N. bertolonii* var. *algericus*
algius Pomel, Nouv. Mat. Fl. Atl. 2: 384 (1874) (*Narcissus*) = *N. bertolonii*
× **alleniae** Donnison-Morgan, in New Plantsman 7 (1) 42 (2000) (*Narcissus*) = *N. obsoletus* Haworth × *N. viridiflorus* Schousboe
†*almadensis* (as subsp. of *N. jonquilla*) M.Salmon, in Monocot Nursery Plant List 1995/6
× **aloyssi-villarii** Fernández Casas, in Fontqueria 11: 19, fig. 1A (1986) (*Narcissus*) = *N. alpestris* Pugsley × *N. jacetanus* Fernández Casas (This hybrid has also been given the name × *sanjuanensis*, but the name has not been formally published)
alpestris Pugsley, in J. Roy. Hort. Soc. 58 (1) 79 (1933) (*Narcissus*) Section Pseudonarcissus
amplus Salisbury, Prodr. Stirp. Chap. Allerton: 224 (1796) (*Narcissus*) = *N. × incomparabilis*
anceps de Candolle, Cat. Pl. Horti Monsp.: 127 (1813) (*Narcissus*) = *N. papyraceus*
anceps Haworth, Suppl. Pl. Succ.: 119 (1819) (*Ajax lorifolius* var. *anceps*) = *N. bicolor*
× **andorranus** Fernández Casas, in Fontqueria 3: 25 (1983) (*Narcissus*) = *N. nobilis* (Haworth) Schultes & Schultes f. × *N. poeticus* Linnaeus (as var. *poeticus*)
angustifolius Curtis, Bot. Mag. 6: t. 193 (1793) (*Narcissus*) = *N. radiiflorus*
angustifolius Willdenow, Enum. Hort. Berol.: 351 (1809) (*Narcissus*) = *N. × tenuior*
× *angustifolius* hort. ex M.Roemer, Fam. Nat. Syn. Monogr. 4: 233 (1847) (*Narcissus*) = *N. × tenuior*
annuus = Mis-spelling of *aureus* Loiseleur-Deslongchamps
antiatlanticus Fernández Casas & Lloret i Sabaté, in Fontqueria 56 (28) 254 (2012) (*Narcissus*) = *N. broussonetii*
aperticorona Haworth, Monogr. Narcissin.: 9 (1831) (*Hermione*) = *N. cupularis*
apodanthus Boissier & Reuter, Diagn. Pl. Nov. Hisp.: 25 (1842) (*Narcissus*) = *N. rupicola*
× **aranensis** Fernández Casas, in Fontqueria 3: 25 (1983) (*Narcissus*) = *N. pallidiflorus* Pugsley × *N. poeticus* Linnaeus (as var. *poeticus*)
arcuatus Heynhold, Nom. Bot. Hort.: 539 (1840) (*Narcissus*) = *N. triandrus* var. *triandrus*
arundanus Fernández Casas, in Fontqueria 56 (6) 49-62 (2010) (*Narcissus*) = *N. cuatrecasasii*
aschersonii Bolle, in Atti Soc. Ital. Sci. Nat. 8: 90 (1865) (*Narcissus*) = *N. tazetta* subsp. *lacticolor*
assoanus Dufour ex Schultes & Schultes f., Syst. Veg. 7ii, p. 962 (1830) (*Narcissus*) Section Jonquilla. Received FCC 1865 as *N. juncifolius*
subsp. **assoanus**
var. **assoanus**
var. **palearensis** (Romo) Barra, in Anales Jard. Bot. Madrid: 59 (2) 351 (2001 publ. 2002)
var. **pallens** (Frey ex Willkomm) Fernández Casas, in Fontqueria 1: 10 (1982)
var. **parviflorus** (Pau) Barra, in Anales Jard. Bot. Madrid: 59 (2) 351 (2001 publ. 2002)
subsp. **praelongus** Barra & López, in Anales Jard. Bot. Madrid: 39: 209 (1982)
asoi Dufour ex Graells, in Mem. Real Acad. Ci. Exact. Madrid 2: 481 (1859) (*Narcissus*) = *N. assoanus*
asturicus Barr, in J. Roy. Hort. Soc. 58 (1) 69 (1933) (*Narcissus*) = *N. pallidiflorus* var. *pallidiflorus* f. *asturicus*
asturiensis (Jordan) Pugsley, in J. Roy. Hort. Soc. 58 (1) 40 (1933) (*Narcissus*) Section Pseudonarcissus. AM 1981, AGM 1994
var. **asturiensis**
var. **brevicoronatus** Pugsley, in J. Roy. Hort. Soc. 58 (1) 40 (1933)
var. **villarvildensis** Díaz González & Fernández Prieto, Anales Inst. Bot. Cavanilles 36: 168 (1979 publ. 1980)
atlanticus Stern, in Daffodil & Tulip Year Book 16: 25 (1950) (*Narcissus*) Section Apodanthi. PC 1997
aurantia Haworth, Suppl. Pl. Succ.: 123 (1819) (*Queltia*) = *N. × incomparabilis*
aurantiacus in the sense of Bowles, Handb. Narc.: 142 (1934) ('*Aurantiacus*') = ?*N. × infundibulum*
aurantiacus hort., Place of publication untraced = *N. triandrus* var. *concolor*
auranticoronatus = *N. elegans* var. *elegans* f. *auranticoronatus*
auranticorona Haworth, Monogr. Narcissin.: 11 (1831) (*Hermione*) = *N. tazetta* subsp. *lacticolor*
× *aureo-tinctus* T.Moore & Ayres, Gard. Mag. Bot. 3: 289 (1851) (*Narcissus*) = 'Astraea'
aureus de Candolle, in P.J.Redouté, Liliac. 8: t. 486 (1815) (*Narcissus*) = *N. bulbocodium* subsp. *bulbocodium*
aureus Loiseleur-Deslongchamps, Nouv. Not. Flor. France: 13 (1827) (*Narcissus*) = *N. tazetta* subsp. *aureus*
†*auricolor* Rivas Goday, in Bol. Real Soc. Esp. Hist. Nat. 22 (3) 176 (1922) (*Narcissus*) = ?

autumnalis Link, in *Linnaea* 9: 569 (1834, publ. 1835) (*Narcissus*) = *N. elegans*
baeticus Fernández Casas, in *Fontqueria* 1: 11 (1982) (*Narcissus*) = *N. assoanus* subsp. *praelongus*
 × *bakeri* Richter, *Pl. Europ.* 1: 245 (1890) (*Narcissus*) = *N. bulbocodium* Linnaeus × *N. pseudonarcissus* Linnaeus
barlae Parlatore, *Fl. Ital.* 3: 129 (1858) (*Narcissus*) Section *Tazettae*
 × *barrae* Fernández Casas, in *Fontqueria* 14: 18 (1987) (*Narcissus*) (parentage: *N. bulbocodium* Linnaeus × *N. cantabricus* de Candolle) = *N. × neocarpetanus*
 †*belinensis* (as subsp. of *N. citrinus*) M.Salmon, in *Daffodils* 1991-1992: 33
benacensis Porta, in *Jahreskat. Wiener Bot. Tauschanst.* 1897: 69 (1897) = ?
 × *bergidensis* Fernández Casas & Rivas Ponce, in *Fontqueria* 21: 31(1988) (*Narcissus*) (parentage: *N. primigenius* (Fernández Suárez ex Laínz) Fernández Casas & Laínz × *N. triandrus* Linnaeus) = *N. × pravianoi*
bericus Turra ex Marzari-Pencati, *Elenc. Pl. Vicenza*: 27 (1802) (*Narcissus*) = *N. × incomparabilis*
 × *bernardii* de Candolle ex Hénon, in *Mém. Acad. Roy. Sci. Lyon* 4: 5 (1854) (*Narcissus*) = *N. hispanicus* Gouan × *N. poeticus* Linnaeus ("Straffan Snowdrop")
bertolonii Parlatore, *Fl. Ital.* 3: 132 (1858) (*Narcissus*) Section *Tazettae*
 var. *bertolonii*
 var. *algericus* (M.Roemer) Maire & Weiller, in *Fl. Afr. Nord* 6: 70-71 (1959)
 var. *discolor* (Jordan & Fourreau) Battandier, *Fl. Algérie, Monocot.*: 176 (1884)
 var. *primulinus* Maire, *Fl. Afr. Nord* 6: 71 (1959)
biancae Todaro, *Index Seminum (PAL)* 1857: 43 (1858) (*Narcissus*) = *N. tazetta* subsp. *lacticolor*
bicchianus Parlatore, *Fl. Ital.* 3: 156 (1858) (*Narcissus*) = *N. tazetta* subsp. *lacticolor*
bicolor Linnaeus, *Sp. Pl.*, ed. 2, 1: 415 (1762) (*Narcissus*) Section *Pseudonarcissus*
 var. *bicolor*
 var. *concolor* Barra, in *Anales Jard. Bot. Madrid* 57 (1) 178 (1999)
 var. *lorifolius* (Salisbury) Pugsley, in *J. Roy. Hort. Soc.* 58 (1) 84 (1933) (*Pseudonarcissus* Lorifolius 'Rugilobus')
bicolorans = *N. provincialis* var. *bicolorans*
bicrenatus = Mis-spelling of *biscrenatus* (*H. biscrenata*)
 × *biflorus* Curtis, *Bot. Mag.* 6: t. 197 (1792) (*Narcissus*) = *N. × medioluteus*
biflorus Schur, *Enum. Pl. Transsilv.*: 658 (1866) (*Narcissus*) = *N. radiiflorus*
bifrons Ker Gawler, in *Bot. Mag.* 29: t. 1186 (1809) (*Narcissus*) = *N. × intermedius*
biscrenata Haworth, *Monogr. Narcissin.*: 14 (1831) (*Hermione*) = ?
bitemaceus Salisbury, *Gen. Pl. Fragm.*: 100 (1866) (*Queltia*) = *N. × incomparabilis* Miller
blancoi Barra & López, in *Anales Jard. Bot. Madrid* 50 (1) 123 (1992) (*Narcissus*) = *N. cantabricus* subsp. *luteolentus*
 × *boutignyanus* Philippe, *Fl. Pyren. (Philippe)* 2: 335 (1859) (*Narcissus*) = *N. moschatus* Linnaeus × *N. poeticus* Linnaeus
brachysiphon Fernández Casas, in *Fontqueria* 56 (22) 183-192 (2011) (*Narcissus*) = *N. perez-chiscanoi*
brevicoronatus = *N. asturiensis* var. *brevicoronatus*
breviflora Haworth, *Monogr. Narcissin.*: 11 (1831) (*Hermione*) = *N. patulus*
breviflos Haworth, *Suppl. Pl. Succ.*: 119 (1819) (*Ajax*) = *N. pseudonarcissus*
 × *brevitubulosus* A.Fernandes, in *Anuário Soc. Brot.* 49: 31 (1983) (*Narcissus*) = *N. asturiensis* (Jordan) Pugsley × *N. bulbocodium* (as var. *nivalis*)
bromfieldii Syme, in *English Botany*, ed. 3, 9: 158 (1869) (*Narcissus*) = *N. obvallaris*
broteroi Rouy, in *Bull. Soc. Bot. France* 55: 153 (1908) (*Narcissus*) = *N. triandrus* subsp. *triandrus*
broussonetii Lagasca, *Gen. Sp. Pl.*: 13 (1816) (*Narcissus*) Section *Aurelia*
 f. *broussonetii*
 f. *grandiflorus* (Battandier & Trabut) Maire, in *Cat. Pl. Maroc*: 871 (1934)
bujei Fernández Casas, in *Fontqueria* 2: 33 (1982) = *N. hispanicus* subsp. *bujei*
bulbocodium Linnaeus, *Sp. Pl.*: 289 (1753) (*Narcissus*) Section *Bulbocodium*. AGM 1994
 subsp. *bulbocodium* ("Hoop Petticoat Daffodil", "Medusa's Trumpet", "Trompette de Meduse")
 var. *bulbocodium*. PC 2001 (as *N. bulbocodium* var. *genuinus*)
 var. *citrinus* Baker, in *Florist Pomol.*: 68 (1880) ('Citrinus'). FCC 1886
 var. *conspicuus* (Haworth) Baker, *Narcissus*: 66 (1875)
 var. *ectandrus* Barra & López, in *Anales Jard. Bot. Madrid* 39 (2) 298 (1982 publ. 1983)
 var. *filifolius* (M.Roemer) hort., Place of publication untraced = variant of *N. bulbocodium* subsp. *bulbocodium*. AM(a) 1946
 var. *graellsii* (P.B.Webb) Baker, *Handb. Amaryll.*: 3 (1888)
 var. *nivalis* (Graells) Baker, *Handb. Amaryll.*: 3 (1888)
 var. *pallidus* (Gattefossé & Weiller) Maire & Weiller, in *Fl. Afr. Nord* 6: 55 (1959)
 var. *serotinus* (Haworth) A.Fernandes, in *Daffodil & Tulip Year Book* 33: 55 (1968)
 var. *tenuifolius* (Salisbury) Baker, *Handb. Amaryll.*: 2 (1888)
 subsp. *albidus* Emberger & Maire, *Pl. Maroc.* Nov.: 6 (1929) = *N. romieuxii* subsp. *albidus*
 subsp. *citrinus* (Baker) Fernández Casas, in *Fontqueria* 2: 38 (1982) = *N. bulbocodium* var. *citrinus*
 subsp. *monophyllus* (Durieu de Maisonneuve) Maire, *Cat. Pl. Maroc*: 138 (1931) = *N. cantabricus* subsp. *monophyllus*

subsp. **obesus** (Salisbury) Maire, Cat. Pl. Maroc 1: 138 (1931). AM 1993
 subsp. **praecox** Gattefossé & Weiller, in Bull. Soc. Hist. Nat. Afr. Nord 28: 540 (1937)
 var. **praecox** (*eu-praecox* in Maire, Cat. Pl. Maroc: 961 (1941))
 var. **paucinervis** Maire, in Bull. Soc. Hist. Nat. Afr. Nord 29 (6-7) 452 (1938)
 subsp. **quintanilhae** A.Fernandes, in Bol. Soc. Brot. 60: 305 (1987)
 subsp. **romieuxii** (Braun-Blanquet & Maire) Emberger & Maire, Pl. Marocc. Nov.: 6 (1929) = *N. romieuxii*
 subsp. **tananicus** Maire, in Bull. Soc. Hist. Nat. Afr. N. 23: 216 (1932) = *N. cantabricus* subsp. *tananicus*
 subsp. **validus** Barra, in Anales Jard. Bot. Madrid 60 (1) 222 (2002 publ. 2003)
 subsp. **vulgaris** (Coutinho) Maire, Cat. Pl. Maroc, 1: 138 (1931) = *N. bulbocodium* subsp. *bulbocodium*
 var. **genuinus** (Coutinho) Maire, Cat. Pl. Maroc, 1: 138 (1931) = *N. bulbocodium* subsp. *bulbocodium* var. *bulbocodium*
 × **buxtonii** Richter, Pl. Europ. 1: 245 (1890) (*Narcissus*) = *N. abscissus* (Haworth) Schultes & Schultes f. × *N. assoanus* Dufour ex Schultes & Schultes f.
byzantinus Turra ex Saccardo, in Atti Ist. Venet. Ser. 3, 9: 487 (1864) (*Narcissus*) = *N. tazetta* subsp. *lacticolor*
byzantinus hort., Fl. Orient. 5: 151 (1882) (*Narcissus*) = *N. tazetta* subsp. *lacticolor*
 × **cadevallii** Sennen, in Bol. Soc. Aragonesa Ci. Nat. 11 (9-10) 245 (1912) (*Narcissus*) = *N. italicus* Ker Gawler × *N. tazetta* Linnaeus
calathinus Linnaeus, Sp. Pl., ed. 2, 1: 415 (1762) (*Narcissus*) = *N. × odorus*
calathinus Delarbre, Fl. Auvergne 1: 138 (1797) (*Narcissus*) = *N. × odorus*
calathinus Loiseleur-Deslongchamps, Fl. Gall., ed. 2, 1: 235 (1828) (*Narcissus*) = *N. triandrus* var. *loiseleurii*
calcicarpetus Fernández Casas, in Fontqueria 2: 33 (1982) (*Narcissus*) = *N. pseudonarcissus* subsp. *calcicarpetus*
calcicola Mendonça, in Bol. Soc. Brot. 6: 318 (1929-30) (*Narcissus*) Section Apodanthi
cambricus Haworth, Monogr. Narcissin.: 3 (1831) (*Ajax*) = *N. pseudonarcissus*
campanulatus Link, Enum. Hort. Berol. Alt. 1: 311 (1821) (*Narcissus*) = *N. triandrus*
canaliculatus Gussone, Enum. Pl. Inar.: 329 (1854) (*Narcissus*) = *N. tazetta* subsp. *lacticolor*
canariensis Burbidge, *Narcissus*: 58 (1875) (*Narcissus*) Section Tazettae
candicans Haworth, Place of publication untraced (*Corbularia*) = ?*N. bulbocodium*
candidissimus Desfontaines, in P.J.Redouté, Liliac. 4: t. 188 (1807) (*Narcissus*) = *N. moschatus*
cantabricus de Candolle, in P.J.Redouté, Liliac. 8: t. 486 (1816) (*Narcissus*) Section Bulbocodium
 subsp. **cantabricus**
 var. **cantabricus**. AGM 1994, AM 1997
 var. **eu-albidus** Emberger & Maire, in Cat. Pl. Maroc: 951 (1941)
 var. **foliosus** (Maire) A.Fernandes, in Revista Fac. Ci. Univ. Coimbra 26: 84 (1957). AM(a) 1961, AGM 1994
 var. **kesticus** (Maire & Wilczec) A.Fernandes, in Revista Fac. Ci. Univ. Coimbra 26: 84 (1957)
 var. **petunioides** A.Fernandes, in Revista Fac. Ci. Univ. Coimbra 26: 84 (1957). AM(p) 1956, FCC(p) 1960
 subsp. **luteolentus** Barra & López, in Anales Jard. Bot. Madrid 39 (1) 72 (1982)
 subsp. **monophyllus** (Durieu de Maisonneuve) A.Fernandes, in Revista Fac. Ci. Univ. Coimbra 26: 85 (1957). FCC 1886
 subsp. **tananicus** (Maire) A.Fernandes, in Daffodil & Tulip Year Book 33: 57 (1968)
capax Salisbury, in Trans. Hort. Soc. London 1: 359 (1812) (*Queltia*) = *N. triandrus* var. *loiseleurii*
caracensis Fernández Casas, in Fontqueria 56 (39) 369, 372, 374-375 (2014) (*Narcissus*) = *N. × ponsii-sorollae*
 × **caramulensis** Pedro Ribeiro, Jorge Paiva & Helena Freitas, in Anales Jard. Bot. Madrid 64 (1) 43 (2007) (*Narcissus*) = *N. bulbocodium* Linnaeus × *N. cyclamineus* de Candolle
 × **cardonae** Lloret i Sabaté & Fernández Casas, in Fontqueria 56 (1) 5-13 (2009) (*Narcissus*) = *N. dubius* Gouan × *N. tazetta* Linnaeus
 × *carpetanus* (Barra & López) Fernández Casas, in Fontqueria 6: 49 (1984) (*Narcissus*) = *N. bulbocodium* Linnaeus (*N. bulbocodium* [as var. *graellsii*] × *N. bulbocodium* Linnaeus [as var. *nivalis*])
 × **carringtonii** Rozeira, in Publ. Inst. Bot. "Dr. Gonçalo Sampaio", 3rd series, 1: 712 (1962) (*Narcissus*) = *N. scaberulus* Henriques × *N. triandrus* Linnaeus (as subsp. *pallidulus*)
caucasicus (Fomin) Gorschkova, in Fl. URSS 4: 492 (1935) (*Narcissus*) = *N. tazetta* subsp. *lacticolor*
cavanillesii Barra & López, in Anales Jard. Bot. Madrid 41 (1) 202 (1984) (*Narcissus*) Section Tapeinanthus. AM 2010
 × **cazorlanus** Fernández Casas, in Fontqueria 2: 37 (1982) (*Narcissus*) = *N. hedraeanthus* (P.B.Webb & Heldreich) Colmeiro × *N. triandrus* Linnaeus (as subsp. *pallidulus*). PC 1999
cerina Haworth, Syn. Pl. Succ.: 329 (1812) (*Hermione*) = *N. tazetta*
cernuus Roth, Catal. Bot. 1: 43 (1797) (*Narcissus*) = *N. tortuosus*
cernuus Salisbury, Prodr. Stirp. Chap. Allerton: 223 (1796) (*Narcissus*) = *N. triandrus* subsp. *pallidulus*
cernuus Bourgeau ex Nyman, Consp. Fl. Eur. 4: 710 (1882) (*Narcissus*) = *N. triandrus* subsp. *pallidulus*
cerrolazae J.F.Ureña, in Bot. Complut. 19: 84 (1994) (*Narcissus*) = *N. fernandesii*

× **chevassutii** Gorenflot, Guinochet & Quézel, in Bull. Soc. Hist. Nat. Afr. Nord 42: 120 (1952) (*Narcissus*) = *N. bertolonii* Parlatores × *N. obsoletus* Haworth

chinensis = *N. tazetta* subsp. *lacticolor*

chloraster Schultes & Schultes f., in Syst. Veg. 7ii: 981 (1830) (*Narcissus*) = *N. viridiflorus*

× *christianssenii* A.Fernandes, in Anuário Soc. Brot. 49: 29 (1983) (*Narcissus*) = *N. × rupidulus*

× *christopheri* Blanchard, in Daffodils & Tulips: 11 (1997) (*Narcissus*) = *N. × koshinomurae*

chrysanthus de Candolle, Fl. Franç. 5: 323 (1815) (*Narcissus*) = *N. bertolonii*

citrinus Link, Handbuch 1: 202 (1829) (*Narcissus*) = *N. tazetta* subsp. *lacticolor*

citrinus = *N. bulbocodium* var. *citrinus*

clusii Dunal, in Mém. Sect. Sci. Acad. Sci. Montpellier 1: 9 (1847) (*Narcissus*) = *N. cantabricus* subsp. *cantabricus*

cohaerens Rozeira, in Publ. Inst. Bot. "Dr. Gonçalo Sampaio", 2nd series, 17: 3 (1952) as a subsp. of *N. cyclamineus* = *N. cyclamineus*

commutatus Parlatores, Fl. Ital. 3: 152 (1858) (*Narcissus*) = *N. tazetta*

compressus Haworth, in Trans. Linn. Soc. London 5: 245 (1800) (*Narcissus*) = 'Compressus'

concolor Haworth, Suppl. Pl. Succ.: 131 (1819) (*Ganymedes*) = *N. triandrus* var. *concolor*

concolor Haworth, Suppl. Pl. Succ.: 126 (1819) (*Queltia*) = *N. × incomparabilis*

concolor Bromfield, Fl. Vect.: 497 (1856) (*Narcissus*) = *N. obvallaris*

concolor Jordan, Icon. Fl. Eur. 3: 1 (1903) (*Ajax*) = *N. hispanicus* var. *concolor*

concolor Barra = *N. bicolor* var. *concolor*

× **confinalensis** Uribe-Echebarría & P.Urrutia, in Estud. Mus. Cienc. Nat. Álava 4: 45 (1989) (*Narcissus*) Section Pseudonarcissus = *N. asturiensis* (Jordan) Pugsley × *N. primigenius* (Fernández Suárez ex Laínz) Fernández Casas & Laínz

confusus Pugsley, in J. Roy. Hort. Soc. 58 (1) 59 (1933) (*Narcissus*) Section Pseudonarcissus

× *consolationis* Fernández Casas, in Fontqueria 2: 37 (1982) (*Narcissus*) (parentage: *N. bulbocodium* Linnaeus [as var. *nivalis*] × *N. triandrus* Linnaeus [as subsp. *pallidulus*]) = *N. × fosteri*

conspicua Haworth, Monogr. Narcissin.: 1 (1831) (*Corbularia*) = *N. bulbocodium* subsp. *bulbocodium* var. *conspicuum*

conspicuum Salisbury, Prodr. Stirp. Chap. Allerton: 224 (1796) (*Narcissus*) = *N. × odorus*

conspicuum Haworth = *N. minor* var. *conspicuum*

constantinopolitanus hort., Fl. Orient. 5: 151 (1882) (*Narcissus*) = 'Romanus'

cooksoniae hort., in Gard. Chron. 47: 303 (1910) = 'Cooksoniae'

coornei de Candolle, in P.J.Redouté, Liliac. 8: t. 486 (1815) (*Narcissus*) = *N. bulbocodium*

corcyrensis Herbert, Amaryllidaceae: 323 (1837) (*Hermione*) = *N. tazetta* subsp. *corcyrensis*

cordubensis Fernández Casas, in Fontqueria 1: 10 (1982) (*Narcissus*) = *N. fernandesii* var. *cordubensis*

corifolius = Mis-spelling of *lorifolius*

coronatus de Candolle, in P.J.Redouté, Liliac. 8: t. 486 (1815) (*Narcissus*) = *N. hispanicus* var. *concolor*

corrugata Jordan, Brev. Pl. Nov. 2: 115 (1868) (*Hermione*) = *N. tazetta* subsp. *lacticolor*

cothurnalis Salisbury, Prodr. Stirp. Chap. Allerton: 225 (1796) (*Narcissus*) = *N. × medioluteus*

crenulatus Haworth, in Trans. Linn. Soc. London 5: 245 (1800) (*Narcissus*) = *N. tazetta* subsp. *lacticolor*

crispicorona Haworth, Monogr. Narcissin.: 11 (1831) (*Hermione*) = *N. tazetta* subsp. *lacticolor*

croceo-cincta Haworth, Monogr. Narcissin.: 14 (1831) (*Helena*) = 'Croceo-cinctus'

cuatrecasasii Fernández Casas, Laínz & Ruiz Rejón, in Cuad. Ci. Biol. 2 (1) 4 (1973) (*Narcissus*) Section Apodanthi. PC 1989, AM(a)(r) 1991. Received PC(s) 1968 and AM 1969 as *N. rupicola* subsp. *pedunculatus*

var. **cuatrecasasii**

var. **segimonensis** Fernández Casas, in Fontqueria 3: 27 (1983)

cuneiflorus Salisbury, in Trans. Hort. Soc. London 1: 343 (1812) (*Ajax*) = *N. pseudonarcissus*

cuneiflorus Willkomm & Lange, Prodr. Fl. Hispan. 1: 151 (1861) (*Narcissus*) = *N. pseudonarcissus*

cupanianus Gussone, Fl. Sicul. Syn. 2: 810 (1844-5) (*Narcissus*) = *N. elegans*

cupanianus Grech Delicata, Fl. Melit.: 36 (1853) (*Narcissus*) = *N. elegans*

cupularis (Salisbury) Bertoloni ex Schultes & Schultes f. in the sense of Puccinelli herbarium, Syst. Veg. 7ii: 970 (1830) = *N. puccinellii*

cupularis (Salisbury) Bertoloni ex Schultes & Schultes f. in part excluding type, Syst. Veg. 7ii: 970 (1830) = *N. bertolonii*

curtisii Haworth, Monogr. Narcissin.: 6 (1831) (*Philogyne*) = *N. × odorus*

curvilobus Salisbury ex Pugsley, in J. Bot. 53 (Suppl. 2): 36 (1915) (*Narcissus*) = *N. poeticus* var. *recurvus*

cyclamineus de Candolle, in P.J.Redouté, Liliac. 8: t. 486 (1815) (*Narcissus*) Section Pseudonarcissus. FCC 1887, AGM 1993

cyclamineus Haworth, Monogr. Narcissin.: 2 (1831) (*Ajax*) = *N. cyclamineus*

× **cyclazetta** Chater & Stace, in Watsonia 24: 532 (2003) (*Narcissus*) = *N. cyclamineus* de Candolle × *N. tazetta* Linnaeus ('Tête-à-Tête')

cyprî (Haworth) Sweet, Brit. Fl. Gard. 1: t. 92 (1831) (*Narcissus*) Section Tazettae

decora Haworth, Monogr. Narcissin.: 11 (1831) (*Hermione*) = *N. tazetta* subsp. *lacticolor*

decussatus Fernández Casas & Lloret i Sabaté, in Fontqueria 56 (16) 133-152 (2011) (*Narcissus*) = *N. × cazorlanus*

deficiens Herbert, in Edwards's Bot. Reg. 33: t. 22 (1847) (*Narcissus*) = *N. obsoletus*

deflexicaulis Haworth, Monogr. Narcissin.: 9 (1831) (*Hermione*) = *N. tazetta*

dianthos Haworth, Monogr. Narcissin: 9 (1831) (*Narcissus*) = *N. × medioluteus*
dianthus Schur, Enum. Pl. Transsilv.: 658 (1866) (*Narcissus*) = *N. radiiflorus* var. *stellaris*
 × *dichromus* P.D.Sell, Fl. Great Britain Ireland 5: 291 (1997) (*Narcissus*) = *N. cyclamineus* de Candolle × *N. moschatus* Linnaeus
diezii Hervás, in Biodiversidad news: Publicaciones Científicas (BVnPC) 4 (46) 21-25 (2015) (*Narcissus*) = *N. × litigiousus*
discolor Jordan & Fourreau, Brev. Pl. Nov. 2: 111 (1868) (*Hermione*) = *N. bertolonii* var. *discolor*
 × *dordae* Fernández Casas, in Fontqueria 53: 8 (1999) (*Narcissus*) = *N. abscessus* (Haworth) Schultes & Schultes f. × *N. macrolobus* (Jordan) Pugsley
dubia Pérez Lara, in Anales Soc. Esp. Hist. Nat. 11: 399 (1882) (*Carregnoa*) = *N. × perezlarae*
dubius Gouan, Ill. Observ. Bot.: 22 (1773) (*Narcissus*) Section Tazettae
 var. *dubius*
 var. *micranthus* (Jordan & Fourreau) Ascherson & Graebner, in Syn. Mitteleur. Fl., ed. 2, 3: 392 (1906)
ectandrus = *N. bulbocodium* var. *ectandrus*
elator Haworth, in Trans. Linn. Soc. London 5: 244 (1800) (*Narcissus*) = *N. × odoratus*
elatus Gussone, in Fl. Ital. 7: 627 (1851) (*Narcissus*) = *N. tazetta* subsp. *lacticolor*
elegans (Haworth) Spach, Hist. Nat. Vég. 12: 452 (1846) (*Narcissus*) Section Tazettae. PC 1995
 var. *elegans*
 f. *elegans*
 f. *auranticoronatus* Maire, Bull. Soc. Hist. Nat. Afr. Nord 31: 42 (1940)
 var. *fallax* Font Quer, Iter Maroc. 1929: 94 (1940)
 var. *flavescens* Maire, Bull. Soc. Hist. Nat. Afr. Nord 27: 261 (1936)
 var. *intermedius* Gay, Bull. Soc. Bot. France 6: 12 (1859) = *N. × perangustus*
 var. *oxypetalus* (Boissier) Maire, Cat. Pl. Maroc: 139 (1931)
emarginatus = *N. serotinus* var. *emarginatus*
 × *emeritensis* Fernández Casas, in Fontqueria 14: 18 (1987) (parentage: *N. bulbocodium* Linnaeus [as var. *tenuifolius*] × *N. triandrus* Linnaeus [as subsp. *pallidulus*]) (*Narcissus*) = *N. × fosteri*
enemeritoidi (Sánchez-Gómez, Carrillo, Hernández, Carrión-Vilches & Güemes) Sánchez-Gómez, Carrillo, Hernández, Carrión-Vilches & Güemes, in Anales Jard. Bot. Madrid 57 (2) 430 (1999, publ. 2000) (*Narcissus*) Section Pseudonarcissus
 × *ernii* Fernández Casas, in Fontqueria 3: 23 (1983) (*Narcissus*) (parentage: *N. bulbocodium* Linnaeus [as subsp. *bulbocodium*] × *N. triandrus* Linnaeus [as var. *triandrus*]) = *N. × fosteri*
etruscus Parlato, Fl. Ital. 3: 146 (1858) (*Narcissus*) = *N. patulus*
eu-albidus = *N. cantabricus* var. *eu-albidus*
eu-praecox = *N. bulbocodium* var. *praecox*
eugeniae Fernández Casas, in Fontqueria 1: 11 (1982) (*Narcissus*) Section Pseudonarcissus
exertus Haworth, Suppl. Pl. Succ.: 19 (1819) = *N. radiiflorus* var. *exertus*
exiguus Salisbury, Prodr. Stirp. Chap. Allerton: 220 (1796) (*Narcissus*) = *N. minor*
fallax = *N. elegans* var. *fallax*
 × *felineri* Fernández Casas, in Fontqueria 11: 16 (1986) (*Narcissus*) = *N. bulbocodium* Linnaeus × *N. primigenius* (Fernández Suárez ex Laínz) Fernández Casas & Laínz
 × *fenzii* Sprenger, in Gartenflora 40: 428 (1891) (*Narcissus*) = *N. cypri* (Haworth) Sweet × *N. pseudonarcissus* Linnaeus
fernandesii Pedro, in Bol. Soc. Brot., 2nd series, 21: 60 (1947) (*Narcissus*) Section Jonquilla. AM(a)(r) 1991
 var. *fernandesii*
 var. *cordubensis* (Fernández Casas) Fernández Casas, in Fontqueria 8: 31 (1985)
 var. *major* A.Fernandes, in Bol. Soc. Brot., 2nd series, 40: 239 (1966)
fernandezii-lopezii Hervás, in Biodiversidad news: Publicaciones Científicas (BVnPC) 4 (46) 21-25 (2015) (*Narcissus*) = *N. × romoi*
festalis Salisbury, Prodr. Stirp. Chap. Allerton: 220 (1796) (*Narcissus*) = *N. pseudonarcissus*
festinus Jordan, Icon. Fl. Eur. 3: 2 (1903) (*Ajax*) = *N. pseudonarcissus* var. *festinus*
filifolia M.Roemer, Fam. Nat. Syn. Monogr. 4: 190 (1847) (*Corbularia*) (as *N. bulbocodium* var. *filifolius* (M.Roemer) hort.) = variant of *N. bulbocodium* subsp. *bulbocodium*
filifolius (as *N. bulbocodium* var. *filifolius* (M.Roemer) hort.) = variant of *N. bulbocodium* subsp. *bulbocodium*
fistulosa Haworth, Syn. Pl. Succ.: 330 (1812) (*Hermione*) = *N. tazetta*
flaveola Haworth, Monogr. Narcissin.: 8 (1831) (*Hermione*) = *N. tazetta*
flavescens = *N. elegans* var. *flavescens*
flavus Lagasca, Gen. Sp. Pl.: 13 (1816) (*Narcissus*) = *N. jonquilla*
flexiflora Haworth (*Hermione*) = *N. tazetta* subsp. *lacticolor*
floribunda Haworth, Suppl. Pl. Succ.: 141 (1819) (*Hermione*) = *N. tazetta* subsp. *lacticolor*
flos-lactis Haworth, Monogr. Narcissin.: 8 (1831) (*Hermione*) = *N. tazetta*
foetida Herbert, Amaryllidaceae: 311 (1837) (*Queltia*) = *N. × incomparabilis*
foliosus Maire, in Bull. Soc. Hist. Nat. Afr. Nord 20 (1) 38 (1929) = *N. cantabricus* var. *foliosus*

fontqueri Fernández Casas & Rivas Ponce, in Fontqueria 21: 27 (1988) (*Narcissus*) Section Pseudonarcissus
× **fosteri** Lynch, in Gard. Chron. 47: 342 (1910) (*Narcissus*) = *N. bulbocodium* Linnaeus (as var. *citrinus*) × *N. triandrus* Linnaeus

gaditanus Boissier & Reuter, Diagn. Pl. Nov. Hisp.: 3: Series 2, no. 4, p. 96 (1859) (*Narcissus*) Section Jonquilla
gadorensis Fernández Casas, in Fontqueria 56 (40) 382 (2014) (*Narcissus*) = *N. calcicola*
galanthifolia Haworth, Syn. Pl. Succ.: 328 (1812) (*Queltia*) = *N. × poculiformis*
× **galdoanus** Fernández Casas, in Anales Jard. Bot. Madrid 55 (1) 174 (1997) (*Narcissus*) = *N. nobilis* (Haworth) Schultes & Schultes f. × *N. triandrus* Linnaeus

gallaecicus Fernández Casas, in Fontqueria 56 (33) 308-315 (2013) (*Narcissus*) Unresolved name
ganymedoides Jordan & Fourreau, Brev. Pl. Nov. 2: 113 (1868) (*Hermione*) = *N. tazetta*
× **garcisianus** Magnen ex Malinvaud, in Bull. Soc. Bot. France 32: 185 (1995), quoted in Fontqueria 53: 10 (1999) (*Narcissus*) = *N. × pujolii*

gayi Pugsley, in J. Roy. Hort. Soc. 58 (1) 72 (1933) (*Narcissus*) Section Pseudonarcissus ('Princeps')
var. **gayi**
var. **praelongus** (Jordan) Pugsley, in J. Roy. Hort. Soc. 58 (1) 73 (1933)

genesii-lopezii Fernández Casas, in Fontqueria 14: 19 (1987) (*Narcissus*) Section Pseudonarcissus = *N. eugeniae*
gennarii Parlatore, Fl. Ital. 3: 130 (*Narcissus*) = *N. papyraceus*
genuinus Coutinho, Fl. Portugal: 140 (1913) = *N. bulbocodium* var. *bulbocodium*
× **georgemawii** Fernández Casas, in Anales Jard. Bot. Madrid 55 (1) 174 (1997) (*Narcissus*) = *N. elegans* (Haworth) Spach × *N. viridiflorus* Schousboe

gigas Haworth, Monogr. Narcissin.: 1 (1831) (*Corbularia*) = *N. bulbocodium*
glaucifolius (Pourret) Rouy, Fl. France 13: 51 (1912) (*Narcissus*) = ?*N. dubius*
glaucus Hornemann, Hort. Bot. Hafn. 1: 315 (1813) (*Narcissus*) = *N. pseudonarcissus* subsp. *pseudonarcissus*
gouanii Roth, in Arch. Bot. (Leipzig) 1(2): 39 (1801) (*Narcissus*) = *N. × incomparabilis*
graciliflorus = *N. abscissus* var. *graciliflorus*
× **gracilis** Sabine, in Bot. Reg. 10: t. 816 (1824) (*Narcissus*) (parentage: *N. jonquilla* Linnaeus × *N. poeticus* Linnaeus [assumed]) = *N. × tenuior*

graellsii P.B. Webb in Graells, Ind. Pl. Nov.: 8 (1854) (*Narcissus*) = *N. bulbocodium* subsp. *bulbocodium* var. *graellsii*
granatensis del Amo, Botanica (del Amo): 7 (1861) = *N. × litigious*
grandicrenatus Parlatore, Fl. Ital. 3: 154 (*Narcissus*) = *N. tazetta* subsp. *lacticolor*
grandiflora Haworth, Syn. Pl. Succ.: 330 (1812) (*Hermione*) = *N. tazetta* susp. *lacticolor* var. *trewianus*
grandiflorus Salisbury, Prodr. Stirp. Chap. Allerton: 221 (1796) (*Narcissus*) = *N. hispanicus*
grandiflorus Battandier & Trabut, in Bull. Soc. Hist. Nat. Afr. Nord 9: 16 (1918) = *N. broussonetii* f. *grandiflorus*
grandiflorus Sabine = *N. radiiflorus* var. *poetarum*
† **grandiflorus** (as subsp. of *N. serotinus*) M. Salmon, in Monocot Nursery Seed List 1994/5

× **gredensis** Fernández Casas, in Fontqueria 3: 23 (1983) (*Narcissus*) = *N. bulbocodium* Linnaeus (as var. *nivalis*) × *N. rupicola* Dufour

× **grenieri** Richter, Pl. Europ. 1: 245 (1890) (*Narcissus*) = *N. × medioluteus*
† **guadalupensis** (as subsp. of *N. rupicola*) M. Salmon, in Monocot Nursery Plant List 1993/4
gussonei Rouy, Fl. France 13: 45 (1912) = *N. tazetta* subsp. *gussonei*
× **hannibalis** A. Fernandes, in Anuário Soc. Brot. 39: 16 (1973) (*Narcissus*) = *N. hispanicus* Gouan × *N. triandrus* (as subsp. *lusitanicus*)

haworthii G. Don, in Hort. Brit. (Loudon): 116 (1830) (*Narcissus*) = *N. triandrus*

hedraeanthus (P.B. Webb & Heldreich) Colmeiro, Enum. Pl. Penins. Hispano-Lusit. 5: 80 (1889) (*Narcissus*) Section Bulbocodium. AM 1977

hellenicus Pugsley, in J. Bot. 53 (Suppl. 2): 36 (1915) (*Narcissus*) = *N. poeticus* var. *hellenicus*
heminalis Salisbury, in Trans. Hort. Soc. London 1: 356 (1812) = *N. × infundibulum*
henriquesii = *N. jonquilla* var. *henriquesii*
herbertii Rouy, Ill. Pl. Eur.: t. 347 (1900) (*Corbularia*) = *N. bulbocodium* subsp. *bulbocodium*
herminicus Link ex Willkomm & Lange, Prodr. Fl. Hispan. 1: 152 (1861) (*Narcissus*) = *N. assoanus*
herminiens = Mis-spelling of *herminicus*
× **herminii** Fernández Casas, in Fontqueria 20: 25 (1988) (*Narcissus*) (parentage: *N. bulbocodium* Linnaeus [as subsp. *bulbocodium* var. *nivalis*] × *N. primigenius* (Fernández Casas ex Laínz) Fernández Casas & Laínz) = *N. × felineri*

hesperidis Fernández Casas, in Fontqueria 53: 6 (1999) (*Narcissus*) Section Bulbocodium

hispanicus Gouan, Ill. Observ. Bot.: 23 (1773) (*Narcissus*) Section Pseudonarcissus
subsp. **hispanicus**
var. **hispanicus**
var. **concolor** (Jordan) Pugsley, in J. Roy. Hort. Soc. 58 (1) 51 (1933)
var. **propinquus** (Salisbury) Pugsley, in J. Roy. Hort. Soc. 58 (1) 51 (1933) (Pseudonarcissus Major 'Propinquus', Pseudonarcissus Major 'Luteus') "Absorbed" into 'Edward Leeds'
var. **spurius** (Haworth) Pugsley, in J. Roy. Hort. Soc. 58 (1) 51 (1933) (Pseudonarcissus Major 'Spurius')

subsp. **bujei** (Fernández Casas) Fernández Casas, in Fontqueria 54: 126 (1999-2000 publ. 2000)
hispanicus in the sense of Willdenow, in Prodr. Fl. Hispan. 1: 152 (1861) (*Narcissus*) = *N. rupicola*
homochroos Schultes & Schultes f., in Syst. Veg. 7ii: 955 (1830) (*Narcissus*) = *N. triandrus* var. *concolor*
humilis Heynhold, Nom. Bot. Hort. 1: 540 (1841) (*Narcissus*) = *N. dubius*
humilis (Cavanilles) Traub, in Plant Life 25: 46 (1969) (*Narcissus*) = *N. cavanillesii*
humilis = *N. pseudonarcissus* var. *humilis*
 × *incomparabiliformis* Rouy, Fl. France 13: 34 (1912) = *N. × incomparabilis*
 × ***incomparabilis*** Miller, Gard. Dict., ed. 8: no. 3 (1768) (*Narcissus*) = *N. hispanicus* Gouan × *N. poeticus* Linnaeus
 or *N. poeticus* Linnaeus × *N. pseudonarcissus* Linnaeus (Macleayi 'Major', Macleayi 'Parkinsonii', Macleayi
 'Sabinii', ?'No. 1', ?'The Great Late Flowering White Daffodil with a Long Cup', ?'The Small Early White
 Daffodil with a Long Cup')
 × ***incurvicervicus*** Barra & López, in Anales Jard. Bot. Madrid 39 (1) 72 (1982) (*Narcissus*) = *N. fernandesii* Pedro × *N.*
triandrus Linnaeus (as subsp. *pallidulus*)
inflatus Haworth, in Trans. Linn. Soc. 5: 243 (1800) (*Narcissus*) = *N. bulbocodium*
infundibularis Loudon, Hort. Brit. (Loudon): 116 (1830) as an erroneous name (*Narcissus*) = *N. × infundibulum*
 × ***infundibulum*** Poiret, in Encycl. 4: 427 (1798) (*Narcissus*) = *N. abscessus* (Haworth) Schultes & Schultes f. × *N.*
jonquilla Linnaeus (Olorus 'Heminalis', ?'Orange Queen', "The Narrow Cupped")
insignis = *N. pseudonarcissus* var. *insignis*
integer Haworth, in Philos. Mag. 63: 104 (1824) (*Chloraster*) = *N. viridiflorus*
interjecta Haworth, Suppl. Pl. Succ.: 135 (1819) (*Philogyne*) = *N. × odorus*
 × ***intermedius*** Loiseleur-Deslongchamps, Fl. Gall. 1: 236, t. 6 (1806) (*Narcissus*) = *N. jonquilla* Linnaeus × *N. tazetta*
 Linnaeus ('Etoile d'Or', Tazetta 'Bifrons', Tazetta 'Primulinus', "Texas Star", "The Cowslip Cupped")
intermedius Gay, Bull. Soc. Bot. France 6: 12 (1859) = *N. × perangustus*
intermedius = *N. pallidiflorus* var. *intermedius*
iohannis Fernández Casas, in Fontqueria 56 (19) 165-170 (2011) (*Narcissus*) = *N. triandrus* var. *alejandrei*
italicus Ker Gawler, in Bot. Mag. 29: t. 1188 (1809) (*Narcissus*) Section Tazettae
jacetanus Fernández Casas, in Fontqueria 5: 35 (1984) (*Narcissus*) Section Pseudonarcissus. PC 1996
 subsp. ***jacetanus***
 subsp. ***vasconicus*** (Fernández Casas) Fernández Casas, in Fontqueria 5: 36 (1984)
jacquemoudii Fernández Casas, in Fontqueria 10: 11 (1986) (*Narcissus*) Section Bulbocodium
jasminea Salisbury, in Trans. Hort. Soc. London 1: 360 (1812) (*Hermione*) = *N. papyraceus*
javieri A. Fernandes, in Fontqueria, 13: 12 (1987) = *N. × brevitubulosus*
jeanmonodii Fernández Casas, in Fontqueria 10: 9 (1986) (*Narcissus*) Section Bulbocodium
 × *johnstonii* (Baker) Pugsley, in J. Roy. Hort. Soc. 58: 37 (1933) (*Narcissus*) = *N. × taitii*. FCC 1887
jonquilla Linnaeus Sp. Pl.: 290 (1753) (*Narcissus*) Section Jonquilla ("Jonquil single", "Simplex", "Sweeties"). AGM
 1994
 var. ***jonquilla***
 var. ***henriquesii*** Sampaio, in Fl. Portugal, ed. 2: 803 (1939). PC 2000
 var. ***minor*** (Haworth) Baker, Handb. Amaryll.: 10 (1888) (Olorus 'Minor', Olorus 'Pseudo-
 juncifolius')
 var. ***stellaris*** Baker, Handb. Amaryll.: 10 (1888)
 var. ***uniflora*** Asso in Schultes & Schultes f., Syst. Veg. 7ii: 962 (1830) = *N. assoanus*
jonquilla Pourret ex Nyman, Consp. Fl. Eur. 4: 712 (1882) (*Narcissus*) = *N. assoanus*
jonquilloides Willdenow ex Schultes & Schultes f., in Syst. Veg. 7ii: 986 (1830) (*Narcissus*) = *N. triandrus* var.
triandrus
jonquilloides Willkomm, in Bot. Zeitung (Berlin) 18 (12) 103 (1860) (*Narcissus*) = *N. willkommii*
juncifolius Salisbury, Prodr. Stirp. Chap. Allerton: 223 (1796) (*Narcissus*) = *N. jonquilla*
juncifolius Lagasca, Gen. Sp. Pl.: 13 (1816) (*Narcissus*) = *N. assoanus*
juncifolius Lagasca subsp. *gaditanus* (Boissier & Reuter) Baker, Handb. Amaryll.: 6 (1888) = *N. gaditanus*
juncifolius Lagasca subsp. *minutiflorus* (Willkomm) Baker, Handb. Amaryll.: 7 (1888) = *N. minutiflorus*
juncifolius Lagasca subsp. *rupicola* (Dufour) Baker, Handb. Amaryll.: 7 (1888) = *N. rupicola*
 × *juratensis* Rouy, Fl. France 13: 34 (1912) (*Narcissus*) = *N. × incomparabilis*
juressianus Fernández Casas, in Fontqueria 10: 10 (1986) (*Narcissus*) Section Bulbocodium
kesticus Maire & Wilczec, in Bull. Soc. Hist. Nat. Afr. Nord 27: 80 (1936) = *N. cantabricus* var. *kesticus*
knochei Fernández Casas, in Fontqueria 56 (12) 101-108 (2010) (*Narcissus*) = *N. × alentejanus*
 × ***koshinomurae*** Fernández Casas, in Fontqueria 44: 254 (1996) (*Narcissus*) = *N. fernandesii* Pedro × *N. panizzianus*
 Parlatore. PC 2004
lacticolor Haworth, Monogr. Narcissin: 10 (1831) (*Hermione*) = *N. tazetta* subsp. *lacticolor*
 × ***laetus*** Salisbury, Prodr. Stirp. Chap. Allerton: 224 (1796) (*Narcissus*) = *N. minor* Linnaeus × *N. jonquilla* Linnaeus
 (Olorus 'Laetus')
lagoi Merino, Fl. Galicia 3: 615 (1909) (*Narcissus*) Section Pseudonarcissus
lainzii Barra & López, Anales Jard. Bot. Madrid 50 (1) 123 (1992) (*Narcissus*) = *N. bulbocodium* var. *citrinus*
lanzae Lojaccono Pojero, Fl. Sicul. 3: 84 (1908) (*Narcissus*) = *N. tazetta* subsp. *lacticolor*
latifolia Haworth, Suppl. Pl. Succ.: 146 (1819) (*Hermione*) = *N. cupularis*

latipetalus (*cohaerens* var. *latipetalus*) Rozeira, in Publ. Inst. Bot. "Dr. Gonçalo Sampaio", 2nd series, 17: 4 (1952) = *N. cyclamineus*

leda hort., in Gard. Chron. 1887(1): 832 (1887) = 'Hartland's Leda'

ledroensis Evers, in Verh. K. K. Zool.-Bot. Ges. Wien 46 (2) 88 (1896) (*Narcissus*) = *N. radiiflorus*

leonensis Pugsley, in J. Roy. Hort. Soc. 58 (1) 75 (1933) (*Narcissus*) = *N. nobilis* var. *leonensis*

†*leonensis* (as var. of *N. bulbocodium*) M.Salmon, in Monocot Nursery Seed List 1993/4

× *libarensis* Sánchez García & Martínez Ortega, in Lagasalia 18 (1) 105 (1995) (*Narcissus*) = *N. cuatrecasasii* Fernández Casas, Laínz & Ruiz Rejón × *N. papyraceus* Ker Gawler

linnaeanus Rouy, Fl. France 13: 40 (1912) (*Narcissus*) = *N. tazetta*

subsp. *linnaeanus*

subsp. *dubius* (Gouan) Rouy, Fl. France 13: 50 (1912) = *N. dubius*

subsp. *ganymedoides* (Jordan & Fourreau) Rouy, Fl. France 13: 45 (1912) = *N. tazetta*

subsp. *gussonei* Rouy, Fl. France 13: 45 (1912) = *N. tazetta* subsp. *gussonei*

subsp. *intermedius* (Loiseleur-Deslongchamps) Rouy, Fl. France 13: 43 (1912) = *N. × intermedius*

subsp. *italicus* (Ker Gawler) Rouy = *N. italicus*

subsp. *ochroleucus* (Loiseleur-Deslongchamps) Rouy, Fl. France 13: 45 (1912) = *N. tazetta* subsp. *ochroleucus*

subsp. *papyraceus* (Ker Gawler) Rouy, Fl. France 13: 50 (1912) = *N. papyraceus*

subsp. *polyanthos* (Loiseleur-Deslongchamps) Rouy, Fl. France 13: 49 (1912) = *N. polyanthos*

subsp. *pseuditalicus* Rouy, 13: 46 (1912) = *N. italicus*

subsp. *redoutei* Rouy, 13: 46 (1912) = *N. tazetta* subsp. *lacticolor*

subsp. *rempolensis* (Panizzi in Parlatore) Rouy, Fl. France 13: 49 (1912) = *N. tazetta*

subsp. *subalbidus* (Loiseleur-Deslongchamps) Rouy, 13: 44 (1912) = *N. italicus*

subsp. *tazetta* (Linnaeus) Rouy, Fl. France 13: 47 (1912) = *N. tazetta*

× *litigiosus* del Amo, Botanica (del Amo): 8 (1861) (*Narcissus*) = *N. cantabricus* de Candolle × *N. triandrus* Linnaeus (as var. *concolor*)

× *lobatus* Poiret, in Encycl. 4: 427 (1798) (*Narcissus*) = *N. × infundibulum*

lobularis (Haworth) Schultes & Schultes f., in Syst. Veg. 7ii: 1732 (1830) (*Narcissus*) Section Pseudonarcissus

lobularis hort., in J. Roy. Hort. Soc. 58 (1) 48 (1933) (*Narcissus*) = *N. nanus* in part

lobulatus Haworth, Misc. Nat.: 178 (1803) (*Narcissus*) = *N. bulbocodium*

loiseleurii Rouy, in Bull. Soc. Bot. France 55: 153 (1908) = *N. triandrus* var. *loiseleurii*

longiflorus Willdenow, Enum. Hort. Berol.: 351 (1809) (*Narcissus*) = *N. × intermedius*

longipetalus Schleicher ex Steudel, Nomencl. Bot., ed. 2, 2: 182 (1841) (*Narcissus*) = *N. radiiflorus* var. *extertus*

longispathus Pugsley, in J. Roy. Hort. Soc. 58 (1) 54 (1933) (*Narcissus*) Section Pseudonarcissus

var. *bujei* Fernández Casas, in Fontqueria 2: 33 (1982) = *N. hispanicus* subsp. *bujei*

× *lopezii* Fernández Casas, in Fontqueria 2: 37 (1982) (*Narcissus*) = *N. bulbocodium* Linnaeus × "*N. obvallaris*"

× *loretii* Rouy, Fl. France 13: 52 (1912) (*Narcissus*) = *N. × medioluteus*

lorifolius Salisbury, in Trans. Hort. Soc. London 1: 346 (1812) (*Ajax*) = *N. bicolor* var. *lorifolius*

lorifolius Gillot, Bull. Soc. Bot. France 30: 15 (1883) (*Narcissus*) = *N. bicolor* var. *lorifolius*

lorifolius Rouy, Fl. France 13: 32 (1912) (*Narcissus*) = *N. bicolor* var. *lorifolius*

luna Haworth, Suppl. Pl. Succ.: 143 (1819) (*Hermione*) = *N. polyanthos*

lusitanicus Dorda Alcaraz & Fernández Casas, in Anales Jard. Bot. Madrid 58 (1) 186 (2000) (*Narcissus*) = *N. triandrus* subsp. *lusitanicus*

lusitanicus = Name misapplied in the *International Daffodil Register* (1998) to a taxon in Section Pseudonarcissus

luteolentus = *N. cantabricus* subsp. *luteolentus*

luteola Jordan & Fourreau, Brev. Pl. Nov. 2: 118 (1868) (*Queltia*) = *N. tazetta* subsp. *lacticolor*

luteus Bubani, Fl. Pyren. (Bubani) 4: 156 (1901) (*Narcissus*) = *N. pseudonarcissus* subsp. *pseudonarcissus*

× *macleayi* Lindley, in Bot. Reg. 9: t. 762 (1823) (*Narcissus*) Parentage unknown (Macleayi 'Macleayi', see also 'Macleai')

macrolobus (Jordan) Pugsley, in J. Roy. Hort. Soc. 58 (1) 71 (1933) (*Narcissus*) Section Pseudonarcissus

× *maginae* Fernández Casas & Susanna, in Anales Jard. Bot. Madrid 38 (1) 301 (1981) (*Narcissus*) = *N. cuatrecasasii* Fernández Casas, Laínz & Ruiz Rejón × *N. triandrus* Linnaeus (as subsp. *pallidulus*)

× *magnenii* Rouy, in Bull. Soc. Bot. France 38: 137 (1891) (*Narcissus*) = *N. assoanus* Dufour ex Schultes & Schultes f. × *N. tazetta* Linnaeus

× *magni-abilii* Fernández Casas, in Fontqueria 56 (2) 24-25 (2009) (*Narcissus*) (parentage: *N. asturiensis* (Jordan) Pugsley) × *N. bulbocodium* Linnaeus [as var. *nivalis*] = *N. × brevitubulosus*

× *magni-antonii* Fernández Casas in Fontqueria 14: 18-19 (1987) (*Narcissus*) (parentage: *N. bulbocodium* Linnaeus [as var. *tenuifolius*] × *N. cantabricus* de Candolle) = *N. × neocarpetanus*

†*magnicoronatus* (as var. of *N. assoanus*) M.Salmon, in Monocot Nursery Seed List 1993/4

†*mairesii* (as subsp. of *N. bulbocodium*) M.Salmon, in Daffodils 1991-1992: 32

majalis Curtis, Bot. Mag. 6: t. 193 (1792) (*Narcissus*) = *N. poeticus* var. *majalis*

majalis var. *extertus* Haworth, Suppl. Pl. Succ.: 19 (1819) = *N. radiiflorus* var. *extertus*

major Curtis, Bot. Mag. 2: t. 51 (1788) (*Narcissus*) = *N. hispanicus*

major hort., in Bot. Mag. 32: t. 1301 (1810) (*Narcissus*) = *N. hispanicus* var. *propinquus*
major = *N. fernandesii* var. *major*
major Pérez-Lara, Anales Soc. Esp. Hist. Nat. 15: 446 (1886) (*Narcissus*) = *N. obsoletus*
malacitanus Fernández Casas, in *Fontqueria* 56 (14) 125-126 (2010) (*Narcissus*) = *N. elegans*
× *margaritae* Sprenger, in *Gartenflora* 40: 491 (1891) (*Narcissus*) = *N. papyraceus* Ker Gawler × *N. pseudonarcissus*
Linnaeus
marianicus Fernández Casas, in *Fontqueria* 1: 10 (1982) (*Narcissus*) = *N. fernandesii*
× *martinoae* Nava & Fernández Casado, in *Fontqueria* 31: 253 (1991) (*Narcissus*) = *N. asturiensis* (Jordan) Pugsley ×
N. pallidiflorus Pugsley
marvieri Jahandiez & Maire, in Bull. Soc. Hist. Nat. Afrique N. 16: 70 (1925) (*Narcissus*) = *N. rupicola* subsp. *marvieri*
mastersianus hort., in Gard. Chron. 1882(1): 472 (1882) = 'Mastersianus'
matiasii Fernández Casas, in *Fontqueria* 56 (7) 65-66 (2010) (*Narcissus*) Unresolved name
†*mauretanicus* (as subsp. of *N. cavanillesii*) M.Salmon, in Monocot Nursery Seed List 1998/9
maximus Haworth, Monogr. Narcissin.: 3 (1831) (*Ajax*) = *N. hispanicus* var. *propinquus*
maximus hort., in J. Roy. Hort. Soc. 58 (1) 50 (1933) = variant of *N. hispanicus* ('Maximus')
× *medioluteus* Miller, Gard. Dict., ed. 8: no. 4 (1768) (*Narcissus*) = *N. poeticus* Linnaeus × *N. tazetta* Linnaeus ("April
Beauty", "Cemetery Ladies", "Loving Couples", "Primrose Peerless", "Twin Sisters")
medius M.Roemer, Fam. Nat. Syn. Monogr. 4: 235 (1847) (*Narcissus*) = *N. jonquilla*
megacodium Durieu de Maisonneuve, in Rev. Bot. Recueil Mens. 2: 425 (1846-7) (*Narcissus*) = *N. bulbocodium*
mesatlanticus = *N. romieuxii* var. *mesatlanticus*
micrantha Jordan & Fourreau, Brev. Pl. Nov. 2: 108 (1868) (*Hermione*) = *N. dubius* var. *micranthus*
mignon Schultes & Schultes f., Place of publication untraced (*Narcissus*) = *N. jonquilla*
× *mikelii-lordae* Fernández Casas, in *Fontqueria* 56 (38) 357-366 (2014) (*Narcissus*) Section Pseudonarcissus =
N. jacetanus Fernández Casas × *N. varduliensis* Fernández Casas & Uribe-Echebarría
miniatus Donnison-Morgan, Koopowitz & Zonneveld, in Daffodils with Snowdrops & Tulips 2005-2006: 19
(*Narcissus*) = *N. obsoletus*
minimus Haworth, Monogr. Narcissin.: 1 (1831) (*Ajax*) = *N. minor* var. *minimus*
minimus hort., in J. Roy. Hort. Soc. 58 (1) 40 (1933) (*Narcissus*) = *N. asturiensis*
minor Linnaeus, Sp. Pl., ed. 2, 1: 415 (1762) (*Narcissus*) Section Pseudonarcissus. AGM 1994
var. *minor*
var. *brevicoronatus* Barra & López, in Anales Jard. Bot. Madrid 52 (2) 177 (1994 publ.
1995) = *N. asturiensis* var. *brevicoronatus*
var. *conspicuous* Haworth, Suppl. Pl. Succ.: 1 (1819)
var. *cuneiflorus* Willkomm & Lange, Prodr. Fl. Hispan. 1: 151 (1861) = *N. pseudonarcissus*
var. *minimus* (Haworth) Pugsley, in J. Roy. Hort. Soc. 58 (1) 43 (1933)
var. *nanus* Herbert, Amaryllidaceae: 300 (1837) = *N. nanus*
var. *parviflorus* (Jordan) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 183 (1951) = *N.*
parviflorus
var. *provincialis* (Pugsley) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 183 (1951) = *N.*
provincialis
var. *pumilus* (Salisbury) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 183 (1951)
minor Brotero, Fl. Lusit.: 549 (1804) (*Narcissus*) = in part *N. pumilis*, in part *N. asturiensis*
minor Haworth, Suppl. Pl. Succ.: 137 (1819) (*Philogyne*) = *N. jonquilla* var. *minor*
minor Willkomm, Prodr. Fl. Hispan. 1: 150 (1861) = *N. bulbocodium* var. *nivalis*
minoriformis = *N. pseudonarcissus* var. *minoriformis*
minutiflorus Willkomm, in Bot. Zeit. (Berlin) 18 (12) 104 (1860) (*Narcissus*) Section Jonquilla
†*minutus* (as subsp. of *N. assoanus*) M.Salmon, in Monocot Nursery Plant List 1994/5
mion Schultes & Schultes f., in Syst. Veg. 7ii: 961 (1830) (*Narcissus*) = *N. jonquilla* var. *minor*
molerói Fernández Casas, in *Fontqueria* 14: 21 (1987) (*Narcissus*) Section Pseudonarcissus
× *monochromus* P.D.Sell, Fl. Great Britain Ireland 5: 364 (1996) (*Narcissus*) = *N. cyclamineus* de Candolle × *N.*
pseudonarcissus Linnaeus
monophylla Durieu de Maisonneuve, in Rev. Bot. Recueil Mens. 2: 425 (1846-7) (*Corbularia*) = *N. cantabricus* subsp.
monophyllus
monspeliensis Jordan & Fourreau, Brev. Pl. Nov. 2: 110 (1868) (*Hermione*) = *N. tazetta* subsp. *lacticolor*
montanus Ker Gawler, in Bot. Reg. 2: t. 123 (1816) (*Narcissus*) = *N. × poculiformis*
× *montcaunicus* Fernández Casas, in *Fontqueria* 2: 31 (1982) (*Narcissus*) = *N. bulbocodium* Linnaeus × *N. eugeniae*
Fernández Casas
× *montielanus* Barra & López, in Anales Jard. Bot. Madrid 39 (1) 76-77 (1982) (*Narcissus*) = *N. × cazorlanus*
montinus Jordan, Icon. Fl. Eur. 3: 3 (1903) (*Ajax*) = *N. pseudonarcissus* var. *montinus*
× *montserratii* Fernández Casas & Rivas Ponce, in Monogr. Inst. Pir. Ecologia 4: 173 (1988) (*Narcissus*) = *N. abscissus*
(Haworth) Schultes & Schultes f. × *N. poeticus* Linnaeus
× *montsiccianus* Romo, in *Fontqueria* 24: 15 (1989) (*Narcissus*) (parentage: *N. assoanus* Dufour ex Schultes &
Schultes f. × *N. assoanus* [as var. *palearensis*]) = *N. assoanus*

× *moronensis* Knoche, in *Herbertia* 62: 45-58 (2008) (*Narcissus*) (parentage: *N. cavanillesii* Barra & López × *N. serotinus* Linnaeus) = *N. × alentejanus*
moschatus Linnaeus, Sp. Pl., ed. 2, 1: 415 (1762) (*Narcissus*) Section Pseudonarcissus (Pseudonarcissus Moschatus 'Cernuus', 'Silver Trumpet', 'The Drooping White Spanish Daffodil', 'The Swan's Neck Daffodil')
moschatus (Linnaeus) Haworth, Monogr. Narcissin.: 2 (1831) (*Ajax*) = *N. moschatus*
multiflorus Lamarck, Fl. Française 3: 391 (1778) (*Narcissus*) = *N. tazetta*
munozii-garmendiae Fernández Casas, Exsicc. Distrib. 4: 21 (1981) (*Narcissus*) = *N. pseudonarcissus* subsp. *munozii-garmendiae*
munozii-garmendiae = Name misapplied in *The International Daffodil Register* (1998) to a variant of *N. × litigious mutatis* = *N. triandrus*
muticus Gay, in Bull. Bot. Soc. France 7: 308 (1860) (*Ajax*) = *N. abscissus*
nanus (Haworth) Spach, Hist. Nat. Vég. 12: 433 (1846) (*Narcissus*) Section Pseudonarcissus
neglectus Tenore, Index Seminum (NAP) 1837: 5 (1837) (*Narcissus*) = *N. tazetta* subsp. *lacticolor*
 × *neocarpetanus* Rivas Ponce, C.Soriano & Fernández Casas, in *Anales Jard. Bot. Madrid* 42 (1) 130 (1985) (*Narcissus*) = *N. bulbocodium* Linnaeus (as var. *nivalis*?) × *N. cantabricus* de Candolle
nevadensis Pugsley, in J. Roy. Hort. Soc. 58 (1) 62 (1933) (*Narcissus*) Section Pseudonarcissus
nivalis Graells, in Mem. Real Acad. Ci. Exact. Madrid 2: 473 (1859) (*Narcissus*) = *N. bulbocodium* subsp. *bulbocodium* var. *nivalis*
niveus Loiseleur-Deslongchamps, in J. Bot. (Desvaux) 2: 278 (1809) (*Narcissus*) = *N. papyraceus*
niveus Panizzi, in Fl. Ital. 3: 128 (1848) (*Narcissus*) = *N. panizzianus*
nobilis (Haworth) Schultes & Schultes f., in Syst. Veg. 7ii: 939 (1830) (*Narcissus*) Section Pseudonarcissus var. *nobilis* (Pseudonarcissus Nobilis 'Nobilis')
 var. *leonensis* (Pugsley) A.Fernandes, in *Daffodil & Tulip Year Book* 33: 61 (1968)
nobilis Jordan & Fourreau, Brev. Pl. Nov. 2: 118 (1868) (*Hermione*) = *N. cupularis*
 × *nutans* Haworth, Misc. Nat.: 179 (1803) (*Narcissus*) = *N. jonquilla* Linnaeus × *N. triandrus* Linnaeus
obesus Salisbury, Prodr. Stirp. Chap. Allerton: 222 (1796) (*Narcissus*) = *N. bulbocodium* subsp. *obesus*
obliquus Tausch, in Flora 24: 237 (1841) (*Narcissus*) = *N. poeticus*
obliquus Gussone, in Fl. Ital. 7: 627 (1851) (*Narcissus*) = *N. italicus*
oblitteratus Willdenow ex Schultes & Schultes f., in Syst. Veg. 7ii: 981 (1830) (*Narcissus*) = *N. broussonetii*
obsoletus (Haworth) Steudel, Nomencl. Bot., ed. 2, 2: 182 (1841) (*Narcissus*) Section Serotini
 × *obsoletus* (Haworth) Spach, Hist. Nat. Vég. 12: 452 (1846) (*Narcissus*) = *N. × obsoletus* (Haworth) Steudel sensu Maire & Weiller, in Fl. Afr. Nord 6: 66 (1959)
 × *obsoletus* (Haworth) Steudel sensu Maire & Weiller, in Fl. Afr. Nord 6: 66 (1959) (*Narcissus*) = *N. × perangustus*
obvallaris Salisbury, Prodr. Stirp. Chap. Allerton: 221 (1796) (*Narcissus*) Section Pseudonarcissus ("The Tenby Daffodil"). AM(g) 1973, AGM 1993
occasus Fernández Casas, in Fontqueria 56 (5) 39-40 (2009) (*Narcissus*) = *N. calcicola*
 †*occidentalis* (as var. of *N. romieuxii* subsp. *albidus*) M.Salmon, in Monocot Nursery Seed List 1993/4
ochroleucus Loiseleur-Deslongchamps, Not. Fl. France: 163 (1810) (*Narcissus*) = *N. tazetta* subsp. *ochroleucus*
 × *odorus* Linnaeus, Cent. Pl. II: 14 (1756) (*Narcissus*) = *N. jonquilla* Linnaeus × *N. pseudonarcissus* Linnaeus (or *N. hispanicus* Gouan?) (Odorus 'Camperelli', Odorus 'Curtisii', Odorus 'Interjectus', "The Great 6-lobed", "The Great Curled Cup", "The Late Great 6-lobed")
 × *oiarbidei* Uribe-Echebarría & Fernández Casas, in Fontqueria 56 (17) 153-158 (2011) (*Narcissus*) = *N. assoanus* Dufour × *N. jacetanus* Fernández Casas
orientalis Linnaeus, Mant. Pl.: 62 (1767) (*Narcissus*) = *N. tazetta* subsp. *lacticolor*
orientalis Tenore, Fl. Napol. 1: 143 (1811) (*Narcissus*) = *N. tazetta* subsp. *lacticolor*
 †*orientalis* (as subsp. of *N. obsoletus*) M.Salmon, A Survey of the Genus *Narcissus*: 197 (2017) = *N. obsoletus*
ornatus Haworth, Monogr. Narcissin.: 14 (1831) (*Narcissus*) = variant of *N. poeticus* ("The Flat Crowned Saffron Rim")
oxypetalus Boissier, Voy. Bot. Espagne 2: 606 (1842) (*Narcissus*) = *N. elegans* var. *oxypetalus*
 × *pacensis* Fernández Casas, in Fontqueria 44: 255 (1996) (*Narcissus*) = *N. confusus* Pugsley × *N. triandrus* Linnaeus (as subsp. *pallidulus*)
pachybolbus Durieu de Maisonneuve, in Rev. Bot. Recueil Mens. 2: 425 (1846) (*Narcissus*) Section Tazettae
 × *paedagogorum* Nava & Fernández Casado, in Fontqueria 31: 251 (1991) (*Narcissus*) = *N. pallidiflorus* Pugsley × *N. triandrus* Linnaeus
paivae A.Fernandes, in Mem. Acad. Ci. Lisboa 27: 245 (1986) (*Narcissus*) = *N. × brevitybulosus*
paivae = *N. triandrus* subsp. *pallidulus* var. *paivae*
palairensis Romo, in Fontqueria 24: 15 (1989) (*Narcissus*) = *N. assoanus* var. *palairensis*
pallens Freyn ex Willkomm, Suppl. Prodr. Fl. Hisp.: 39 (1893) (*Narcissus*) = *N. assoanus* var. *pallens*
pallidiflorus Pugsley, in J. Roy. Hort. Soc. 58 (1) 69 (1933) (*Narcissus*) Section Pseudonarcissus (Pseudonarcissus Moschatus 'Pallidus Praecox', "The Early Straw Coloured Bastard Daffodil"). FCC 1884
 var. *pallidiflorus*
 f. *pallidiflorus*
 f. *asturicus* (Barr) Pugsley, in J. Roy. Hort. Soc. 58 (1) 69 (1933)
 var. *intermedius* Pugsley, in J. Roy. Hort. Soc. 58 (1) 70 (1933)

pallidulus Graells, in Mem. Real Acad. Ci. Exact. Madrid 2: 478 (1854) (*Narcissus*) = *N. triandrus* subsp. *pallidulus*
pallidus Poirlet, in Encycl. 4: 424 (1788) (*Narcissus*) = *N. dubius*
pallidus Graells ex Nyman, Consp. Fl. Eur. 4: 713 (1882) (*Narcissus*) = *N. cantabricus* de Candolle
pallidus Gattefossé & Weiller, in Bull. Soc. Hist. Nat. Afr. Nord 28: 541 (1937) (*Narcissus*) = *N. bulbocodium* var. *pallidus*
panizzianus Parlature, Fl. Ital. 3: 128 (1858) (*Narcissus*) Section Tazettae ("Paper White Minor")
papyraceus Ker Gawler, in Bot. Mag. 24, t. 947 (1806) (*Narcissus*) Section Tazettae ('Paper White', '?Single Paper White', Tazetta 'Niveus', Tazetta Unicolor', 'Totus Albus Prior', "White Italian")
subsp. *pachybolbus* (Durieu de Maisonneuve) D.A. Webb, in Bot. J. Linn. Soc. 76 (4) 305 (1978) = *N. pachybolbus*
subsp. *panizzianus* (Parlature) Arcangeli, Comp. Fl. Ital., ed. 2: 148 (1894) = *N. panizzianus*
subsp. *polyanthos* (Loiseleur-Deslongchamps) Ascherson & Graebner, Syn. Mitteleur. Fl. 3: 390 (1906) = *N. polyanthos*
parkinsonii Haworth, Monogr. Narcissin.: 5 (1831) (*Diomedes*) = *N. × incomparabilis*
parvicorona Haworth, Monogr. Narcissin.: 7 (1831) (*Jonquilla*) = *N. jonquilla*
parviflorus (Jordan) Pugsley, in J. Roy. Hort. Soc. 58 (1) 61 (1933) (*Narcissus*) Section Pseudonarcissus
parviflorus Pau, Not. Bot. Fl. Españ. 6: 96 (1895) (*Narcissus*) = *N. assoanus* var. *parviflorus*
parvulus Sweet, Hort. Brit. (Sweet), ed. 2: 515 (1830) (*Narcissus*) = *N. assoanus*
patellaris Salisbury, Prodr. Stirp. Chap. Allerton: 225 (1796) (*Narcissus*) = *N. poeticus* var. *majalis*
patulus Loiseleur-Deslongchamps, in J. Bot. (Desvaux) 2: 276 (1809) (*Narcissus*) Section Tazettae
paucinervis = *N. bulbocodium* subsp. *praecox* var. *paucinervis*
pedunculata Cuatrecasas, Trab. Mus. Ci. Nat. Barcelona 12: 251 (1929) = *N. cuatrecasasii*
pedunculatus (Cuatrecasas) Laínz, Anales Inst. Forest. Invest. 10: 322 (1966) = *N. cuatrecasasii*
× *perangustus* Fernández Casas, in Fontqueria 55 (69) 572 (2008) (*Narcissus*) = *N. elegans* (Haworth) Steudel × *N. serotinus* Linnaeus
perez-chiscanoi Fernández Casas, in Fontqueria 14: 19 (1987) (*Narcissus*) Section Pseudonarcissus
× *perezlarae* Font Quer, in Bol. Real Soc. Esp. Hist. Nat. 27: 39 (1927) (*Narcissus*) = *N. cavanillesii* Barra & López × *N. obsoletus* (Haworth) Steudel
perlutea Haworth, Monogr. Narcissin.: 8 1831 (*Hermione*) = *N. tazetta*
peroccidentalis Fernández Casas, in Fontqueria 44: 256 (1996) (*Narcissus*) Section Bulbocodium
× *petri-mariae* Fernández Casas, in Fontqueria 4: 28 (1983) (*Narcissus*) = *N. pallidiflorus* Pugsley × *N. provincialis* Pugsley
petunioides = *N. cantabricus* var. *petunioides*
physaloides = *N. poeticus* var. *physaloides*
× *picoeuropaeanus* Fernández Casas, in Fontqueria 56 (15) 127-132 (2011) (*Narcissus*) (parentage: *N. asturiensis* (Jordan) Pugsley × *N. bulbocodium* Linnaeus [as *N. turgidus*]) = *N. × brevitubulosus*
piifontianus Fernández Casas, in Fontqueria 56 (3) 29-30 (2009) (*Narcissus*) = *N. × perezlarae*
†*pinetorum* (as var. of *N. hispanicus*) M. Salmon, in Monocot Nursery Seed List 1993/4
pinto-gomesii Fernández Casas, in Fontqueria 56 (10) 75-80 (2010) (*Narcissus*) = *N. × hannibalis*
pisanus Pugsley, in J. Roy. Hort. Soc. 58 (1) 59 (1933) (*Narcissus*) = *N. pseudonarcissus* var. *pisanus*
planicorona Haworth, Monogr. Narcissin.: 13 (1831) (*Hermione*) = *N. × tenuior*
platylobus Jordan, Icon. Fl. Eur. 3: 2 (1903) (*Ajax*) = *N. pseudonarcissus* var. *platylobus*
pleniflorus P.D. Sell, Fl. Great Britain Ireland: 290 (1996) = *N. pseudonarcissus* subsp. *pseudonarcissus*
× *poculiformis* Salisbury, Prodr. Stirp. Chap. Allerton: 224 (1796) (*Narcissus*) = *N. dubius* Gouan × *N. moschatus* Linnaeus (Poculiformis 'Montanus', Poculiformis 'Poculiformis', "The White Nonpareil Daffodil")
poetarum Haworth, Monogr. Narcissin.: 14 (1831) (*Narcissus*) = *N. radiiflorus* var. *poetarum*
poeticus Linnaeus, Sp. Pl.: 289 (1753) (*Narcissus*) Section Narcissus ("Janette des Contois", "White Lady")
var. *poeticus*
var. *hellenicus* (Pugsley) A. Fernandes, in Bol. Soc. Brot., 2nd series, 25: 180 (1951)
var. *majalis* (Curtis) A. Fernandes, in Bol. Soc. Brot., 2nd series, 25: 180 (1951) (Poeticus 'Patellaris', "The Great White Purple Ringed Daffodil")
var. *physaloides* Beauverd, in Bull. Soc. Bot. Genève, 2nd series, 23: 549 (1931)
var. *recurvus* (Haworth) A. Fernandes, in Bol. Soc. Brot., 2nd series, 25: 180 (1951) ("Jean(n)ette Blanche", "Pheasant's Eye"). AGM 1993
var. *verbanensis* Herbert, Amaryllidaceae: 318 (1837)
subsp. *angustifolius* Ascherson & Graebner, Syn. Mitteleur. Fl. 3: 397 (1906) = *N. radiiflorus*
subsp. *radiiflorus* (Salisbury) Baker, Handb. Amaryll.: 12 (1888) = *N. radiiflorus*
var. *grandiflorus* Sabine = *N. radiiflorus* var. *poetarum*
pollinensis Terracciano, in Atti Accad. Sci. Napoli, 2nd series, 8: 10 (1897) (*Narcissus*) = ?*N. radiiflorus*
polyanthos Loiseleur-Deslongchamps, in J. Bot. (Desvaux) 2: 277 (1809) (*Narcissus*) Section Tazettae
× *ponsii-sorollae* Fernández Casas, Exsicc. Distrib. 3: 12 (1980) (*Narcissus*) = *N. assoanus* Dufour ex Schultes & Schultes f. × *N. triandrus* Linnaeus (as subsp. *pallidulus*)
porrigens Jordan, Icon. Fl. Eur. 3: 3 (1903) (*Ajax*) = *N. pseudonarcissus* var. *porrigens*
portensis Pugsley, in J. Roy. Hort. Soc. 58 (1) 61 (1933) (*Narcissus*) Section Pseudonarcissus

- var. *portensis*
var. *albido-tepaloideus* A.Fernandes, Leitão & Aguiar, in Anuário Soc. Brot. 58: 22 (1992 publ. 1993)
- †*poujastou* Barr in Pugsley, in J. Roy. Hort. Soc. 58 (1) 70 (1933) (*Narcissus*) = *N. pallidiflorus* var. *intermedius*
praecox Tenore, Cat. Hort. Neap. 1813: 2976 (1812) (*Narcissus*) = *N. italicus*
praecox = *N. bulbocodium* subsp. *praecox*
praelongus Jordan, Icon. Fl. Eur. 3: 2 (1903) (*Ajax*) = *N. gayi* var. *praelongus*
praelongus = *N. assoanus* subsp. *praelongus*
pratensis Jordan & Fourreau, Brev. Pl. Nov. 2: 109 (1868) (*Hermione*) = *N. tazetta* subsp. *lacticolor*
× *pravianoii* Fernández Casas, in Fontqueria 3: 25 (1983) (*Narcissus*) = *N. primigenius* (Fernández Suárez ex Laínz) Fernández Casas & Laínz × *N. triandrus* Linnaeus
- primigenius*** (Fernández Suárez ex Laínz) Fernández Casas & Laínz, in Fontqueria 11: 15 (1986) (*Narcissus*) Section Pseudonarcissus. PC 1998
- primulinus* Haworth, Syn. Pl. Succ.: 329 (1812) (*Hermione*) = *N.* × *intermedius*
primulinus = *N. bertolonii* var. *primulinus*
propinquus Salisbury, Prodr. Stirp. Chap. Allerton: 221 (1796) (*Narcissus*) = *N. hispanicus* var. *propinquus*
provincialis Pugsley, in J. Bot. 77: 334 (1939) (*Narcissus*) Section Pseudonarcissus
var. *provincialis*
var. *bicolorans* Pugsley, in J. Bot. 77: 335 (1939)
- pseuditalicus* Rouy, Fl. France 13: 46 (1912) (*Narcissus*) = *N. italicus*
pseudo-jonquilla Desfontaines, Tabl. École Bot., ed. 2: 35 (1815) (*Narcissus*) Name without description
- pseudonarcissus*** Linnaeus, Sp. Pl.: 289 (1753) (*Narcissus*) Section Pseudonarcissus
subsp. *pseudonarcissus* ('King Umberto', 'Telamonius', 'The Garland', 'The Lent Lily'). AGM 1994
var. *pseudonarcissus*
var. *festinus* (Jordan) Pugsley, in J. Roy. Hort. Soc. 58 (1) 64 (1933)
var. *humilis* Pugsley, in J. Roy. Hort. Soc. 58 (1) 65 (1933) ('Scoticus')
var. *insignis* Pugsley, in J. Roy. Hort. Soc. 58 (1) 65 (1933)
var. *minoriformis* Pugsley, in J. Roy. Hort. Soc. 58 (1) 64 (1933)
var. *montinus* (Jordan) Pugsley, in J. Roy. Hort. Soc. 58 (1) 64 (1933)
var. *pisanus* (Pugsley) A.Fernandes, in Daffodil & Tulip Year Book 33: 59 (1968)
var. *platylobus* (Jordan) Pugsley, in J. Roy. Hort. Soc. 58 (1) 64 (1933)
var. *porrigens* (Jordan) Pugsley, in J. Roy. Hort. Soc. 58 (1) 64 (1933)
- subsp. *abscissus* (Schultes & Schultes f.) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 182 (1951) = *N. abscissus*
subsp. *albescens* (Pugsley) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 182 (1951) = 'Albicans'
subsp. *alpestris* (Pugsley) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 182 (1951) = *N. alpestris*
subsp. *bicolor* (Linnaeus) Baker, Handb. Amaryll.: 4 (1888) = *N. bicolor*
subsp. *calcicarpetanus* (Fernández Casas) Fernández Casas, in Fontqueria 4: 27 (1983)
subsp. *confusus* (Pugsley) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 183 (1951) = *N. confusus*
subsp. *cyclamineus* (Haworth) Baker, Handb. Amaryll.: 4 (1888) = *N. cyclamineus*
subsp. *gayi* (Hénon) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 182 (1951) = *N. gayi*
subsp. *leonensis* Fernández Casas, in Fontqueria 6: 50 (1984) = *N. nobilis* var. *leonensis*
subsp. *longispathus* (Pugsley) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 183 (1951) = *N. longispathus*
subsp. *macrolobus* (Jordan) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 182 (1951) = *N. macrolobus*
subsp. *major* (Curtis) Baker, Handb. Amaryll.: 4 (1888) = *N. hispanicus*
subsp. *minor* Baker, Handb. Amaryll.: 4 (1888) = *N. minor*
subsp. *moschatus* (Linnaeus) Baker, Handb. Amaryll.: 4 (1888) = *N. moschatus*
subsp. *munozii-garmendiae* (Fernández Casas) Fernández Casas, in Fontqueria 4: 27 (1983)
subsp. *muticus* Baker, Handb. Amaryll.: 3 (1888) = *N. abscissus*
subsp. *nevadensis* (Pugsley) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 183 (1951) = *N. nevadensis*
subsp. *nobilis* (Schultes & Schultes f.) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 182 (1951) = *N. nobilis*
subsp. *obvallaris* (Salisbury) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 183 (1951) = *N. obvallaris*
var. *toscanus* (Pugsley) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 183 (1951) = *N. obvallaris*
subsp. *pallidiflorus* (Pugsley) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 182 (1951) = *N. pallidiflorus*
subsp. *pisanus* (Pugsley) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 183 (1951) = *N. pseudonarcissus* var. *pisanus*
subsp. *portensis* (Pugsley) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 183 (1951) = *N. portensis*

- subsp. *pugsleyanus* Barra & López, in Anales Jard. Bot. Madrid 39 (2): 298 (1982 pub. 1983)
- subsp. *tortuosus* (Haworth) A.Fernandes, in Bol. Soc. Brot., 2nd series, 25: 182 (1951) = *N. tortuosus*
- var. *bromfieldii* Syme = *N. obvallaris*
- var. *concolor* Bromfield = *N. obvallaris*
- var. *johnstonii* Baker, in Gard. Chron. 25: 590 (1886) = *N. × taitii*
- var. *lorifolius* Gillot = *N. bicolor* var. *lorifolius*
- pseudo-poeticus* Boutigny ex Nyman, Consp. Fl. Eur. 4: 710 (1882) (*Narcissus*) = *N. poeticus*
- puccinellii* Parlatores, Fl. Ital. 3: 133 (1858) (*Narcissus*) Section Tazettae
- pugsleyanus* = *N. pseudonarcissus* subsp. *pugsleyanus*
- × *pugsleyi* Fernández Casas, in Fontqueria 6: 41(1984) (*Narcissus*) = *N. alpestris* Pugsley × *N. assoanus* Dufour ex Schultes & Schultes f.
- × *pujolii* Font Quer, in Mem. Mus. Ci. Nat. Barcelona Ser. Bot. 1 (2) 14 (1924) (*Narcissus*) = *N. assoanus* Dufour ex Schultes & Schultes f. × *N. dubius* Gouan
- pulchellus* Salisbury, Prodr. Stirp. Chap. Allerton: 223 (1796) (*Narcissus*) = *N. triandrus* var. *pulchellus*
- pumila* Haworth, Monogr. Narcissin.: 14 (1831) (*Helena*) = *N. dubius*
- pumilus* Salisbury, Prodr. Stirp. Chap. Allerton: 220 (1796) (*Narcissus*) = *N. minor* var. *pumilus*
- pumilus* Delile, in P.J.Redouté, Liliac. 7: t. 409 (1813) (*Narcissus*) = *N. dubius*
- pumilus* Herbert, Amaryllidaceae: 300 (1837) (*Narcissus*) = *N. dubius*
- purpureo-cinctus* (Haworth) Spach, Hist. Nat. Vég. 12: 453 (1846) (*Narcissus*) = 'Purpureo-cinctus'
- pusillus* G.Don, in Hort. Brit. (Loudon): 116 (1830) (*Narcissus*) = *N. jonquilla* var. *minor*
- pyrenaicus* Persoon, Syn. Pl. (Persoon) 1: 350 (1805) (*Narcissus*) = *N. triandrus*
- × *pyrenaicus* Dorda Alcaraz, Rivas Ponce & Fernández Casas, in Fontqueria 31: 237 (1991) (*Narcissus*) = *N. × dordae*
- queltia* Sweet, Hort. Brit. (Sweet): 407 (1826) (*Narcissus*) = *N. × incomparabilis*
- quintanilhae* = *N. bulbocodium* subsp. *quintanilhae*
- radians* Lapeyrouse, Hist. Pl. Pyrénées: 177 (1813) (*Narcissus*) = *N. pseudonarcissus*
- radiatus* Delile, in P.J.Redouté, Liliac. 8: t. 459 (1815) (*Narcissus*) = *N. × intermedius*
- radiiflorus* Salisbury, Prodr. Stirp. Chap. Allerton: 225 (1796) (*Narcissus*) Section *Narcissus*
- var. *radiiflorus*
- var. *exertus* (Haworth) A.Fernandes, in Daffodil & Tulip Year Book 33: 49 (1968)
- var. *poetarum* (Haworth) Burbidge & Baker, *Narcissus*: 85 (1875) ('Poetarum')
- var. *stellaris* (Haworth) A.Fernandes, in Daffodil & Tulip Year Book 33: 49 (1968)
- radiganorum* Fernández Casas, in Fontqueria 6: 41 (1984) (*Narcissus*) Section *Pseudonarcissus*
- × *rafaelii* Patino & Uribe-Echebarría, in Collect. Bot. (Barcelona) 26: 144 (2003) (*Narcissus*) = *N. assoanus* Dufour ex Schultes & Schultes f. × *N. eugeniae* Fernández Casas
- × *raianus* A.Fernandes, Leitão & Aguiar, in Mem. Acad. Ci. Lisboa, 32: 37 (1992 publ. 1993) (parentage: *bulbocodium* × *triandrus* [as subsp. *lusitanicus*]) = *N. × fosteri*
- recurvifolius* Loddiges, Catalogue of Plants: 43 (1823) (*Narcissus*) = ?
- recurvus* Haworth, Syn. Pl. Succ.: 331 (1812) (*Narcissus*) = *N. poeticus* var. *recurvus*
- redoutei* Sweet, Hort. Brit. (Sweet), ed. 2: 514 (1830) (*Narcissus*) = *N. triandrus* var. *loiseleurii*
- redoutei* Rouy, Fl. France 13: 46 (1912) (*Narcissus*) = *N. tazetta* subsp. *lacticolor*
- reflexus* Brotero, Fl. Lusit.: 550 (1804) (*Narcissus*) = *N. triandrus* var. *triandrus*
- reflexus* Loiseleur-Deslongchamps, Not. Fl. France: 165 (1810) (*Narcissus*) = *N. triandrus* var. *loiseleurii*
- regulosus* = Mis-spelling of *rugulosus*
- rempolensis* Panizzi in Parlatores, Giorn. Bot. Ital. 2, part 1: 3 (1847) (*Narcissus*) = *N. tazetta*
- renaudii* Bavoux, in Mém. Soc. Emul. Doubs, 2nd series, 4: 114 (1854) (*Narcissus*) = *N. pseudonarcissus*
- requienii* M.Roemer, Fam. Nat. Syn. Monogr. 4: 236 (1847) (*Narcissus*) = *N. assoanus*
- ricasolianus* Parlatores, Fl. Ital. 3: 147 (1858) (*Narcissus*) = *N. patulus*
- rifanus* Emberger & Maire, Pl. Marocc. Nov.: 6 (1929) (*Narcissus*) = *N. romieuxii* subsp. *romieuxii* var. *rifanus*
- rivasmartinezii* Fernández Casas, in Fontqueria 44: 256, 258, fig. 1 (1996) (*Narcissus*) Section *Jonquilla*
- × *rogendorffii* Battandier, Fl. Algérie Tunisie: 327 (1904) (*Narcissus*) = *N. elegans* (Haworth) Spach × *N. tazetta* Linnaeus
- romanensis* Ureña, in Anales Jard. Bot. Madrid 43 (1) 185 = *N. × neocarpitanus*
- romieuxii* Braun-Blanquet & Maire, in Bull. Soc. Hist. Nat. Afrique N. 13: 192 (1922) (*Narcissus*) Section *Bulbocodium*
- subsp. *romieuxii*
- var. *romieuxii*. AM(a) 1938, AGM 1994
- var. *mesatlanticus* Maire, Pl. Marocc. Nov.: 6 (1929). AM 1984
- var. *rifanus* (Emberger & Maire) A.Fernandes, in Bol. Soc. Brot., 2nd series, 33: 113 (1959)
- subsp. *albidus* (Emberger & Maire) A.Fernandes, in Daffodil & Tulip Year Book 33: 56 (1968)
- var. *albidus*
- var. *zaianicus* (Maire, Weiller & Wilczec) A.Fernandes, in Bol. Soc. Brot., 2nd series, 33: 113 (1959) (A form "*lutescens*" may be found in cultivation but the name has not been formally published)
- × *romoi* Fernández Casas, in Fontqueria 36: 271 (1993) (*Narcissus*) = *N. cantabricus* de Candolle × *N. fernandesii*

Pedro

- rotularis** (Haworth) Spach, Hist. Nat. Vég. 12: 444 (1846) (*Narcissus*) Section Tazettae
× **rozeirae** Fernández Casas, in Fontqueria 6: 43 (1984) (*Narcissus*) (parentage: *N. bulbocodium* Linnaeus × *N. triandrus* Linnaeus [as subsp. *pallidulus*]) = *N. × fosteri*
rugilobus Haworth, Monogr. Narcissin.: 3 (1831) (*Ajax*) = *N. bicolor* var. *lorifolius*
rugulosus (Haworth) Schultes & Schultes f. Syst. Veg. 7ii: 956 (1830) (*Narcissus*) = 'Rugulosus'
rupicola Dufour, in Syst. Veg. 7ii: 958 (1830) (*Narcissus*) Section Apodanthi. AM(a) 1941, AM 1977, AM 1979
subsp. **rupicola**. AGM 1994
subsp. **marvieri** (Jahandiez & Maire) Maire & Weiller, in Bull. Soc. Hist. Nat. Afr. Nord 29: 452 (1938). AM(a) 1940, AM(p) 1952, AGM 1994
subsp. **pedunculatus** (Cuatrecasas) Laínz, Anales Inst. Forest. Invest. 10: 322 (1966) = *N. cuatrecasasii*
subsp. **watieri** (Maire) Maire & Weiller, Fl. Afr. Nord 6: 61 (1959). AM(a) 1991, FCC 2001
× **rupidulus** Fernández Casas & Susanna, in Anales Jard. Bot. Madrid 38 (1) 301 (1981) (*Narcissus*) = *N. rupicola* Dufour × *N. triandrus* Linnaeus (as subsp. *pallidulus*)
rutherfordii Fernández Casas, in Fontqueria 56 (26 [mistakenly 25 on cover]) (2011) (*Narcissus*) = *N. × alleniae*
× **sabinii** Lindley, Bot. Reg. 9: t. 763 (1824) (*Narcissus*) = *N. × incomparabilis*
salmanticensis Fernández Casas, in Fontqueria 56 (7) 63-66 (2010) (*Narcissus*) Unresolved name
× **sampaianus** A.Fernandes, in Mem. Acad. Ci. Lisboa, 32:38 (1992 publ. 1993) (*Narcissus*) (parentage: *bulbocodium* [as subsp. *bulbocodium*] × *triandrus* [as subsp. *pallidulus*]) = *N. × fosteri*
sardous Martelli, Monocot. Sardoae: 122 (1901) (*Narcissus*) = *N. tazetta* subsp. *lacticolor*
scaberulus Henriques, in Bol. Soc. Brot. 6: 45 (1888) (*Narcissus*) Section Apodanthi
segimonensis = *N. cuatrecasasii* var. *segimonensis*
segurensis Ríos, D.Rivera, Alcaraz & Obón, in Bot. J. Linn. Soc. 131 (2) 153 (1999) (*Narcissus*) Section Pseudonarcissus
semipartitus Link, Handbuch 1: 200 (1829) (*Narcissus*) = ?*N. × odorus*
serioflorens Schur, Enum. Pl. Transsilv.: 657 (1866) (*Narcissus*) = ?*N. radiiflorus* var. *stellaris*
serotina Haworth, Monogr. Narcissin.: 1 (1831) (*Corbularia*) = *N. bulbocodium* var. *serotinus*
serotinus Linnaeus, Sp. Pl.: 290 (1753) (*Narcissus*) Section Serotini
var. **serotinus**
var. **deficiens** (Herbert) Baker, Handb. Amaryll.: 10 (1888) = *N. obsoletus*
var. **emarginatus** Chabert, in Bull. Soc. Bot. France 36: 321 (1889)
var. **major** Pérez-Lara, Anales Soc. Esp. Hist. Nat. 15: 446 (1886) = *N. obsoletus*
serotinus Salzmann ex Schousboe, Iagttag. Vextrig. Marokko: 155 (1800) (*Narcissus*) = *N. serotinus* Linnaeus
serotinus Jordan, Icon. Fl. Eur. 3: 3 (1903) (*Ajax*) = *N. abscissus* var. *serotinus*
serratus Haworth, Misc. Nat.: 179 (1803) (*Narcissus*) = *N. pseudonarcissus*
sibthorpii Haworth, in Trans. Linn. Soc. London 5: 243 (1800) (*Narcissus*) = *N. obvallaris*
siculus Parlato, Fl. Ital. 3: 149 (1858) (*Narcissus*) = *N. patulus*
similis Salisbury, in Trans. Hort. Soc. London 1: 358 (1812) (*Hermione*) = *N. jonquilla*
solaris Haworth, Monogr. Narcissin.: 9 (1831) (*Hermione*) = *N. cupularis*
× **somedanus** Fernández Casado, Nava & Suárez Pérez, in Fontqueria 48: 29-34, fig. 4a-c (1997 publ. 1998) (*Narcissus*) = *N. asturiensis* (Jordan) Pugsley (as var. *villarvildensis*) × *N. triandrus* Linnaeus
× **souliei** Guétrot, Pl. Hybr. France 3 & 4: 103 (1927-1928) (*Narcissus*) = *N. assoanus* Dufour × *N. poeticus* Linnaeus
spatulatus Haworth, Monogr. Narcissin.: 14 (1831) (*Narcissus*) = *N. tazetta*
spiralis Fischer & Meyer, in Ann. Sci. Nat. Bot., 4th series, 1: 30 (1854) (*Narcissus*) = *N. serotinus*
spiralis Parlato, Fl. Ital. 3: 152 (1858) (*Narcissus*) = *N. tazetta* subsp. *lacticolor*
spurius Haworth, Syn. Pl. Succ.: 327 (1812) (*Ajax*) = *N. hispanicus* var. *spurius*
stella hort., in Gartenflora 35: 264 (1886) = 'Stella'
stellaris Haworth, Monogr. Narcissin.: 15 (1831) (*Narcissus*) = *N. radiiflorus* var. *stellaris*
stellaris = *N. jonquilla* var. *stellaris*
stellatus de Candolle, Fl. Franç. 5: 323 (1815) (*Narcissus*) = *N. tazetta* subsp. *lacticolor*
†**stellatus** Spruner ex Nyman, Consp. Fl. Eur. 4: 710 (1882) (*Narcissus*) = *N. polyanthos*
stelliflorus Schur, in Oesterr. Bot. Z. 19: 205 (1869) (*Narcissus*) = *N. radiiflorus* var. *stellaris*
stenantha Lange, in Overs. Kongel. Danske Vidensk. Selsk. Forh. Medlemmers Arbejder 1893: 193 (1893) = *N. × stenanthus*
× **stenanthus** (Lange) Fernández Casas, in Fontqueria 1: 12 (1982) (*Narcissus*) = *N. bulbocodium* Linnaeus (as var. *nivalis*) × *N. confusus* Pugsley
straminea Haworth, Monogr. Narcissin.: 12 (1831) (*Hermione*) = *N. tazetta*
striatellus = Mis-spelling of *striatulus*
striatulus Haworth, Suppl. Pl. Succ.: 132 (1819) (*Ganymedes*) = *N. triandrus*
subalbidus Loiseleur-Deslongchamps, Not. Fl. France: 163 (1810) (*Narcissus*) = *N. italicus*
subcrenata Haworth, Monogr. Narcissin.: 10 (1831) (*Hermione*) = *N. tazetta* subsp. *lacticolor*
sublutea Haworth, Monogr. Narcissin.: 8 (1831) (*Hermione*) = *N. tazetta*
subnivalis Fernández Casas, in Fontqueria 10: 10 (1986) (*Narcissus*) Section Bulbocodium

sulcicaulis Haworth, Monogr. Narcissin.: 11 (1831) (*Hermione*) = *N. tazetta* subsp. *corcyrensis*
sulphureus Sweet, Hort. Brit. (Sweet): 407 (1826) (*Narcissus*) = *N. × incomparabilis*
× susannae Fernández Casas, Exsicc. Distrib. 3: 13 (1980) (*Narcissus*) (parentage: *N. cantabricus* de Candolle [as
subsp. *monophyllus*] × *N. triandrus* Linnaeus [as subsp. *pallidulus*] = *N. × litigiousus*
sylvestris Lamarck, Fl. Française 3: 390 (1778) (*Narcissus*) = *N. pseudonarcissus*
syriacus Boissier, Diagn. Pl. Orient., 2nd series, 3: 4 (1859) (*Narcissus*) = *N. tazetta* subsp. *lacticolor*
× *taitii* Henriques, in Bol. Soc. Brot. 5: 173 (1887) (*Narcissus*) = *N. pseudonarcissus* Linnaeus × *N. triandrus*
Linnaeus (as subsp. *pallidulus*). FCC 1887 as *N. × johnstonii*
tananicus (Maire) Ibn Tattou, in Bocconea 8: 194 (1998) (*Narcissus*) = *N. cantabricus* subsp. *tananicus*
†*tazaensis* (as var. of *N. rupicola* subsp. *marvieri*) M. Salmon, in Monocot Nursery Plant List 2001
tazetta Linnaeus, Sp. Pl.: 290 (1753) (*Narcissus*) Section Tazettae ("Kashmir Local", "Seventeen Sisters")
subsp. *tazetta*
var. *chinensis* M. Roemer, Fam. Nat. Syn. Monogr. 4: 223 (1847) = *N. tazetta* subsp.
lacticolor
var. *chrysanthus* (de Candolle) hort. = *N. bertolonii*
var. *neglectus* (Tenore) hort. = *N. tazetta* subsp. *lacticolor*
var. *praecox* (Tenore) hort. = *N. italicus*
var. *syriacus* (Boissier) hort. = *N. tazetta* subsp. *lacticolor*
subsp. *aureus* (Loiseleur-Deslongchamps) Baker, Handb. Amaryll.: 9 (1888)
subsp. *bertolonii* (Jordan) Baker, Handb. Amaryll.: 8 (1888) = *N. bertolonii*
subsp. *canariensis* (Herbert) Baker, Handb. Amaryll.: 8 (1888) = *N. canariensis*
subsp. *chinensis* Masamune & Yanagihara, in Trans. Nat. Hist. Soc. Formosa 31: 329 (1941) = *N.*
 tazetta subsp. *lacticolor*
subsp. *corcyrensis* (Herbert) Baker, Handb. Amaryll.: 7 (1888)
subsp. *cupularis* (Salisbury) Baker, Handb. Amaryll.: 9 (1888) = *N. cupularis*
subsp. *dubius* (Gouan) Baker, Handb. Amaryll.: 8 (1888) = *N. dubius*
subsp. *gussonei* (Rouy) Maire, Bull. Soc. Hist. Nat. Afr. Nord 28: 381 (1937)
subsp. *italicus* (Ker Gawler) Baker, Handb. Amaryll.: 8 (1888) = *N. italicus*
subsp. *lacticolor* Baker, Handb. Amaryll.: 7 (1888) ('Bazelman Minor', 'Chinese Grand Emperor',
'Chinese Sacred Lily', 'Crenulatus', 'Grand Emperor', '?Grand Emperor of China', 'China
Lily', 'Good Luck Lily', 'Joss Lily', 'Lien Chu Lily', 'New Year Lily', 'Water Fairy
Flower', 'Water Nymph Flower'). HC 1974
† var. *tenorii* (Parlatore) hort.
† var. *trewianus* (Ker Gawler) hort. ('Basselman Major', 'Bazelman Major', '?Muzart
Orientalis', Tazetta 'Trewianus', 'Bossleman's Narcissus')
subsp. *ochroleucus* (Loiseleur-Deslongchamps) Baker, Handb. Amaryll.: 8 (1888) ("Ragged White",
"Straw White")
subsp. *pachybolbus* (Durieu de Maisonneuve) Baker, Handb. Amaryll.: 8 (1888) = *N. pachybolbus*
subsp. *panizzianus* (Parlatore) Baker, Handb. Amaryll.: 8 (1888) = *N. panizzianus*
subsp. *papyraceus* (Ker Gawler) Baker, Handb. Amaryll.: 8 (1888) = *N. papyraceus*
subsp. *patulus* (Loiseleur-Deslongchamps) Baker, Handb. Amaryll.: 7 (1888) = *N. patulus*
subsp. *polyanthos* (Loiseleur-Deslongchamps) Baker, Handb. Amaryll.: 8 (1888) = *N. polyanthos*
tazetta-poeticus Grenier & Godron, Fl. de Fr. 3: 257 (1855) (*Narcissus*) = *N. × medioluteus*
telamon Haworth, Syn. Pl. Succ.: 326 (1812) (*Ajax*) = *N. pseudonarcissus* subsp. *pseudonarcissus*
telamonius Link, Handbuch 1: 204 (1829) (*Narcissus*) = *N. pseudonarcissus* subsp. *pseudonarcissus*
tenorii Parlatore, Fl. Ital. 3: 137 (1858) (*Narcissus*) = *N. tazetta* subsp. *lacticolor* var. *tenorii*
tenuiflorus Schultes & Schultes f., in Syst. Veg. 7ii: 1733 (1830) (*Narcissus*) = *N. italicus*
tenuifolius Salisbury Prodr. Stirp. Chap. Allerton: 222 (1796) (*Narcissus*) = *N. bulbocodium* subsp. *bulbocodium* var.
tenuifolius
× *tenuior* Curtis, Bot. Mag. 11: 379 (1797) (*Narcissus*) = *N. jonquilla* Linnaeus × *N. poeticus* Linnaeus (assumed)
(Poeticus 'Planicorona', "The Slender Flat Crowned")
tenuis Agardh in Schultes & Schultes f., Syst. Veg. 7ii: 964 (1830) (*Narcissus*) = *N. × tenuior*
tereticaulis Haworth, in Trans. Linn. Soc. London 5: 245 (1800) (*Narcissus*) = ?*N. × intermedius*
†*timbali* Gautier in Timbal-Lagrave, in Bull. Soc. Sc. Phys. & Nat. Toul. 3: 143 (1875-76) (*Narcissus*) = ?*N. dubius*
†*tinei* Todaro ex Parlatore, Fl. Ital. 3: 146 (1858) (*Narcissus*) = *N. tazetta* subsp. *lacticolor*
tingitanus Fernández Casas, in Fontqueria 44: 262 (1996) (*Narcissus*) Section *Bulbocodium*
toletanus (*N. × susannae* var. *toletanus*) Fernández Casas & Luceño, in Anales Jard. Bot. Madrid 43 (1) 187 (1986) = *N.*
 × litigiousus
tortifolius Fernández Casas, in Saussurea 8: 43 (1977) (*Narcissus*) Section Tazettae
tortuosus (Haworth) Spach, Hist. Nat. Vég. 12: 454 (1846) (*Narcissus*) Section *Pseudonarcissus* (*Pseudonarcissus*
Moschatus 'Tortuosus', '?Silver Bells', "The Great Tortuose White Spanish Daffodil")
toscanus Pugsley, in J. Roy. Hort. Soc. 58: 56 (1933) (*N. obvallaris* var. *toscanus*) = *N. obvallaris*
trewianus Ker Gawler, in Bot. Mag. 32: t. 1301 (1810) = *N. tazetta* subsp. *lacticolor* var. *trewianus*
triandrus Linnaeus, Sp. Pl., ed. 2, 1: 416 (1762) (*Narcissus*) Section *Ganymedes* ("Ganymede's Cup"). AM 1984, AGM

subsp. *triandrus*var. *triandrus* ("Angel's Tears")var. *albus* (Haworth) Baker, *Narcissus*: 71 (1875) = *N. triandrus* var. *triandrus*var. *alejandrei* Barra, in *Anales Jard. Bot. Madrid* 58 (1) 185 (2000)var. *calathinus* hort. = *N. triandrus* var. *loiseleurii*var. *concolor* (Haworth) Link, *Handbuch*: 1: 201 (1829). AM(a) 1938var. *loiseleurii* (Rouy) A.Fernandes, in *Bol. Soc. Brot.*, 2nd series, 25: 178 (1951). AM(e) 1920var. *mutatis* Coutinho, Place of publication untraced = *N. triandrus*var. *pulchellus* (Salisbury) Baker, *Narcissus*: 71 (1875)subsp. *capax* (Salisbury) D.A.Webb, in *Bot. J. Linn. Soc.* 76 (4) 303 (1978) = *N. triandrus* var. *loiseleurii*var. *cernuus* (Salisbury) Baker, *Narcissus*: 71 (1875) = *N. triandrus* subsp. *pallidulus*subsp. *lusitanicus* (Dorda Alcaraz & Fernández Casas) Barra, in *Anales Jard. Bot. Madrid*, 58 (1) 186 (2000)subsp. *pallidulus* (Graells) Rivas Goday, *Veg. Fl. Guadiana*: 710 (1964)var. *pallidulus*var. *paivae* Barra, in *Anales Jard. Bot. Madrid* 58 (1) 185 (2000)*triandrus* Curtis, *Bot. Mag.* 2: t. 48 (1788) (*Narcissus*) = *N. triandrus* subsp. *pallidulus**tridymus* Burbidge, in *Gard. Chron.* 1888(1): 603 (1881) (*Narcissus*) = 'Tridymus'*trifida* Haworth, *Monogr. Narcissin.*: 9 (1831) (*Hermione*) = *N. tazetta**triflorus* Haworth, *Monogr. Narcissin.*: 14 (1831) (*Narcissus*) = *N. × medioluteus*× *trilobus* Linnaeus, *Sp. Pl.*, ed. 2, 1: 417 (1762) (*Narcissus*) = *N. bicolor* Linnaeus × *N. jonquilla* Linnaeus*tripartitus* Hornemann, *Hort. Bot. Hafn.* 1: 315 (1813) (*Narcissus*) = *N. × intermedius**tripodalis* Loddiges ex Schultes & Schultes f., as "*tripedalis*", in *Syst. Veg.* 7ii: 987 (1830) (*Narcissus*) = *N. ornatus* Haworth*tripodalis* Salisbury in Haworth, *Monogr. Narcissin.*: 14 (1831) (*Narcissus*) = *N. ornatus* Haworth*tubaeflorus* Salisbury, *Prodr. Stirp. Chap. Allerton*: 221 (1796) (*Narcissus*) = *N. poeticus**tubulosus* Baldacci, in *Nuovo Giorn. Bot. Ital.*, 2nd series, 6 (4) 351 (1899) (*Narcissus*) = ?*N. poeticus**tubulosus* Jordan, *Icon. Fl. Eur.* 3: 4 (1903) (*Ajax*) = *N. abscissus* var. *tubulosus*× *tuckeri* Barra & López, in *Anales Jard. Bot. Madrid* 41 (1) 203 (1984) (*Narcissus*) = *N. fernandesii* Pedro × *N. hedraeanthus* (P.B.Webb & Heldreich) Colmeiro× *turgaliensis* Dorda Alcaraz & Fernández Casas, in *Bol. Soc. Brot.*, 2nd series, 60: 177 (1987) (*Narcissus*) = *N.**bulbocodium* Linnaeus (as subsp. *bulbocodium* var. *conspicuus*) × *N. jonquilla* Linnaeus*turgidus* Salisbury, *Prodr. Stirp. Chap. Allerton*: 222 (1796) (*Narcissus*) = *N. bulbocodium*× *ubriquensis* M.Salmon, in *Monocot Nursery Plant List 2001* (parentage: *N. fernandesii* [as var. *cordubensis*] × *N. triandrus* [as subsp. *pallidulus*]) = *N. × incurvicervicus**unicolor* Tenore, *Fl. Napol.* 1: 144 (1811) (*Narcissus*) = *N. papyraceus**uniflora* Asso in Schultes & Schultes f., *Syst. Veg.* 7ii: 962 (1830) = *N. assoanus**uniflorus* hort. as a synonym in Schultes & Schultes f., in *Syst. Veg.* 7ii: 964 (1830) (*Narcissus*) = *N. × tenuior*× *urruitia* Fernández Casas & Uribe-Echebarría, in *Fontqueria* 56 (18) 159-164 (2011) (*Narcissus*) = *N.**pseudonarcissus* Linnaeus [as subsp. *munozii-garmendiae*] × *N. rupicola* Dufour*validus* = *N. bulbocodium* subsp. *validus*× *vallrutae* Barra, in *Anales Jard. Bot. Madrid* 57 (1) 179 (1999) (*Narcissus*) = *N. bicolor* Linnaeus (as var. *concolor*) × *N. poeticus* Linnaeus*varduliensis* Fernández Casas & Uribe-Echebarría, in *Estud. Inst. Alavés Naturaleza* 3: 232 (1988) (*Narcissus*) Section *Pseudonarcissus**varians* Gussone in *Parlatore, Fl. Ital.* 3: 141 (1858) (*Narcissus*) = *N. tazetta* subsp. *lacticolor**vasconicus* Fernández Casas, in *Fontqueria* 11: 19 (1986) (*Narcissus*) = *N. jacetanus* subsp. *vasconicus**verbanensis* = *N. poeticus* var. *verbanensis**vergellensis* Parlatore, *Fl. Ital.* 3: 148 (1858) (*Narcissus*) = *N. patulus**verus* hort., Place of publication untraced (*Narcissus*) = *N. poeticus* var. *hellenicus*× *victoriae* Sprenger, in *Gartenflora* 40: 453 (1891) (*Narcissus*) = *N. pseudonarcissus* Linnaeus × *N. tazetta* Linnaeus (as subsp. *aureus*)*villarvildensis* = *N. asturiensis* var. *villarvildensis**viridiflorus* Schousboe, *Iagttag. Vextrig. Marokko*: 157 (1800) (*Narcissus*) Section *Jonquilla*†*viriditubus* (as subsp. of *N. bulbocodium*) M.Salmon, in *Daffodils 1991-92*: 32*vulgaris* Coutinho, *Fl. Portugal*: 140 (1913) (*Narcissus*) = *N. bulbocodium* subsp. *bulbocodium**watieri* Maire, in *Bull. Soc. Hist. Nat. Afr. Nord* 12: 186 (1921) (*Narcissus*) = *N. rupicola* subsp. *watieri**webbii* Parlatore, *Fl. Ital.* 3 123 (1858) (*Narcissus*) = *N. jonquilla**willkommii* (Sampaio) A.Fernandes, in *Bol. Soc. Brot.*, 2nd series, 40: 213-215 (1966) (*Narcissus*) Section *Jonquilla*. AM 1995

- × **xanthochlorus** Fernández Casas, in Fontqueria 56 (25) 232-238 (2011) (*Narcissus*) = *N. cavanillesii* Barra & López
× *N. viridiflorus* Schousboe
- × **xavieri** Nava & Fernández Casado, in Fontqueria 31: 249 (1991) (*Narcissus*) = *N. bulbocodium* (as subsp.
bulbocodium var. *citrinus*) × *N. pallidiflorus*
- yepesii** Ríos, D.Rivera, Alcaraz & Obón, in Bot. J. Linn. Soc. 131 (2) 161 (1999) (*Narcissus*) Section Pseudonarcissus
zaianicus Maire, Weiller & Wilczec, in Bull. Soc. Hist. Nat. Afr. Nord. 29: 452 (1938) (*Narcissus*) = *N. romieuxii*
subsp. *albidus* var. *zaianicus*
- × **zorrakinii** Fernández Casas, Patino Sánchez, Valencia Janices & Uribe-Echebarría Díaz, in Fontqueria 56 (21) 176-
182 (2011) (*Narcissus*) = *N. bulbocodium* Linnaeus (as *N. turgidus*) × *N. nobilis* (Haworth) Schultes &
Schultes f. (as var. *leonensis*)